

HE
18.5
.A34
no.
DOT-
TSC-
NHTSA-
19-
16.111
pt.2


RT NO. DOT-TSC-NHTSA-79-16.III

DOT-HS-805 458

PASSENGER CAR SPARK IGNITION DATA BASE
Volume III: Miscellaneous Data
Part II

by

Dr. H. Oetting
Volkswagenwerk
Research Division
3180 Wolfsburg
Federal Republic of Germany



DECEMBER 1979
FINAL REPORT

DOCUMENT IS AVAILABLE TO THE PUBLIC
THROUGH THE NATIONAL TECHNICAL
INFORMATION SERVICE, SPRINGFIELD,
VIRGINIA 22161

Prepared for

U.S. DEPARTMENT OF TRANSPORTATION
NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION
Office of Research and Development
Washington DC 20590

NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for its contents or use thereof.

NOTICE

The United States Government does not endorse products or manufacturers. Trade or manufacturer's names appear herein solely because they are considered essential to the object of this report.

NOTICE

The views and conclusions contained in the document are those of the author(s) and should not be interpreted as necessarily representing the official policies or opinions, either expressed or implied, of the Department of Transportation.

1. Report No. DOT-HS-805-458	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle PASSENGER CAR SPARK IGNITION DATA BASE Volume III: Miscellaneous Data, Part II		5. Report Date DECEMBER 1979	
		6. Performing Organization Code	
7. Author(s) Dr. H. Oetting		8. Performing Organization Report No. DOT-TSC-NHTSA-79-16.III	
9. Performing Organization Name and Address Volkswagenwerk* Research Division 3180 Wolfsburg Federal Republic of Germany		10. Work Unit No. (TRAIS) HS053/R0148	
		11. Contract or Grant No. DOT-TSC-1269	
12. Sponsoring Agency Name and Address U.S. Department of Transportation National Highway Traffic Safety Administration Office of Research and Development Washington DC 20590		13. Type of Report and Period Covered FINAL REPORT 1976 - 1978	
		14. Sponsoring Agency Code	
15. Supplementary Notes *Under contract to:		U.S. Department of Transportation Research and Special Programs Administration Transportation Systems Center Cambridge MA 02142	
16. Abstract Test data was obtained from spark ignition production and preproduction engines at the engine and vehicle level. The engines were applicable for vehicles 2000 to 3000 pounds in weight. The data obtained provided trade-offs between fuel economy, power, emission constraints and emission control technology, and other relevant parameters.			
17. Key Words Vehicles, Engines, Spark Ignition Engines, Otto Engine, Fuel Economy		18. Distribution Statement DOCUMENT IS AVAILABLE TO THE PUBLIC THROUGH THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD, VIRGINIA 22161	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 402	22. Price

PREFACE

In support of the U.S. Department of Transportation, National Highway Traffic Safety Administration, Office of Research and Development, the U.S. Department of Transportation, Research and Special Programs Administration, Transportation Systems Center contracted with Volkswagenwerk AG, Federal Republic of Germany to develop a data base on passenger car spark ignition engines. Volkswagen production, pre-production and research spark ignition engine systems were used for the test portion of the work. Published and unpublished literature was used for the theoretical studies.

The report consists of three volumes. Volume I, the Executive Summary, presents a summary of the data obtained and a review of the important conclusions. Volume II, the main body of the report, provides a discussion of the fuel economy and emissions obtained, a description of the engine/vehicle systems tested and the results of factory driveability tests, Volume III, the appendixes, presents miscellaneous data used during the program.

The author wishes to acknowledge the guidance and assistance provided by Mr. H. H. Gould and Dr. R. R. John of the Department of Transportation - Transportation Systems Center, and Dr. K. H. Digges of the Department of Transportation - National Highway Traffic Safety Administration, Office of Passenger Vehicle Research.

Our working team consisted of the following persons:

Misses E. Logsdon, M. Sowka, H. Welke

Messrs. Dr. R. Beckmann, U. Westphäling, B. Dombrowski, H.P. Henning and the author.

They were supported by Dr. K. H. Lies and P. Seifert and their groups together with members of the staff of the VW Engine Testing Department, the VW Programmed Control System Department, and the VW Measuring Department.

For translation work we acknowledge the assistance provided by Mr. Wilfried Becker, Germersheim, Federal Republic of Germany.


METRIC CONVERSION FACTORS

Approximate Conversions to Metric Measures

Symbol	When You Know	Multiply by	To Find	Symbol
LENGTH				
m	inches	2.5	centimeters	cm
ft	feet	30	centimeters	cm
yd	yards	0.9	meters	m
mi	miles	1.6	kilometers	km
AREA				
m ²	square inches	6.5	square centimeters	cm ²
ft ²	square feet	0.09	square meters	m ²
yd ²	square yards	0.8	square meters	m ²
mi ²	square miles	2.6	square kilometers	km ²
	acres	0.4	hectares	ha
MASS (weight)				
oz	ounces	28	grams	g
lb	pounds	0.45	kilograms	kg
	short tons (2000 lb)	0.9	tonnes	t
VOLUME				
tsp	teaspoons	5	milliliters	ml
Tbsp	tablespoons	15	milliliters	ml
fl oz	fluid ounces	30	milliliters	ml
c	cups	0.24	liters	l
pt	pints	0.47	liters	l
qt	quarts	0.95	liters	l
gal	gallons	3.8	liters	l
ft ³	cubic feet	0.03	cubic meters	m ³
yd ³	cubic yards	0.76	cubic meters	m ³
TEMPERATURE (exact)				
°F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C

Approximate Conversions from Metric Measures

Symbol	When You Know	Multiply by	To Find	Symbol
LENGTH				
mm	millimeters	0.04	inches	in
cm	centimeters	0.4	inches	in
m	meters	3.3	feet	ft
m	meters	1.1	yards	yd
km	kilometers	0.6	miles	mi
AREA				
cm ²	square centimeters	0.16	square inches	in ²
m ²	square meters	1.2	square yards	yd ²
km ²	square kilometers	0.4	square miles	mi ²
ha	hectares (10,000 m ²)	2.5	acres	ac
MASS (weight)				
g	grams	0.035	ounces	oz
kg	kilograms	2.2	pounds	lb
t	tonnes (1000 kg)	1.1	short tons	st
VOLUME				
ml	milliliters	0.03	fluid ounces	fl oz
l	liters	2.1	pints	pt
l	liters	1.06	quarts	qt
l	liters	0.26	gallons	gal
m ³	cubic meters	35	cubic feet	ft ³
m ³	cubic meters	1.3	cubic yards	yd ³
TEMPERATURE (exact)				
°C	Celsius temperature	9/5 (then add 32)	Fahrenheit temperature	°F



*1 in x 2.54 (exact). For other exact conversions, and more detailed tables, see NBS Misc. Publ. 286, Units of Weights and Measures, Price \$2.25, SD Catalog No. C13.10.286.

TABLE OF CONTENTS

<u>APPENDIX</u>		<u>PAGE</u>
A	DISTANCE VS. TIME DATA.....	A-1
B	VEHICLE SPEED VS. TIME DATA.....	B-1
C	ROAD PERFORMANCE DATA.....	C-1
D	DRIVEABILITY DATA.....	D-1
E	NOISE DATA.....	E-1
F	VIBRATION DATA.....	F-1
G	ADDITIONAL DATA (ENGINE MAPS, ETC.).....	G-1
H	REPORT OF NEW TECHNOLOGY.....	H-1

PART II CONTAINS APPENDIXES G.6 THROUGH G.13

APPENDIX G.6
MODIFICATION CODE 11

DKL

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position


LINIEN GLEICHER LEISTUNG IN PS curves of constant power output

Mod. Code II

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHENDG/6/950
 KRAFTST. /NORMAL

MOTOR-NR. /713/117
 BEMERKNG./KF MIT NECH.-EGR ANHUBRAUM /1200
 VERDICHTG/ 8.0
 SPEZ.GEW./725

EA-NR.
 VERGASER /36P107
 OEL /6HELL30




SPZVERB -KENNFELD LINIEN MIT KONST. WERTEN IN GPFSH

fuel consumption (fc) $\frac{E}{Hph}$

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. / 22 CO/LL /
 VORZUEHUNG/6/960
 KRAFTST. /NORMAL

MOTOR-NR. /713/117
 BEMERKUNG./KF NJT NECH.-EGR AMHUBRAUM /1300
 VERDICHTG/ 8.0
 SPEZ.GEW./1.728

ER-NR. /
 VERGASER /3EP1CT
 OEL /6HELL30




SPZVERB -KENNFELD LINIEN MIT KONST. WERTEN IN GPKWH

$$fc \left(\frac{g}{kWh} \right)$$

DATUM / 31/01/77 MOTOR-TYP/AG
PST-NR. /22 CO/LL /
VORZUEHENDG/5/960
KRAFTST. /NORMAL

MOTOR-NR. /113/117	EA-NR. /
BEMERKUNG./KF MIT NECH.-EGE AMHUBRAUM	/1300
VERDICHTG./ 8.0	VERGÄGER /36P1CT
SPEZ.GEN./1.725	OEL /6HELL30




-KENNFELD LINIEN MIT KONST. WERTEN IN LPH

$$f_c \left(\frac{1}{h} \right)$$

DATUM / 31/01/77 MOTOR-TYF/A0
PST-NR. /02 CO/LL /
VORZUEHNDG/5/950
KRAFTST. /N6BNAL

MOTOR-NR. /113/117	EA-NR. /
BEMERKUNG./KF MIT MECH.-EGR ANHUBRAUM	/1300
VERDICHTG/ 8.0	VERGASER /36PICT
SPEZ.GEW./726	GEL /6HELL30




KRSTDS -KENNFELD LINIEN MIT KONST. WERTEN IN KGPH

$$f_c \left(\frac{kg}{h} \right)$$

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHUNG/6/860
 KRAFTST. /NORMAL

MOTOR-NR /713/117
 BEMERKNG./KF MIT NECH.-EGE AMUBRAUM
 VERDICTG/ 8.0
 SPEZ.GEW./ .725

EA-NR. /
 /1300
 VERGASER /SEP107
 OEL /6HELL30



CO


-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHENDG/5/950
 KRAFTST. /NORMAL

MOTOR-NR /713/117
 BEMERKUNG./KF NIT NECH.-EGR AMHUBRAUM /1300
 VERDICHTG/ 5.0
 SPEZ.GEW./726

EA-NR. /
 AMHUBRAUM /1300
 VERGASER /36P10T
 GEL /6HELL30



HCO


-KENNFELD LINIEN MIT KONST. WERTEN IN KGF

 $(\frac{kg}{h})$

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHUNG/E/960
 KRAFTST. /NORMAL

MOTOR-NR. /713/117
 BEMERKUNG./KF MIT MECH.-EGE AMUBRAUM
 VERDICHTG/ 8.0
 SPEZ.GEW./1.725

EA-NR. /
 /1300
 VERGÄSER. /36P107
 OEL /6HELL30




C3H8

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHUNG/5/950
 KRAFTST. /NORMAL

MOTOR-NR /713/117
 BEMERKUNG./KF MIT MECH.-EGR AMUBRAUM /1300
 VERDICHTG./ 8.0
 SPEZ.GEW./1.726

EA-NR. /
 AMUBRAUM /1300
 VERGASER /36P1CT
 OEL /6HELL30



HC3H8


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{E}{h} \right)$

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHENDG/5/960
 KRAFTST. /NORMAL

MOTOR-NR /713/117
 BEMERKNG./KF MIT NECH.-EGR
 VERDICHTG/ 8.0
 SPEZ.GEW./ .726

EA-NR. /
 ANHUBRAUM /1300
 VERGASER /36P1CT
 OEL /8HELL30




NO

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM

DATUM / 31/01/77 MOTOR-TYP/AG
PST-NR. /22 CO/LL /
VORZUEHENDG/E/950
KRAFTST. /NORMAL

MOTOR-NR /713/117 EA-NR. /
BEMERKUNG./KF MIT NECH.-EGE AMUBRAUM /1300
VERDICHTG/ 8.0 VERGASER /36P10T
SPEZ.GEW./ .725 OEL /SHELL30



HNOX


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

($\frac{E}{h}$)

DATUM / 01/01/77 MOTOR-TYP/AG
 PST-NR. / 22 CO/LL /
 VORZUEHUNG/6/950
 KRAFTST. /NORMAL

MOTOR-NR. /713/117
 BEMERKUNG./KF MIT NECH.-EGR
 VERDICHTG/ 8.0
 SPEZ.GEW./.725


EA-NR. /
 ANHUBRAUM /1300
 VERGASER /36PICT
 OEL /SHELL30



(७)

DATUM / 31/01/77 MOTOS-TYP/A0
PST-NR. /22 CO/LL /
VORZUEHENDG/E/960
KRAFTST. /NORMAL

MOTOR-NR. /713/117	EA-NR. /
BEMERKUNG-/KF MIT NECH.-EGR AMHUBRAUM	/1300
VERDICHTG/ 8.0	VERGASER /36P1CT
SPEZ.GEW./1.725	OEL /6HELL30



C02


-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. / 22 CO/LL /
 VORZUEHUNG/6/950
 KRAFTST. /NORMAL

MOTOR-NR /713/117
 BEMERKNG./KF MIT NECH.-EGE AMUBRAUM
 VERDICHTG/ 8.0
 SPEZ.GEW./.725

EA-NR. /
 AMUBRAUM /1300
 VERGASER /36P1CT
 OEL /SHELL30



HC02


-KENNFELD LINIEN MIT KONST. WERTEN IN KGPH

 $(\frac{kg}{h})$

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHENDG/5/950
 KRAFTST. /NORMAL

MOTOR-NR. /713/117
 BEMERKNG./KF MIT NECH.-EGE
 VERDICHTG/ 8.0
 SPEZ.GEW./.725

EA-NR. /
 AMUBRAUM /1300
 VERGASER /36P1CT
 OEL /6HELL30



ZUEW


-KENNFELD LINIEN MIT KONST. WERTEN IN DEGREE

curves of constant spark advance

DATUM / 31/03/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHUNG/6/950
 KRAFTST. /NORMAL

MOTOR-NR /713/117
 BEMERKUNG./KF MIT MECH.-EGR ANHUBRAUM /1300
 VERDICHTG/ 8.0
 SPEZ.GEW./.725

EA-NR. /
 VERGASER /3EP1CT
 OEL /6HELL30



LAMA


-KENNFELD LINIEN MIT KONST. WERTEN IN 1

 λ - Map

DATUM / 31/01/77 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHUNG/5/950
 KRAFTST. /NORMAL

MOTOR-NR /713/117
 BEMERKNG./KF MIT NECH.-EGE
 VERDICHTG/ 8.0
 SPEZ.GEW./.725

EA-NR. /
 ANHUBRAUM /1300
 VERGASER /36P107
 OEL /8HELL30



MESSPROTOKOLL PROGRAMM MOTOR
DATE/NAME MOTOR31901401B1R22
VERSUCHS NR 2
VERSUCHSART KENNFELD ABGAS
BEHÄLTUNGEN ZUR VERSUCHSREIHE

PRUEFSTAND NR 22
VERSUCHSBEGINN 31/01/77
VERSUCHSENDE 03/02/77

SACHBEARBEITER H. EHRICH
13.31.27
10.37.36
EA-NR 31901

MOTOR-TYP 40
MOTOR-ART OTTO
MOTOR-NR 713/117
ZYLINDERZ. 4
BEHÄLTUNGSZEIT

HUBKAUM 1100.
VERDICHTUNG 8.0
VERGASER/EINSPR. 35PICT
LEERL./OO / VORZ. 5/951

KRAFTSTOFFSORTE NORMAL
OKTANZAHL (ROZ) 92
OELSORTE SHELL30
EINSPIRITZBEGINN

BEHÄLTUNGEN ZUM VERSUCH KF MIT MECH.-EGR AN 1,3LTR MOTOR

Mod Code : 11

U/R	1/MIN	BRL KP	BRL N	REDMDR BAR	EFFLST KW	REDLST KW	REDLST PS	WMT NM	WMT KPM	SPZVERB G/KWH	SPZVERB G/PSH	LTRSTD L/H	DURCHLZT S	KRSTMAS G
1 P	973.	.17	1.7	.1	.1	.1	.2	1.2	.12	6367.2	4683.3	1.08	229.3	50.00
2 P	1003.	2.05	20.1	1.4	1.5	1.5	2.1	14.5	1.48	625.8	460.2	1.31	189.9	50.00
3 P	935.	3.33	38.6	2.7	2.9	2.9	3.9	27.8	2.83	413.4	304.1	1.64	151.3	50.00
4 P	1003.	5.95	53.4	4.1	4.4	4.4	6.0	42.3	4.29	341.1	250.9	2.07	120.2	50.00
5 P	1003.	7.33	77.8	5.5	5.9	5.9	8.0	56.0	5.71	342.8	252.1	2.77	89.7	50.00
6 P	935.	9.50	33.8	6.6	7.0	7.0	9.6	57.5	6.89	433.9	319.1	4.19	59.3	50.00 V
7 P	1203.	.12	1.1	.1	.1	.1	.1	.8	.08	9009.8	6626.7	1.29	192.6	50.00
8 P	1139.	1.57	15.4	1.2	1.5	1.5	2.0	11.8	1.20	713.0	524.4	1.45	171.1	50.00
9 P	1133.	3.37	38.3	2.7	3.5	3.5	4.8	28.0	2.86	400.5	294.5	1.93	128.4	50.00
10 P	1207.	5.00	53.8	4.1	5.3	5.4	7.3	42.4	4.32	334.0	245.7	2.45	101.2	50.00
11 P	1203.	8.55	78.9	5.6	7.2	7.2	9.8	56.9	5.80	340.9	250.7	3.36	73.9	50.00
12 P	1193.	9.99	98.0	6.9	8.8	8.9	12.1	70.6	7.20	426.2	313.5	5.18	47.9	50.00
13 P	1207.	5.89	97.0	6.8	8.8	8.8	12.0	59.9	7.13	432.4	318.0	5.24	47.4	50.00 V
14 P	1402.	-1.15	-1.4	-0.1	-0.2	-0.2	-0.2	-1.0	-0.11	*354.3	*379.4	1.24	199.6	50.00
15 P	1403.	2.00	13.6	1.4	2.1	2.1	2.8	14.1	1.44	596.0	438.4	1.69	146.6	50.00
16 P	1402.	4.03	39.5	2.8	4.2	4.2	5.7	28.5	2.90	388.2	285.5	2.23	111.6	50.00
17 P	1397.	6.02	59.0	4.2	6.2	6.2	8.5	42.5	4.34	330.6	243.1	2.82	88.1	50.00
18 P	1396.	7.35	77.9	5.5	8.2	8.2	11.2	56.1	5.72	335.8	246.3	3.78	65.7	50.00
19 P	1397.	9.99	93.0	6.9	10.3	10.3	14.0	70.6	7.20	348.8	256.5	4.94	50.3	50.00
20 P	1404.	10.49	102.8	7.3	10.8	10.9	14.8	74.1	7.56	368.1	270.8	5.50	45.2	50.00 V
21 P	1600.	.09	.9	.1	.1	.1	.1	.6	.07	9348.6	6875.3	1.39	178.1	50.00
22 P	1600.	1.39	13.5	1.4	2.3	2.4	3.2	14.1	1.43	601.3	442.3	1.94	127.8	50.00
23 P	1603.	4.04	33.6	2.8	4.8	4.8	6.5	28.5	2.91	391.1	287.5	2.56	96.9	50.00
24 P	1600.	6.67	59.5	4.2	7.1	7.2	9.8	42.9	4.37	338.9	249.3	3.34	74.4	50.00
25 P	1600.	7.94	77.9	5.5	9.3	9.4	12.8	56.1	5.72	328.5	241.6	4.23	58.7	50.00
26 P	1601.	10.61	93.1	6.9	11.8	11.8	16.1	70.7	7.20	299.6	220.3	4.87	51.0	50.00
27 P	1600.	11.00	107.8	7.6	12.9	13.0	17.7	77.6	7.92	324.9	239.0	5.80	42.8	50.00 V
28 P	1795.	.13	1.3	.1	.2	.2	.2	.9	.03	6473.7	4761.4	1.51	164.2	50.00
29 P	1796.	2.00	13.6	1.4	2.6	2.7	3.6	14.1	1.44	592.7	435.9	2.16	114.9	50.00
30 P	1796.	4.05	33.7	2.8	5.4	5.4	7.3	28.6	2.92	385.9	283.8	2.85	87.2	50.00
31 P	1796.	6.04	53.2	4.2	8.3	8.0	10.9	42.6	4.35	338.0	248.6	3.72	66.8	50.00
32 P	1803.	7.97	78.2	5.5	10.6	10.6	14.5	56.3	5.74	325.4	239.4	4.74	52.3	50.00

MOTOR31901401B1R22

SEITE 1/1

URZ 1/MIN	DEL KP	BRL N	REDHOR BAR	EFFLST KW	REDLST KW	REDLST PS	MOHT VM	MOHT KPM	SPZVERB G/KWH	SPZVERB G/PSH	LTRSTD L/H	DURCHLZT S	KRSTHAS G
33 P 1803.	9.95	97.6	6.9	13.2	13.3	18.0	70.3	7.17	292.9	215.4	5.33	46.6	50.00
34 P 1803.	11.34	111.2	7.8	15.1	15.1	20.6	80.1	8.16	309.0	227.3	6.41	30.7	50.00
35 P 2008.	.17	1.6	.1	.2	.2	.3	1.2	.12	5112.4	3760.1	1.75	142.0	50.80
36 P 1999.	2.12	20.8	1.5	3.1	3.1	4.3	14.3	1.52	576.5	424.1	2.47	100.3	50.00
37 P 1999.	4.03	39.5	2.8	5.9	6.0	8.1	28.5	2.90	397.2	292.1	3.24	76.6	50.00
38 P 1999.	6.02	53.1	4.2	8.9	8.9	12.1	42.6	4.34	332.9	244.9	4.07	61.0	50.00
39 P 1999.	7.98	78.3	5.5	11.7	11.8	16.1	56.4	5.75	320.1	235.5	5.18	47.9	50.00
40 P 1999.	9.99	98.0	6.9	14.7	14.8	20.1	70.6	7.20	289.4	212.3	5.86	42.3	50.00
41 P 1999.	11.65	114.2	8.1	17.1	17.2	23.4	82.3	8.39	312.6	229.3	7.38	33.6	50.00
42 P 2203.	.02	.2	.0	.0	.0	.0	.1	.01	*976.6	*873.6	1.85	134.1	50.00
43 P 2203.	2.01	19.7	1.4	3.3	3.3	4.5	14.2	1.45	598.9	440.5	2.69	92.4	50.00
44 P 2203.	3.37	33.3	2.7	5.4	6.5	8.8	28.1	2.86	415.7	305.3	3.69	67.3	50.00
45 P 2195.	6.02	59.1	4.2	9.7	9.8	13.3	42.5	4.34	333.2	245.1	4.47	55.6	50.00
46 P 2203.	8.01	78.5	5.5	13.1	13.1	17.7	56.6	5.77	302.2	222.2	5.41	45.9	50.00
47 P 2196.	9.96	37.7	6.9	16.1	16.2	22.0	70.4	7.18	291.9	214.7	6.48	38.3	50.00
48 P 2203.	11.86	115.5	8.2	19.3	19.4	26.3	83.9	8.56	310.1	228.1	8.23	30.1	50.00
49 P 2203.	11.81	115.9	8.2	19.2	19.3	26.2	83.4	8.51	315.6	232.1	8.33	29.8	50.00
50 P 2398.	.01	.1	.0	.0	.0	.0	.1	.01	*373.9	*121.6	2.07	120.0	50.00
51 P 2399.	2.05	20.1	1.4	3.0	3.6	5.0	14.5	1.48	600.3	441.5	3.00	82.9	50.00
52 P 2399.	3.99	39.1	2.8	7.0	7.1	9.6	28.2	2.88	413.8	304.3	4.02	61.8	50.00
53 P 2399.	6.03	59.1	4.2	10.6	10.7	14.5	42.6	4.34	333.1	245.1	4.89	50.8	50.00
54 P 2399.	8.00	78.4	5.5	14.1	14.2	19.3	56.5	5.76	301.5	221.7	5.87	42.3	50.00
55 P 2399.	10.01	98.1	6.9	17.7	17.8	24.2	70.7	7.21	291.2	214.2	7.09	35.0	50.00
56 P 2399.	12.04	113.1	8.3	21.3	21.4	29.0	85.0	8.67	292.8	215.3	8.58	28.9	50.00
57 P 2399.	12.10	113.3	8.4	21.5	21.6	29.4	85.9	8.76	307.5	226.2	9.10	27.3	50.00
58 P 2602.	.02	.2	.0	.0	.0	.0	.1	.01	*030.6	*474.8	2.25	110.4	50.00
59 P 2595.	2.05	20.4	1.4	4.0	4.0	5.4	14.7	1.49	597.9	439.7	3.27	76.0	50.00
60 P 2603.	4.03	33.6	2.8	7.7	7.8	10.6	28.5	2.90	406.5	299.0	4.33	57.3	50.00
61 P 2603.	5.98	59.6	4.1	11.5	11.5	15.7	42.2	4.30	331.5	243.9	5.23	47.4	50.00
62 P 2603.	7.95	73.0	5.5	15.2	15.3	20.8	56.1	5.72	303.2	223.0	6.37	39.0	50.00
63 P 2603.	10.10	99.3	7.0	19.3	19.4	26.4	71.3	7.27	290.1	213.4	7.73	32.1	50.00
64 P 2603.	12.06	118.3	8.3	23.1	23.2	31.6	85.2	8.68	288.3	212.1	9.18	27.0	50.00
65 P 2603.	12.36	121.2	8.5	23.7	23.8	32.4	97.3	8.91	304.2	223.7	9.93	25.0	50.00
66 P 2798.	.04	.4	.0	.1	.1	.1	.3	.03	*304.7	*375.3	2.40	103.4	50.00
67 P 2799.	2.03	13.9	1.4	4.2	4.2	5.7	14.3	1.46	621.9	457.4	3.58	69.4	50.00
68 P 2807.	3.98	33.0	2.7	8.2	8.3	11.2	28.1	2.86	413.3	304.3	4.68	53.1	50.00
69 P 2799.	6.01	53.9	4.2	12.4	12.4	18.9	42.4	4.33	332.1	244.3	5.67	43.8	50.00
70 P 2799.	8.02	73.5	5.5	16.5	16.6	22.6	56.6	5.77	304.1	223.7	6.92	35.9	50.00
71 P 2799.	9.98	97.9	6.9	20.6	20.7	28.1	70.4	7.18	291.4	214.3	8.26	30.1	50.00
72 P 2799.	12.04	113.1	8.3	24.8	24.9	33.3	85.6	8.66	287.7	211.6	9.83	50.5	100.00
73 P 2799.	12.35	123.1	8.7	25.9	26.0	35.3	88.5	9.03	309.1	227.3	11.01	45.1	100.00
74 P 3002.	.09	.8	.1	.2	.2	.3	.6	.06	*121.8	*444.6	2.67	93.1	50.00
75 P 3003.	2.01	13.7	1.4	4.4	4.5	6.1	14.2	1.45	639.7	470.5	3.91	63.5	58.00
76 P 3002.	3.99	39.1	2.8	8.8	8.9	12.1	28.2	2.87	409.1	300.9	4.97	49.9	50.00
77 P 3002.	5.96	58.5	4.1	13.2	13.3	18.1	42.3	4.32	339.5	249.7	6.16	40.3	50.00

	URZ 1/MIN	BRL KP	BRL N	REDHOR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT NH	MONT KPH	SPZVER3 G/KWH	SPZVERB G/PSH	LTRSTD L/H	DURCHLZT S	KRSTMAS G
78 P	3002.	8.00	78.5	5.6	17.7	17.9	24.3	56.8	5.79	303.4	223.1	7.39	33.6	50.00
79 P	3002.	10.19	93.9	7.1	22.5	22.8	31.0	72.4	7.38	292.4	215.1	9.07	27.4	50.00
80 P	3002.	12.12	118.8	8.4	26.8	27.1	36.8	86.1	8.78	290.0	213.3	10.70	46.4	100.00
81 P	3001.	12.25	120.2	8.5	27.1	27.4	37.2	97.1	8.88	296.4	218.1	11.05	44.9	100.00
82 P	3196.	-0.04	-4	-0	-1	-1	-1	-3	-0.3	*182.0	*843.8	2.83	87.6	50.00
83 P	3205.	2.03	19.3	1.4	4.8	4.8	5.6	14.4	1.47	617.5	454.2	4.07	60.9	50.00
84 P	3196.	4.32	33.4	2.8	9.5	9.6	13.0	28.6	2.92	401.8	295.5	5.24	47.4	50.00
85 P	3204.	6.01	53.3	4.2	14.2	14.3	19.5	42.7	4.36	338.2	248.7	6.60	37.6	50.00
86 P	3204.	7.36	73.3	5.6	18.8	19.0	25.9	56.7	5.79	296.3	218.4	7.70	32.2	50.00
87 P	3204.	10.66	93.7	7.0	23.7	24.0	32.7	71.6	7.30	286.6	218.8	9.37	53.0	100.00
88 P	3196.	12.01	117.3	8.4	28.3	28.6	38.3	85.5	8.71	278.8	205.1	10.86	45.7	100.00
89 P	3196.	12.30	120.7	8.6	28.9	29.3	33.9	87.5	8.93	299.2	220.1	11.93	41.6	100.00
90 P	3407.	-0.02	-2	-0	-1	-1	-1	-2	-0.2	*124.0	*833.6	3.01	82.6	50.00
91 P	3399.	2.01	19.8	1.4	5.0	5.1	6.9	14.4	1.46	620.5	456.4	4.31	57.6	50.00
92 P	3399.	3.99	33.2	2.8	10.0	10.1	13.8	28.4	2.90	409.5	301.2	5.64	44.0	50.00
93 P	3399.	6.01	53.9	4.2	15.0	15.2	20.7	42.8	4.36	345.9	254.4	7.16	34.7	50.00
94 P	3399.	8.62	73.6	5.6	20.1	20.3	27.6	57.1	5.82	300.4	220.3	8.30	29.9	50.00
95 P	3399.	9.98	97.3	7.0	25.0	25.3	34.4	71.1	7.25	288.3	212.0	9.92	50.0	100.00
96 P	3399.	12.03	118.0	8.4	30.1	30.5	41.5	85.7	8.74	283.0	208.2	11.74	42.3	100.00
97 P	3399.	12.34	121.0	8.6	30.9	31.3	42.5	87.8	8.95	298.7	219.7	12.71	39.1	100.00
98 P	3001.	-0.01	-1	-0	-0	-0	-0	-1	-0.1	*779.0	*800.1	3.24	76.6	50.00
99 P	3502.	1.38	13.5	1.4	5.3	5.3	7.2	14.1	1.44	635.4	467.3	4.61	53.9	50.00
100 P	3502.	3.98	33.0	2.8	10.6	10.7	14.5	28.3	2.83	406.9	299.3	5.92	42.0	50.00
101 P	3501.	6.21	63.9	4.3	16.5	16.7	22.7	44.2	4.51	330.6	243.2	7.50	33.1	50.00
102 P	3501.	8.00	78.5	5.6	21.2	21.5	29.2	57.0	5.81	299.8	220.5	8.76	56.7	100.00
103 P	3502.	9.89	97.0	6.9	26.2	26.6	36.1	70.4	7.18	290.8	213.3	10.50	47.3	100.00
104 P	3594.	12.04	113.1	8.4	31.9	32.3	43.9	85.7	8.74	290.7	213.3	12.76	38.9	100.00
105 P	3501.	12.42	121.8	8.7	32.9	33.4	45.4	88.5	9.02	289.3	212.8	13.12	37.8	100.00
106 P	3803.	.12	.2	.0	.1	.1	.1	.2	.02	*166.0	*748.4	3.64	68.2	50.00
107 P	3804.	1.38	13.5	1.4	5.6	5.6	7.6	14.1	1.44	644.4	474.0	4.93	50.3	50.00
108 P	3796.	4.03	39.5	2.8	11.2	11.4	15.5	28.6	2.92	406.8	299.2	6.30	39.4	50.00
109 P	3804.	6.05	53.3	4.2	16.9	17.1	23.3	43.0	4.39	331.6	243.9	7.74	32.1	50.00
110 P	3804.	8.00	79.5	5.6	22.4	22.7	30.8	56.9	5.80	298.4	219.4	9.21	53.9	100.00
111 P	3804.	10.01	99.1	7.0	28.0	28.3	39.5	71.1	7.25	288.4	212.1	11.13	44.6	100.00
112 P	3804.	11.97	117.4	8.3	33.5	33.9	46.1	85.1	8.68	295.5	217.3	13.65	36.4	100.00
113 P	3796.	12.42	121.3	8.6	34.7	35.1	47.7	88.3	9.01	289.0	212.5	13.82	35.9	100.00
114 P	3999.	-0.04	-4	-0	-1	-1	-2	-3	-0.3	*515.1	*353.3	3.44	72.1	50.00
115 P	4000.	2.03	13.9	1.4	6.0	6.0	8.2	14.4	1.47	610.9	449.3	5.03	49.4	50.00
116 P	4000.	4.04	39.6	2.8	11.9	12.0	16.4	28.7	2.93	400.4	294.5	6.56	37.9	50.00
117 P	4000.	5.99	59.8	4.1	17.0	17.7	24.1	42.3	4.32	333.1	245.8	8.18	61.3	100.00
118 P	4000.	7.99	78.4	5.5	23.5	23.7	32.2	55.5	5.76	300.3	220.3	9.74	51.0	100.00
119 P	3999.	9.98	97.8	6.9	29.4	29.5	40.1	70.5	7.19	292.5	215.1	11.83	42.0	100.00
120 P	3999.	11.98	117.4	8.3	35.3	35.5	48.2	84.6	8.63	291.4	214.3	14.15	35.1	100.00
121 P	3999.	12.26	120.2	8.5	36.1	36.3	49.3	86.6	8.83	291.0	214.0	14.46	34.3	100.00
122 P	4202.	-0.03	-3	-0	-1	-1	-1	-2	-0.2	*596.8	*710.4	3.81	65.2	50.00

DRZ 1/MIN	BRL KP	BRL N	REDMDR BAR	EFFLST KW	REDLST KW	REDLST PS	MMY NH	MMY KPH	SPZVERB G/KWH	SPZVERB G/PSH	LIRSTD L/H	DURCHLZT S	KRSTMAS G
123 P	4202.	1.38	19.4	6.1	6.1	8.4	14.0	1.42	630.6	463.3	5.31	46.7	50.00
124 P	4194.	4.09	40.1	12.6	12.7	17.2	28.9	2.94	401.0	295.0	6.97	35.6	50.00
125 P	4194.	6.03	59.1	18.6	18.7	25.4	42.6	4.34	336.0	247.1	8.62	57.6	100.00
126 P	4202.	7.96	78.1	24.6	24.7	33.6	56.2	5.73	306.2	225.2	10.39	47.6	100.00
127 P	4194.	10.02	98.3	30.9	31.1	42.3	70.7	7.21	294.2	216.4	12.54	39.6	100.00
128 P	4202.	12.08	118.5	37.4	37.5	51.0	85.3	8.70	293.8	216.1	15.13	32.8	100.00
129 P	4405.	-0.04	-0.4	-0.1	-0.1	-0.2	-0.3	-0.03	*020.3	*666.8	4.05	61.2	50.00
130 P	4404.	1.96	19.2	6.3	6.4	8.7	13.8	1.41	652.3	479.8	5.70	43.5	50.00
131 P	4405.	3.98	39.0	12.9	13.0	17.6	28.1	2.86	410.1	301.6	7.29	34.1	50.00
132 P	4404.	5.99	59.7	19.4	19.5	26.5	42.3	4.31	341.4	251.1	9.13	54.4	100.00
133 P	4397.	8.00	78.4	25.9	26.0	35.4	56.5	5.76	313.6	230.6	11.18	44.4	100.00
134 P	4405.	9.96	97.7	32.3	32.4	44.1	70.3	7.17	299.8	220.5	13.34	37.2	100.00
135 P	4405.	11.32	116.9	38.7	38.9	52.9	84.2	8.59	293.7	220.4	15.96	31.1	100.00
136 P	4599.	-0.01	-0.1	-0.0	-0.0	-0.0	-0.1	-0.01	*764.4	*847.3	4.28	58.1	50.00
137 P	4600.	1.98	19.4	6.7	6.7	9.2	14.0	1.43	639.3	470.2	5.91	42.0	50.00
138 P	4600.	3.39	33.2	13.5	13.6	18.5	28.2	2.88	413.8	304.3	7.71	32.2	50.00
139 P	4600.	6.02	59.0	20.4	20.5	27.9	42.5	4.33	348.3	256.2	9.78	50.8	100.00
140 P	4600.	7.97	78.2	27.5	27.1	36.9	56.3	5.74	317.3	233.3	11.80	42.1	100.00
141 P	4600.	10.02	98.2	33.9	34.1	46.4	70.8	7.22	304.5	223.9	14.23	34.9	100.00
142 P	4600.	11.77	115.4	39.8	40.1	54.5	93.2	8.48	305.6	224.7	16.78	29.6	100.00
143 P	4600.	11.78	115.5	39.9	40.1	54.5	93.1	8.48	306.0	225.1	16.82	29.5	100.00
144 P	4801.	-0.00	-0.0	-0.0	-0.0	-0.0	-0.0	-0.00	*932.8	*237.7	4.37	56.8	50.00
145 P	4802.	1.98	19.4	7.0	7.0	9.6	14.0	1.42	636.0	467.8	6.12	40.5	50.00
146 P	4802.	3.92	33.5	13.3	13.9	18.9	27.7	2.83	421.7	310.1	8.06	61.6	100.00
147 P	4802.	5.30	57.9	20.9	21.0	28.5	41.7	4.25	353.9	260.3	10.17	48.8	100.00
148 P	4802.	7.97	78.2	28.2	28.3	39.5	56.3	5.74	323.5	238.0	12.56	39.5	100.00
149 P	4802.	10.00	98.1	35.4	35.6	48.4	70.7	7.21	307.9	226.5	15.00	33.1	100.00
150 P	4801.	11.54	113.2	40.8	41.0	55.8	81.5	8.32	308.0	226.5	17.31	28.7	100.00
151 P	5004.	.02	.2	.1	.1	.1	.1	.01	*294.0	*197.6	4.86	51.1	50.00
152 P	4996.	2.01	13.8	7.1	7.4	10.1	14.2	1.45	647.3	*76.1	6.61	37.6	50.00
153 P	4997.	4.01	33.3	14.7	14.8	20.1	28.3	2.89	420.2	309.0	8.53	58.2	100.00
154 P	4997.	6.03	59.2	22.2	22.3	30.3	42.6	4.35	359.1	264.1	10.98	45.2	100.00
155 P	4998.	6.01	78.6	29.5	29.6	40.3	56.6	5.77	327.9	241.2	13.32	37.3	100.00
156 P	5005.	10.03	98.4	36.9	37.2	50.5	70.9	7.23	312.6	229.3	15.92	31.2	100.00
157 P	4997.	11.24	110.3	41.4	41.6	56.5	79.4	8.10	312.0	229.5	17.78	55.8	200.00
158 P	5200.	.02	.2	.1	.1	.1	.1	.01	*780.8	*175.1	5.31	46.8	50.00
159 P	5200.	2.01	13.7	7.7	7.7	10.5	14.2	1.45	679.9	500.1	7.21	34.4	50.00
160 P	5201.	4.01	33.3	15.3	15.4	21.0	28.3	2.89	432.9	318.4	9.15	54.3	100.00
161 P	5201.	6.02	59.0	23.0	23.2	31.5	42.5	4.34	363.6	271.8	11.73	42.3	100.00
162 P	5201.	8.01	78.6	30.7	30.9	41.9	56.6	5.77	335.2	246.5	14.16	35.1	100.00
163 P	5201.	10.00	98.1	38.3	38.5	52.4	70.7	7.21	318.4	234.2	16.80	29.6	100.00
164 P	5200.	10.98	107.7	42.0	42.3	57.5	77.7	7.92	315.4	232.0	18.27	54.3	200.00
165 P	5395.	.04	.4	.2	.2	.2	.3	.03	*944.8	*140.3	5.32	46.6	50.00
166 P	5403.	1.95	19.1	7.8	7.8	10.6	13.8	1.41	695.2	511.3	7.43	33.4	50.00
167 P	5395.	4.01	33.4	15.9	16.0	21.8	28.4	2.89	435.1	320.0	9.55	52.0	100.00

DRZ 1/MIN	URL KP	URL M	REUMDR BAR	EFFLST KW	REOLST KW	REDLST PS	YOMT M	YOMT KPH	SPZVCRB G/KWH	SPZVCRB G/PSH	LTRSTD L/H	DURCHLZT S	KRSTMAS G
168 P	5396.	6.02	53.0	4.2	23.9	24.0	42.5	4.34	371.9	273.5	12.25	40.5	100.00
169 P	5404.	8.02	73.7	5.6	31.9	32.1	56.8	5.79	353.1	259.7	15.52	32.0	100.00
170 P	5396.	10.00	98.0	6.9	39.7	40.0	70.8	7.22	327.6	240.3	17.92	55.4	200.00
171 P	5403.	10.71	100.0	7.4	42.0	42.9	75.8	7.73	321.2	236.2	18.84	52.7	200.00
172 P	5593.	2.00	0.0	0.0	0.0	0.0	0.0	0.00	-974.0	-908.1	5.82	42.6	50.00
173 P	5593.	2.03	23.0	1.4	8.4	8.4	14.4	1.47	681.0	500.3	7.07	63.1	100.00
174 P	5599.	4.01	33.3	2.8	16.5	16.5	28.3	2.89	444.8	327.2	10.12	49.1	100.00
175 P	5606.	3.94	53.3	4.1	24.5	24.7	42.0	4.23	382.3	281.2	12.92	38.4	100.00
176 P	5593.	8.02	73.6	5.5	33.0	33.3	56.7	5.78	347.4	255.5	15.81	31.4	100.00
177 P	5593.	10.01	93.2	6.9	41.3	41.6	70.3	7.22	331.0	243.4	18.82	52.8	200.00
178 P	5593.	10.33	101.6	7.2	42.7	43.0	73.3	7.47	329.1	241.3	19.31	51.4	200.00
179 P	5794.	1.14	1.4	0.1	0.0	0.0	1.0	0.10	8023.9	5901.5	6.72	36.9	50.00
180 P	5801.	1.89	13.6	1.3	8.1	8.1	13.4	1.37	754.1	554.5	8.39	59.1	100.00
181 P	5801.	4.02	33.4	2.8	17.1	17.3	29.4	2.90	467.2	343.5	11.04	45.0	100.00
182 P	5801.	6.01	53.0	4.2	25.7	25.9	42.5	4.34	392.7	288.8	13.89	35.7	100.00
183 P	5801.	8.04	73.8	5.6	34.3	34.5	56.8	5.73	351.6	258.5	16.62	29.9	100.00
184 P	5801.	9.92	97.3	6.9	42.4	42.7	70.2	7.15	334.4	246.0	19.53	50.9	200.00
185 P	5801.	9.36	97.7	6.9	42.5	42.8	70.5	7.19	333.0	244.3	19.52	50.9	200.00
186 P	5995.	0.01	0.1	0.0	0.1	0.1	0.1	0.01	-933.8	-355.5	6.44	38.6	50.00
187 P	6003.	2.12	20.8	1.5	9.4	9.4	15.0	1.53	681.1	501.0	8.78	56.6	100.00
188 P	6003.	4.02	33.4	2.8	17.8	17.9	28.4	2.90	474.7	349.1	11.62	42.7	100.00
189 P	6003.	6.01	53.0	4.2	26.5	26.7	42.5	4.33	403.6	296.8	14.77	33.6	100.00
190 P	6003.	6.00	73.5	5.5	35.4	35.6	56.5	5.77	357.9	263.2	17.44	57.0	200.00
191 P	5995.	9.54	94.5	6.7	42.5	42.8	58.1	6.95	338.5	249.3	19.84	50.1	200.00
192 H	2417.	-2.61	-25.6	-1.8	-4.6	-4.7	-18.4	-1.88	AUS	AUS	AUS	AUS	50.00
193 H	2447.	-1.88	-18.5	-1.3	-3.4	-3.4	-13.3	-1.36	AUS	AJS	AUS	AUS	50.00
194 H	2093.	-2.82	-27.6	-1.9	-5.6	-7.5	-19.9	-2.03	AUS	AJS	AUS	AUS	50.00
195 H	2690.	-2.01	-13.7	-1.4	-4.0	-5.5	-14.2	-1.45	AJS	AJS	AUS	AUS	50.00
196 H	2803.	-2.33	-23.7	-2.0	-6.0	-8.3	-20.7	-2.11	AUS	AJS	AUS	AUS	50.00
197 H	2805.	-1.77	-17.4	-1.2	-3.7	-5.0	-12.5	-1.28	AUS	AUS	AUS	AUS	50.00
198 H	3006.	-3.10	-30.4	-2.1	-6.9	-9.4	-21.9	-2.24	AUS	AJS	AUS	AUS	50.00
199 H	3007.	-1.94	-13.0	-1.3	-4.3	-5.9	-13.7	-1.40	AJS	AJS	AUS	AUS	50.00
200 H	3249.	-3.19	-31.2	-2.2	-7.6	-10.4	-22.5	-2.30	AUS	AJS	AUS	AUS	50.00
201 H	3250.	-1.88	-13.4	-1.3	-4.5	-6.1	-13.3	-1.35	AUS	AJS	AUS	AUS	50.00
202 H	3472.	-3.21	-31.5	-2.2	-8.2	-11.2	-22.7	-2.32	AUS	AJS	AUS	AUS	50.00
203 H	3479.	-1.84	-18.1	-1.3	-4.7	-6.4	-13.0	-1.33	AUS	AUS	AUS	AUS	50.00
204 H	3597.	-3.26	-32.0	-2.3	-8.6	-11.8	-23.1	-2.35	AJS	AJS	AUS	AUS	50.00
205 H	3603.	-1.39	-13.5	-1.4	-5.3	-7.2	-14.1	-1.43	AUS	AUS	AUS	AUS	50.00
206 H	3801.	-3.36	-33.0	-2.3	-9.4	-12.9	-23.8	-2.42	AJS	AJS	AUS	AUS	50.00
207 H	3801.	-1.78	-17.5	-1.2	-5.0	-6.8	-12.6	-1.29	AUS	AJS	AUS	AUS	50.00
208 H	4052.	-3.49	-34.2	-2.4	-10.4	-14.2	-24.7	-2.52	AUS	AJS	AUS	AUS	50.00
209 H	4053.	-1.79	-17.6	-1.2	-5.3	-7.3	-12.7	-1.29	AJS	AJS	AUS	AUS	50.00
210 H	4283.	-3.63	-35.6	-2.5	-11.4	-15.6	-25.6	-2.61	AUS	AJS	AUS	AUS	50.00
211 H	4281.	-1.81	-17.8	-1.3	-5.7	-7.8	-12.8	-1.31	AUS	AUS	AUS	AUS	50.00
212 H	4426.	-3.59	-35.2	-2.6	-12.0	-16.5	-26.1	-2.67	AUS	AUS	AUS	AUS	50.00

	DRZ 1/MIN	BRL KP	BRL N	REDMDR BAR	EFFLST KM	REDLST KM	REDLST PS	MMT MM	MMT KPM	SPZVERB G/KHH	SPZVERB G/PSH	LTRSTD L/H	DURCHLZT S	KRSTMAS G
213 H	4426.	-1.89	-18.5	-1.3	-6.2	-6.2	-8.4	-13.4	-1.37	AJS	AJS	AUS	AUS	50.00
214 H	4614.	-3.78	-37.1	-2.6	-12.8	-12.9	-17.6	-26.8	-2.73	AUS	AJS	AUS	AUS	50.00
215 H	4614.	-2.01	-19.7	-1.4	-6.8	-6.9	-9.4	-14.2	-1.45	AJS	AJS	AUS	AUS	50.00
216 H	4843.	-3.92	-33.4	-2.7	-14.0	-14.1	-13.1	-27.7	-2.83	AUS	AJS	AUS	AUS	50.00
217 H	4851.	-1.76	-17.2	-1.2	-6.3	-6.3	-8.6	-12.4	-1.27	AUS	AJS	AUS	AUS	50.00
218 H	5017.	-3.79	-37.2	-2.6	-14.0	-14.1	-13.2	-26.8	-2.74	AJS	AJS	AUS	AUS	50.00
219 H	5072.	-1.90	-18.6	-1.3	-7.1	-7.1	-9.7	-13.5	-1.37	AUS	AUS	AUS	AUS	50.00
220 H	5228.	-4.12	-40.4	-2.9	-15.9	-16.0	-21.7	-29.2	-2.98	AUS	AJS	AUS	AUS	50.00
221 H	5218.	-1.98	-18.4	-1.3	-7.2	-7.3	-9.9	-13.3	-1.36	AUS	AJS	AUS	AUS	50.00
222 H	5421.	-4.25	-41.7	-2.9	-17.0	-17.1	-23.2	-30.1	-3.07	AUS	AJS	AUS	AUS	50.00
223 H	5422.	-1.75	-17.2	-1.2	-7.0	-7.0	-9.5	-12.4	-1.25	AUS	AJS	AUS	AUS	50.00
224 H	5013.	-4.37	-42.8	-3.0	-18.0	-18.1	-24.7	-30.9	-3.15	AUS	AJS	AUS	AUS	50.00
225 H	5616.	-1.65	-16.1	-1.1	-6.8	-6.8	-9.3	-11.6	-1.19	AUS	AUS	AUS	AUS	50.00
226 H	5867.	-4.42	-43.4	-3.1	-19.1	-19.2	-26.1	-31.3	-3.19	AJS	AUS	AUS	AUS	50.00
227 H	5860.	-1.79	-17.6	-1.2	-7.7	-7.8	-10.6	-12.7	-1.29	AUS	AJS	AUS	AUS	50.00
228 H	6023.	-4.45	-43.7	-3.1	-19.7	-19.9	-27.0	-31.5	-3.21	AJS	AJS	AJS	AUS	50.00
229 H	6034.	-1.74	-17.1	-1.2	-7.7	-7.8	-10.6	-12.3	-1.26	AUS	AJS	AUS	AUS	50.00

	DRZ 1/MIN	ERL KP	<RSTDS KG/H	ZUEW DEG	LAMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM	O2 PROZ	OKL DEG	OKLPST DEG	OELOP KP/CM2	RAUHTEMP CEL
1	979.	.17	.8	4.7	.930	1.96	13.69	34.	1315.	.45	1.0	AJS	2.1	21.0
2	1003.	2.05	.9	16.4	.915	2.46	13.44	123.	1223.	.22	2.0	AJS	2.3	20.5
3	995.	3.33	1.2	15.5	.982	.78	14.11	795.	1101.	.61	5.0	AJS	2.3	20.5
4	1003.	5.35	1.5	16.3	1.046	.13	14.13	1402.	929.	1.32	9.0	AUS	2.2	20.1
5	1003.	7.93	2.0	6.7	1.053	.30	13.92	1078.	809.	1.64	29.0	AJS	2.2	20.2
6	995.	9.56	3.0	6.4	.754	9.56	10.12	415.	1402.	.14	83.0	AJS	2.1	20.5
7	1203.	.12	.3	8.6	.887	3.65	13.52	33.	1320.	.37	2.0	AJS	2.6	20.3
8	1193.	1.57	1.1	18.2	.944	1.68	14.62	141.	953.	.27	4.0	AJS	2.6	20.1
9	1193.	3.97	1.4	18.3	1.001	.60	14.85	753.	850.	.79	6.0	AJS	2.6	20.4
10	1207.	6.06	1.8	18.6	1.025	.20	15.14	1531.	785.	.99	10.0	AUS	2.5	20.5
11	1203.	5.05	2.4	8.6	1.057	.23	14.31	1182.	660.	1.60	28.0	AJS	2.5	20.5
12	1199.	9.39	3.8	7.9	.751	8.75	10.07	296.	1317.	.16	69.0	AJS	2.4	20.7
13	1207.	9.89	3.8	8.1	.748	9.84	10.08	567.	1421.	.19	83.0	AJS	2.4	20.5
14	1402.	-.15	.9	14.7	.916	2.86	14.05	39.	1244.	.53	2.0	AUS	2.9	20.6
15	1403.	2.00	1.2	22.3	.981	1.00	14.84	347.	904.	.66	5.0	AJS	3.0	20.2
16	1402.	4.03	1.6	22.1	1.022	.36	15.02	1165.	831.	1.06	8.0	AUS	2.9	20.6
17	1397.	6.02	2.0	22.7	1.012	.31	14.50	1213.	773.	.78	12.0	AUS	2.7	20.6
18	1396.	7.95	2.7	12.0	1.075	.17	13.93	922.	537.	1.85	26.0	AJS	2.7	20.4
19	1397.	9.39	3.6	12.9	.862	4.76	12.36	429.	927.	.27	40.0	AJS	2.7	20.6
20	1404.	15.49	4.0	12.5	.816	6.78	11.62	1008.	1053.	.53	83.0	AJS	2.6	20.7
21	1600.	.09	1.0	26.7	.920	2.55	14.62	62.	1141.	.37	2.0	AJS	3.2	20.2
22	1600.	1.35	1.4	26.7	.977	1.05	14.63	350.	902.	.60	6.0	AJS	3.3	20.5
23	1600.	4.04	1.9	26.7	1.007	.40	14.94	994.	830.	.77	9.0	AJS	3.2	20.7
24	1600.	6.07	2.4	27.0	.981	.89	14.74	1225.	879.	.52	13.0	AJS	3.2	20.6
25	1600.	7.34	3.1	15.8	1.101	.16	14.12	874.	521.	2.33	29.0	AJS	3.1	20.7
26	1601.	10.01	3.5	15.9	.993	.77	14.77	1650.	708.	.62	37.0	AJS	3.0	20.3
27	1600.	11.05	4.2	16.3	.884	4.63	12.56	1418.	907.	.74	83.0	AJS	2.9	20.2
28	1795.	.13	1.1	29.8	.952	1.68	14.54	101.	951.	.48	4.0	AJS	3.4	20.3
29	1796.	2.00	1.6	30.0	.992	.85	14.72	363.	841.	.77	7.0	AJS	3.5	20.1
30	1796.	4.05	2.1	30.0	1.028	.27	14.91	995.	775.	1.10	10.0	AJS	3.5	20.1
31	1796.	5.04	2.7	30.4	.973	1.14	14.27	1241.	894.	.53	15.0	AJS	3.4	20.3
32	1803.	7.37	3.4	18.8	1.118	.16	13.71	952.	512.	2.62	29.0	AJS	3.3	20.5

MOTOR31901401B1E R22

DRZ 1/MIN	BRL KP	CRSTDS G/H	ZUEW DEG	LAMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM	O2 PROZ	OKL DEG	DKLPST DEG	OELDR KP/CH2	RAUHTEMP CEL
33	1803.	9.35	3.9	19.0	1.048	.23	14.44	2179.	1.34	40.0	AJS	3.2	20.4
34	1803.	11.34	4.6	20.7	.925	3.46	12.81	1885.	.89	83.0	AJS	3.1	20.2
35	2008.	.17	1.3	26.6	.969	1.19	14.44	113.	.48	5.0	AJS	3.7	20.4
36	1999.	2.12	1.8	31.1	.995	.65	14.55	398.	.68	8.0	AJS	3.8	20.1
37	1999.	4.03	2.4	31.4	.987	.78	14.17	857.	.56	12.0	AJS	3.8	21.0
38	1999.	6.02	2.9	31.4	.981	.95	14.09	1294.	.53	15.0	AJS	3.7	20.4
39	1999.	7.98	3.8	20.4	1.090	.15	13.54	928.	2.14	30.0	AJS	3.6	20.4
40	1999.	9.99	4.3	21.1	1.051	.21	14.03	2069.	1.41	42.0	AJS	3.5	20.5
41	1999.	11.55	5.4	21.8	.887	4.30	12.27	1589.	.59	83.0	AJS	3.4	20.3
42	2203.	-.02	1.3	32.5	.970	1.25	14.09	91.	.50	6.0	AJS	3.9	20.7
43	2203.	2.01	1.9	32.6	1.023	.33	14.28	506.	.99	10.0	AJS	4.0	20.5
44	2203.	3.97	2.7	32.5	.963	1.40	13.92	819.	.46	13.0	AJS	4.0	20.4
45	2195.	6.02	3.2	32.9	1.001	.62	14.13	1459.	.77	18.0	AJS	3.9	20.4
46	2203.	8.31	3.9	27.7	1.032	.32	14.13	1606.	1.19	25.0	AJS	3.8	20.5
47	2196.	9.96	4.7	21.9	1.058	.24	13.96	2101.	1.56	42.0	AJS	3.7	20.8
48	2203.	11.38	6.0	21.7	.892	4.01	12.53	1835.	.50	78.0	AJS	3.6	20.4
49	2203.	11.81	6.0	22.1	.886	4.42	12.19	1656.	.68	83.0	AJS	3.5	20.2
50	2398.	-.01	1.5	33.7	.968	1.28	14.12	99.	.47	7.0	AJS	4.2	20.3
51	2399.	2.05	2.2	33.7	1.015	.40	14.35	453.	.87	11.0	AJS	4.3	20.7
52	2399.	3.99	2.9	33.9	.973	1.14	14.06	916.	.52	15.0	AJS	4.3	20.7
53	2399.	5.33	3.5	33.8	1.029	.36	14.18	1765.	1.16	19.0	AJS	4.2	20.3
54	2399.	6.06	4.3	30.4	1.027	.37	14.21	2131.	1.12	25.0	AJS	4.1	20.5
55	2399.	10.01	5.1	22.6	1.074	.21	13.88	2463.	1.84	41.0	AJS	4.0	20.9
56	2399.	12.04	6.2	22.8	.950	2.10	13.55	2291.	.58	62.0	AJS	3.8	20.3
57	2399.	12.16	6.6	23.2	.908	3.89	12.36	1875.	.84	83.0	AJS	3.7	20.6
58	2602.	-.02	1.6	36.1	.976	1.21	14.10	107.	.46	8.0	AJS	4.3	20.7
59	2595.	2.08	2.4	36.1	.984	.89	14.23	475.	.56	12.0	AJS	4.5	20.3
60	2603.	4.03	3.1	36.1	.978	1.07	14.05	995.	.57	15.0	AJS	4.5	20.1
61	2603.	2.98	3.8	35.9	1.035	.36	14.06	1725.	1.28	21.0	AJS	4.4	20.2
62	2603.	7.95	4.6	33.2	1.031	.35	14.23	2254.	1.17	27.0	AJS	4.3	20.1
63	2603.	10.16	5.6	24.1	1.076	.21	13.83	2658.	1.87	43.0	AJS	4.2	20.3
64	2603.	12.06	6.7	24.4	.984	1.36	13.75	2851.	.81	62.0	AJS	4.0	20.2
65	2603.	12.36	7.2	24.3	.908	3.80	12.55	2104.	.76	83.0	AJS	3.9	20.6
66	2798.	-.04	1.7	37.4	.921	2.68	13.41	139.	.34	9.0	AJS	4.4	20.6
67	2799.	2.03	2.6	36.9	.965	1.41	13.92	417.	.47	13.0	AJS	4.7	20.3
68	2807.	3.98	3.4	37.0	1.000	.73	14.12	1065.	.82	17.0	AJS	4.8	20.2
69	2799.	6.01	4.1	36.8	1.049	.33	14.09	1819.	1.35	22.0	AJS	4.7	20.2
70	2799.	8.02	5.0	34.2	1.028	.39	14.22	2498.	1.08	28.0	AJS	4.5	20.2
71	2799.	9.98	5.0	25.3	1.057	.25	14.08	2621.	1.52	41.0	AJS	4.3	20.0
72	2799.	12.04	7.1	25.7	.977	1.66	13.58	2820.	.83	62.0	AJS	4.1	20.0
73	2799.	12.55	8.0	26.1	.890	4.14	12.42	1968.	.53	83.0	AJS	4.0	19.9
74	3002.	-.09	1.9	39.3	.954	1.73	13.92	165.	.38	10.0	AJS	4.6	19.7
75	3003.	2.01	2.8	39.2	.958	1.65	13.87	450.	.45	14.0	AJS	5.0	20.0
76	3002.	3.99	3.6	39.1	1.021	.54	14.16	1152.	1.09	18.0	AJS	5.0	20.2
77	3002.	5.96	4.5	38.6	1.050	.24	14.05	1672.	1.45	23.0	AJS	5.3	19.1

	URZ 1/MIN	GRZ KP	CRSTUS KG/H	ZUEW DEG	LAMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH	O2 PROZ	DKL DEG	DKLPST DEG	OELDR KP/CM2	RAUMTEMP CEL
78	3002.	8.00	5.4	36.7	1.054	.17	14.13	2495.	708.	1.46	23.0	AJS	4.9	18.6
79	3032.	10.19	6.6	27.5	1.079	.34	13.75	2435.	565.	1.97	50.0	AJS	4.6	19.2
80	3002.	12.12	7.8	27.9	.994	1.42	13.67	3339.	723.	.98	75.0	AJS	4.4	19.1
81	3001.	12.25	4.0	20.0	.953	.46	13.30	2968.	739.	.80	83.0	AJS	4.2	19.3
82	3196.	.04	2.1	35.8	1.095	.18	13.78	183.	430.	2.21	11.0	AJS	4.8	19.5
83	3205.	2.03	5.0	40.8	1.021	.49	14.23	576.	548.	1.01	15.0	AJS	5.1	19.7
84	3196.	4.02	3.8	40.5	1.079	.21	13.91	1003.	534.	1.96	20.0	AJS	5.1	19.7
85	3204.	6.01	4.8	40.1	1.065	.19	14.12	1844.	632.	1.68	24.0	AJS	5.0	19.9
86	3204.	7.98	5.6	38.6	1.063	.15	14.18	2714.	693.	1.62	30.0	AJS	4.9	19.7
87	3204.	10.06	5.0	29.2	1.074	.19	14.11	2675.	552.	1.78	46.0	AJS	4.7	19.9
88	3196.	12.31	7.9	28.9	1.023	.78	14.10	3674.	629.	1.13	65.0	AJS	4.5	20.0
89	3196.	12.36	8.7	29.3	.956	2.35	13.45	3283.	721.	.79	83.0	AJS	4.3	20.1
90	3407.	.02	2.2	41.7	1.063	.21	14.14	221.	419.	1.64	11.0	AJS	4.9	20.1
91	3393.	2.01	3.1	41.3	1.025	.48	14.30	634.	530.	1.08	16.0	AJS	5.3	20.7
92	3399.	3.99	4.1	41.2	1.075	.22	14.05	1126.	536.	1.89	20.0	AJS	5.3	20.4
93	3399.	6.01	5.2	41.4	1.074	.18	14.14	1986.	620.	1.83	26.0	AJS	5.2	20.5
94	3399.	8.02	5.0	39.6	1.084	.13	14.08	2867.	646.	1.96	32.0	AJS	5.0	20.2
95	3399.	9.98	7.2	33.5	1.059	.27	14.33	2855.	568.	1.54	45.0	AJS	4.8	20.8
96	3399.	12.03	8.5	30.6	1.018	.89	14.10	3790.	609.	1.08	65.0	AJS	4.6	20.5
97	3398.	12.34	9.2	31.1	.973	2.07	13.54	3650.	660.	.92	83.0	AJS	4.4	20.1
98	3001.	.01	2.3	43.5	1.030	.31	14.48	241.	353.	1.00	12.0	AJS	5.0	20.0
99	3002.	1.99	3.3	43.3	1.027	.50	14.31	754.	548.	1.13	16.0	AJS	5.4	20.6
100	3002.	3.98	4.3	43.4	1.071	.24	14.03	1341.	574.	1.83	21.0	AJS	5.4	20.6
101	3001.	5.21	5.4	43.0	1.084	.17	14.12	2398.	674.	2.02	26.0	AJS	5.3	20.2
102	3001.	6.00	5.4	41.9	1.068	.16	14.25	3198.	666.	1.67	33.0	AJS	5.2	20.2
103	3602.	9.89	7.6	32.0	1.053	.33	14.31	2998.	551.	1.45	46.0	AJS	5.0	20.5
104	3594.	12.04	8.2	32.3	1.011	1.08	14.04	3947.	599.	1.05	66.0	AJS	4.8	20.4
105	3001.	12.42	9.5	33.0	.994	1.72	13.68	3910.	605.	1.10	83.0	AJS	4.6	20.7
106	3003.	.02	2.6	43.2	1.003	.48	14.58	279.	465.	.72	12.0	AJS	5.2	19.8
107	3004.	1.98	3.6	45.5	1.042	.41	14.30	849.	520.	1.37	17.0	AJS	5.6	20.0
108	3796.	4.03	4.6	44.8	1.069	.26	14.13	1537.	597.	1.80	22.0	AJS	5.6	19.9
109	3804.	6.05	5.6	44.9	1.056	.22	14.38	2616.	691.	1.52	27.0	AJS	5.5	19.7
110	3804.	6.00	6.7	43.9	1.067	.17	14.34	3478.	624.	1.63	35.0	AJS	5.3	19.4
111	3804.	10.01	8.1	33.8	1.022	.60	14.45	3043.	607.	1.00	46.0	AJS	5.1	19.4
112	3804.	11.97	9.9	34.2	1.007	1.15	14.05	3901.	605.	.99	67.0	AJS	4.9	19.5
113	3796.	12.42	10.0	34.2	.974	1.75	13.90	3740.	645.	.70	83.0	AJS	4.7	19.6
114	3999.	.04	2.5	37.0	.998	.67	14.53	310.	506.	.63	13.0	AJS	5.3	19.3
115	4000.	2.03	3.6	47.4	1.060	.36	14.20	971.	495.	1.67	18.0	AJS	5.6	19.8
116	4003.	4.04	4.8	47.1	1.086	.20	14.08	1709.	574.	2.06	23.0	AJS	5.7	19.7
117	4000.	5.99	5.9	47.5	1.055	.24	14.41	2877.	689.	1.50	28.0	AJS	5.5	19.9
118	4000.	7.99	7.1	34.5	1.062	.19	14.40	3840.	614.	1.51	36.0	AJS	5.3	19.8
119	3999.	9.98	8.6	36.2	1.016	.75	14.37	3131.	616.	.98	48.0	AJS	5.1	19.7
120	3999.	11.98	10.3	35.8	.984	1.61	13.92	3695.	635.	.83	75.0	AJS	4.9	19.9
121	3999.	12.26	10.5	35.8	.962	1.78	14.02	3422.	671.	.48	84.0	AJS	4.7	19.8
122	4202.	.03	2.8	48.6	.981	1.03	14.39	306.	579.	.51	14.0	AJS	5.3	19.8

DRZ 1/HIN	BRL KP	CRSTDS KG/H	ZUEN DEG	LAMA 1	CO PROZ	CO2 PROZ	NO PP4	C3H8 PPH	O2 PROZ	DKL DEG	DKLPST D=6	QELDR KP/CH2	RAUMTEMP CEL
123	4202.	1.96	3.3	1.068	.36	14.14	977.	477.	1.81	13.0	AJS	5.8	19.8
124	4194.	4.09	5.1	1.058	.28	14.32	1979.	626.	1.61	24.0	AJS	5.8	19.5
125	4194.	6.03	6.2	1.055	.25	14.43	3157.	667.	1.49	29.0	AJS	5.6	19.9
126	4202.	7.90	7.5	1.037	.38	14.53	3903.	633.	1.14	37.0	AJS	5.4	19.7
127	4194.	10.02	3.1	1.019	.86	14.23	3227.	604.	1.11	51.0	AJS	5.2	19.4
128	4202.	12.08	11.0	.959	1.84	14.03	3493.	668.	.45	83.0	AJS	4.7	19.4
129	4405.	-.04	2.9	.971	1.31	14.32	274.	593.	.48	14.0	AJS	5.3	19.7
130	4404.	1.96	4.1	1.063	.35	14.20	947.	462.	1.71	20.0	AJS	5.7	19.7
131	4405.	3.98	5.3	1.041	.38	14.39	2004.	640.	1.33	24.0	AJS	5.7	19.8
132	4404.	5.39	6.6	1.035	.42	14.43	3092.	666.	1.18	33.0	AJS	5.5	19.7
133	4397.	8.00	8.1	1.004	.76	14.50	3605.	665.	.73	38.0	AJS	5.3	19.4
134	4405.	9.90	3.7	1.006	1.10	14.12	3161.	625.	1.01	52.0	AJS	5.1	19.3
135	4405.	11.92	11.6	.957	1.93	13.93	3562.	668.	.44	84.0	AJS	4.7	19.9
136	4599.	-.01	3.1	.969	1.30	14.31	285.	599.	.43	16.0	AJS	5.3	19.8
137	4600.	1.98	4.3	1.053	.33	14.39	879.	418.	1.43	21.0	AJS	5.7	19.4
138	4600.	3.99	5.6	1.031	.42	14.52	2031.	646.	1.15	25.0	AJS	5.7	19.7
139	4600.	5.02	7.1	1.009	.77	14.42	2934.	680.	.89	31.0	AJS	5.6	19.7
140	4600.	7.97	3.6	.992	1.01	14.35	3434.	687.	.65	40.0	AJS	5.4	19.8
141	4600.	10.02	13.3	.991	1.50	13.93	3075.	659.	.97	35.0	AJS	5.2	19.7
142	4600.	11.77	12.2	.947	2.22	13.86	3497.	696.	.42	83.0	AJS	4.9	19.9
143	4600.	11.78	12.2	.948	2.18	13.89	3565.	697.	.41	83.0	AJS	4.8	19.3
144	4801.	-.00	3.2	.969	1.24	14.29	309.	623.	.41	15.0	AJS	5.3	19.9
145	4802.	1.98	4.4	1.035	.43	14.48	971.	468.	1.20	21.0	AJS	5.7	19.7
146	4802.	3.92	5.8	1.021	.52	14.52	2053.	660.	1.01	26.0	AJS	5.7	19.4
147	4802.	5.90	7.4	1.004	.86	14.32	2953.	676.	.83	32.0	AJS	5.6	19.6
148	4802.	7.97	9.1	.983	1.20	14.26	3331.	705.	.60	41.0	AJS	5.4	19.4
149	4802.	10.00	13.3	.981	1.82	13.82	3026.	685.	.97	56.0	AJS	5.2	20.0
150	4801.	11.54	12.6	.944	2.31	13.81	3485.	721.	.43	83.0	AJS	4.9	19.7
151	5004.	.02	3.5	.981	.99	14.53	339.	526.	.46	18.0	AJS	5.4	19.3
152	4996.	2.01	4.8	1.022	.55	14.52	1055.	510.	1.03	22.0	AJS	5.7	19.7
153	4997.	4.01	5.2	1.013	.59	14.57	2239.	670.	.89	27.0	AJS	5.7	19.5
154	4997.	6.03	8.0	.990	1.14	14.25	2876.	691.	.73	34.0	AJS	5.5	20.1
155	4998.	8.01	3.7	.978	1.42	14.21	3244.	719.	.62	42.0	AJS	5.3	19.6
156	5005.	10.03	11.5	.974	2.19	13.41	3062.	679.	1.84	61.0	AJS	5.1	20.0
157	4997.	11.24	12.3	.947	2.33	13.55	3539.	707.	.49	83.0	AJS	4.9	19.7
158	5200.	.02	3.8	.993	.80	14.35	331.	441.	.57	19.0	AJS	5.3	19.8
159	5201.	2.01	5.2	1.013	.62	14.27	1075.	510.	.87	23.0	AJS	5.7	20.0
160	5201.	4.01	6.6	1.004	.74	14.29	2251.	660.	.78	29.0	AJS	5.6	20.0
161	5201.	6.02	3.5	.975	1.49	13.87	2798.	705.	.62	35.0	AJS	5.5	20.2
162	5201.	8.01	10.3	.964	1.78	13.76	3033.	728.	.56	44.0	AJS	5.3	20.1
163	5201.	10.00	12.2	.953	2.53	13.15	3102.	676.	.93	63.0	AJS	5.1	20.2
164	5200.	10.98	13.2	.943	2.56	13.37	3513.	689.	.55	83.0	AJS	4.9	20.3
165	5395.	.04	3.9	1.006	.65	14.34	361.	410.	.74	23.0	AJS	5.3	20.0
166	5403.	1.95	5.4	1.006	.71	14.28	1050.	521.	.79	24.0	AJS	5.6	20.2
167	5395.	4.01	6.9	1.001	.86	14.21	2133.	632.	.79	29.0	AJS	5.6	20.0

	DRZ 1/MIN	URL KP	KRSTOS G/H	ZUEW DEG	LAMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM	O2 PROZ	OKL DEG	DKLPST DEG	OEOR KP/CM2	RAUHTEMP CEL
168	5396.	6.02	8.9	49.8	.967	1.66	13.84	2733.	697.	.56	36.0	AJS	5.4	20.3
169	5406.	6.02	11.3	47.1	.953	2.13	13.61	2853.	729.	.54	47.0	AUS	5.2	20.9
170	5396.	10.00	13.0	39.2	.950	2.81	13.05	3161.	647.	.90	67.0	AJS	5.0	21.0
171	5403.	10.71	13.7	33.0	.933	2.67	13.32	3383.	672.	.54	83.0	AJS	4.9	21.0
172	5398.	.01	4.2	50.1	.987	.98	14.19	353.	505.	.58	21.0	AUS	5.2	20.9
173	5593.	2.03	3.7	50.6	.993	.88	14.22	1091.	577.	.66	25.0	AJS	5.5	20.1
174	5533.	4.01	7.3	50.3	.985	1.16	14.01	2103.	670.	.67	31.0	AJS	5.5	20.3
175	5605.	5.34	3.4	50.5	.956	1.97	13.68	2757.	735.	.51	38.0	AUS	5.3	20.4
176	5593.	6.02	11.5	45.9	.952	2.20	13.51	2783.	729.	.58	49.0	AJS	5.1	20.5
177	5533.	10.01	13.6	40.2	.950	2.67	13.16	3482.	656.	.78	70.0	AJS	4.9	20.7
178	5533.	10.36	14.0	39.5	.939	2.68	13.33	3394.	673.	.55	83.0	AJS	4.8	20.4
179	5794.	.14	4.9	49.5	.987	.97	14.23	365.	513.	.59	23.0	AJS	5.1	20.8
180	5801.	1.39	6.1	49.2	.998	.86	14.13	1018.	555.	.74	25.0	AJS	5.3	20.7
181	5801.	4.02	3.0	50.7	.968	1.57	13.85	1963.	688.	.56	33.0	AJS	5.3	20.5
182	5801.	5.01.	11.1	51.3	.949	2.15	13.53	2709.	738.	.48	40.0	AJS	5.2	20.6
183	5801.	8.04	12.1	43.6	.951	2.27	13.45	2663.	729.	.61	53.0	AJS	5.0	20.1
184	5801.	9.92	14.2	43.8	.941	2.64	13.33	3363.	670.	.55	81.0	AJS	4.8	20.6
185	5801.	9.36	14.2	41.0	.940	2.57	13.35	3356.	665.	.48	83.0	AJS	4.7	20.7
186	5995.	.01	4.7	49.6	.989	.95	14.20	398.	518.	.60	23.0	AJS	4.9	20.0
187	6003.	2.12	6.4	50.4	1.001	.78	14.27	1210.	539.	.75	28.0	AUS	5.2	20.0
188	6003.	4.02	8.4	49.7	.965	1.80	13.82	2114.	668.	.51	34.0	AJS	5.2	20.2
189	6003.	5.01	10.7	50.9	.947	2.21	13.60	2645.	729.	.47	42.0	AJS	5.0	20.2
190	6003.	8.00	12.6	40.2	.951	2.50	13.34	2467.	657.	.73	57.0	AJS	4.9	20.0
191	5395.	9.54	14.4	40.6	.941	2.51	13.43	3367.	674.	.47	83.0	AJS	4.6	20.1
192	2417.	-2.51	AUS	21.4	1.205	.44	8.25	5.	10784.	10.68	0.0	AJS	4.6	20.0
193	2447.	-1.88	AUS	35.8	1.132	.54	10.42	5.	9240.	7.43	3.0	AJS	4.8	20.0
194	2593.	-2.82	AUS	18.5	1.235	.46	7.25	5.	12796.	11.98	0.0	AJS	5.4	19.9
195	2690.	-2.01	AUS	23.4	1.121	.54	10.47	5.	9325.	7.30	3.0	AJS	5.4	19.9
196	2803.	-2.93	AUS	19.6	1.258	.42	7.05	5.	12851.	12.29	0.0	AUS	5.5	20.2
197	2805.	-1.77	AUS	38.4	1.051	.47	12.03	11.	7382.	5.04	4.0	AUS	5.5	20.6
198	3006.	-3.10	AUS	29.0	1.295	.40	6.88	5.	12399.	12.25	0.0	AUS	5.8	20.2
199	3007.	-1.94	AUS	29.7	1.034	.55	12.24	11.	7431.	4.76	6.0	AJS	5.8	20.2
200	3249.	-3.19	AUS	25.9	1.293	.41	6.84	5.	12545.	12.36	0.0	AUS	6.1	20.1
201	3253.	-1.88	AUS	29.6	1.025	.52	12.41	15.	7228.	4.47	5.0	AJS	6.1	20.3
202	3472.	-3.21	AUS	23.3	1.212	.53	7.43	5.	12695.	11.56	0.0	AJS	6.3	20.3
203	3479.	-1.84	AUS	36.5	.973	.79	12.91	21.	6888.	3.48	7.0	AUS	6.3	20.0
204	3597.	-3.26	AUS	32.3	1.206	.59	7.46	5.	12600.	11.45	0.0	AJS	6.3	20.4
205	3603.	-1.39	AUS	44.2	.986	.91	12.56	18.	7193.	3.87	7.0	AJS	6.3	20.3
206	3801.	-3.36	AUS	29.6	1.207	.59	7.55	5.	12307.	11.38	0.0	AUS	6.5	20.2
207	3891.	-1.78	AUS	43.0	.993	.64	13.17	30.	5818.	3.16	8.0	AUS	6.4	20.1
208	4052.	-3.49	AUS	32.0	1.213	.58	7.53	5.	11852.	11.22	0.0	AJS	6.6	20.4
209	4053.	-1.79	AUS	41.0	1.004	.40	13.40	36.	5719.	3.21	9.0	AUS	6.5	20.2
210	4283.	-3.63	AUS	37.6	1.230	.66	7.36	5.	11935.	11.64	0.0	AJS	6.6	19.9
211	4281.	-1.81	AUS	43.0	.995	.37	13.79	50.	5385.	2.82	9.0	AJS	6.5	20.1
212	4426.	-3.59	AUS	27.6	1.211	.66	7.81	5.	11169.	11.11	0.0	AJS	6.4	20.8

MOTOR319J1401B1L222

OKZ	BRZ	CRSTOS	ZUEW	LAMA	CO2	NO	C3H8	O2	DKL	DKLPST	OEOR	RAUMTEMP
1/MIN	KP	KG/H	DEG	1	PROZ	PPM	PPH	PROZ	DEG	DEG	KP/CH2	CEL
213	4426.	AUS	49.0	1.003	.31	47.	5005.	2.77	11.0	AJS	6.4	20.9
214	4614.	AUS	33.2	1.209	.67	5.	11190.	11.02	0.0	AJS	6.4	20.9
215	4614.	AUS	48.3	1.001	.33	40.	5007.	2.74	11.0	AJS	6.4	20.7
216	4843.	AUS	37.8	1.179	.65	7.	10400.	10.13	0.0	AJS	6.4	20.7
217	4851.	AUS	48.7	.979	.37	72.	4139.	1.84	12.0	AUS	6.3	20.7
218	5017.	AUS	36.1	1.186	.69	7.	10886.	10.66	0.0	AJS	6.3	20.8
219	5072.	AUS	43.8	.962	.53	78.	4331.	1.63	13.0	AJS	6.3	20.7
220	5228.	AUS	33.8	1.188	.76	5.	11386.	10.90	0.0	AJS	6.2	20.8
221	5218.	AUS	44.1	.943	.65	88.	4062.	1.13	13.0	AJS	6.2	20.4
222	5421.	AUS	39.6	1.160	.82	5.	11344.	10.56	0.0	AJS	6.1	20.0
223	5422.	AUS	38.3	.926	.91	102.	4036.	.86	14.0	AUS	6.1	19.9
224	5613.	AUS	40.1	1.142	.83	7.	10983.	3.88	0.0	AUS	6.0	20.0
225	5616.	AUS	49.8	.930	.84	125.	3990.	.69	15.0	AJS	6.0	20.0
226	5867.	AUS	35.7	1.124	.85	9.	10093.	3.02	0.0	AJS	5.9	19.9
227	5860.	AUS	49.1	.947	.69	137.	3522.	.97	16.0	AUS	5.0	20.3
228	6023.	AUS	40.0	1.129	.91	3.	10056.	3.24	0.0	AJS	5.7	20.0
229	6034.	AUS	50.4	.965	.53	133.	3577.	1.36	18.0	AJS	5.7	20.6

4
6
8
10
12
14
16
18
20
22
24
26
28
30
32
34
36
38
40
42
44
46
48
50
52
54
56
58
60
62
64
66
68
70

	DRZ L/MIN	BRL K ²	LFTDR TOR	LFTDSL L/H	LFGR 1	LFTFEUCH 1	DICNTE KG/L	SCO G/KWH	SC02 G/KW4	SC3H8 G/KWH	SV0X G/KWH	S02 G/KWH	HCO G/H	HCO2 G/H
1	973.	.17	756.6	8286.	.238	.400	.725	*88.18	*428.54	*7.55	4.47	417.65	195.8	2148.6
2	1003.	2.05	756.6	9783.	.274	.400	.725	132.53	1650.73	15.02	1.57	19.74	291.6	2500.0
3	935.	3.93	756.6	13176.	.371	.400	.725	42.75	1218.63	9.51	7.16	38.38	123.0	3506.3
4	1003.	5.35	756.6	17566.	.491	.400	.725	6.53	1102.33	7.25	11.41	74.92	28.7	4839.3
5	1003.	7.93	756.6	23822.	.663	.400	.725	14.93	1105.56	6.43	8.93	94.85	87.4	6469.5
6	995.	9.56	756.6	25816.	.727	.400	.725	334.68	732.74	10.15	3.14	7.16	2761.0	5126.0
7	1209.	.12	756.6	9354.	.217	.400	.725	*96.39	*203.71	*6.71	7.04	464.48	413.6	2407.3
8	1193.	1.67	756.6	11196.	.261	.400	.725	153.20	2092.97	13.64	2.10	27.98	226.0	3087.3
9														
10	1193.	3.97	756.6	15820.	.370	.400	.725	33.71	1307.01	7.49	6.98	50.65	117.9	4573.4
11	1207.	6.06	756.6	20373.	.478	.400	.725	9.66	1128.96	5.89	11.99	54.09	51.4	6011.4
12	1233.	8.05	756.6	29039.	.674	.400	.725	11.78	1131.73	5.22	9.75	91.88	84.2	8088.5
13	1193.	9.99	756.6	31802.	.744	.400	.725	334.86	713.81	9.34	2.19	8.12	3478.6	6288.6
14	1207.	9.89	756.6	32051.	.744	.400	.725	403.22	722.25	10.19	4.24	9.66	3540.8	6342.4
15	1402.	-1.15	756.6	9315.	.186	.400	.725	AUS	AUS	AUS	AUS	AUS	321.0	2480.3
16	1433.	2.00	756.6	13589.	.271	.400	.725	78.68	1839.03	11.20	4.48	59.36	162.1	3789.2
17	1402.	4.03	756.6	18596.	.372	.400	.725	20.19	1305.63	7.23	10.58	67.02	83.9	5426.8
18	1397.	6.02	756.6	23312.	.468	.600	.725	14.36	1066.40	5.69	9.31	41.55	88.7	6590.7
19	1396.	7.95	756.6	33200.	.667	.600	.725	8.56	1105.10	4.26	7.63	106.96	69.9	9014.8
20	1397.	9.99	756.6	34795.	.699	.600	.725	137.33	804.55	6.03	2.91	12.69	2025.1	8256.7
21	1404.	10.49	756.6	36701.	.733	.600	.725	283.82	724.95	6.93	6.91	25.26	3073.0	7849.1
22	1603.	.09	756.6	10490.	.184	.600	.725	*82.07	*782.98	*9.79	11.92	500.79	322.4	2787.2
23	1603.	1.99	756.6	15521.	.272	.600	.725	93.40	1823.85	11.25	4.56	54.75	195.3	4271.1
24	1603.	4.04	756.6	21088.	.370	.600	.725	22.13	1291.55	7.17	8.97	48.50	105.1	6132.3
25	1603.	6.07	756.6	26757.	.469	.600	.725	40.10	1038.61	6.20	3.01	26.89	286.2	7413.3
26	1601.	7.94	756.6	38108.	.668	.600	.725	7.93	1120.53	4.13	7.23	134.41	74.0	10466.2
27	1601.	10.01	756.6	39524.	.692	.600	.725	30.77	930.73	4.46	10.85	28.30	362.3	10968.8
28	1603.	11.00	756.6	41918.	.734	.600	.725	192.51	778.75	5.62	9.17	33.16	2361.1	10074.7
29	1795.	.13	756.6	11775.	.184	.600	.725	*03.54	*062.50	*4.68	13.87	457.09	237.7	3227.9
30	1796.	2.00	756.6	17529.	.273	.600	.725	67.22	1833.93	10.47	4.71	69.93	177.7	4847.7
31	1796.	4.05	756.6	23939.	.373	.600	.725	14.69	1296.97	6.75	3.03	69.75	78.6	6939.5
32	1803.	6.04	756.6	29584.	.462	.600	.725	50.72	998.63	6.25	9.06	26.77	404.4	7961.5
33	1803.	7.97	756.6	43361.	.674	.600	.725	8.05	1095.53	4.69	7.94	152.21	85.0	11575.0

MOTOR3191140101ER22

	DRZ 1/MIN	BRL KP	LFTDR TORR	LFTDSL L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L	SCO G/KWH	SC02 G/KWH	SC3H8 G/KWH	SV0X G/KWH	S02 G/KWH	HCO G/H	HC02 G/H
33	1803.	9.35	756.6	45667.	.710	.600	.725	10.06	972.86	3.99	15.31	65.51	132.7	12835.7
34	1803.	11.34	756.6	48498.	.753	.600	.725	135.26	787.09	4.93	12.08	39.79	2034.0	11836.2
35	2038.	.17	756.6	13857.	.193	.600	.725	795.25	*202.47	88.36	13.09	369.06	197.2	3770.5
36	1939.	2.12	756.6	20139.	.282	.600	.725	50.56	1770.37	9.49	5.05	60.61	157.3	5508.5
37	1999.	4.03	756.6	26160.	.368	.600	.725	41.19	1180.67	6.72	7.45	34.19	243.8	6988.3
38	1999.	6.02	756.6	32617.	.457	.600	.725	41.92	978.44	5.79	9.38	26.96	371.3	8666.3
39	1999.	7.98	756.6	46211.	.648	.600	.725	7.56	1040.45	4.23	7.44	119.88	88.7	12210.3
40	1999.	9.99	756.6	50410.	.707	.600	.725	9.12	939.03	4.12	14.45	68.70	134.0	13793.9
41	1999.	11.65	756.6	53596.	.751	.600	.725	164.24	735.72	5.56	9.94	25.68	2812.7	12599.5
42	2203.	-.02	756.6	14677.	.187	.600	.725	AUS	AUS	AUS	AJS	AUS	220.8	3904.2
43	2203.	2.01	756.6	22486.	.286	.600	.725	28.54	1925.14	8.33	7.11	97.16	92.9	6264.3
44	2203.	3.97	756.6	29073.	.370	.600	.725	76.12	1188.31	7.24	7.30	28.80	490.0	7648.4
45	2195.	6.02	756.6	36581.	.467	.600	.725	28.93	1043.56	6.02	11.19	40.97	281.2	10143.4
46	2203.	8.01	756.6	45844.	.581	.600	.725	13.95	970.09	5.24	11.51	59.61	180.9	12584.7
47	2196.	9.36	756.6	56011.	.716	.600	.725	10.39	948.18	4.34	14.89	77.32	167.1	15249.5
48	2203.	11.88	756.6	60071.	.764	.600	.725	152.33	748.08	5.76	11.42	21.79	2932.9	14402.9
49	2203.	11.81	756.6	60358.	.767	.600	.725	170.12	736.24	6.19	10.45	29.88	3256.1	14091.4
50	2398.	-.01	756.6	16380.	.191	.600	.725	AUS	AUS	AUS	AUS	AUS	251.1	4365.4
51	2393.	2.05	756.6	24868.	.291	.600	.725	34.32	1924.86	8.43	6.33	85.33	124.2	6965.1
52	2399.	3.99	756.6	31979.	.374	.600	.725	62.24	1205.65	7.33	9.19	32.70	438.1	8486.2
53	2399.	6.03	756.6	41116.	.480	.600	.725	17.19	1059.50	5.98	13.90	63.36	182.8	11375.4
54	2393.	8.00	756.6	49287.	.578	.600	.725	15.18	968.73	5.44	15.15	55.31	228.3	13668.5
55	2399.	11.01	756.6	62278.	.723	.600	.725	9.14	954.95	4.44	17.68	92.10	161.3	16858.6
56	2399.	12.04	756.6	66660.	.779	.600	.725	79.34	806.38	5.37	14.22	25.23	1684.9	17125.2
57	2399.	12.16	756.6	67547.	.796	.600	.725	148.86	743.63	6.05	11.78	36.95	3193.9	15956.8
58	2602.	-.02	756.6	17838.	.192	.600	.725	AUS	AUS	AUS	AJS	AJS	259.6	4748.9
59	2595.	2.08	756.6	26294.	.284	.600	.725	71.23	1780.31	8.76	6.19	50.54	282.2	7052.5
60	2603.	4.03	756.6	34620.	.372	.600	.725	57.57	1189.47	7.20	8.79	34.93	444.6	9186.5
61	2603.	5.98	756.6	44293.	.477	.600	.725	17.31	1061.97	5.88	13.59	70.30	198.1	12154.2
62	2603.	7.95	756.6	53670.	.577	.600	.725	15.15	978.77	5.51	16.18	58.44	230.6	14897.9
63	2603.	10.10	756.6	68065.	.733	.600	.725	9.38	949.97	4.34	13.05	93.39	181.3	18360.0
64	2603.	12.06	756.6	73864.	.795	.600	.725	52.36	830.56	5.13	17.97	35.50	1208.8	19176.1
65	2603.	12.36	756.6	73684.	.794	.600	.725	143.68	746.38	5.87	13.05	32.84	3399.5	17657.4
66	2798.	-.04	756.6	18178.	.181	.600	.725	AUS	AUS	AUS	AUS	AUS	586.7	4609.1
67	2799.	2.03	756.6	28219.	.283	.600	.725	114.50	1779.63	9.67	5.56	43.90	477.5	7422.0
68	2807.	3.98	756.6	38272.	.382	.600	.725	42.43	1287.21	7.18	10.13	54.47	348.2	10562.9
69	2799.	5.01	756.6	48208.	.482	.600	.725	16.09	1071.38	5.65	14.43	74.49	199.0	13252.3
70	2799.	8.02	756.6	58182.	.582	.600	.725	16.89	977.95	5.05	17.92	54.03	278.8	16140.4
71	2799.	9.98	756.6	71379.	.714	.600	.725	10.88	953.53	4.11	18.52	74.88	223.5	19587.7
72	2799.	12.04	756.6	78523.	.785	.600	.725	63.34	813.73	4.84	17.63	35.97	1569.2	20162.7
73	2799.	12.55	756.6	80120.	.801	.600	.725	156.43	737.68	5.84	12.19	23.09	4040.5	19054.2
74	3002.	-.09	756.6	20797.	.194	.600	.725	AUS	AUS	AUS	AUS	AUS	432.4	5474.6
75	3003.	2.01	756.6	30648.	.285	.600	.725	137.15	1812.65	9.18	6.13	42.68	608.2	8837.7
76	3002.	3.99	756.6	41499.	.387	.600	.725	31.61	1301.58	6.52	11.05	72.68	278.6	11478.9
77	3002.	5.96	756.6	52918.	.496	.600	.725	11.86	1102.54	5.21	13.68	82.88	156.0	14506.8

	DRZ 1/MIN	BRL KP	LFTOR TORR	LFTDSL L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L	SCO G/KWH	SC02 G/KWH	SC3H8 G/KWH	SV0X G/KWH	S02 G/KWH	MCO G/H	MCO2 G/H
78	3002.	8.00	750.6	63713.	.590	.600	.725	7.59	997.14	4.90	10.30	74.81	134.0	17613.3
79	3002.	10.19	750.6	80009.	.750	.600	.725	14.36	953.93	3.92	17.62	99.54	336.4	21455.5
80	3002.	12.12	750.6	86917.	.815	.600	.725	55.56	830.52	4.44	21.37	43.02	1485.8	22423.1
81	3001.	12.21	750.6	86140.	.808	.600	.725	34.41	803.64	4.83	18.71	35.29	2552.6	21728.5
82	3196.	1.04	750.6	25373.	.224	.600	.725	AUS	AUS	AUS	AUS	AUS	56.1	6814.8
83	3205.	2.03	750.6	34316.	.299	.600	.725	43.12	1983.00	7.61	8.35	102.38	206.2	9483.4
84	3196.	4.02	750.6	46213.	.403	.600	.725	12.74	1325.55	5.09	10.04	135.70	120.4	12526.0
85	3204.	6.01	750.6	57505.	.506	.600	.725	9.79	1116.98	5.00	15.22	96.69	138.7	15815.7
85	3204.	7.98	750.6	56951.	.583	.600	.725	5.68	983.58	4.81	13.64	81.57	125.6	10490.7
87	3204.	10.06	750.6	82347.	.725	.600	.725	9.32	954.23	3.73	18.89	87.76	197.4	22624.1
88	3196.	12.11	750.6	90819.	.802	.600	.725	31.26	885.82	3.95	24.08	51.53	882.4	25005.7
89	3196.	12.30	750.6	93450.	.825	.600	.725	31.52	823.25	4.41	20.97	35.01	2646.3	23805.3
90	3407.	1.02	750.6	26131.	.217	.600	.725	AUS	AUS	AUS	AUS	AUS	68.9	7199.4
91	3399.	2.01	750.6	36134.	.301	.600	.725	42.34	2001.41	7.42	9.26	109.60	213.2	10079.3
92	3399.	3.39	750.6	49603.	.412	.600	.725	13.28	1359.84	5.19	11.37	132.86	132.6	13578.1
93	3399.	5.01	750.6	62904.	.523	.600	.725	9.16	1153.60	5.06	16.90	108.61	137.5	17321.2
94	3399.	6.02	750.6	73593.	.611	.600	.725	5.08	1006.52	4.62	21.38	101.85	121.8	20170.2
95	3399.	9.98	750.6	85950.	.715	.600	.725	11.60	961.10	3.81	19.97	75.14	289.5	23983.0
96	3399.	12.03	750.6	97722.	.813	.600	.725	36.03	894.81	3.87	25.10	49.79	1083.3	26906.3
97	3398.	12.34	750.6	101144.	.843	.600	.725	91.84	839.98	4.09	23.62	41.39	2524.0	25905.3
98	3601.	1.01	750.6	27290.	.214	.600	.725	AUS	AUS	AUS	AUS	AUS	105.3	7699.4
99	3602.	1.98	750.6	38085.	.304	.600	.725	45.23	2055.02	7.87	11.30	118.15	237.7	10800.4
100	3602.	3.98	750.6	51813.	.407	.600	.725	14.58	1348.90	5.50	13.40	127.24	153.7	14217.5
101	3601.	6.21	750.6	66459.	.521	.600	.725	8.36	1110.51	5.30	19.68	115.43	137.5	18260.3
102	3601.	8.00	750.6	76557.	.600	.600	.725	7.05	1002.31	4.68	23.46	85.63	149.5	21243.1
103	3602.	9.89	750.6	90480.	.710	.600	.725	14.01	963.12	3.71	21.05	70.94	366.8	25216.1
104	3594.	12.04	750.6	105512.	.830	.600	.725	44.56	909.67	3.88	26.68	49.37	1418.1	28947.7
105	3601.	12.42	750.6	106680.	.838	.600	.725	55.93	837.15	3.71	24.97	49.10	2201.4	27533.5
105	3803.	1.02	750.6	30025.	.223	.600	.725	52.27	639.22	5.06	8.81	94.00	180.5	8538.0
107	3804.	1.98	750.6	42060.	.312	.600	.725	38.22	2112.37	7.68	13.08	147.31	212.2	11725.0
109	3796.	4.03	750.6	55113.	.410	.600	.725	15.76	1354.97	5.70	15.32	125.15	177.8	15224.1
109	3804.	6.05	750.6	66859.	.495	.600	.725	10.84	1105.58	5.31	20.98	85.05	183.4	18713.8
110	3804.	9.00	750.6	80368.	.595	.600	.725	7.58	1002.13	4.36	25.36	82.72	169.7	22426.4
111	3804.	10.01	750.6	93008.	.688	.600	.725	24.67	935.79	3.93	20.60	47.08	690.7	26194.7
112	3804.	11.97	750.6	112323.	.832	.600	.725	47.77	921.97	3.96	26.68	47.40	1599.6	30870.0
113	3796.	12.42	750.6	110076.	.817	.600	.725	55.64	833.40	3.87	23.38	30.42	2310.6	28897.5
114	3999.	1.04	750.6	28101.	.198	.600	.725	AUS	AUS	AUS	AUS	AUS	225.2	7677.3
115	4000.	2.03	750.6	43592.	.307	.600	.725	32.74	2020.58	7.05	14.41	172.95	195.4	12059.9
116	4000.	4.04	750.6	58215.	.410	.600	.725	12.38	1343.45	5.48	17.01	142.86	147.0	15952.0
117	4000.	5.99	755.6	69863.	.489	.600	.725	11.77	1111.55	5.31	23.16	84.02	207.5	19589.7
118	4000.	7.99	755.6	84242.	.592	.600	.725	8.63	1007.19	4.30	28.03	76.94	202.8	23682.6
119	3999.	9.98	755.6	98298.	.688	.600	.725	31.37	939.29	4.02	21.35	46.50	920.3	27552.3
120	3999.	11.98	755.6	113883.	.798	.600	.725	62.48	848.94	3.88	23.52	36.69	2200.4	29898.8
121	3999.	12.26	755.6	113831.	.797	.600	.725	57.53	836.65	4.00	21.30	20.71	2433.7	30152.8
122	4202.	1.03	755.6	30553.	.204	.600	.725	AUS	AUS	AUS	AUS	AUS	377.5	8282.0

	DKZ 1/MIN	BRL KP	LFTDR FORR	LFTDSL L/H	LFGR 1	LFTFEUC4 1	DICHTE KG/L	SCO 5/KMH	SCO2 G/KMH	SC3H8 G/KMH	SN0X G/KMH	S02 G/KMH	HCO G/H	HCO2 G/H
123	4202.	1.98	755.6	46406.	.309	.600	.725	34.15	2091.42	7.06	15.08	195.24	208.7	12778.1
124	4194.	4.09	755.6	60368.	.403	.600	.725	15.87	1334.93	5.83	13.24	109.00	212.7	16831.4
125	4194.	5.03	755.6	74371.	.497	.600	.725	12.39	1123.12	5.19	25.64	84.30	230.4	20802.2
126	4202.	7.95	755.6	88063.	.587	.600	.725	15.80	1013.31	4.41	28.39	57.79	413.3	24920.0
127	4194.	10.02	755.6	104506.	.697	.600	.725	36.16	939.15	3.98	22.22	53.22	1117.4	29822.4
128	4202.	12.08	755.6	118706.	.790	.600	.725	70.46	843.08	4.01	21.89	19.51	2630.2	31470.5
129	4405.	-.04	755.6	32187.	.205	.500	.725	AUS	AUS	AUS	AUS	AUS	504.0	8688.5
130	4404.	1.96	755.6	49592.	.315	.600	.725	34.05	2162.74	7.04	15.05	189.25	215.9	13713.1
131	4405.	3.98	755.6	62014.	.394	.600	.725	22.81	1349.63	6.00	13.61	90.57	293.8	17381.8
132	4404.	5.99	755.6	77269.	.491	.600	.725	20.60	1124.67	5.17	25.03	66.82	399.5	21810.3
133	4397.	8.00	755.6	91837.	.584	.600	.725	33.31	1004.74	4.61	25.06	36.87	861.4	25979.4
134	4405.	9.96	755.6	109809.	.697	.600	.725	46.73	939.02	4.16	21.93	48.99	1507.7	30296.6
135	4405.	11.92	755.6	124870.	.794	.600	.725	75.23	854.94	4.08	22.71	19.55	2904.9	33014.5
136	4599.	-.01	755.6	33880.	.206	.600	.725	AUS	AUS	AUS	AUS	AUS	529.6	9142.3
137	4600.	1.98	755.6	50930.	.310	.600	.725	31.52	2126.89	6.18	13.56	159.70	211.4	14265.0
138	4600.	3.99	755.6	64399.	.395	.600	.725	24.90	1361.32	6.05	19.86	78.59	336.2	18384.7
139	4600.	6.02	755.6	80706.	.491	.600	.725	38.14	1115.58	5.26	23.67	50.13	776.3	22708.4
140	4600.	7.37	755.6	95718.	.583	.600	.725	42.97	958.53	4.59	23.94	31.78	1158.5	25841.5
141	4600.	10.02	755.6	115391.	.702	.600	.725	51.32	894.41	4.23	20.59	45.18	2078.0	30310.1
142	4600.	11.77	755.6	129911.	.791	.600	.725	87.10	856.33	4.30	22.53	18.72	3467.0	34085.0
143	4600.	11.78	755.6	130343.	.792	.600	.725	95.75	859.30	4.31	23.03	18.39	3416.2	34233.9
144	4801.	-.00	755.6	34556.	.202	.600	.725	AUS	AUS	AUS	AUS	AUS	514.5	9340.0
145	4302.	1.98	755.6	51822.	.302	.600	.725	39.93	2093.61	6.76	14.65	126.32	278.7	14615.0
146	4802.	3.32	755.6	67286.	.392	.500	.725	31.07	1373.53	6.24	20.27	69.40	430.6	19033.6
147	4902.	5.90	755.6	83520.	.487	.600	.725	42.69	1120.40	5.29	24.15	47.26	889.6	23350.2
148	4802.	7.97	755.6	100386.	.588	.600	.725	51.79	964.21	4.77	23.49	29.42	1457.4	27133.4
149	4802.	10.00	755.6	120373.	.703	.600	.725	74.61	888.73	4.41	20.31	45.35	2635.5	31391.3
150	4801.	11.54	755.6	133698.	.780	.600	.725	91.24	857.94	4.48	22.58	19.34	3718.9	34968.1
151	5004.	.02	755.6	38958.	.218	.600	.725	*97.74	*280.84	*3.45	*0.95	*52.83	461.6	10653.7
152	4996.	2.01	755.6	55228.	.303	.600	.725	50.76	2111.33	7.41	16.01	108.60	375.7	15626.5
153	4997.	4.01	755.6	70703.	.396	.600	.725	35.35	1363.95	6.27	21.86	60.67	520.6	20883.2
154	4997.	5.03	755.6	88897.	.499	.600	.725	54.95	1076.56	5.22	22.66	39.98	1218.0	23864.0
155	4998.	8.01	755.6	106481.	.596	.600	.725	51.69	968.70	4.90	23.06	30.95	1816.9	28528.4
156	5005.	10.03	755.6	126732.	.710	.600	.725	90.53	871.48	4.41	20.75	43.30	3341.5	32167.4
157	4997.	11.24	755.6	137679.	.772	.600	.725	33.50	856.10	4.47	23.32	22.60	3862.9	35369.0
158	5203.	.02	755.6	43125.	.232	.600	.725	*22.10	*063.15	*3.38	*7.04	*33.69	412.1	11651.4
159	5203.	2.01	755.6	59731.	.322	.600	.725	59.80	2163.03	7.73	17.00	96.43	459.9	16637.6
160	5201.	4.01	755.6	75104.	.405	.600	.725	44.82	1368.56	6.32	22.48	54.53	686.5	20962.6
161	5201.	6.02	755.6	93528.	.504	.600	.725	73.02	1064.63	5.41	22.41	34.79	1680.6	24504.6
162	5201.	8.01	755.6	111032.	.602	.600	.725	78.20	948.49	5.02	21.80	28.25	2395.9	29058.8
163	5201.	10.00	755.6	131748.	.711	.600	.725	105.31	859.95	4.42	21.14	44.43	4028.2	32893.0
164	5200.	11.98	755.6	140863.	.760	.600	.725	103.75	850.77	4.39	23.36	25.31	4357.5	35731.8
165	5395.	.04	755.6	43799.	.228	.600	.725	*04.81	*726.94	*9.32	*3.06	*13.04	352.8	12262.6
166	5403.	1.35	755.6	61099.	.317	.600	.725	70.08	2199.65	8.02	16.87	89.00	542.9	17041.1
167	5395.	4.01	755.6	78189.	.406	.600	.725	52.67	1364.05	6.06	21.41	54.90	836.5	21714.8

4

6

8

10

14

16

18

20

22

24

26

28

30

32

34

36

38

40

42

44

46

48

50

52

54

56

58

60

62

64

66

68

70

	URZ 1/MIN	BRL K²	-FTDR TORR	LFTDSL L/H	LFR 1	LFTEUCH 1	DICHTE KG/L	SCO G/KWH	SC02 G/KWH	SC3H8 G/KWH	SNOX G/KWH	S02 G/KWH	HC0 G/H	HC02 G/H
168	5396.	8.02	755.6	96067.	.504	.600	.725	80.92	1061.25	5.35	21.86	31.23	1931.7	25334.3
169	5404.	8.02	755.6	120946.	.529	.600	.725	37.22	978.38	5.24	21.44	28.42	3098.7	31182.3
170	5396.	10.00	755.6	139190.	.726	.600	.725	119.33	870.83	4.31	21.98	43.46	4732.8	34533.8
171	5403.	10.71	755.6	144749.	.753	.600	.725	119.89	860.39	4.34	22.81	25.52	4673.9	36593.5
172	5598.	.00	755.6	46391.	.236	.600	.725	*36.53	*453.15	*6.27	*6.67	*59.22	549.7	12563.8
173	5599.	2.03	755.6	63329.	.326	.600	.725	80.05	2043.58	8.29	16.35	68.53	670.6	17119.8
174	5599.	4.01	755.6	81584.	.409	.600	.725	58.68	1306.86	6.25	20.46	45.35	1132.7	21554.7
175	5606.	5.34	755.6	100993.	.506	.600	.725	37.67	1067.29	5.73	22.44	29.21	2393.2	26151.9
176	5599.	8.32	755.6	123100.	.617	.600	.725	33.04	955.04	5.15	20.56	29.71	3268.8	31521.3
177	5599.	10.01	755.6	146169.	.734	.600	.725	114.20	885.92	4.42	24.45	38.02	4707.7	36520.9
178	5599.	15.36	755.6	148322.	.744	.600	.725	112.46	879.83	4.48	23.37	26.17	4798.7	37544.2
179	5794.	.14	755.6	54260.	.263	.600	.725	*34.63	*954.36	86.44	67.74	717.21	628.1	14543.5
180	5801.	1.99	755.6	68499.	.332	.600	.725	97.94	2267.56	8.88	16.98	85.82	709.8	18300.9
181	5801.	4.02	755.6	87410.	.423	.600	.725	36.58	1335.26	6.64	19.81	39.16	1654.4	22873.2
182	5801.	6.01	755.6	107818.	.522	.600	.725	108.73	1082.39	5.88	22.51	27.60	2789.0	27764.0
183	5801.	8.04	755.6	129315.	.625	.600	.725	103.30	962.70	5.21	19.91	31.95	3541.2	33001.9
184	5801.	9.32	755.6	150200.	.727	.600	.725	113.14	897.65	4.51	23.63	26.88	4789.7	38008.7
185	5801.	9.90	755.6	150368.	.727	.600	.725	109.79	895.16	4.46	23.46	23.64	4666.2	38045.8
186	5995.	.01	755.6	52053.	.243	.600	.725	*50.31	*553.54	*8.57	*7.91	*85.07	595.0	13930.4
187	6003.	2.12	755.6	71900.	.336	.600	.725	74.98	2145.44	8.09	18.97	81.78	700.6	20047.9
188	6003.	4.02	755.6	91244.	.426	.600	.725	111.59	1343.28	6.49	21.45	35.77	1980.7	23843.0
189	6003.	6.01	755.6	114382.	.534	.600	.725	115.08	1110.37	5.95	22.54	27.83	3054.3	29471.1
190	6003.	8.00	755.6	135225.	.633	.600	.725	115.81	970.51	4.78	13.73	38.69	4090.4	34277.9
191	5995.	9.64	755.6	152074.	.714	.600	.725	108.70	915.77	4.59	23.95	23.19	4618.1	38907.8
192	2417.	-2.51	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
193	2447.	-1.88	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
194	2693.	-2.32	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
195	2690.	-2.01	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
196	2803.	-2.93	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
197	2805.	-1.77	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
198	3006.	-3.10	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
199	3007.	-1.34	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
200	3243.	-3.19	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
201	3250.	-1.86	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
202	3472.	-3.21	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
203	3479.	-1.84	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
204	3597.	-3.26	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
205	3603.	-1.99	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
206	3801.	-3.36	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
207	3801.	-1.78	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
208	4052.	-3.49	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
209	4053.	-1.79	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
210	4283.	-3.63	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
211	4281.	-1.81	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
212	4426.	-3.69	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS

MOTOR319J140181ER22

	ORZ 1/MIN	BRL KP	LFTDR TORR	LFTOSL L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L	SCO G/KWH	SCO2 G/KWH	SCO3H8 G/KWH	SNOX G/KWH	S02 G/KWH	HCO G/H	HCO2 G/H
213	4426.	-1.99	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AJS	AUS	AUS	AUS
214	4614.	-3.78	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
215	4614.	-2.01	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AJS	AJS	AUS	AUS
216	4843.	-3.92	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
217	4851.	-1.76	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
218	5017.	-3.79	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AJS	AUS	AUS
219	5072.	-1.90	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AJS	AUS	AUS	AUS
220	5228.	-4.12	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AJS	AUS	AUS	AUS
221	5218.	-1.88	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
222	5421.	-4.25	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AJS	AJS	AUS	AUS
223	5422.	-1.75	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
224	5613.	-4.37	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
225	5616.	-1.55	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AJS	AUS	AUS	AUS
226	5867.	-4.42	755.6	AJS	AUS	.600	.725	AUS	AUS	AUS	AJS	AUS	AUS	AUS
227	5860.	-1.79	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
228	6023.	-4.45	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AUS	AUS	AUS	AUS
229	6034.	-1.74	755.6	AUS	AUS	.600	.725	AUS	AUS	AUS	AJS	AUS	AUS	AUS

	DRZ 1/MIN	BRZ KP	4C348 S/H	HNOX G/H	HO2 G/H
1	979.	.17	20.66	.55	51.49
2	1003.	2.05	22.75	2.39	29.90
3	995.	3.93	27.36	20.60	110.43
4	1003.	5.35	31.85	50.10	328.94
5	1003.	7.93	37.60	52.27	555.02
6	995.	9.56	71.01	21.95	50.06
7	1209.	.12	23.52	.73	48.19
8	1199.	1.67	20.12	3.10	41.27
9	1199.	3.97	26.19	24.41	177.22
10	1207.	6.00	31.37	63.83	288.03
11	1208.	8.05	37.33	69.72	656.67
12	1199.	9.39	82.26	19.27	71.52
13	1207.	9.89	89.45	37.22	84.80
14	1402.	- .15	21.96	.72	58.35
15	1403.	2.00	23.08	9.24	122.29
16	1402.	4.03	30.03	43.97	278.57
17	1397.	6.02	35.16	57.55	256.77
18	1396.	7.95	34.74	62.27	872.55
19	1397.	9.99	61.91	29.83	130.27
20	1404.	10.49	75.00	74.85	273.44
21	1600.	.09	22.60	1.29	54.14
22	1600.	1.99	26.35	10.68	128.21
23	1600.	4.04	34.05	42.57	230.28
24	1600.	6.07	44.23	64.28	191.92
25	1600.	7.94	38.61	67.55	1255.47
26	1601.	10.01	52.57	127.74	333.33
27	1600.	11.00	72.74	118.61	429.01
28	1795.	.13	21.11	2.35	77.40
29	1796.	2.00	27.63	12.46	184.85
30	1796.	4.05	36.09	48.34	373.20
31	1796.	6.04	49.86	72.19	213.41
32	1803.	7.97	43.25	83.84	1608.18

MOTOR349140181ER22

	ORZ 1/HIN	BRL Kp	IC3H8 G/H	HNOX G/H	H02 G/H
33	1803.	9.95	52.62	202.65	864.27
34	1803.	11.34	74.18	181.63	598.35
35	2008.	.17	21.91	3.25	91.53
36	1999.	2.12	29.52	15.71	188.60
37	1999.	4.03	39.78	44.07	202.38
38	1999.	6.02	51.31	83.08	238.78
39	1999.	7.98	49.67	87.29	1406.85
40	1999.	9.99	60.48	212.31	1009.19
41	1999.	11.65	95.30	170.15	439.83
42	2203.	-.02	20.52	2.53	99.77
43	2203.	2.01	27.11	23.15	316.16
44	2203.	3.97	46.62	46.96	185.35
45	2195.	6.02	58.50	108.74	398.19
46	2203.	8.01	68.03	149.28	773.31
47	2196.	9.96	69.81	239.45	1243.46
48	2203.	11.86	110.94	219.93	419.56
49	2203.	11.91	118.56	199.95	571.82
50	2398.	-.01	22.16	3.16	106.12
51	2399.	2.05	30.51	22.92	308.77
52	2399.	3.99	51.59	57.65	230.13
53	2399.	6.03	63.57	147.81	674.13
54	2399.	8.00	76.70	213.77	780.29
55	2399.	10.01	78.40	312.06	1625.84
56	2399.	12.04	114.04	301.93	535.30
57	2399.	12.10	129.73	252.79	792.81
58	2602.	-.02	23.59	3.75	112.47
59	2595.	2.08	34.71	24.54	200.19
60	2603.	4.03	55.62	67.89	259.78
61	2603.	5.98	67.35	155.59	804.61
62	2603.	7.95	83.80	246.22	889.51
63	2603.	10.10	83.79	368.10	1805.02
64	2603.	12.06	118.42	414.85	819.70
65	2603.	12.36	138.91	308.85	777.03
66	2798.	-.04	30.03	5.00	85.04
67	2799.	2.03	40.33	23.20	183.09
68	2807.	3.98	58.92	63.14	447.02
69	2799.	6.01	69.88	178.52	921.44
70	2799.	8.02	83.33	295.82	891.79
71	2799.	9.98	84.45	390.49	1538.12
72	2799.	12.04	119.79	436.80	891.16
73	2799.	12.55	150.73	314.91	596.37
74	3002.	-.09	24.23	6.77	109.54
75	3003.	2.01	40.72	27.13	189.24
76	3002.	3.99	57.50	97.38	640.54
77	3002.	5.96	68.51	180.05	1690.45

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 68 70

	ORZ 1/MIN	BRL KP	HC3H8 G/H	HNOX G/H	H02 G/H
78	3002.	8.50	87.92	323.32	1321.42
79	3002.	10.19	88.17	396.33	2238.87
80	3002.	12.12	110.70	571.50	1171.93
81	3501.	12.25	130.57	505.83	954.05
82	3190.	-0.04	21.28	9.43	796.06
83	1205.	2.03	36.38	39.92	489.61
84	3196.	4.02	48.06	94.84	1282.33
85	3204.	5.01	70.82	215.56	1369.08
86	3204.	7.38	90.44	309.30	1533.44
87	3234.	16.30	89.53	447.78	2080.66
88	3196.	12.01	111.45	679.58	1454.64
89	3196.	12.30	127.63	606.25	1012.36
90	3407.	-0.02	21.32	11.75	606.95
91	3399.	2.01	37.36	46.65	551.94
92	3399.	3.99	51.82	113.49	1326.62
93	3333.	6.01	75.92	253.75	1630.76
94	3399.	8.02	92.52	428.50	2040.99
95	3399.	9.98	95.09	498.29	1874.99
96	3399.	12.03	116.28	754.63	1497.26
97	3399.	12.34	126.23	728.43	1276.54
98	3501.	-0.01	18.77	13.36	386.37
99					
100	3602.	1.98	41.37	59.37	620.95
101	3602.	3.98	57.93	141.20	1341.15
102	3601.	6.21	87.23	323.60	1898.07
103	3601.	8.00	99.24	497.23	1814.77
104	3602.	9.99	97.17	551.10	1857.35
105	3594.	12.04	123.49	848.97	1571.06
106	3601.	12.42	121.90	821.15	1615.00
107	3803.	.02	27.21	17.05	305.35
108	3634.	1.38	42.62	72.62	817.66
109	3796.	4.03	64.05	172.08	1406.12
110	3804.	6.05	89.96	355.18	1439.63
111	3334.	8.00	97.52	567.44	1851.05
112	3804.	16.01	110.02	576.64	1317.75
113	3796.	11.97	132.75	893.38	1587.21
114	3999.	12.42	134.09	810.84	1054.90
115	4000.	-0.04	26.76	17.05	241.18
116	4000.	2.03	42.05	86.03	1032.25
117	4000.	4.04	65.04	201.94	1696.34
118	4000.	5.99	93.63	408.09	1480.82
119	3999.	7.99	101.08	659.07	1809.03
120	3999.	9.98	118.04	626.26	1363.96
121	3999.	11.98	136.54	828.34	1292.07
122	4202.	12.26	144.29	767.67	746.50
123		-0.03	33.29	18.38	214.38

MOTOR3190140181222

G-302

	DRZ 1/MIN	BRZ KP	HC3H8 G/H	HNOX G/H	H2O2 G/H
123	4202.	1.98	43.12	92.16	1192.89
124	4194.	4.09	73.55	242.61	1374.32
125	4194.	6.03	96.57	476.68	1567.47
126	4202.	7.36	108.51	698.14	1421.23
127	4194.	10.02	123.11	686.52	1644.65
128	4202.	12.08	143.76	817.17	728.44
129	4405.	-0.04	35.99	17.37	209.97
130	4404.	1.96	44.62	95.45	1199.94
131	4405.	3.98	77.28	252.58	1166.41
132	4404.	5.99	100.27	485.35	1295.81
133	4397.	8.00	119.21	673.88	953.32
134	4405.	9.96	134.15	707.47	1580.50
135	4405.	11.32	157.70	876.85	754.78
136	4599.	-0.01	38.26	18.99	201.84
137	4600.	1.98	41.46	90.92	1071.10
138	4603.	3.99	81.72	268.26	1061.35
139	4600.	6.02	107.13	481.84	1020.33
140	4603.	7.37	123.71	645.38	856.77
141	4608.	10.02	143.39	697.92	1530.97
142	4600.	11.77	171.13	896.91	744.94
143	4603.	11.78	171.84	917.42	732.51
144	4801.	-0.00	40.73	21.03	194.66
145	4802.	1.98	47.22	102.24	881.80
146	4802.	3.92	86.53	230.88	961.63
147	4802.	5.90	110.21	503.30	985.01
148	4802.	7.97	134.13	601.01	827.90
149	4802.	10.00	155.70	717.24	1601.93
150	4801.	11.54	182.43	920.20	788.14
151	5004.	.02	38.54	25.82	247.90
152	4996.	2.31	54.84	118.46	803.78
153	4997.	4.01	92.35	321.67	893.31
154	4997.	6.03	115.66	502.25	886.22
155	4998.	8.01	144.33	679.13	911.39
156	5005.	10.03	162.76	766.04	1819.58
157	4997.	11.24	184.57	953.34	933.75
158	5200.	.02	35.76	28.02	339.23
159	5200.	2.01	59.47	130.76	741.70
160	5201.	4.01	96.83	344.40	835.19
161	5201.	6.02	124.60	515.70	800.70
162	5201.	8.01	153.80	607.88	865.38
163	5201.	10.00	169.01	808.71	1699.34
164	5200.	10.98	184.29	981.29	1063.17
165	5395.	.04	35.05	32.13	459.55
166	5403.	1.95	62.15	130.67	689.47
167	5395.	4.01	96.49	340.79	873.98

	ORZ 1/MIN	BRL KP	HC3:H8 5/H	HNOX G/H	HO2 G/H
168	5396.	5.02	127.64	521.94	745.50
169	5404.	8.12	166.91	683.25	905.91
170	5396.	10.00	171.07	871.63	1723.61
171	5433.	11.71	184.72	970.02	1085.30
172	5598.	.06	44.69	32.62	374.45
173	5599.	2.03	69.49	137.00	574.08
174	5599.	4.01	103.04	337.49	747.97
175	5606.	5.94	140.48	549.95	715.75
176	5599.	8.02	170.14	678.65	980.66
177	5599.	10.01	182.15	1007.81	1567.47
178	5599.	11.36	191.18	997.10	1116.60
179	5794.	.14	52.48	41.13	435.43
180	5801.	1.99	71.64	137.02	692.62
181	5801.	4.02	113.68	339.40	670.73
182	5801.	6.01	150.73	577.27	707.84
183	5801.	8.04	178.57	682.59	1095.28
184	5801.	9.92	191.04	1000.26	1137.92
185	5801.	9.36	189.38	937.21	1004.57
186	5995.	.01	50.78	40.68	430.83
187	6003.	2.12	75.64	177.23	764.17
188	6003.	4.02	115.21	380.65	634.91
189	6003.	6.01	158.04	598.30	738.61
190	6003.	8.00	168.89	601.56	1366.34
191	5995.	9.64	195.11	1017.57	985.20
192	2417.	-2.61	1JS	AUS	AUS
193	2447.	-1.88	AUS	AUS	AUS
194	2693.	-2.82	AUS	AUS	AUS
195	2690.	-2.01	AUS	AUS	AUS
196	2803.	-2.33	AUS	AUS	AUS
197	2805.	-1.77	AUS	AUS	AUS
198	3006.	-3.10	AUS	AUS	AUS
199	3007.	-1.94	AUS	AUS	AUS
200	3249.	-3.19	1JS	AUS	AUS
201	3250.	-1.98	AUS	AUS	AUS
202	3472.	-3.21	AUS	AUS	AUS
203	3479.	-1.84	AUS	AUS	AUS
204	3597.	-3.26	AUS	AUS	AUS
205	3603.	-1.99	AUS	AUS	AUS
206	3801.	-3.36	AUS	AUS	AUS
207	3801.	-1.78	AUS	AUS	AUS
208	4052.	-3.49	AUS	AUS	AUS
209	4053.	-1.79	AUS	AUS	AUS
210	4283.	-3.63	AUS	AUS	AUS
211	4281.	-1.81	AJS	AUS	AUS
212	4426.	-3.69	AUS	AUS	AUS

MOTOR319J140181ER22

	DRZ 1/MIN	DRL Kp	4C3H8 G/H	HNOX G/H	HG2 G/H
213	4426.	-1.99	AUS	AUS	AJS
214	4614.	-3.78	AUS	AUS	AUS
215	4614.	-2.01	AUS	AUS	AUS
216	4843.	-3.32	AUS	AUS	AJS
217	4851.	-1.76	AUS	AUS	AUS
218	5017.	-3.79	AUS	AUS	AUS
219	5072.	-1.30	AUS	AUS	AUS
220	5228.	-4.12	AUS	AUS	AUS
221	5218.	-1.86	AUS	AUS	AJS
222	5421.	-4.23	AUS	AUS	AUS
223	5422.	-1.75	AUS	AUS	AUS
224	5613.	-4.37	AUS	AUS	AJS
225	5616.	-1.55	AUS	AUS	AUS
226	5867.	-4.42	AUS	AUS	AUS
227	5860.	-1.79	AUS	AUS	AUS
228	6023.	-4.43	AJS	AUS	AJS
229	6034.	-1.74	AUS	AUS	AJS

APPENDIX G.7
MODIFICATION CODES 13/14

DKL .

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position


LINIEN GLEICHER LEISTUNG IN PS curves of constant power output

Mod Code 13/14

DATUM / 17/11/77 MOTOR-TYP/GOLF
 PST-NR. /22 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR /EE 021 419
 BEMERKUNG./1.6LTR.K.-JETRONIC
 VERDICHTG/ 8.0
 SPEZ.GEW./.747

EA-NR. /
 VERBRAUCH /1600
 VERGASER /K-JET.
 OEL /SHELL 30




SPZVB

-KENNFELD LINIEN MIT KONST. WERTEN IN GPF5H fuel consumption (fc) $\frac{g}{hph}$

DATUM / 17/11/77 MOTOR-TYP/GOLF
PST-NR. / 02 CO/LL /
VORZUEHNG/-3/975
KRAFTST. /BLEIFREI

MOTOR-NR. /EE 021 419
BEMERKNG./1.6LTR.K.-JETRONIC
VERDICHTG/ 9.0
SPEZ.GEW./1.747

EA-NR. /
HUBRAUM /1800
VERGASER /K-JET.
OEL /SHELL 20




SPZVE

-KENNFELD LINIEN MIT KONST. WERTEN IN GPKWH

 $f_c \left(\frac{g}{kWh} \right)$

DATUM / 17.11.77 MOTOR-TYP/GOLF
 PST-NR. / 22 CO/LL /
 VORZUEHEND/-3/975
 KRAFTST. /BLEIFREI

MOTOR-NR /EE 021 419 EA-NR. /
 BEMERKUNG-/1,6LTR.-METRONIC HUBRAUM /1600
 VERDICHTG/ 8.0 VERGASER /M-JET.
 SPEZ.GEW./747 OEL /SHELL 20




LTRFLU -KENNFELD LINIEN MIT KONST. WERTEN IN LPH

$$fc \left(\frac{1}{h} \right)$$

DATUM / 17/11/77 MOTOR-TYP/GOLF
PST-NR. / 722 CO/LL /
VORZUEHEND / 3/976
KRAFTST. / BLEIFREI

MOTOR-NR. / EE 001 419
BEMERKUNG / 1.6LTR.K.-JETRONIC HUBRAUM / 1600
VERDICHTER / 8.0
SPEZ.GEW. / 1.747

EA-NR. /
VERGASER / K-JET
ÖL / SHELL 20




KRSTFLU -KENNFELD LINIEN MIT KONST. WERTEN IN KGPH

$$f_c \left(\frac{kg}{h} \right)$$

DATUM / 17.11.77 MOTOR-TYP/GOLF
 PST-NR. / 22 CO/LL /
 VORZUEHNDG./-37975
 KRAFTST. /BLEIFREI

MOTOR-NR. /EE 021 419 ER-NR. /
 BEMERKNG./1.6LTR.K.-JETRONIC HUERRAUM /1600
 VERDICHTG/ 8.0 VERGRÖßER /K-JET
 SPEZ.GEW./.747 OEL /SHELL 00




00

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ (%)

DATUM 17.11.77 MOTOR-TYP 5009
PST-NR. 21 03/LL
VORZUEHEND 1.976
ARBEITST. BLEIFREI

MOTOR-NR. 7EE 001 419 ER-NR. 7
BEMERKUNG: 01.6LTR.-K.-JETRONIC AUßERHAUM 71600
VERDICHTIGK. 8.10 VERGASER 7K-JET.
SPEZ.GEW. 1.747 ÖL 76HELL 30




HFCO

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{G}{h}\right)$

DATUM / 17/11/77 MOTOR-TYP/GOLF
 PST-NR. / 722 CO/LL /
 VORZUEHUNG/-3/975
 KRAFTST. /BLEIFFE1

MOTOR-NR. /EE 021 419 EA-NR. /
 BEMERKUNG./1,6LTR K.-JETRONIC HUERRAUM /1200
 VERDICHTG/ 8.0 VERGASER /K-JET.
 SPEZ.GEW./ 747 OEL /SHELL 10



C3H8


-KENNFELD LINIEN MIT KONST. WERTEN IN PPM

DATE: 7.12.1977
 TEST-NR.: 702

MOTOR-TYP/GOLF
 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /ELEIFREI

MOTOR-NR. /EE 021 419
 BEMERKUNG. /1,6LTR.-K.-JETRONIC
 VERDICHTG/ 8.0
 SPEZ.GEW./1.747

ER-NR. /
 HUBRAUM /1600
 VERGASER /K-JET.
 OEL /SHELL 20



HFCH2

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH


 $\left(\frac{g}{h}\right)$

DATUM / 17/11/77
PST-NR. / 22

MOTOR-TYP / GOLF
CO-LL /
VORZUEHUNG / 3/975
KRAFTST. / (BLEIFREI)


MOTOR-NR. / EE 021 419
BEMERKUNG / 1.6LTR.K.-JETRONIC
VERDICHTG. / 8.0
SPEZ.GEW. / 7.747

EA-NR. /
HUBRAUM / 1600
VERGÄSER / K-JET.
ÖEL / SHELL 20



-KENNFELD LINIEN MIT KONST. WERTEN IN PPM


EA-NR. /
C HUBBAUM /1800
VERGASER /K-JET.
OEL /SHELL 30



-KENNFELD LINIEN MIT KONST. WERTEN IN GPH


(58)

EA-NR.	/
CHUEBAUM	/1800
VERGASER	/R-JET.
DEL	/SHELL 20



DATUM / 12-11-77 MOTOR-TYP/GOLF
 PST-NR. / 722 CO LL /
 VORZUEHENDG/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR /EE 021 419 ER-NR. /
 BEMERKNG./1.6LTR-K.-JETRONIC HUBRAUM /1600
 VERDICHTG/ 8.0 VERGASER /K-JET.
 SPEZ.GEW./1.747 OEL /SHELL 30




HP02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{g}{h}\right)$

DATUM / 17/11/77 MOTOR-TYP/60LF
 PST-NR. / 200 CO/LL /
 VORZUEHNDG/-3/976
 KRAFTST. /8LEIFREI

MOTOR-NR. /EE 001 419 ER-NR. /
 BEMERKNG./1.6LTER-K.-JETRONIC HUBRAUM /1600
 VERDICHTG/ 8.0 VERGASER /K-JET.
 SPEZ.GEW./1.747 DEL /8HELL 10




C02

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ (%)

DATUM / 17/11/77 MOTOR-TYP/GOLF
PST-NR. / 22 CO/LL /
VORZUGS- / 0/978
KRAFTST. (ELEKTR.)

MOTOR-NR / EE 021 419 EA-NR. /
BEMERKNG. / 1,6LTR.K.-JETRONIC HUBRAUM / 1600
VERDICHTG / 9.0 VERGASER / K-JET.
SPEZ.GEW. / .747 OEL / SHELL 30



HPC02


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{g}{h}\right)$

DATUM / 17/11/77 MOTOR-TYP/00LF
 PST-NR. /22 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR /EE 021 419
 BEMERKUNG-/1.6L TR. K.-JETRONIC
 VERDICHTE/ 8.0
 SPEZ.GEW./1.747

EA-NR. /
 HUBRAUM /1600
 VERGASER /K-JET.
 OEL /6HELL 30




ZUEW

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG
curves of constant spark advance

DATUM / 17/11/77 MOTOR-TYP/60LF
PST-NR. 100 CO/LL /
VORZUEHUNG/3/975
KRAFTST. (BLEI)FEE

MOTOR-NR. /EE 021 419
BEMERKUNG./1.6LTR.K-JETRONIC
VERDICHTG/ 8.0
SPEZ.GEN./747

EA-NR. /
HUBRAUM /1600
VERGASER /K-JET.
OEL /SHELL 20



LAMA


-KENNFELD LINIEN MIT KONST. WERTEN IN 1

 λ - Map

DATUM / 17/11/77 MOTOR-TYP / GOLF
 PST-NR. / 22 CO/LL /
 VORZUEHUNG / -3/976
 KRAFTST. / BLEIFREI

MOTOR-NR. / EE 021 419
 BEMERKNG. / 1,6LTR. K.-JETRONIC
 VERDICHTG. / 8.0
 SPEZ.GEW. / .747

ER-NR. /
 HUBRAUM / 1600
 VERGASER / K-JET.
 OEL / SHELL 30



MESSPROTOKOLL PROGRAMM MOTOR
DATEI NAME MOTOR 31901401FDH22
VERSUCHS NR 1
VERSUCHSART KENNFEELD AUGAS
BEMERKUNGEN ZUR VERSUCHSREIHE

PRUEFSTAND NR 22
VERSUCHS BEGINN 17/11/77
VERSUCHSENDE 21/11/77

SACHBEARBEITER DR. OETTING
11.16.83
08.54.36
EA-NR 31901

MOTOR-TYP GOLF
MOTOR-ART OTTO
MOTOR-NR EE 021 419
ZYLINDERZ. 4.
REHABITATIONSZEIT

WUBRAUM 1600.
VERDICHTUNG 8.0
VERGASER/EINSPR. K-JET.
LEFRL./ CO / VORZ. -3/975

KRAFTSTOFFSORTE BLEIFREI
OKTANZAHL (ROZ) 91
OELSORTE SHELL 30
EINSPRITZ BEGINN

BEHMERKUNGEN ZUM VERSUCH 1,6LITR.K.-JETRONIC LAMBDA GEREGET STOR.3,55AT

Mod. Code : 13/14

DRZ 1/MIN	BRL KP	BRL N	REDMDR BAR	EFFLST CA	REDLST CM	REDLST PS	MONT NM	MONT KPH	SPZVERB G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H
1 P 999.	0.37	20.1	0.7	0.1	1.5	0.1	0.5	0.05	AUS	AUS	*492.6	*366.4	AUS
2 P 1000.	2.35	20.1	1.2	1.5	1.5	2.1	14.8	1.51	AUS	AUS	931.1	604.8	AUS
3 P 999.	3.32	38.4	2.2	2.9	3.0	4.0	28.3	2.89	AUS	AUS	547.4	402.6	AUS
4 P 999.	6.12	60.0	3.5	4.5	4.6	6.3	44.2	4.51	AUS	AUS	451.4	332.0	AUS
5 P 1000.	8.31	78.5	4.5	5.9	6.1	8.2	57.9	5.90	AUS	AUS	309.3	227.5	AUS
6 P 1000.	10.16	98.6	5.7	7.4	7.6	10.3	72.7	7.41	AUS	AUS	314.7	231.5	AUS
7 P 1000.	11.32	116.9	6.8	9.8	9.0	12.3	86.2	8.79	AUS	AUS	297.1	210.5	AUS
8 P 999.	12.22	119.9	6.9	9.0	9.3	12.6	88.4	9.01	AUS	AUS	389.1	286.2	AUS
9 P 1196.	-0.33	-0.3	-0.0	-0.0	-0.0	-0.0	-0.2	-0.02	AUS	AUS	*619.8	*495.2	AUS
10 P 1196.	1.36	19.2	1.1	1.7	1.8	2.4	14.2	1.45	AUS	AUS	302.4	663.7	AUS
11 P 1204.	3.97	38.9	2.3	3.5	3.6	4.9	28.7	2.92	AUS	AUS	536.2	394.3	AUS
12 P 1196.	6.36	59.4	3.4	5.3	5.5	7.5	43.8	4.46	AUS	AUS	393.0	289.1	AUS
13 P 1204.	7.38	78.2	4.5	7.1	7.3	9.9	57.6	5.88	AUS	AUS	344.2	253.2	AUS
14 P 1196.	10.30	98.1	5.7	8.8	9.1	12.3	72.3	7.37	AUS	AUS	321.2	236.2	AUS
15 P 1196.	11.98	116.5	6.7	10.5	10.8	14.6	85.9	8.76	AUS	AUS	316.8	233.8	AUS
16 P 1203.	11.31	116.8	6.8	10.5	10.9	14.8	86.1	8.77	AUS	AUS	388.4	285.7	AUS
17 P 1400.	-0.12	-1.1	-0.1	-0.1	-0.1	-0.2	-0.8	-0.09	AUS	AUS	*000.6	*561.9	AUS
18 P 1400.	2.31	19.7	1.1	2.1	2.1	2.9	14.6	1.48	AUS	AUS	889.0	595.8	AUS
19 P 1400.	4.32	39.4	2.3	4.1	4.3	5.8	29.0	2.96	AUS	AUS	467.6	343.9	AUS
20 P 1400.	5.97	58.5	3.4	6.1	6.3	8.6	43.1	4.40	AUS	AUS	394.7	290.3	AUS
21 P 1393.	7.33	77.8	4.5	8.1	8.4	11.4	57.4	5.85	AUS	AUS	346.8	254.5	AUS
22 P 1393.	10.31	98.1	5.7	10.3	10.5	14.3	72.3	7.37	AUS	AUS	316.2	232.6	AUS
23 P 1401.	11.37	117.4	6.8	12.3	12.7	17.3	86.6	8.83	AUS	AUS	293.0	215.5	AUS
24 P 1400.	12.19	119.6	6.9	12.6	12.9	17.6	88.1	8.99	AUS	AUS	394.5	290.2	AUS
25 P 1604.	-0.31	-1.1	-0.0	-0.0	-0.0	-0.0	-1.1	-0.01	AUS	AUS	*756.2	*467.7	AUS
26 P 1597.	1.98	19.5	1.1	2.3	2.4	3.3	14.3	1.46	AUS	AUS	886.9	593.5	AUS
27 P 1597.	4.04	39.6	2.3	4.8	4.9	6.6	29.2	2.98	AUS	AUS	461.4	339.4	AUS
28 P 1598.	6.32	59.0	3.4	7.1	7.3	9.9	43.5	4.44	AUS	AUS	340.9	250.7	AUS
29 P 1598.	8.03	78.8	4.6	9.4	9.7	13.2	58.0	5.92	AUS	AUS	318.6	234.3	AUS
30 P 1598.	10.00	98.1	5.7	11.8	12.1	16.5	72.3	7.37	AUS	AUS	295.6	217.4	AUS
31 P 1598.	11.97	117.4	6.8	14.1	14.5	19.7	86.5	8.82	AUS	AUS	289.8	213.2	AUS
32 P 1605.	13.25	130.0	7.5	15.7	16.1	21.9	95.8	9.77	AUS	AUS	349.9	257.3	AUS

MOTOR 31901401FDH22

SEITE 1/1

	DRZ 1/4IN	BRL KP	BRL N	REDMDR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT NM	MONT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZV8 G/KMH	SPZV8 G/PSH	LTRSTD L/H
33 P	1734.	2.00	19.7	1.1	2.7	2.7	3.7	7.8	1.00	AUS	AUS	556.7	3347.5	AUS
34 P	1801.	2.11	19.7	1.1	2.7	2.7	3.7	14.5	1.48	AUS	AUS	785.8	578.0	AUS
35 P	1802.	3.36	38.8	2.2	5.3	5.4	7.3	28.6	2.92	AUS	AUS	436.8	321.3	AUS
36 P	1802.	6.33	59.1	3.4	8.0	8.2	11.2	43.6	4.44	AUS	AUS	348.7	256.5	AUS
37 P	1802.	8.11	78.5	4.5	10.6	10.9	14.9	57.9	5.90	AUS	AUS	318.1	234.0	AUS
38 P	1802.	9.99	97.9	5.7	13.2	13.6	18.5	72.1	7.36	AUS	AUS	303.9	223.5	AUS
39 P	1802.	12.00	117.7	6.8	15.9	16.4	22.2	86.7	8.84	AUS	AUS	290.5	213.7	AUS
40 P	1802.	13.92	135.5	7.8	18.3	18.8	25.6	99.8	18.18	AUS	AUS	334.9	246.3	AUS
41 P	1998.	.31	.1	0.0	.8	.0	.0	0.3	0.00	AUS	AUS	564.7	203.9	AUS
42 P	1998.	1.38	19.5	1.1	2.9	3.0	4.1	14.3	1.46	AUS	AUS	688.3	506.3	AUS
43 P	1998.	4.01	39.3	2.3	5.9	6.1	8.2	29.0	2.95	AUS	AUS	452.0	332.5	AUS
44 P	1998.	6.03	59.2	3.4	8.9	9.1	12.4	43.6	4.45	AUS	AUS	352.8	259.5	AUS
45 P	1998.	7.99	78.4	4.5	11.8	12.1	16.4	57.7	5.89	AUS	AUS	317.2	233.3	AUS
46 P	1999.	10.02	98.3	5.7	14.7	15.2	20.6	72.4	7.38	AUS	AUS	300.8	221.2	AUS
47 P	1999.	12.02	117.8	6.8	17.7	18.2	24.7	86.8	8.85	AUS	AUS	288.5	212.2	AUS
48 P	2006.	13.98	136.2	7.9	20.5	21.1	28.7	100.4	10.24	AUS	AUS	271.2	199.5	AUS
49 P	1999.	14.21	139.4	8.1	20.9	21.5	29.2	102.7	10.48	AUS	AUS	311.4	229.0	AUS
50 P	2194.	.13	1.3	.1	.2	.2	.3	.9	.09	AUS	AUS	9112.3	6702.1	AUS
51 P	2203.	1.37	19.3	1.1	3.2	3.3	4.5	14.3	1.45	AUS	AUS	641.5	471.8	AUS
52 P	2195.	4.04	39.6	2.3	6.5	6.7	9.1	29.2	2.98	AUS	AUS	422.4	310.7	AUS
53 P	2195.	6.05	59.3	3.4	9.8	10.1	13.7	43.7	4.46	AUS	AUS	357.7	263.1	AUS
54 P	2195.	8.03	78.7	4.6	13.0	13.3	18.1	58.0	5.92	AUS	AUS	318.5	234.3	AUS
55 P	2203.	9.98	97.8	5.7	16.2	16.6	22.6	72.1	7.35	AUS	AUS	303.6	223.3	AUS
56 P	2196.	12.02	117.8	6.8	19.4	20.0	27.2	86.8	8.86	AUS	AUS	282.2	207.5	AUS
57 P	2195.	13.95	136.8	7.9	22.5	23.2	31.5	100.8	10.28	AUS	AUS	270.5	198.9	AUS
58 P	2203.	14.22	139.5	8.1	23.1	23.7	32.3	102.8	10.48	AUS	AUS	313.5	230.6	AUS
59 P	2407.	.02	.2	.0	.0	.0	.1	.1	.02	AUS	AUS	135.5	080.9	AUS
60 P	2399.	1.96	19.2	1.1	3.5	3.6	4.8	14.2	1.45	AUS	AUS	722.9	531.7	AUS
61 P	2399.	3.97	39.0	2.3	7.0	7.2	9.8	28.7	2.93	AUS	AUS	442.2	325.3	AUS
62 P	2400.	5.99	58.8	3.4	10.6	10.9	14.8	43.3	4.42	AUS	AUS	361.9	266.2	AUS
63 P	2400.	8.02	78.7	4.6	14.2	14.6	19.8	58.0	5.91	AUS	AUS	311.9	229.4	AUS
64 P	2400.	10.02	98.3	5.7	17.7	18.2	24.7	72.4	7.38	AUS	AUS	301.7	221.9	AUS
65 P	2400.	12.00	117.7	6.8	21.2	21.8	29.6	86.7	8.85	AUS	AUS	280.6	206.4	AUS
66 P	2400.	13.98	137.1	7.9	24.7	25.4	34.5	101.0	10.38	AUS	AUS	271.7	199.8	AUS
67 P	2399.	14.30	140.2	8.1	25.3	26.0	35.3	103.4	10.54	AUS	AUS	309.8	227.9	AUS
68 P	2603.	.31	.1	.0	.0	.0	.0	.1	.01	AUS	AUS	982.7	663.0	AUS
69 P	2596.	2.02	19.8	1.1	3.9	4.0	5.4	14.6	1.49	AUS	AUS	720.0	529.5	AUS
70 P	2596.	4.00	39.2	2.3	7.6	7.9	10.7	28.9	2.95	AUS	AUS	433.5	318.9	AUS
71 P	2596.	6.03	59.1	3.4	11.5	11.8	16.1	43.6	4.44	AUS	AUS	354.9	261.1	AUS
72 P	2604.	8.00	78.4	4.5	15.3	15.8	21.4	57.8	5.89	AUS	AUS	316.5	232.7	AUS
73 P	2596.	9.99	98.0	5.7	19.1	19.6	26.7	72.2	7.36	AUS	AUS	299.0	219.9	AUS
74 P	2596.	12.01	117.8	6.8	22.9	23.6	32.1	86.8	8.85	AUS	AUS	281.7	207.2	AUS
75 P	2604.	13.99	137.2	7.9	26.8	27.6	37.5	101.1	10.30	AUS	AUS	272.3	200.3	AUS
76 P	2604.	14.53	142.4	8.2	27.8	28.6	38.9	104.9	10.70	AUS	AUS	310.2	228.2	AUS
77 P	2799.	.31	.1	.0	.0	.0	.0	.0	.00	AUS	AUS	471.9	729.6	AUS

G-324

	DRZ 1/MIN	BRQ KP	BRQ N	REDMOR BAR	EFFLST KH	REOLST KW	REDLST PS	MOMT NM	MOMT KPM	SPZVERB G/KWH	SPZVERB G/PSH	LTRSTD L/H
78 P	2800.	2.01	19.7	1.1	4.1	4.3	5.8	14.5	1.48	AUS	497.5	AUS
79 P	2800.	3.99	39.1	2.3	8.2	8.5	11.5	28.9	2.94	AUS	320.0	AUS
80 P	2800.	6.31	58.9	3.4	12.4	12.7	17.3	43.4	4.43	AUS	268.7	AUS
81 P	2800.	7.39	78.3	4.5	16.5	16.9	23.0	57.7	5.89	AUS	229.3	AUS
82 P	2800.	9.98	97.9	5.7	20.6	21.2	28.8	72.1	7.35	AUS	221.5	AUS
83 P	2800.	11.37	117.3	6.8	24.7	25.4	34.5	86.4	8.81	AUS	207.1	AUS
84 P	2800.	13.99	137.2	7.9	28.8	29.6	40.3	101.0	10.30	AUS	198.9	AUS
85 P	2800.	14.83	145.4	8.4	30.6	31.4	42.7	107.2	10.93	AUS	232.0	AUS
86 P	3004.	.03	.3	.0	.1	.1	.1	.2	.02	AUS	*130.9	AUS
87 P	2996.	2.00	19.6	1.1	4.4	4.5	6.2	14.4	1.47	AUS	489.5	AUS
88 P	3004.	4.12	39.4	2.3	8.9	9.1	12.4	29.0	2.96	AUS	313.1	AUS
89 P	3004.	6.03	59.2	3.4	13.3	13.7	19.6	43.6	4.44	AUS	265.1	AUS
90 P	3004.	7.38	78.3	4.5	17.6	18.1	24.7	57.7	5.88	AUS	235.0	AUS
91 P	3004.	10.00	98.1	5.7	22.1	22.8	30.9	72.3	7.38	AUS	223.3	AUS
92 P	2997.	12.34	118.1	6.8	26.6	27.3	37.1	87.0	8.87	AUS	210.5	AUS
93 P	3004.	13.99	137.2	7.9	30.9	31.8	43.2	101.1	10.31	AUS	274.5	AUS
94 P	2997.	15.15	148.6	8.6	33.4	34.4	46.7	109.5	11.16	AUS	231.5	AUS
95 P	3201.	.00	.0	.0	.0	.0	.0	.0	.00	AUS	*467.0	AUS
96 P	3201.	1.97	19.3	1.1	4.6	4.8	6.5	14.2	1.45	AUS	496.4	AUS
97 P	3201.	4.00	39.2	2.3	9.4	9.7	13.2	28.9	2.95	AUS	321.4	AUS
98 P	3201.	6.00	58.8	3.4	14.1	14.5	19.7	43.3	4.42	AUS	262.9	AUS
99 P	3201.	7.98	78.3	4.5	18.8	19.3	26.3	57.7	5.88	AUS	238.2	AUS
100 P	3201.	9.99	97.9	5.7	23.5	24.2	32.9	72.1	7.36	AUS	220.7	AUS
101 P	3201.	11.99	117.5	6.8	28.2	29.1	39.5	86.6	8.83	AUS	218.9	AUS
102 P	3202.	14.01	137.4	8.0	33.0	34.0	46.2	101.3	10.32	AUS	202.2	AUS
103 P	3201.	15.24	149.5	8.7	35.9	36.9	50.2	110.2	11.23	AUS	229.5	AUS
104 P	3405.	.00	.0	.0	.0	.0	.0	.0	.00	AUS	*459.7	AUS
105 P	3397.	1.98	19.4	1.1	4.9	5.1	6.9	14.3	1.46	AUS	513.8	AUS
106 P	3399.	3.99	39.1	2.2	10.0	10.2	13.8	28.5	2.91	AUS	321.5	AUS
107 P	3399.	6.04	59.2	3.4	15.1	15.4	20.9	43.1	4.40	AUS	264.9	AUS
108 P	3400.	8.01	78.5	4.5	20.8	20.4	27.7	57.2	5.84	AUS	229.7	AUS
109 P	3400.	10.00	98.1	5.6	25.0	25.5	34.7	71.5	7.30	AUS	215.5	AUS
110 P	3400.	12.11	117.8	6.7	30.1	30.6	41.6	85.9	8.76	AUS	204.8	AUS
111 P	3399.	13.99	137.2	7.9	35.0	35.6	48.5	100.1	10.20	AUS	196.5	AUS
112 P	3399.	15.35	150.6	8.6	38.4	39.1	53.1	109.8	11.19	AUS	210.7	AUS
113 P	3602.	.31	.1	.0	.0	.0	.0	.0	.00	AUS	*718.7	AUS
114 P	3595.	2.03	19.9	1.1	5.4	5.5	7.4	14.5	1.48	AUS	534.8	AUS
115 P	3603.	4.00	39.2	2.2	10.6	10.8	14.7	28.6	2.92	AUS	335.4	AUS
116 P	3603.	5.99	58.7	3.4	15.9	16.2	22.0	42.9	4.37	AUS	267.4	AUS
117 P	3595.	8.01	78.8	4.5	21.2	21.6	29.4	57.3	5.85	AUS	232.9	AUS
118 P	3595.	10.04	98.4	5.6	26.6	27.0	36.8	71.8	7.32	AUS	214.4	AUS
119 P	3603.	12.11	117.8	6.7	31.8	32.4	44.1	85.9	8.76	AUS	208.9	AUS
120 P	3603.	13.99	137.2	7.9	37.1	37.8	51.4	100.1	10.21	AUS	199.5	AUS
121 P	3602.	15.22	149.3	8.6	40.4	41.1	55.9	108.9	11.11	AUS	222.1	AUS
122 P	3748.	.05	.5	.0	.1	.1	.2	.4	.04	AUS	*034.7	AUS

ORZ 17MIN	BRL KP	BRL N	REDMDR BAR	EFFLST KM	REDLST KM	REDLST PS	MOHT MM	MOHT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H
1123 P	3798.	2.42	19.6	1.1	5.6	5.7	7.0	1.47	AUS	AUS	738.1	842.0	AUS
1124 P	3798.	3.95	38.8	2.2	11.0	11.3	15.3	2.88	AUS	AUS	458.3	337.1	AUS
1125 P	3799.	5.97	58.6	3.4	16.7	17.0	23.1	4.35	AUS	AUS	360.4	265.0	AUS
1126 P	3798.	7.90	77.5	4.4	22.1	22.5	30.6	5.77	AUS	AUS	322.0	236.0	AUS
1127 P	3799.	9.96	97.7	5.6	27.9	28.4	38.6	7.27	AUS	AUS	297.1	218.5	AUS
1128 P	3798.	11.98	117.5	6.7	33.5	34.1	46.4	8.74	AUS	AUS	280.4	206.2	AUS
1129 P	3799.	14.00	137.3	7.9	39.1	39.9	54.2	10.22	AUS	AUS	271.0	199.3	AUS
1130 P	3806.	15.12	148.3	8.5	42.4	43.1	58.7	11.04	AUS	AUS	298.5	219.5	AUS
1131 P	4002.	.01	.1	.0	.0	.0	.0	.01	AUS	AUS	*186.8	*545.5	V
1132 P	3394.	2.00	19.6	1.1	5.9	6.0	8.1	1.46	AUS	AUS	741.4	545.3	AUS
1133 P	4002.	4.03	39.5	2.3	11.9	12.1	16.4	2.94	AUS	AUS	450.9	331.7	AUS
1134 P	4002.	6.01	58.9	3.4	17.7	18.0	24.5	4.39	AUS	AUS	368.1	270.7	AUS
1135 P	3394.	8.05	78.9	4.5	23.7	24.1	32.8	5.87	AUS	AUS	318.7	234.4	AUS
1136 P	3394.	10.01	98.2	5.6	29.4	30.0	40.8	7.31	AUS	AUS	298.8	219.7	AUS
1137 P	4002.	12.02	117.9	6.8	35.4	36.1	49.1	8.78	AUS	AUS	284.2	209.1	AUS
1138 P	4002.	14.02	137.5	7.9	41.3	42.1	57.2	10.24	AUS	AUS	275.3	202.5	AUS
1139 P	4002.	15.09	148.0	8.5	44.4	45.3	61.5	11.01	AUS	AUS	300.6	221.1	AUS
1140 P	4198.	.01	.1	.0	.0	.0	.0	.00	AUS	AUS	*202.7	*995.7	V
1141 P	4198.	1.98	19.5	1.1	6.1	6.2	8.5	1.45	AUS	AUS	748.9	550.0	AUS
1142 P	4206.	3.94	38.6	2.2	12.2	12.4	16.9	2.87	AUS	AUS	464.1	341.3	AUS
1143 P	4198.	5.99	58.8	3.4	18.5	18.9	25.6	4.37	AUS	AUS	369.5	271.0	AUS
1144 P	4198.	8.05	78.9	4.5	24.9	25.3	34.5	5.88	AUS	AUS	325.9	239.7	AUS
1145 P	4199.	10.02	98.3	5.6	31.0	31.5	42.9	7.31	AUS	AUS	300.2	220.8	AUS
1146 P	4206.	11.98	117.5	6.7	37.1	37.8	51.4	8.74	AUS	AUS	288.5	212.2	AUS
1147 P	4207.	13.97	137.8	7.9	43.3	44.1	59.9	10.20	AUS	AUS	278.0	204.5	AUS
1148 P	4198.	15.01	147.2	8.4	46.4	47.3	64.3	10.96	AUS	AUS	293.7	216.0	AUS
1149 P	4401.	.00	.0	.0	.0	.0	.0	.00	AUS	AUS	*488.7	*827.5	V
1150 P	4394.	2.14	20.0	1.1	6.6	6.7	9.2	1.49	AUS	AUS	743.8	547.0	AUS
1151 P	4402.	3.97	38.9	2.2	12.9	13.1	17.8	2.90	AUS	AUS	457.2	336.3	AUS
1152 P	4402.	6.00	58.8	3.4	19.4	19.8	26.9	4.38	AUS	AUS	370.6	272.5	AUS
1153 P	4402.	7.98	78.3	4.5	25.9	26.3	35.8	5.82	AUS	AUS	329.2	242.1	AUS
1154 P	4394.	10.01	98.2	5.6	32.4	33.0	44.8	7.30	AUS	AUS	305.0	224.3	AUS
1155 P	4394.	12.00	117.7	6.7	38.8	39.5	53.8	8.76	AUS	AUS	288.6	212.3	AUS
1156 P	4402.	14.02	137.5	7.9	45.4	46.3	62.9	10.23	AUS	AUS	283.9	208.8	AUS
1157 P	4401.	14.79	145.1	8.3	47.9	48.8	66.4	10.79	AUS	AUS	307.7	226.3	AUS
1158 P	4606.	.11	.1	.0	.0	.0	.0	.00	AUS	AUS	*962.1	*818.7	V
1159 P	4606.	2.00	19.6	1.1	6.8	6.9	9.4	1.46	AUS	AUS	717.6	527.8	AUS
1160 P	4598.	4.01	39.4	2.3	13.6	13.8	18.8	2.93	AUS	AUS	465.1	342.1	AUS
1161 P	4598.	6.14	60.2	3.5	20.8	21.2	28.8	4.48	AUS	AUS	378.4	272.4	AUS
1162 P	4606.	7.96	78.1	4.5	27.0	27.5	37.4	5.81	AUS	AUS	335.3	246.6	AUS
1163 P	4598.	9.99	98.0	5.6	33.8	34.4	46.8	7.29	AUS	AUS	308.6	227.0	AUS
1164 P	4606.	11.97	117.4	6.7	40.6	41.3	56.2	8.73	AUS	AUS	294.7	216.7	AUS
1165 P	4605.	13.96	136.9	7.8	47.3	48.2	65.5	10.19	AUS	AUS	284.9	209.5	AUS
1166 P	4598.	14.51	143.3	8.2	49.4	50.4	68.5	10.66	AUS	AUS	310.5	228.4	V
1167 P	4801.	.82	.2	.0	.1	.1	.1	.02	AUS	AUS	*229.2	*472.4	AUS

QZ 1/HIN	BRL KP	BRL N	REDMOR BAR	EFFLST CM	REDLST KM	REDLST PS	MMT MM	MMT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H
168 P	4801.	2.33	19.9	1.1	7.2	7.3	9.9	14.5	1.48	AUS	727.5	535.0	AUS
169 P	4801.	4.33	39.5	2.3	14.2	14.5	19.7	28.8	2.94	AUS	462.8	340.4	AUS
170 P	4801.	6.34	59.3	3.4	21.3	21.7	29.6	43.2	4.41	AUS	373.8	274.3	AUS
171 P	4801.	7.39	78.4	4.5	28.2	28.8	39.1	57.2	5.84	AUS	336.1	247.2	AUS
172 P	4801.	9.94	97.9	5.6	35.3	35.9	48.9	71.5	7.29	AUS	312.7	230.8	AUS
173 P	4801.	11.35	117.2	6.7	42.2	43.0	58.5	85.5	8.72	AUS	296.7	218.2	AUS
174 P	4801.	14.32	137.5	7.9	49.5	50.5	68.6	100.4	10.24	AUS	289.8	213.1	AUS
175 P	4800.	14.45	141.7	8.1	51.1	52.0	70.7	103.5	10.55	AUS	314.4	231.2	AUS
176 P	5004.	.00	.0	.0	.0	.0	.0	.0	.00	AUS	*381.2	*091.5	AUS
177 P	5005.	2.34	20.0	1.1	7.5	7.7	10.4	14.6	1.49	AUS	729.6	536.6	AUS
178 P	5005.	3.91	38.3	2.2	14.4	14.7	20.0	28.0	2.85	AUS	477.6	351.3	AUS
179 P	4997.	6.33	53.1	3.4	22.2	22.6	30.7	43.1	4.40	AUS	378.3	278.2	AUS
180 P	4997.	8.33	78.9	4.5	29.5	30.1	40.9	57.5	5.86	AUS	336.2	247.3	AUS
181 P	4997.	9.38	97.9	5.6	36.7	37.4	50.9	71.4	7.29	AUS	313.1	230.2	AUS
182 P	5005.	12.32	117.9	6.8	44.3	45.1	61.3	86.0	8.77	AUS	303.1	222.9	AUS
183 P	5005.	13.99	137.2	7.9	51.5	52.5	71.4	100.1	10.21	AUS	291.3	214.2	AUS
184 P	4997.	14.32	140.4	8.0	52.7	53.7	73.0	102.5	10.45	AUS	316.8	233.8	AUS
185 P	5200.	.02	.2	.0	.1	.1	.1	.1	.01	AUS	*359.1	*364.2	AUS
186 P	5200.	2.31	19.7	1.1	7.7	7.8	10.6	14.4	1.46	AUS	755.5	555.7	AUS
187 P	5200.	3.99	39.1	2.2	15.3	15.6	21.2	28.6	2.91	AUS	480.0	353.8	AUS
188 P	5201.	5.97	58.6	3.4	22.9	23.3	31.7	42.8	4.36	AUS	382.6	281.4	AUS
189 P	5200.	8.30	78.5	4.5	30.6	31.2	42.4	57.3	5.84	AUS	343.9	253.8	AUS
190 P	5201.	10.00	98.1	5.6	38.3	39.0	53.0	71.6	7.30	AUS	320.2	235.5	AUS
191 P	5201.	11.98	117.5	6.7	45.9	46.7	63.5	85.8	8.75	AUS	307.5	226.2	AUS
192 P	5201.	13.98	137.1	7.9	53.5	54.5	74.1	100.1	10.20	AUS	295.9	217.6	AUS
193 P	5200.	14.19	139.2	8.0	54.3	55.4	75.3	101.6	10.36	AUS	314.6	231.4	AUS
194 P	5395.	.34	.4	.0	.2	.2	.2	.3	.03	AUS	*090.6	*925.8	AUS
195 P	5396.	2.30	19.6	1.1	8.0	8.1	11.0	14.3	1.46	AUS	765.5	563.0	AUS
196 P	5396.	4.34	39.6	2.3	16.0	16.4	22.2	28.9	2.95	AUS	472.2	347.3	AUS
197 P	5396.	6.34	59.2	3.4	24.0	24.4	33.2	43.2	4.41	AUS	388.0	285.3	AUS
198 P	5404.	7.37	78.2	4.5	31.7	32.3	43.9	57.1	5.82	AUS	351.3	258.4	AUS
199 P	5403.	9.53	93.4	5.4	37.9	38.6	52.5	68.2	5.96	AUS	330.8	242.7	AUS
200 P	5403.	12.00	117.6	6.7	47.7	48.6	66.1	85.9	8.76	AUS	309.3	227.5	AUS
201 P	5404.	13.32	136.5	7.8	55.4	56.4	76.7	99.6	10.16	AUS	322.6	237.3	AUS
202 P	5404.	13.91	136.4	7.8	55.3	56.4	76.7	99.6	10.16	AUS	315.9	232.4	AUS
203 P	5607.	.00	.0	.0	.0	.0	.0	.0	.00	AUS	*743.7	*873.4	AUS
204 P	5599.	.15	.4	.1	.6	.6	.8	.1	.11	AUS	*422.9	*195.8	AUS
205 P	5607.	3.92	38.4	2.2	16.2	16.5	22.4	28.1	2.86	AUS	497.5	365.9	AUS
206 P	5599.	6.32	59.0	3.4	24.8	25.3	34.4	43.1	4.39	AUS	399.8	294.1	AUS
207 P	5599.	7.99	78.3	4.5	32.9	33.5	45.6	57.2	5.83	AUS	355.8	261.1	AUS
208 P	5607.	10.31	98.2	5.6	41.3	42.1	57.2	71.7	7.31	AUS	328.4	241.5	AUS
209 P	5599.	12.31	117.8	6.8	49.5	50.4	68.6	86.0	8.77	AUS	317.0	233.2	AUS
210 P	5599.	13.54	132.7	7.6	55.8	56.9	77.3	97.0	9.89	AUS	325.8	239.6	AUS
211 P	5001.	.01	.1	.0	.0	.0	.1	.0	.00	AUS	*822.2	*886.3	AUS
212 P	5002.	1.98	19.5	1.1	8.5	8.6	11.7	14.2	1.45	AUS	800.7	594.8	AUS

	DRZ 1/IN	BRL KP	BRL M	REDMDR BAR	EFFLST CM	REDLST KM	REDLST PS	MOHT NM	MOHT KPM	SPZVERB G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTO L/H
213 P	5801.	3.97	38.9	2.2	17.0	17.3	23.5	28.4	2.90	AUS	AUS	503.3	370.2	AUS
214 P	5794.	6.31	58.9	3.4	25.6	26.1	35.5	43.0	4.39	AUS	AUS	396.6	291.7	AUS
215 P	5802.	7.97	78.2	4.5	34.0	34.7	47.2	57.1	5.82	AUS	AUS	359.2	264.2	AUS
216 P	5802.	9.35	97.7	5.6	42.5	43.4	59.0	71.4	7.28	AUS	AUS	335.3	246.6	AUS
217 P	5802.	11.97	117.4	6.7	51.1	52.1	70.9	85.7	8.74	AUS	AUS	319.8	235.2	AUS
218 P	5794.	13.10	128.5	7.4	55.9	56.9	77.4	93.8	9.57	AUS	AUS	333.7	245.4	AUS
219 P	6005.	.00	.0	.0	.0	.0	.0	.0	.00	AUS	AUS	*296.8	*338.3	AUS
220 P	6005.	2.27	22.2	1.3	10.0	10.2	13.9	16.2	1.66	AUS	AUS	754.6	555.0	AUS
221 P	5997.	4.08	40.0	2.3	18.0	18.4	25.0	29.2	2.98	AUS	AUS	507.3	373.1	AUS
222 P	5998.	6.00	58.8	3.4	26.5	27.0	36.7	43.0	4.38	AUS	AUS	413.1	303.8	AUS
223 P	6006.	7.88	77.3	4.4	34.8	35.5	48.3	56.5	5.76	AUS	AUS	369.5	271.8	AUS
224 P	5997.	9.83	96.6	5.5	43.5	44.3	60.3	70.6	7.20	AUS	AUS	341.4	251.1	AUS
225 P	5998.	11.99	117.6	6.7	53.0	54.8	73.4	85.9	8.76	AUS	AUS	320.8	235.9	AUS
226 P	5998.	12.27	120.3	6.9	54.1	55.2	75.1	87.9	8.96	AUS	AUS	322.7	237.3	AUS
227 H	1203.	-1.33	-13.1	-0.8	-1.2	-1.2	-1.6	-9.6	-9.8	AUS	AUS	-624.2	-459.1	AUS
228 H	1396.	-1.55	-16.2	-0.9	-1.7	-1.7	-2.4	-11.9	-1.22	AUS	AUS	-594.0	-436.9	AUS
229 H	1613.	-1.34	-19.0	-1.1	-2.3	-2.4	-3.2	-14.0	-1.43	AUS	AUS	-512.2	-376.7	AUS
230 H	1806.	-2.20	-21.6	-1.2	-2.9	-3.0	-4.1	-15.9	-1.62	AUS	AUS	-344.9	-253.7	AUS
231 H	2007.	-2.49	-24.4	-1.4	-3.7	-3.8	-5.1	-17.9	-1.83	AUS	AUS	-303.8	-223.4	AUS
232 H	2199.	-2.78	-27.3	-1.6	-4.5	-4.6	-6.3	-20.1	-2.05	AUS	AUS	-233.7	-171.9	AUS
233 H	2199.	-1.93	-18.9	-1.1	-3.1	-3.2	-4.3	-13.9	-1.42	AUS	AUS	-477.4	-351.1	AUS
234 H	2411.	-2.93	-28.7	-1.7	-5.2	-5.3	-7.2	-21.1	-2.15	AUS	AUS	-257.5	-189.4	AUS
235 H	2407.	-1.31	-18.7	-1.1	-3.4	-3.5	-4.7	-13.8	-1.41	AUS	AUS	-510.8	-375.7	AUS
236 H	2602.	-3.33	-29.7	-1.7	-5.8	-5.9	-8.1	-21.8	-2.23	AUS	AUS	-229.5	-168.8	AUS
237 H	2603.	-2.03	-19.9	-1.1	-3.9	-4.0	-5.4	-14.6	-1.49	AUS	AUS	-447.0	-328.8	AUS
238 H	2808.	-3.11	-30.5	-1.8	-6.4	-6.6	-9.0	-22.4	-2.28	AUS	AUS	-203.1	-149.4	AUS
239 H	2808.	-2.31	-19.7	-1.1	-4.2	-4.3	-5.8	-14.5	-1.49	AUS	AUS	-453.6	-333.6	AUS
240 H	3003.	-3.20	-31.4	-1.8	-7.1	-7.3	-9.9	-23.1	-2.36	AUS	AUS	-177.4	-130.5	AUS
241 H	3002.	-2.06	-20.2	-1.2	-4.5	-4.7	-6.3	-14.8	-1.51	AUS	AUS	-398.7	-285.9	AUS
242 H	3208.	-3.36	-32.9	-1.9	-7.9	-8.1	-11.1	-24.2	-2.47	AUS	AUS	-167.4	-123.1	AUS
243 H	3208.	-2.04	-20.0	-1.2	-4.8	-5.0	-6.7	-14.7	-1.50	AUS	AUS	-395.9	-291.2	AUS
244 H	3409.	-3.46	-34.0	-2.0	-8.7	-8.9	-12.1	-25.0	-2.55	AUS	AUS	-142.4	-104.7	AUS
245 H	3409.	-1.93	-19.0	-1.1	-4.9	-5.0	-6.8	-14.0	-1.42	AUS	AUS	-428.1	-314.8	AUS
246 H	3607.	-3.52	-35.5	-2.0	-9.6	-9.9	-13.4	-26.1	-2.66	AUS	AUS	-138.1	-101.5	AUS
247 H	3607.	-2.33	-19.9	-1.1	-5.4	-5.5	-7.5	-14.6	-1.49	AUS	AUS	-357.2	-262.7	AUS
248 H	3807.	-3.70	-36.3	-2.1	-10.4	-10.7	-14.5	-26.7	-2.72	AUS	AUS	-135.8	-99.9	AUS
249 H	3807.	-1.95	-19.1	-1.1	-5.5	-5.6	-7.6	-14.1	-1.43	AUS	AUS	-407.6	-299.8	AUS
250 H	4008.	-3.97	-38.0	-2.2	-11.4	-11.7	-15.9	-27.9	-2.85	AUS	AUS	-123.2	-90.6	AUS
251 H	4007.	-1.92	-18.6	-1.1	-5.7	-5.8	-7.9	-13.8	-1.41	AUS	AUS	-391.7	-288.1	AUS
252 H	4207.	-3.97	-38.9	-2.2	-12.3	-12.6	-17.1	-28.6	-2.92	AUS	AUS	-112.6	-82.8	AUS
253 H	4208.	-1.90	-18.6	-1.1	-5.9	-6.0	-8.2	-13.7	-1.39	AUS	AUS	-397.4	-292.3	AUS
254 H	4405.	-4.12	-40.4	-2.3	-13.4	-13.7	-18.6	-29.7	-3.03	AUS	AUS	-96.2	-70.8	AUS
255 H	4406.	-1.97	-18.3	-1.1	-6.1	-6.2	-8.5	-13.5	-1.37	AUS	AUS	-411.4	-302.6	AUS
256 H	4606.	-4.30	-42.2	-2.4	-14.6	-15.0	-20.3	-31.0	-3.15	AUS	AUS	-110.4	-81.2	AUS
257 H	4607.	-1.94	-19.0	-1.1	-6.6	-6.8	-9.2	-14.0	-1.43	AUS	AUS	-384.4	-282.7	AUS

8231

	ORZ 1/MIN	BRL KP	BR. N	REDHOR DAR	EFFLST CM	REDLST KM	REDLST PS	MOHT NM	MOHT KPM	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTO L/H
258 M	4007.	-4.43	-43.5	-2.5	-15.7	-16.1	-21.9	-32.0	-3.26	AUS	AUS	-89.0	-65.4	AUS
259 M	4007.	-1.99	-19.5	-1.1	-7.1	-7.2	-9.0	-14.4	-1.47	AUS	AUS	-300.6	-205.0	AUS
260 M	5008.	-4.55	-44.6	-2.6	-16.0	-17.2	-23.4	-32.8	-3.34	AUS	AUS	-87.0	-64.0	AUS
261 M	5008.	-2.11	-19.7	-1.1	-7.4	-7.6	-10.3	-14.5	-1.40	AUS	AUS	-302.0	-201.0	AUS
262 M	5216.	-4.71	-46.2	-2.7	-18.1	-18.5	-25.2	-33.9	-3.46	AUS	AUS	-83.7	-61.6	AUS
263 M	5217.	-3.90	-39.0	-2.3	-15.3	-15.7	-21.3	-28.7	-2.93	AUS	AUS	-131.2	-96.5	AUS
264 M	5218.	-1.43	-17.9	-1.0	-7.0	-7.2	-9.0	-13.2	-1.34	AUS	AUS	-436.5	-321.0	AUS
265 M	5404.	-4.05	-47.6	-2.8	-19.3	-19.0	-27.0	-35.0	-3.57	AUS	AUS	-70.9	-50.0	AUS
266 M	5404.	-3.00	-30.1	-2.2	-15.4	-15.9	-21.6	-20.0	-2.06	AUS	AUS	-160.6	-124.0	AUS
267 M	5404.	-1.86	-18.2	-1.1	-7.4	-7.6	-10.3	-13.4	-1.37	AUS	AUS	-464.7	-341.0	AUS
268 M	5603.	-5.04	-49.4	-2.9	-20.0	-21.3	-29.0	-36.4	-3.71	AUS	AUS	-59.8	-44.0	AUS
269 M	5603.	-3.89	-38.2	-2.2	-16.1	-16.5	-22.4	-20.1	-2.06	AUS	AUS	-166.0	-122.7	AUS
270 M	5603.	-1.90	-18.6	-1.1	-7.0	-8.0	-10.9	-13.7	-1.39	AUS	AUS	-464.1	-341.3	AUS
271 M	5807.	-5.21	-51.1	-2.9	-22.3	-22.0	-31.1	-37.6	-3.83	AUS	AUS	-60.6	-44.6	AUS
272 M	5807.	-3.90	-39.1	-2.3	-17.0	-17.5	-23.0	-20.7	-2.93	AUS	AUS	-173.5	-127.6	AUS
273 M	5807.	-1.92	-18.0	-1.1	-0.2	-0.4	-11.4	-13.0	-1.41	AUS	AUS	-500.0	-373.6	AUS
274 M	6011.	-5.40	-52.9	-3.1	-23.9	-24.5	-33.3	-30.9	-3.97	AUS	AUS	-54.7	-40.2	AUS
275 M	6012.	-3.00	-30.0	-2.2	-17.2	-17.6	-24.0	-20.0	-2.05	AUS	AUS	-175.3	-129.0	AUS
276 M	6007.	-2.00	-19.6	-1.1	-8.0	-9.1	-12.3	-14.4	-1.47	AUS	AUS	-471.1	-346.5	AUS

	DRZ 1/1IN	BRL KP	LTRPLU L/H	DURCHLZT S	KRSTMAS	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
1	999.	.37	1.46	AUS	50.00	AUS	1.1	-3.9	.935	.039	.62	14.03	94.	269.
2	1006.	2.15	1.99	AUS	50.00	AUS	1.4	-3.6	1.003	.041	.50	14.04	105.	251.
3	999.	3.32	2.11	AUS	50.00	AUS	1.6	1.2	1.006	.042	.46	14.03	337.	355.
4	999.	6.12	2.72	AUS	50.00	AUS	2.0	4.1	1.006	.040	.44	14.05	720.	427.
5	1000.	6.81	2.44	AUS	50.00	AUS	1.8	5.0	1.006	.041	.45	14.04	1223.	468.
6	1000.	10.16	3.12	AUS	50.00	AUS	2.3	4.7	1.005	.043	.48	14.04	1868.	470.
7	1000.	11.32	3.49	AUS	50.00	AUS	2.6	4.9	1.004	.040	.48	14.11	2433.	492.
8	999.	12.22	4.58	AUS	50.00	AUS	3.5	5.2	.763	0.000	.49	9.28	137.	864.
9	1196.	-.13	1.32	AUS	50.00	AUS	1.4	-3.5	1.003	.043	.53	14.18	102.	239.
10	1196.	1.35	2.18	AUS	50.00	AUS	1.6	-.4	1.005	.043	.48	13.95	178.	216.
11	1204.	3.97	2.52	AUS	50.00	AUS	1.9	3.7	1.007	.042	.44	13.96	329.	278.
12	1196.	6.36	2.80	AUS	50.00	AUS	2.1	5.1	1.007	.042	.45	13.95	619.	341.
13	1204.	7.98	3.25	AUS	50.00	AUS	2.4	5.2	1.005	.041	.46	13.98	1015.	365.
14	1196.	10.00	3.78	AUS	50.00	AUS	2.8	4.9	1.005	.042	.48	13.99	1575.	369.
15	1196.	11.08	4.43	AUS	50.00	AUS	3.3	5.1	.978	.041	.97	13.87	1706.	460.
16	1203.	11.31	5.48	AUS	50.00	AUS	4.1	5.3	.779	0.000	7.90	9.58	156.	756.
17	1400.	-.12	2.10	AUS	50.00	AUS	1.6	.6	1.004	.044	.52	13.97	90.	282.
18	1400.	2.11	2.24	AUS	50.00	AUS	1.7	4.1	1.006	.039	.43	14.12	183.	212.
19	1400.	4.32	2.59	AUS	50.00	AUS	1.9	8.5	1.007	.041	.42	14.07	331.	289.
20	1400.	5.97	3.25	AUS	50.00	AUS	2.4	10.4	1.007	.040	.42	14.04	630.	344.
21	1393.	7.33	3.76	AUS	50.00	AUS	2.8	9.8	1.006	.040	.43	14.06	1001.	348.
22	1393.	10.01	4.34	AUS	50.00	AUS	3.2	10.1	1.006	.042	.47	14.06	1442.	361.
23	1401.	11.37	4.84	AUS	50.00	AUS	3.6	10.1	1.005	.040	.46	14.16	1854.	401.
24	1480.	12.19	6.63	AUS	50.00	AUS	5.0	9.9	.766	0.000	.39	9.36	131.	770.
25	1604.	-.31	1.98	AUS	50.00	AUS	1.5	4.2	1.003	.046	.57	14.07	109.	261.
26	1597.	1.98	2.52	AUS	50.00	AUS	1.9	10.8	1.007	.044	.48	14.16	215.	257.
27	1597.	4.04	2.93	AUS	50.00	AUS	2.2	16.4	1.009	.040	.50	14.07	516.	346.
28	1598.	6.32	3.23	AUS	50.00	AUS	2.4	19.3	1.007	.047	.52	13.83	1037.	424.
29	1598.	9.33	4.02	AUS	50.00	AUS	3.0	14.5	1.005	.047	.54	13.82	1283.	381.
30	1598.	10.80	4.65	AUS	50.00	AUS	3.5	13.6	1.004	.047	.57	13.87	1656.	381.
31	1598.	11.97	5.46	AUS	50.00	AUS	4.1	13.7	1.002	.048	.61	13.86	2021.	482.
32	1605.	13.25	7.33	AUS	50.00	AUS	5.5	13.9	.785	0.000	7.69	9.77	208.	744.

DRZ 17MIN	BRL KP	LTRPLU L/H	DURCHLZT S	KRSTHAS P	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LA1A 1	SIGNA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
33	1794.	2.20	AUS	50.00	AUS	1.7	7.7	1.003	.045	.56	13.93	117.	219.
34	1801.	2.30	AUS	50.00	AUS	2.1	16.6	1.005	.044	.50	13.97	254.	270.
35	1802.	3.07	AUS	50.00	AUS	2.3	22.9	1.007	.045	.49	13.93	662.	375.
36	1802.	3.73	AUS	50.00	AUS	2.8	23.0	1.006	.046	.50	13.94	1214.	415.
37	1802.	4.52	AUS	50.00	AUS	3.4	18.7	1.005	.049	.57	13.91	1520.	405.
38	1802.	5.38	AUS	50.00	AUS	4.0	16.0	1.004	.049	.59	13.93	1866.	397.
39	1802.	6.18	AUS	50.00	AUS	4.6	16.8	1.003	.050	.63	13.97	2266.	406.
40	1802.	8.21	AUS	50.00	AUS	6.1	16.9	.826	0.000	6.14	10.90	422.	687.
41	1998.	2.33	AUS	50.00	AUS	1.7	11.2	1.004	.041	.40	14.05	133.	209.
42	1998.	2.69	AUS	50.00	AUS	2.0	26.3	1.007	.044	.48	13.98	372.	314.
43	1998.	3.37	AUS	50.00	AUS	2.7	26.2	1.007	.046	.50	13.95	854.	391.
44	1998.	4.19	AUS	50.00	AUS	3.1	26.1	1.008	.048	.50	13.94	1546.	435.
45	1998.	4.39	AUS	50.00	AUS	3.7	26.2	1.007	.052	.57	13.91	2190.	477.
46	1999.	5.93	AUS	50.00	AUS	4.4	20.3	1.004	.052	.63	13.97	2243.	438.
47	1999.	6.92	AUS	50.00	AUS	5.1	20.3	1.002	.054	.69	14.00	2570.	449.
48	2006.	7.44	AUS	50.00	AUS	5.6	20.5	1.034	.051	.62	14.16	2915.	445.
49	1999.	8.71	AUS	50.00	AUS	6.5	20.5	.853	0.000	5.19	11.61	699.	677.
50	2194.	2.52	AUS	50.00	AUS	1.9	16.4	1.004	.045	.53	14.05	153.	204.
51	2203.	2.74	AUS	50.00	AUS	2.1	29.5	1.008	.050	.54	13.97	447.	329.
52	2195.	3.69	AUS	50.00	AUS	2.8	29.1	1.009	.053	.55	13.94	1041.	410.
53	2195.	4.58	AUS	50.00	AUS	3.5	29.3	1.039	.057	.60	13.89	1783.	470.
54	2195.	5.53	AUS	50.00	AUS	4.1	29.1	1.008	.059	.65	13.90	2459.	501.
55	2203.	6.37	AUS	50.00	AUS	4.9	23.4	1.005	.059	.70	14.00	2447.	455.
56	2196.	7.33	AUS	50.00	AUS	5.5	23.4	1.006	.056	.65	14.14	2874.	454.
57	2195.	8.15	AUS	50.00	AUS	6.1	23.4	1.005	.054	.65	14.25	3159.	461.
58	2203.	9.37	AUS	50.00	AUS	7.2	23.6	.853	0.000	4.88	11.89	858.	671.
59	2407.	2.57	AUS	50.00	AUS	1.9	22.0	1.003	.044	.54	14.18	160.	211.
60	2399.	3.35	AUS	50.00	AUS	2.5	31.1	1.008	.049	.52	14.03	528.	333.
61	2399.	4.15	AUS	50.00	AUS	3.1	31.0	1.010	.053	.54	13.99	1167.	411.
62	2400.	5.12	AUS	50.00	AUS	3.8	30.8	1.009	.059	.63	13.96	1866.	471.
63	2400.	5.91	AUS	50.00	AUS	4.4	30.6	1.009	.061	.66	13.99	2604.	504.
64	2400.	7.14	AUS	50.00	AUS	5.3	24.9	1.007	.060	.68	14.09	2658.	452.
65	2400.	7.35	AUS	50.00	AUS	5.9	24.9	1.008	.056	.62	14.26	3043.	458.
66	2400.	8.97	AUS	50.00	AUS	6.7	25.0	1.008	.056	.61	14.38	3319.	476.
67	2399.	10.46	AUS	50.00	AUS	7.8	25.2	.874	0.000	4.52	12.22	1028.	660.
68	2603.	2.59	AUS	50.00	AUS	1.9	27.1	1.004	.043	.51	14.20	181.	210.
69	2596.	3.71	AUS	50.00	AUS	2.8	31.9	1.008	.048	.51	14.14	542.	312.
70	2596.	4.43	AUS	50.00	AUS	3.3	31.7	1.009	.054	.58	14.04	1162.	407.
71	2596.	5.47	AUS	50.00	AUS	4.1	31.6	1.009	.059	.63	14.00	1878.	464.
72	2604.	6.49	AUS	50.00	AUS	4.8	31.6	1.009	.062	.68	14.03	2595.	486.
73	2596.	7.63	AUS	50.00	AUS	5.7	25.9	1.009	.057	.60	14.25	2694.	435.
74	2596.	8.64	AUS	50.00	AUS	6.5	26.0	1.009	.056	.59	14.38	3064.	461.
75	2604.	9.77	AUS	50.00	AUS	7.3	25.9	1.010	.054	.55	14.46	3403.	496.
76	2604.	11.55	AUS	50.00	AUS	8.6	26.0	.867	0.000	4.77	12.08	987.	588.
77	2799.	2.72	AUS	50.00	AUS	2.0	30.7	1.004	.043	.51	14.16	212.	256.

	DRZ 1/4 MIN	9RL KP	LTRPLU L/H	DURCHLZT S	KRSTH5	KRSTDS KG/H	KRSTPLU KG/H	ZUEM DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
74	2800.	2.31	3.75	AUS	50.00	AUS	2.8	33.2	1.007	.049	.53	14.09	641.	331.
79	2800.	3.99	4.79	AUS	50.00	AUS	3.6	33.1	1.008	.056	.61	14.00	1292.	410.
80	2800.	6.01	5.87	AUS	50.00	AUS	4.4	33.1	1.009	.060	.65	13.99	1989.	467.
81	2800.	7.99	6.36	AUS	50.00	AUS	5.1	33.1	1.011	.062	.65	14.10	2725.	462.
82	2800.	9.98	8.29	AUS	50.00	AUS	6.2	27.0	1.010	.057	.60	14.32	2724.	436.
83	2800.	11.97	9.29	AUS	50.00	AUS	6.9	27.3	1.010	.055	.57	14.45	3109.	483.
84	2800.	13.99	10.43	AUS	50.00	AUS	7.8	27.3	1.011	.056	.56	14.52	3477.	488.
85	2800.	14.93	12.89	AUS	50.00	AUS	9.6	27.3	.836	0.000	5.17	11.88	925.	692.
86	3004.	.03	3.35	AUS	50.00	AUS	2.3	33.2	1.004	.045	.54	14.18	256.	284.
87	2396.	2.00	3.92	AUS	50.00	AUS	2.9	34.3	1.009	.052	.53	14.10	789.	343.
88	3304.	4.12	5.05	AUS	50.00	AUS	3.8	34.2	1.009	.061	.67	14.01	1570.	422.
89	3304.	6.03	6.43	AUS	50.00	AUS	4.8	34.6	1.010	.064	.69	14.00	2274.	468.
90	3004.	7.98	7.57	AUS	50.00	AUS	5.7	34.4	1.012	.061	.62	14.17	2926.	453.
91	3004.	10.00	8.38	AUS	50.00	AUS	6.7	28.3	1.010	.058	.60	14.35	2888.	465.
92	2997.	12.14	10.15	AUS	50.00	AUS	7.6	28.1	1.012	.056	.55	14.52	3289.	481.
93	3004.	13.99	11.36	AUS	50.00	AUS	8.5	28.0	1.012	.058	.57	14.57	3533.	458.
94	2997.	15.15	14.37	AUS	50.00	AUS	10.5	28.0	.852	0.000	5.32	11.82	939.	659.
95	3201.	.00	2.39	AUS	50.00	AUS	2.2	34.1	1.006	.048	.54	14.12	285.	260.
96	3201.	1.97	4.19	AUS	50.00	AUS	3.1	34.7	1.008	.055	.60	14.01	860.	343.
97	3201.	4.00	5.51	AUS	50.00	AUS	4.1	34.7	1.008	.060	.67	13.91	1617.	426.
98	3201.	6.00	6.75	AUS	50.00	AUS	5.0	34.6	1.009	.063	.68	13.91	2410.	460.
99	3201.	7.98	8.15	AUS	50.00	AUS	6.1	34.5	1.012	.061	.62	14.08	3051.	460.
100	3201.	9.99	9.44	AUS	50.00	AUS	7.1	28.8	1.011	.057	.57	14.26	3066.	464.
101	3201.	11.99	10.83	AUS	50.00	AUS	8.1	29.0	1.013	.057	.55	14.38	3430.	452.
102	3202.	14.01	12.14	AUS	50.00	AUS	9.1	28.9	1.013	.056	.54	14.46	3793.	425.
103	3201.	15.24	14.98	AUS	50.00	AUS	11.2	28.8	.861	0.000	5.02	11.91	1098.	613.
104	3405.	.00	3.30	AUS	50.00	AUS	2.5	35.7	1.004	.043	.51	14.06	315.	267.
105	3397.	1.38	4.62	AUS	50.00	AUS	3.4	35.1	1.006	.053	.62	13.93	884.	330.
106	3399.	3.99	5.34	AUS	50.00	AUS	4.4	35.1	1.002	.054	.68	14.45	1625.	388.
107	3399.	6.14	7.27	AUS	50.00	AUS	5.4	35.1	1.006	.054	.62	14.55	2481.	419.
108	3400.	8.01	8.37	AUS	50.00	AUS	6.3	35.1	1.006	.053	.60	14.70	3171.	446.
109	3400.	10.00	9.81	AUS	50.00	AUS	7.3	29.4	1.006	.049	.56	14.92	3169.	446.
110	3400.	12.11	11.15	AUS	50.00	AUS	8.3	29.1	1.007	.050	.55	15.04	3521.	427.
111	3399.	13.99	12.31	AUS	50.00	AUS	9.3	29.0	1.009	.050	.52	15.14	3896.	399.
112	3399.	15.35	15.27	AUS	50.00	AUS	11.4	28.9	.878	0.000	4.36	12.95	1386.	561.
113	3602.	.11	4.28	AUS	50.00	AUS	3.2	36.4	1.001	.042	.56	14.65	334.	226.
114	3595.	2.33	5.22	AUS	50.00	AUS	3.9	36.3	1.002	.050	.65	14.53	916.	301.
115	3603.	4.00	6.47	AUS	50.00	AUS	4.8	36.4	1.001	.055	.71	14.51	1718.	383.
116	3603.	5.99	7.72	AUS	50.00	AUS	5.8	36.4	1.006	.056	.65	14.63	2626.	410.
117	3595.	8.01	8.98	AUS	50.00	AUS	6.7	36.3	1.007	.053	.60	14.83	3258.	443.
118	3595.	10.14	10.35	AUS	50.00	AUS	7.7	31.4	1.006	.053	.60	14.99	3359.	434.
119	3603.	12.11	12.10	AUS	50.00	AUS	9.0	30.5	1.007	.051	.56	15.14	3615.	403.
120	3603.	13.99	13.46	AUS	50.00	AUS	10.1	30.4	1.007	.052	.54	15.18	3917.	385.
121	3602.	15.22	16.30	AUS	50.00	AUS	12.2	30.4	.879	0.000	4.35	12.99	1461.	543.
122	1798.	.05	4.29	AUS	50.00	AUS	3.2	37.0	.999	.041	.57	14.78	358.	208.

	DRZ 1/HIN	BRL KP	LTRPLU L/H	DURCHLZT S	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEC	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
123	3798.	2.82	5.57	AUS	50.00	AUS	36.9	1.002	.049	.63	14.62	980.	292.
124	3798.	3.95	6.77	AUS	50.00	AUS	36.6	1.003	.053	.67	14.59	1837.	370.
125	3799.	5.97	8.35	AUS	50.00	AUS	36.6	1.007	.054	.62	14.70	2701.	406.
126	3798.	7.90	9.51	AUS	50.00	AUS	37.0	1.008	.052	.56	14.90	3340.	430.
127	3799.	9.96	11.87	AUS	50.00	AUS	32.0	1.007	.052	.58	15.03	3447.	415.
128	3798.	11.98	12.56	AUS	50.00	AUS	30.7	1.008	.051	.55	15.12	3713.	393.
129	3799.	14.00	14.19	AUS	50.00	AUS	30.8	1.008	.052	.56	15.15	4039.	372.
130	3806.	15.12	16.91	AUS	50.00	AUS	31.1	.894	0.000	3.84	13.24	1722.	512.
131	4002.	.11	4.31	AUS	50.00	AUS	37.7	.999	.040	.55	14.63	383.	191.
132	3994.	2.00	5.82	AUS	50.00	AUS	37.7	1.003	.048	.61	14.53	1083.	276.
133	4002.	4.03	7.16	AUS	50.00	AUS	37.5	1.004	.052	.62	14.55	2076.	363.
134	4002.	6.11	8.71	AUS	50.00	AUS	37.5	1.006	.053	.61	14.70	2942.	412.
135	3994.	8.35	10.88	AUS	50.00	AUS	37.6	1.009	.052	.54	14.90	3577.	429.
136	3994.	10.01	11.76	AUS	50.00	AUS	33.7	1.009	.052	.55	15.00	3664.	411.
137	4002.	12.02	13.46	AUS	50.00	AUS	31.5	1.008	.053	.57	15.07	3830.	388.
138	4002.	14.02	15.21	AUS	50.00	AUS	31.4	1.008	.052	.56	15.12	4135.	369.
139	4002.	15.39	17.87	AUS	50.00	AUS	31.4	.902	0.000	3.59	13.41	1922.	500.
140	4198.	.11	4.72	AUS	50.00	AUS	39.0	.999	.040	.56	14.65	426.	189.
141	4198.	1.38	6.14	AUS	50.00	AUS	38.8	1.000	.050	.68	14.57	1225.	273.
142	4206.	3.94	7.56	AUS	50.00	AUS	38.9	1.002	.054	.69	14.64	2216.	358.
143	4198.	5.99	9.15	AUS	50.00	AUS	38.7	1.007	.055	.62	14.81	3091.	397.
144	4198.	8.05	10.54	AUS	50.00	AUS	38.5	1.007	.055	.61	14.94	3693.	420.
145	4199.	10.02	12.43	AUS	50.00	AUS	34.6	1.008	.052	.57	15.07	3764.	413.
146	4206.	11.39	14.31	AUS	50.00	AUS	32.2	1.008	.051	.55	15.13	3976.	388.
147	4207.	13.97	16.38	AUS	50.00	AUS	32.3	1.008	.052	.56	15.14	4268.	371.
148	4198.	15.01	18.22	AUS	50.00	AUS	32.4	.931	.078	2.64	13.96	2592.	476.
149	4401.	.00	4.83	AUS	50.00	AUS	39.3	1.000	.041	.56	14.63	510.	173.
150	4394.	2.14	6.37	AUS	50.00	AUS	39.1	1.000	.052	.70	14.53	1439.	286.
151	4402.	3.97	7.87	AUS	50.00	AUS	39.0	1.004	.053	.64	14.65	2500.	357.
152	4402.	6.00	9.63	AUS	50.00	AUS	39.3	1.007	.054	.60	14.81	3315.	390.
153	4402.	7.38	11.39	AUS	50.00	AUS	39.1	1.008	.054	.59	14.94	3826.	403.
154	4394.	10.11	13.21	AUS	50.00	AUS	34.2	1.007	.053	.58	15.01	3829.	402.
155	4394.	12.00	14.98	AUS	50.00	AUS	33.4	1.007	.054	.59	15.01	4069.	379.
156	4402.	14.32	17.24	AUS	50.00	AUS	33.3	1.008	.054	.59	15.04	4422.	359.
157	4401.	14.79	19.72	AUS	50.00	AUS	33.2	.908	0.000	3.41	13.43	2186.	483.
158	4606.	.11	5.17	AUS	50.00	AUS	40.1	.998	.039	.56	14.60	551.	171.
159	4606.	2.00	6.50	AUS	50.00	AUS	39.9	1.002	.050	.64	14.54	1658.	274.
160	4598.	4.11	8.45	AUS	50.00	AUS	39.3	1.008	.053	.58	14.66	2839.	349.
161	4598.	6.14	10.30	AUS	50.00	AUS	39.8	1.011	.055	.55	14.81	3682.	376.
162	4606.	7.35	12.11	AUS	50.00	AUS	40.1	1.012	.055	.54	14.91	4115.	391.
163	4598.	9.99	13.95	AUS	50.00	AUS	34.2	1.010	.054	.55	14.97	3978.	378.
164	4606.	11.97	15.99	AUS	50.00	AUS	34.0	1.111	.053	.53	15.00	4346.	365.
165	4605.	13.96	18.83	AUS	50.00	AUS	33.8	1.012	.052	.50	15.04	4706.	345.
166	4598.	14.51	20.53	AUS	50.00	AUS	33.6	.910	.083	3.38	13.39	2273.	454.
167	4801.	.02	5.36	AUS	50.00	AUS	48.8	.998	.038	.54	14.59	630.	176.

	DRZ 1/MIN	BRL KG	LTRPLU L/H	DURCHLZT S	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
168	4801.	2.03	6.98	AUS	50.00	AUS	5.2	1.003	.047	.59	14.57	1751.	274.
169	4801.	4.33	8.81	AUS	50.00	AUS	6.6	1.007	.051	.56	14.68	2908.	348.
170	4801.	6.04	10.65	AUS	50.00	AUS	8.0	1.010	.054	.55	14.79	3701.	363.
171	4801.	7.99	12.59	AUS	50.00	AUS	9.5	1.012	.054	.52	14.92	4244.	383.
172	4801.	9.98	14.76	AUS	50.00	AUS	11.0	1.010	.053	.54	14.96	4131.	371.
173	4801.	11.35	16.75	AUS	50.00	AUS	12.5	1.011	.054	.54	14.96	4476.	350.
174	4801.	14.02	19.20	AUS	50.00	AUS	14.3	1.010	.054	.54	14.98	4738.	335.
175	4800.	14.45	21.47	AUS	50.00	AUS	16.0	.915	.082	3.20	13.46	2454.	447.
176	5004.	.00	5.76	AUS	50.00	AUS	4.3	.937	.037	.55	14.60	629.	167.
177	5005.	2.04	7.34	AUS	50.00	AUS	5.5	1.004	.045	.54	14.60	1789.	263.
178	5005.	3.91	9.20	AUS	50.00	AUS	6.9	1.009	.050	.51	14.70	2961.	331.
179	4997.	6.03	11.22	AUS	50.00	AUS	8.4	1.012	.054	.52	14.81	3034.	353.
180	4997.	8.33	13.28	AUS	50.00	AUS	9.9	1.013	.054	.50	14.90	4438.	379.
181	4997.	9.38	15.37	AUS	50.00	AUS	11.5	1.012	.052	.49	14.95	4243.	363.
182	5005.	12.32	17.96	AUS	50.00	AUS	13.4	1.012	.053	.51	14.99	4493.	341.
183	5005.	13.99	20.07	AUS	50.00	AUS	15.0	1.012	.052	.49	15.02	4793.	321.
184	4997.	14.32	22.32	AUS	50.00	AUS	16.7	.919	.085	3.08	13.53	2555.	440.
185	5200.	.32	6.34	AUS	50.00	AUS	4.5	.996	.038	.59	14.60	682.	106.
186	5200.	2.31	7.76	AUS	50.00	AUS	5.8	1.004	.044	.52	14.71	1821.	247.
187	5200.	3.99	9.81	AUS	50.00	AUS	7.3	1.008	.052	.55	14.78	3012.	313.
188	5201.	5.97	11.69	AUS	50.00	AUS	8.7	1.012	.055	.53	14.83	3928.	352.
189	5200.	5.30	14.09	AUS	50.00	AUS	10.5	1.014	.057	.53	14.94	4439.	367.
190	5201.	10.00	16.40	AUS	50.00	AUS	12.2	1.011	.054	.53	15.01	4225.	346.
191	5201.	11.38	18.86	AUS	50.00	AUS	14.1	1.012	.053	.51	15.08	4462.	330.
192	5201.	13.98	21.18	AUS	50.00	AUS	15.8	1.012	.052	.50	15.11	4725.	318.
193	5200.	14.19	22.86	AUS	50.00	AUS	17.1	.929	.086	2.76	13.81	2741.	424.
194	5395.	.04	6.40	AUS	50.00	AUS	4.8	.998	.037	.54	14.76	775.	194.
195	5396.	2.00	8.15	AUS	50.00	AUS	6.1	1.005	.043	.50	14.86	1904.	234.
196	5396.	4.34	10.14	AUS	50.00	AUS	7.6	1.009	.051	.53	14.93	3094.	304.
197	5396.	6.04	12.44	AUS	50.00	AUS	9.3	1.011	.055	.55	14.95	3950.	343.
198	5404.	7.97	14.96	AUS	50.00	AUS	11.1	1.012	.055	.52	15.01	4428.	364.
199	5403.	9.53	16.72	AUS	50.00	AUS	12.5	1.012	.052	.49	15.01	4131.	350.
200	5403.	12.00	19.73	AUS	50.00	AUS	14.7	1.012	.052	.50	15.07	4466.	327.
201	5404.	13.92	23.89	AUS	50.00	AUS	17.8	.929	.088	2.78	13.76	2747.	425.
202	5404.	13.91	23.37	AUS	50.00	AUS	17.5	.932	.085	2.67	13.82	2821.	431.
203	5607.	.00	6.75	AUS	50.00	AUS	5.0	.998	.033	.48	14.85	640.	150.
204	5599.	.15	6.85	AUS	50.00	AUS	5.1	.989	.047	.83	14.56	757.	255.
205	5607.	3.92	10.76	AUS	50.00	AUS	8.8	1.007	.052	.58	14.83	3119.	299.
206	5599.	6.02	13.27	AUS	50.00	AUS	9.9	1.012	.056	.55	14.92	3983.	337.
207	5599.	7.99	15.53	AUS	50.00	AUS	11.7	1.013	.056	.54	14.95	4373.	364.
208	5607.	10.01	18.15	AUS	50.00	AUS	13.6	1.011	.054	.54	15.02	4139.	335.
209	5599.	12.31	20.99	AUS	50.00	AUS	15.7	1.011	.053	.52	15.06	4450.	324.
210	5599.	13.54	24.39	AUS	50.00	AUS	18.2	.928	.086	2.81	13.74	2768.	452.
211	5801.	.01	7.13	AUS	50.00	AUS	5.3	.998	.030	.44	14.99	567.	113.
212	5802.	1.98	9.17	AUS	50.00	AUS	6.8	.988	.054	.93	14.63	1517.	289.

	DRZ 17MIN	BRL KP	LTRPLU L/H	DURCHLZT S	KRSTOS KG/H	KRSTPLU KG/H	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	CJ2 PROZ	NO PPH	C3H8 PPH
213	5801.	3.37	11.41	AUS	50.00	AUS	40.3	.936	.060	.87	14.73	2819.	306.
214	5794.	6.01	13.59	AUS	50.00	AUS	40.0	1.004	.061	.75	14.86	3799.	356.
215	5802.	7.37	16.35	AUS	50.00	AUS	37.9	1.011	.055	.55	15.03	4276.	362.
216	5802.	9.96	19.08	AUS	50.00	AUS	33.4	1.010	.053	.53	14.81	4179.	335.
217	5802.	11.97	21.86	AUS	50.00	AUS	33.6	1.010	.053	.54	14.85	4445.	312.
218	5794.	13.10	24.33	AUS	50.00	AUS	34.1	.924	.067	2.93	13.49	2785.	451.
219	6005.	.00	7.74	AUS	50.00	AUS	40.4	.998	.030	.44	14.92	590.	102.
220	6005.	2.27	10.11	AUS	50.00	AUS	40.3	.991	.049	.81	14.70	1543.	253.
221	5997.	4.08	12.22	AUS	50.00	AUS	40.3	.998	.056	.80	14.67	2828.	283.
222	5998.	6.00	14.53	AUS	50.00	AUS	39.8	1.009	.053	.56	14.86	3785.	326.
223	6006.	7.88	17.22	AUS	50.00	AUS	34.9	1.010	.052	.52	14.89	3854.	327.
224	5997.	9.35	19.85	AUS	50.00	AUS	33.1	1.010	.052	.53	14.86	4085.	309.
225	5998.	11.99	22.72	AUS	50.00	AUS	33.1	1.011	.051	.50	14.94	4451.	287.
226	5998.	12.27	23.36	AUS	50.00	AUS	33.4	1.012	.051	.48	14.92	4425.	275.
227	1203.	-1.33	.99	AUS	50.00	AUS	-3.3	.993	.871	1.07	12.38	40.	2687.
228	1396.	-1.65	1.35	AUS	50.00	AUS	.6	.974	.089	1.64	11.39	25.	4831.
229	1613.	-1.94	1.58	AUS	50.00	AUS	4.7	.960	.099	2.04	10.49	18.	6679.
230	1866.	-2.20	1.35	AUS	50.00	AUS	8.3	.950	.103	2.31	10.03	15.	7527.
231	2007.	-2.49	1.69	AUS	50.00	AUS	11.8	.940	.110	2.60	9.25	13.	8942.
232	2199.	-2.78	1.41	AUS	50.00	AUS	14.4	.928	.121	3.01	8.41	11.	10434.
233	2199.	-1.93	1.99	AUS	50.00	AUS	14.2	.959	0.000	1.07	12.70	42.	3854.
234	2411.	-2.33	1.79	AUS	50.00	AUS	16.0	.922	.136	3.32	7.39	11.	12255.
235	2407.	-1.31	2.31	AUS	50.00	AUS	16.0	.930	0.000	.92	12.93	46.	4120.
236	2602.	-3.33	1.78	AUS	50.00	AUS	16.9	.982	0.000	3.43	6.83	11.	13287.
237	2603.	-2.03	2.32	AUS	50.00	AUS	16.7	.947	0.000	.93	12.83	45.	4466.
238	2808.	-3.11	1.74	AUS	50.00	AUS	17.9	.975	0.000	3.56	6.49	11.	14157.
239	2808.	-2.01	2.52	AUS	50.00	AUS	17.7	.932	0.000	.85	13.06	51.	4835.
240	3003.	-3.20	1.58	AUS	50.00	AUS	19.1	.982	0.000	3.64	5.98	12.	15023.
241	3002.	-2.06	2.36	AUS	50.00	AUS	15.7	.930	0.000	.91	12.82	53.	5290.
242	3208.	-3.36	1.77	AUS	50.00	AUS	19.9	.991	0.000	3.68	5.78	12.	15096.
243	3208.	-2.04	2.55	AUS	50.00	AUS	24.6	.941	0.000	.95	12.74	57.	4948.
244	3409.	-3.46	1.66	AUS	50.00	AUS	20.6	.985	0.000	3.88	5.27	12.	16153.
245	3409.	-1.93	2.78	AUS	50.00	AUS	27.1	.928	0.000	.83	13.11	71.	4959.
246	3607.	-3.52	1.77	AUS	50.00	AUS	21.2	.977	0.000	4.09	4.57	12.	17815.
247	3607.	-2.33	2.57	AUS	50.00	AUS	30.3	.910	0.000	.84	13.12	70.	5892.
248	3807.	-3.70	1.49	AUS	50.00	AUS	22.0	.975	0.000	4.19	4.37	13.	18164.
249	3807.	-1.35	2.38	AUS	50.00	AUS	32.3	.888	0.000	.79	13.31	73.	6886.
250	4008.	-3.87	1.38	AUS	50.00	AUS	22.6	.973	0.000	4.34	3.79	13.	19434.
251	4007.	-1.92	2.97	AUS	50.00	AUS	37.4	.926	0.000	.67	13.58	85.	4474.
252	4207.	-3.97	1.45	AUS	50.00	AUS	23.3	.983	0.000	4.39	3.71	13.	19051.
253	4208.	-1.90	3.12	AUS	50.00	AUS	38.5	.904	0.000	.61	13.72	96.	5527.
254	4405.	-4.12	1.72	AUS	50.00	AUS	24.3	.932	0.000	4.40	3.56	13.	19049.
255	4406.	-1.97	3.33	AUS	50.00	AUS	39.1	.897	0.000	.54	13.97	114.	5620.
256	4606.	-4.30	2.15	AUS	50.00	AUS	24.7	1.011	0.000	4.42	2.94	14.	20000.
257	4607.	-1.94	3.38	AUS	50.00	AUS	48.2	.885	0.000	.58	13.88	130.	6352.

G-335

	DAZ 1/10/11	BRL KP	LTRPLU L/H	DURCHLZT S	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEC	LAWA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
258	5007.	-4.43	1.87	AUS	50.00	1.4	25.7	.909	0.000	4.63	3.01	14.	2000.
259	4807.	-1.99	3.57	AUS	50.00	2.7	40.5	.886	0.000	.51	14.01	144.	6159.
260	5008.	-4.55	1.95	AUS	50.00	1.5	25.4	.915	0.000	5.64	4.01	15.	17175.
261	5008.	-2.11	3.78	AUS	50.00	2.0	40.2	.894	0.000	.46	14.15	148.	5509.
262	5216.	-4.71	2.12	AUS	50.00	1.5	25.2	.859	0.000	6.29	4.23	16.	16769.
263	5217.	-3.98	2.58	AUS	50.00	2.0	40.6	.911	0.000	2.54	9.25	20.	10724.
264	5218.	-1.83	4.10	AUS	50.00	3.1	48.3	.913	0.000	.45	14.20	103.	4353.
265	5404.	-4.85	2.14	AUS	50.00	1.5	24.9	.861	0.000	6.80	5.56	25.	11778.
266	5404.	-3.88	3.48	AUS	50.00	2.6	40.7	.920	0.000	1.94	10.00	33.	8013.
267	5404.	-1.86	4.59	AUS	50.00	3.4	40.0	.930	0.000	.42	14.23	203.	3301.
268	5603.	-5.14	1.66	AUS	50.00	1.2	24.7	.799	0.000	6.92	6.09	34.	10543.
269	5603.	-3.89	3.58	AUS	50.00	2.7	35.8	.919	0.000	1.47	11.02	46.	6713.
270	5603.	-1.30	4.85	AUS	50.00	3.6	39.9	.934	0.000	.44	14.28	214.	3074.
271	5807.	-5.21	1.90	AUS	50.00	1.3	25.1	.823	0.000	6.36	6.60	44.	9676.
272	5807.	-3.98	3.95	AUS	50.00	3.0	39.9	.925	0.000	1.06	12.63	50.	5364.
273	5807.	-1.32	5.57	AUS	50.00	4.2	40.2	.939	0.000	.44	14.37	220.	2624.
274	6011.	-5.40	1.75	AUS	50.00	1.3	21.2	.840	.208	6.24	6.60	50.	9154.
275	6012.	-3.88	4.03	AUS	50.00	3.0	39.9	.937	0.000	.71	13.42	72.	4011.
276	6007.	-2.00	5.56	AUS	50.00	4.2	40.3	.948	0.000	.44	14.41	239.	2144.

	DRZ 17MIN	BR- KP	O2 PROZ	OKL DEG	DCLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUNTEMP CEL	LFTOR TORR	LFTDSL L/4	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
1	999.	.37	.44	14.9	3.6	2.8	71.6	19.7	738.5	AUS	11597.	AUS	.600	.747
2	1000.	2.35	.53	20.9	3.4	2.9	70.3	19.9	738.6	AUS	14991.	AUS	.600	.747
3	999.	3.92	.59	21.4	3.7	2.9	69.4	19.9	738.6	AUS	16894.	AUS	.600	.747
4	999.	6.12	.53	24.3	11.8	2.9	68.7	19.8	738.5	AUS	21766.	AUS	.600	.747
5	1000.	8.01	.63	27.4	15.2	2.9	69.4	19.8	738.6	AUS	19536.	AUS	.600	.747
6	1000.	10.06	.57	32.1	21.0	2.8	69.8	19.6	738.6	AUS	24951.	AUS	.600	.747
7	1000.	11.92	.52	50.6	47.6	2.8	70.6	19.7	738.6	AUS	27881.	AUS	.600	.747
8	999.	12.22	.17	84.6	84.6	2.7	70.0	20.0	738.6	AUS	30636.	AUS	.600	.747
9	1196.	-.33	.52	19.7	7.3	3.3	72.0	19.8	738.6	AUS	15351.	AUS	.600	.747
10	1196.	1.96	.53	22.7	13.0	3.3	70.5	19.8	738.6	AUS	16679.	AUS	.600	.747
11	1204.	3.97	.57	24.6	11.8	3.3	70.8	19.8	738.6	AUS	20206.	AUS	.600	.747
12	1196.	6.06	.58	27.4	15.3	3.3	70.5	19.9	738.6	AUS	22462.	AUS	.600	.747
13	1204.	7.98	.54	30.9	19.5	3.3	70.7	19.6	738.6	AUS	26045.	AUS	.600	.747
14	1196.	10.00	.53	37.3	27.7	3.2	71.8	20.0	738.6	AUS	30263.	AUS	.600	.747
15	1196.	11.88	.28	73.0	75.4	3.1	73.0	19.6	738.6	AUS	34637.	AUS	.600	.747
16	1203.	11.91	.15	84.7	84.6	3.0	73.8	19.8	738.6	AUS	36362.	AUS	.600	.747
17	1400.	-.12	.57	21.5	9.9	3.6	75.4	20.1	738.6	AUS	16760.	AUS	.600	.747
18	1400.	2.31	.50	23.4	10.8	3.6	75.0	20.0	738.6	AUS	17956.	AUS	.600	.747
19	1400.	4.02	.55	25.1	12.7	3.6	73.6	19.8	738.6	AUS	20763.	AUS	.600	.747
20	1400.	5.97	.55	27.8	15.6	3.6	73.8	19.9	738.6	AUS	26011.	AUS	.600	.747
21	1393.	7.93	.53	31.2	19.8	3.5	74.6	19.9	738.6	AUS	30144.	AUS	.600	.747
22	1393.	10.01	.54	36.6	27.1	3.4	73.4	19.6	738.6	AUS	34747.	AUS	.600	.747
23	1401.	11.37	.51	62.6	64.4	3.4	76.8	20.1	738.6	AUS	38691.	AUS	.600	.747
24	1400.	12.19	.16	84.1	84.4	3.3	76.3	20.0	738.6	AUS	43542.	AUS	.600	.747
25	1604.	-.01	.55	22.9	13.3	4.0	74.2	19.8	738.6	AUS	15827.	AUS	.600	.747
26	1597.	1.98	.58	24.0	11.4	4.0	74.4	19.7	738.6	AUS	20183.	AUS	.600	.747
27	1597.	4.94	.65	25.7	13.2	4.0	73.8	20.0	738.6	AUS	23557.	AUS	.600	.747
28	1598.	6.32	.64	28.0	15.9	4.0	73.7	20.1	738.6	AUS	25884.	AUS	.600	.747
29	1598.	8.33	.59	31.6	21.4	3.9	74.7	19.6	738.6	AUS	32232.	AUS	.600	.747
30	1598.	19.00	.56	36.1	26.3	3.8	75.3	19.9	738.6	AUS	37283.	AUS	.600	.747
31	1598.	11.97	.54	46.7	41.8	3.7	76.2	19.8	738.6	AUS	43589.	AUS	.600	.747
32	1605.	13.25	.17	83.6	84.2	3.6	76.4	19.8	738.6	AUS	48884.	AUS	.600	.747

	DRZ 1/MIN	BRL 3P	O2 PR3Z	OKL DEG	OKLPST DEG	OEIDR KP/CH2	OEIEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTIDSL L/4	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
33	1794.	2.00	.51	23.5	13.9	4.2	76.8	20.0	738.6	AUS	18243.	AUS	.600	.747
34	1801.	2.01	.56	25.0	12.5	4.2	76.8	19.8	738.6	AUS	22453.	AUS	.600	.747
35	1802.	3.96	.62	26.5	14.3	4.2	76.7	19.9	738.6	AUS	24602.	AUS	.600	.747
36	1802.	6.03	.62	29.5	17.7	4.1	78.5	20.0	738.6	AUS	29888.	AUS	.600	.747
37	1802.	8.01	.61	32.4	21.3	4.0	77.7	20.0	738.6	AUS	36805.	AUS	.600	.747
38	1802.	9.99	.57	36.4	25.8	4.0	77.8	19.5	738.6	AUS	43889.	AUS	.600	.747
39	1802.	12.80	.56	45.7	43.2	3.9	79.1	19.5	738.6	AUS	49467.	AUS	.600	.747
40	1802.	13.82	.18	81.7	83.2	3.7	80.2	19.4	738.6	AUS	56709.	AUS	.600	.747
41	1998.	.01	.50	24.1	11.5	4.5	80.6	19.9	738.6	AUS	18635.	AUS	.600	.747
42	1998.	1.98	.60	24.7	12.2	4.4	80.4	19.6	738.6	AUS	21537.	AUS	.600	.747
43	1998.	4.01	.63	27.4	15.2	4.4	81.1	19.7	738.6	AUS	28604.	AUS	.600	.747
44	1998.	6.03	.65	30.1	18.5	4.3	78.5	19.8	738.6	AUS	33650.	AUS	.600	.747
45	1998.	7.99	.65	32.5	21.6	4.2	88.4	19.5	738.6	AUS	40059.	AUS	.600	.747
46	1999.	10.02	.60	36.8	27.3	4.2	81.9	19.6	738.6	AUS	47483.	AUS	.600	.747
47	1999.	12.02	.63	44.7	38.8	4.1	82.6	19.5	738.6	AUS	54578.	AUS	.600	.747
48	2006.	13.88	.57	70.0	73.4	4.0	84.3	20.0	738.6	AUS	59534.	AUS	.600	.747
49	1999.	14.21	.23	94.1	84.4	3.9	85.5	20.0	738.6	AUS	61499.	AUS	.600	.747
50	2194.	.13	.53	24.9	12.4	4.7	84.6	19.8	738.6	AUS	20142.	AUS	.600	.747
51	2203.	1.97	.66	25.7	13.2	4.7	83.2	19.8	738.6	AUS	22042.	AUS	.600	.747
52	2195.	4.04	.71	28.5	16.5	4.6	83.1	20.0	738.6	AUS	29676.	AUS	.600	.747
53	2195.	6.05	.74	31.4	20.1	4.6	83.4	19.8	738.6	AUS	37655.	AUS	.600	.747
54	2195.	8.03	.73	34.1	23.7	4.5	83.6	20.0	738.6	AUS	44455.	AUS	.600	.747
55	2203.	9.98	.67	38.7	30.1	4.4	83.3	20.0	738.6	AUS	52707.	AUS	.600	.747
56	2196.	12.02	.63	46.9	42.1	4.3	83.4	19.8	738.6	AUS	58798.	AUS	.600	.747
57	2195.	13.95	.60	68.0	71.2	4.2	85.0	20.0	738.6	AUS	65342.	AUS	.600	.747
58	2203.	14.22	.25	84.5	84.6	4.1	85.1	19.9	738.6	AUS	68883.	AUS	.600	.747
59	2407.	.02	.52	24.4	11.9	5.0	84.4	20.0	738.6	AUS	20535.	AUS	.600	.747
60	2399.	1.36	.65	26.4	14.2	5.0	83.0	20.0	738.6	AUS	26911.	AUS	.600	.747
61	2399.	3.97	.72	29.4	17.7	5.0	83.0	19.9	738.6	AUS	33428.	AUS	.600	.747
62	2400.	5.99	.75	32.1	21.3	4.9	83.2	20.0	738.6	AUS	41253.	AUS	.600	.747
63	2400.	8.02	.75	35.0	25.0	4.8	84.8	19.8	738.6	AUS	47605.	AUS	.600	.747
64	2400.	10.02	.69	40.1	32.3	4.7	86.1	19.7	738.6	AUS	57416.	AUS	.600	.747
65	2400.	12.00	.65	48.4	44.1	4.6	87.3	19.9	738.6	AUS	63951.	AUS	.600	.747
66	2400.	13.98	.64	66.0	69.6	4.4	88.2	19.8	738.6	AUS	72152.	AUS	.600	.747
67	2399.	14.30	.29	84.6	84.6	4.3	87.6	19.9	738.6	AUS	75244.	AUS	.600	.747
68	2603.	.01	.52	24.7	12.1	5.3	86.5	19.2	738.6	AUS	20706.	AUS	.600	.747
69	2596.	2.02	.63	27.5	15.3	5.3	86.8	19.7	738.6	AUS	29798.	AUS	.600	.747
70	2596.	4.00	.71	30.3	19.7	5.3	85.5	19.9	738.6	AUS	35655.	AUS	.600	.747
71	2596.	6.03	.74	32.9	22.1	5.2	85.4	19.8	738.6	AUS	44017.	AUS	.600	.747
72	2604.	8.00	.75	36.0	25.3	5.1	85.7	19.7	738.6	AUS	52263.	AUS	.600	.747
73	2596.	9.99	.69	41.2	33.6	5.0	86.7	19.6	738.6	AUS	61472.	AUS	.600	.747
74	2596.	12.01	.65	49.4	45.7	4.8	88.6	19.8	738.6	AUS	69591.	AUS	.600	.747
75	2604.	13.99	.66	63.9	65.2	4.7	90.8	19.5	738.6	AUS	78709.	AUS	.600	.747
76	2604.	14.53	.30	84.4	84.5	4.6	90.9	19.5	738.6	AUS	82637.	AUS	.600	.747
77	2799.	.01	.54	25.5	13.8	5.5	88.6	20.0	738.6	AUS	21784.	AUS	.600	.747

G 13308

	DRZ 1/MIN	RRL KP	O2 PROZ	OKL DEG	OKLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/M	LFTPLU L/M	LFGR 1	LFTEUCH 1	DICHTE KG/L
78	2800.	2.01	.63	28.3	15.2	5.6	87.2	19.6	738.6	AUS	30109.	AUS	.600	.747
79	2800.	3.99	.72	31.3	20.0	5.6	86.6	20.1	738.6	AUS	38485.	AUS	.600	.747
80	2800.	6.01	.75	33.8	23.3	5.5	86.8	19.8	738.6	AUS	47269.	AUS	.600	.747
81	2800.	7.99	.75	37.0	27.7	5.4	87.7	19.7	738.6	AUS	55388.	AUS	.600	.747
82	2800.	9.98	.68	42.3	35.3	5.3	89.2	19.5	738.6	AUS	66790.	AUS	.600	.747
83	2800.	11.37	.67	50.3	47.1	5.1	88.5	19.4	738.6	AUS	74827.	AUS	.600	.747
84	2800.	13.99	.68	62.8	64.8	5.0	89.7	19.3	738.6	AUS	84150.	AUS	.600	.747
85	2800.	14.43	.30	83.9	84.3	4.9	91.4	19.7	738.6	AUS	91436.	AUS	.600	.747
86	3004.	.33	.57	25.8	13.4	5.8	90.4	19.7	738.6	AUS	24428.	AUS	.600	.747
87	2996.	2.80	.68	28.8	15.8	5.9	89.0	19.7	738.6	AUS	31572.	AUS	.600	.747
88	3004.	4.02	.76	31.9	21.7	5.8	89.2	19.6	738.6	AUS	40711.	AUS	.600	.747
89	3004.	6.03	.78	34.5	24.2	5.7	88.4	19.4	738.6	AUS	51882.	AUS	.600	.747
90	3004.	7.98	.74	38.1	29.2	5.6	89.0	19.6	738.6	AUS	61118.	AUS	.600	.747
91	3064.	10.00	.70	43.4	37.0	5.5	91.6	20.0	738.6	AUS	72388.	AUS	.600	.747
92	2997.	12.34	.69	51.5	48.8	5.3	91.1	19.8	738.6	AUS	82018.	AUS	.600	.747
93	3004.	13.99	.68	62.4	64.3	5.2	92.0	19.4	738.6	AUS	91705.	AUS	.600	.747
94	2997.	15.15	.28	83.7	84.2	5.1	93.2	19.7	738.6	AUS	99429.	AUS	.600	.747
95	3201.	.00	.68	26.4	14.0	6.1	92.4	19.3	738.6	AUS	23998.	AUS	.600	.747
96	3201.	1.97	.69	29.4	17.6	6.1	91.7	19.6	738.6	AUS	33650.	AUS	.600	.747
97	3201.	4.00	.73	32.5	21.5	6.1	91.1	19.5	738.6	AUS	44308.	AUS	.600	.747
98	3201.	6.00	.76	35.4	25.4	5.9	91.6	19.3	738.6	AUS	54435.	AUS	.600	.747
99	3201.	7.98	.74	39.2	31.8	5.8	91.3	19.5	738.6	AUS	65789.	AUS	.600	.747
100	3201.	9.99	.70	44.7	39.7	5.7	92.2	19.5	738.6	AUS	76185.	AUS	.600	.747
101	3201.	11.39	.68	53.2	51.4	5.6	93.9	19.9	738.6	AUS	87466.	AUS	.600	.747
102	3202.	14.01	.65	62.7	64.6	5.4	93.8	19.7	738.6	AUS	98025.	AUS	.600	.747
103	3201.	15.24	.28	83.0	83.9	5.3	94.8	19.9	738.6	AUS	106708.	AUS	.600	.747
104	3485.	.00	.54	26.8	14.5	6.1	94.7	19.5	738.6	AUS	26360.	AUS	.600	.747
105	3397.	1.98	.65	30.1	19.5	6.1	93.7	19.7	738.6	AUS	37038.	AUS	.600	.747
106	3399.	3.99	.61	31.9	21.8	6.3	87.5	18.8	745.6	AUS	46695.	AUS	.600	.747
107	3399.	6.34	.62	35.2	25.2	6.3	87.8	18.8	745.6	AUS	58396.	AUS	.600	.747
108	3408.	8.31	.59	39.2	31.8	6.3	88.8	18.9	745.6	AUS	67204.	AUS	.600	.747
109	3400.	10.00	.55	44.9	39.0	6.2	88.9	19.4	745.6	AUS	78710.	AUS	.600	.747
110	3400.	12.31	.55	53.4	51.7	6.2	89.8	19.0	745.6	AUS	89583.	AUS	.600	.747
111	3399.	13.99	.53	61.9	63.5	6.1	91.0	19.1	745.6	AUS	100641.	AUS	.600	.747
112	3399.	15.35	.22	83.7	84.2	6.0	92.8	19.0	745.6	AUS	110258.	AUS	.600	.747
113	3602.	.31	.47	27.0	14.8	6.6	91.6	19.0	745.6	AUS	34101.	AUS	.600	.747
114	3595.	2.33	.56	30.7	19.2	6.6	90.7	19.2	745.6	AUS	41681.	AUS	.600	.747
115	3603.	4.00	.60	33.5	22.9	6.6	89.8	19.3	745.6	AUS	51709.	AUS	.600	.747
116	3603.	5.99	.62	36.8	27.4	6.5	89.6	19.5	745.6	AUS	61982.	AUS	.600	.747
117	3595.	8.01	.58	41.1	38.5	6.4	92.8	19.3	745.6	AUS	72133.	AUS	.600	.747
118	3595.	10.04	.57	46.9	42.0	6.2	90.5	19.2	745.6	AUS	83109.	AUS	.600	.747
119	3603.	12.31	.54	56.5	55.0	6.1	93.2	19.6	745.6	AUS	97154.	AUS	.600	.747
120	3603.	13.99	.51	63.2	65.2	5.9	92.6	19.4	745.6	AUS	108105.	AUS	.600	.747
121	3602.	15.22	.21	83.4	84.1	5.7	95.2	19.6	745.6	AUS	117717.	AUS	.600	.747
122	3798.	.05	.43	28.0	15.9	6.5	94.2	19.5	745.6	AUS	34094.	AUS	.600	.747

DRZ 1/7MIN	BRL KP	OZ PRJ	DKL DEG	DCLPST DEG	OEIDR KP/CM2	DELTEMP CEL	KAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
123	3798.	.55	31.4	21.1	6.7	93.1	19.4	745.6	AUS	44474.	AUS	.600	.747
124	3798.	.59	34.3	23.9	6.7	92.2	19.3	745.6	AUS	54193.	AUS	.600	.747
125	3799.	.61	37.7	26.7	6.6	92.9	19.5	745.6	AUS	64634.	AUS	.600	.747
126	3798.	.59	41.9	34.8	6.3	93.5	19.6	745.6	AUS	76481.	AUS	.600	.747
127	3799.	.57	48.0	43.7	6.3	94.4	19.5	745.6	AUS	88901.	AUS	.600	.747
128	3798.	.54	57.3	57.2	6.2	94.8	19.4	745.6	AUS	100953.	AUS	.600	.747
129	3799.	.52	63.7	63.9	6.0	95.9	19.4	745.6	AUS	114075.	AUS	.600	.747
130	3806.	.28	83.9	84.3	5.9	99.2	19.5	745.6	AUS	123676.	AUS	.600	.747
131	4002.	.42	28.7	15.7	6.7	96.2	19.7	745.6	AUS	35871.	AUS	.600	.747
132	3994.	.53	31.9	21.8	6.9	94.0	19.1	745.6	AUS	46558.	AUS	.600	.747
133	4002.	.57	35.2	25.1	6.9	95.2	20.0	745.6	AUS	57309.	AUS	.600	.747
134	4002.	.59	38.8	31.2	6.8	95.2	19.7	745.6	AUS	69918.	AUS	.600	.747
135	3994.	.53	43.3	35.8	6.7	94.6	19.7	745.6	AUS	81156.	AUS	.600	.747
136	3994.	.57	49.4	45.8	6.5	96.6	19.6	745.6	AUS	94559.	AUS	.600	.747
137	4002.	.54	58.0	59.3	6.4	96.8	19.8	745.6	AUS	100163.	AUS	.600	.747
138	4002.	.51	64.0	65.3	6.2	97.6	19.9	745.6	AUS	122215.	AUS	.600	.747
139	4002.	.24	83.9	84.3	6.0	100.2	19.4	745.6	AUS	131552.	AUS	.600	.747
140	4198.	.41	29.3	17.4	6.8	97.9	19.5	745.6	AUS	37529.	AUS	.600	.747
141	4198.	.51	32.6	21.7	7.0	96.3	19.5	745.6	AUS	48951.	AUS	.600	.747
142	4206.	.56	35.8	25.0	7.0	96.1	19.6	745.6	AUS	60473.	AUS	.600	.747
143	4198.	.53	39.7	31.5	6.9	95.9	19.4	745.6	AUS	73514.	AUS	.600	.747
144	4198.	.59	44.6	39.7	6.9	96.7	19.8	745.6	AUS	87112.	AUS	.600	.747
145	4199.	.56	51.0	48.2	6.5	98.2	19.7	745.6	AUS	99886.	AUS	.600	.747
146	4206.	.53	58.5	59.0	6.5	98.9	19.6	745.6	AUS	115026.	AUS	.600	.747
147	4207.	.51	64.5	67.0	6.4	101.6	19.5	745.6	AUS	129312.	AUS	.600	.747
148	4198.	.27	83.8	84.3	6.2	100.9	19.9	745.6	AUS	137343.	AUS	.600	.747
149	4401.	.43	29.9	19.3	7.0	98.9	19.7	745.6	AUS	38431.	AUS	.600	.747
150	4394.	.52	33.4	22.7	7.1	97.0	19.7	745.6	AUS	52425.	AUS	.600	.747
151	4402.	.57	36.5	27.0	7.1	97.1	19.8	745.6	AUS	63011.	AUS	.600	.747
152	4402.	.58	40.7	32.9	7.0	97.2	19.8	745.6	AUS	77382.	AUS	.600	.747
153	4402.	.57	45.7	43.3	6.9	98.2	19.2	745.6	AUS	91614.	AUS	.600	.747
154	4394.	.54	52.7	51.7	6.8	99.1	19.3	745.6	AUS	106140.	AUS	.600	.747
155	4394.	.53	59.3	60.0	6.7	100.8	19.6	745.6	AUS	120381.	AUS	.600	.747
156	4402.	.51	65.6	63.3	6.5	100.7	19.5	745.6	AUS	138608.	AUS	.600	.747
157	4401.	.25	84.5	84.5	6.4	102.7	19.5	745.6	AUS	145948.	AUS	.600	.747
158	4606.	.33	30.5	13.0	7.2	100.1	19.8	745.6	AUS	41046.	AUS	.600	.747
159	4606.	.51	33.8	23.3	6.9	97.9	19.4	745.6	AUS	51904.	AUS	.600	.747
160	4598.	.57	37.3	28.1	6.9	98.6	19.6	745.6	AUS	67879.	AUS	.600	.747
161	4598.	.63	42.0	34.9	6.8	99.0	19.8	745.6	AUS	83008.	AUS	.600	.747
162	4606.	.63	47.1	42.4	6.7	99.9	19.5	745.6	AUS	97691.	AUS	.600	.747
163	4598.	.57	54.6	53.4	6.5	100.8	19.7	745.6	AUS	112378.	AUS	.600	.747
164	4606.	.53	59.9	60.9	6.4	102.2	19.3	745.6	AUS	128909.	AUS	.600	.747
165	4605.	.51	66.4	63.3	6.4	103.6	19.5	745.6	AUS	145411.	AUS	.600	.747
166	4598.	.26	84.7	84.6	6.4	104.0	19.6	745.6	AUS	152203.	AUS	.600	.747
167	4801.	.38	30.9	13.7	6.7	100.8	19.6	745.6	AUS	42574.	AUS	.600	.747

	ORZ 1/MIN	DRL KP	O2 PRZ	UKL DEG	OKLPST DEG	OEOR KP/CM2	OELEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTEUCH 1	DICHTE KG/L
168	4801.	2.33	.49	34.4	24.2	6.7	98.5	19.5	745.6	AUS	55761.	AUS	.600	.747
169	4801.	4.13	.55	38.1	23.3	6.6	98.7	19.8	745.6	AUS	70727.	AUS	.600	.747
170	4801.	6.04	.58	42.7	36.0	6.6	99.6	19.6	745.6	AUS	85703.	AUS	.600	.747
171	4801.	7.99	.53	48.5	44.6	6.5	100.8	19.8	745.6	AUS	102461.	AUS	.600	.747
172	4801.	9.98	.55	57.0	53.6	6.3	101.9	19.7	745.6	AUS	118876.	AUS	.600	.747
173	4901.	11.95	.54	60.6	61.6	6.2	103.2	19.6	745.6	AUS	135005.	AUS	.600	.747
174	4801.	14.32	.51	67.5	70.5	6.3	104.9	20.0	745.6	AUS	154622.	AUS	.600	.747
175	4800.	14.45	.23	95.1	84.8	6.3	105.1	19.6	745.6	AUS	159834.	AUS	.600	.747
176	5004.	.00	.34	31.8	23.7	6.5	101.4	19.6	745.6	AUS	45710.	AUS	.600	.747
177	5005.	2.04	.47	35.2	25.2	6.6	100.4	19.6	745.6	AUS	58653.	AUS	.600	.747
178	5005.	3.91	.55	39.2	33.7	6.5	100.6	19.7	745.6	AUS	73994.	AUS	.600	.747
179	4997.	6.03	.59	44.0	37.8	6.5	100.1	19.6	745.6	AUS	90504.	AUS	.600	.747
180	4997.	8.93	.58	50.1	45.9	6.5	102.1	19.8	745.6	AUS	107256.	AUS	.600	.747
181	4997.	9.98	.55	57.6	57.6	6.4	102.3	19.6	745.6	AUS	124022.	AUS	.600	.747
182	5005.	12.32	.53	61.4	62.9	6.4	104.0	19.6	745.6	AUS	144704.	AUS	.600	.747
183	5005.	13.99	.51	68.7	71.9	6.4	105.2	19.5	745.6	AUS	161943.	AUS	.600	.747
184	4997.	14.32	.25	84.6	84.6	6.3	106.7	19.7	745.6	AUS	166886.	AUS	.600	.747
185	5200.	-.02	.35	32.6	21.7	6.5	103.1	19.5	745.6	AUS	47874.	AUS	.600	.747
186	5200.	2.01	.46	36.1	26.5	6.5	101.4	19.2	745.6	AUS	62096.	AUS	.600	.747
187	5200.	3.99	.55	40.3	32.4	6.5	102.7	19.7	745.6	AUS	78833.	AUS	.600	.747
188	5201.	5.97	.53	45.0	33.3	6.6	102.8	19.9	745.6	AUS	94365.	AUS	.600	.747
189	5200.	8.00	.63	51.7	43.1	6.5	103.9	19.6	745.6	AUS	113865.	AUS	.600	.747
190	5201.	10.00	.55	58.3	59.7	6.5	105.7	19.6	745.6	AUS	132186.	AUS	.600	.747
191	5201.	11.98	.53	62.0	63.7	6.5	106.9	19.7	745.6	AUS	152093.	AUS	.600	.747
192	5201.	13.38	.50	70.9	74.3	6.4	105.6	19.6	745.6	AUS	170813.	AUS	.600	.747
193	5200.	14.19	.27	85.1	84.8	6.4	108.2	19.7	745.6	AUS	172108.	AUS	.600	.747
194	5395.	.34	.35	34.0	23.6	6.5	105.3	19.8	745.6	AUS	50861.	AUS	.600	.747
195	5396.	2.00	.45	37.1	27.9	6.7	101.5	19.8	745.6	AUS	65165.	AUS	.600	.747
196	5396.	4.34	.54	41.5	34.0	6.7	104.0	19.9	745.6	AUS	81497.	AUS	.600	.747
197	5396.	6.34	.58	46.4	41.3	6.6	104.2	20.0	745.6	AUS	100304.	AUS	.600	.747
198	5404.	7.97	.57	53.3	51.5	6.6	104.4	19.7	745.6	AUS	120291.	AUS	.600	.747
199	5403.	9.53	.54	58.6	53.1	6.5	106.8	19.9	745.6	AUS	134839.	AUS	.600	.747
200	5403.	12.00	.52	63.0	65.0	6.5	106.8	19.9	745.6	AUS	159101.	AUS	.600	.747
201	5404.	13.92	.29	74.7	79.0	6.5	107.8	19.7	745.6	AUS	179887.	AUS	.600	.747
202	5404.	13.91	.27	85.3	84.9	6.5	108.4	20.0	745.6	AUS	176362.	AUS	.600	.747
203	5607.	.00	.31	35.2	23.2	6.7	105.4	19.8	745.6	AUS	53584.	AUS	.600	.747
204	5599.	-.15	.39	34.1	23.7	6.7	184.6	19.7	745.6	AUS	54034.	AUS	.600	.747
205	5607.	3.92	.53	42.1	34.9	6.7	104.5	19.9	745.6	AUS	86385.	AUS	.600	.747
206	5599.	6.02	.58	47.7	43.3	6.7	105.5	19.6	745.6	AUS	107009.	AUS	.600	.747
207	5599.	7.99	.59	55.2	54.3	6.6	105.9	19.6	745.6	AUS	126171.	AUS	.600	.747
208	5607.	10.01	.54	59.6	63.5	6.5	107.5	19.5	745.6	AUS	146261.	AUS	.600	.747
209	5599.	12.01	.51	64.3	65.7	6.5	108.5	19.9	745.6	AUS	169083.	AUS	.600	.747
210	5599.	13.54	.27	85.3	84.8	6.5	109.5	20.1	745.6	AUS	182733.	AUS	.600	.747
211	5601.	.31	.27	36.1	26.4	6.7	107.2	20.1	745.6	AUS	56556.	AUS	.600	.747
212	5802.	1.98	.41	35.9	26.1	6.7	106.3	19.6	745.6	AUS	72359.	AUS	.600	.747

ORZ 1/MIN	BRL KP	O2 PR3Z	OKL DEG	DKLPST DEG	QELDR KP/CM2	DELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/4	LFTPLU L/H	LFGR 1	LFTFEUCH KG/L	DICHTE KG/L
213	5801.	3.97	42.5	35.0	6.7	107.4	19.9	745.6	AUS	90821.	AUS	.600	.747
214	5794.	6.01	46.7	44.8	6.7	107.9	20.8	745.6	AUS	106970.	AUS	.600	.747
215	5802.	7.97	56.9	56.8	6.6	106.1	19.9	745.6	AUS	131770.	AUS	.600	.747
216	5802.	9.96	60.2	61.3	6.6	110.2	20.1	745.6	AUS	153621.	AUS	.600	.747
217	5802.	11.97	65.3	67.9	6.5	111.0	20.0	745.6	AUS	176049.	AUS	.600	.747
218	5794.	13.10	85.2	84.8	6.5	111.9	19.9	745.6	AUS	186940.	AUS	.600	.747
219	6005.	.00	36.9	27.6	6.7	111.6	20.8	745.6	AUS	61411.	AUS	.600	.747
220	6005.	2.27	41.4	34.1	6.7	109.8	19.9	745.6	AUS	79964.	AUS	.600	.747
221	5997.	4.08	44.7	39.3	6.7	110.9	19.8	745.6	AUS	97324.	AUS	.600	.747
222	5998.	6.00	51.2	48.3	6.7	111.0	20.0	745.6	AUS	117642.	AUS	.600	.747
223	6006.	7.88	58.1	59.4	6.6	112.4	20.3	745.6	AUS	136571.	AUS	.600	.747
224	5997.	9.85	61.1	62.7	6.3	113.5	20.2	745.6	AUS	159779.	AUS	.600	.747
225	5998.	11.99	68.2	71.5	6.5	115.3	20.0	745.6	AUS	182967.	AUS	.600	.747
226	5998.	12.27	85.3	84.9	6.5	115.9	20.1	745.6	AUS	188277.	AUS	.600	.747
227	1203.	-1.33	.4	.3	2.8	76.1	18.6	739.6	AUS	7899.	AUS	.600	.747
228	1396.	-1.65	2.92	.3	3.4	75.9	19.3	739.6	AUS	10724.	AUS	.600	.747
229	1613.	-1.94	3.73	.5	4.1	74.0	19.2	739.6	AUS	12447.	AUS	.600	.747
230	1806.	-2.20	4.15	.5	4.7	73.6	19.3	739.6	AUS	10574.	AUS	.600	.747
231	2007.	-2.49	4.85	.1	5.4	73.8	18.8	739.6	AUS	11672.	AUS	.600	.747
232	2199.	-2.78	5.63	.0	5.9	73.4	19.3	739.6	AUS	10958.	AUS	.600	.747
233	2199.	-1.33	20.2	7.7	5.8	74.3	19.0	739.6	AUS	15400.	AUS	.600	.747
234	2411.	-2.93	6.57	.4	6.2	73.7	18.6	739.6	AUS	13956.	AUS	.600	.747
235	2407.	-1.91	21.2	9.6	6.2	74.3	19.2	739.6	AUS	17705.	AUS	.600	.747
236	2602.	-3.03	7.22	.3	6.3	74.5	19.0	739.6	AUS	14938.	AUS	.600	.747
237	2603.	-2.93	1.62	9.0	6.3	76.4	19.3	739.6	AUS	17729.	AUS	.600	.747
238	2808.	-3.11	7.67	.4	6.4	76.1	19.0	739.6	AUS	14589.	AUS	.600	.747
239	2808.	-2.11	1.39	22.3	6.3	78.3	19.0	739.6	AUS	18957.	AUS	.600	.747
240	3003.	-3.20	9.24	.1	6.7	78.6	19.4	739.6	AUS	14219.	AUS	.600	.747
241	3002.	-2.16	1.61	21.9	6.6	78.6	19.1	739.6	AUS	17743.	AUS	.600	.747
242	3204.	-3.36	8.51	.5	6.5	79.8	19.1	739.6	AUS	15174.	AUS	.600	.747
243	3208.	-2.04	1.73	22.2	6.4	81.6	19.3	739.6	AUS	19411.	AUS	.600	.747
244	3409.	-3.46	8.93	.0	6.7	81.8	19.6	739.6	AUS	14148.	AUS	.600	.747
245	3409.	-1.93	1.33	22.6	6.6	82.8	19.5	739.6	AUS	20765.	AUS	.600	.747
246	3607.	-3.62	9.65	.6	6.9	82.6	19.2	739.6	AUS	15145.	AUS	.600	.747
247	3607.	-2.03	1.33	23.2	6.8	84.5	19.7	739.6	AUS	18868.	AUS	.600	.747
248	3807.	-3.70	9.84	.0	7.1	84.1	19.3	739.6	AUS	16096.	AUS	.600	.747
249	3807.	-1.95	1.21	23.7	7.3	85.3	19.4	739.6	AUS	21310.	AUS	.600	.747
250	4008.	-3.87	10.35	.1	7.3	86.1	19.3	739.6	AUS	16127.	AUS	.600	.747
251	4007.	-1.92	24.4	11.8	7.0	88.4	19.4	739.6	AUS	22062.	AUS	.600	.747
252	4207.	-3.37	10.49	.4	7.3	88.2	19.5	739.6	AUS	16008.	AUS	.600	.747
253	4208.	-1.90	.84	24.8	7.2	89.2	19.1	739.6	AUS	22667.	AUS	.600	.747
254	4405.	-4.12	10.61	.0	7.4	90.0	19.2	739.6	AUS	15033.	AUS	.600	.747
255	4406.	-1.97	.65	25.3	7.3	90.4	19.4	739.6	AUS	23976.	AUS	.600	.747
256	4606.	-4.30	11.43	.7	7.5	90.7	19.1	739.6	AUS	19279.	AUS	.600	.747
257	4607.	-1.94	25.8	13.4	7.4	91.5	19.4	739.6	AUS	24047.	AUS	.600	.747

	DRZ 1/HIN	BRU KP	O2 PR3Z	DKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUHTEMP CEL	LFTDR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHT KG/L
258	4807.	-4.43	11.26	.3	.3	6.9	92.7	19.1	739.6	AUS	16373.	AUS	.600	.747
259	4807.	-1.99	.59	26.3	13.9	6.8	93.5	19.5	739.6	AUS	26048.	AUS	.600	.747
260	5008.	-4.55	8.73	0.0	.4	6.6	93.8	19.1	739.6	AUS	15749.	AUS	.608	.747
261	5008.	-2.31	.45	26.7	14.4	6.6	95.0	19.2	739.6	AUS	27073.	AUS	.600	.747
262	5216.	-4.71	4.05	0.0	.5	6.7	96.0	19.3	739.6	AUS	15540.	AUS	.600	.747
263	5217.	-3.38	4.98	23.3	13.7	6.7	96.1	19.4	739.6	AUS	28357.	AUS	.600	.747
264	5218.	-1.43	.37	27.8	15.6	6.7	95.9	19.5	739.6	AUS	29916.	AUS	.600	.747
265	5404.	-4.85	5.57	.1	.4	6.8	97.4	19.7	739.6	AUS	15298.	AUS	.600	.747
266	5404.	-3.88	3.41	24.5	12.0	6.3	97.6	19.7	739.6	AUS	26309.	AUS	.600	.747
267	5404.	-1.96	.31	28.4	15.3	6.8	97.7	19.5	739.6	AUS	34072.	AUS	.600	.747
268	5603.	-5.34	5.11	.2	.3	7.0	98.6	19.5	739.6	AUS	11573.	AUS	.600	.747
269	5603.	-3.89	2.41	25.9	13.5	7.0	98.1	19.4	739.6	AUS	26788.	AUS	.600	.747
270	5603.	-1.90	.27	29.5	17.8	7.0	98.9	19.6	739.6	AUS	36162.	AUS	.600	.747
271	5807.	-5.21	4.95	.4	.3	6.9	99.9	19.2	739.6	AUS	12850.	AUS	.600	.747
272	5807.	-3.98	1.62	26.4	14.0	6.3	99.9	19.5	739.6	AUS	29547.	AUS	.600	.747
273	5807.	-1.92	.17	30.5	19.0	6.8	100.9	19.4	739.6	AUS	41711.	AUS	.600	.747
274	6011.	-5.40	5.19	3.0	.5	6.8	101.9	19.5	739.6	AUS	12677.	AUS	.600	.747
275	6012.	-3.48	.93	27.4	15.3	6.8	102.3	19.5	739.6	AUS	30261.	AUS	.600	.747
276	6007.	-2.80	.14	31.3	13.9	6.8	103.7	19.6	739.6	AUS	41989.	AUS	.600	.747

	CRZ 1/MIN	BRZ KP	SC2 G/CHH	SC2 G/KMH	SCH2 G/KMH	SNOX G/KMH	SO2 G/KMH	HC0 G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	MNOX G/H
1	999.	0.37	AUS	AUS	AUS	AUS	AUS	AUS	90.1	AUS	3190.5	AUS	5.84	AUS
2	1000.	2.35	AUS	AUS	AUS	AUS	AUS	AUS	94.3	AUS	4128.4	AUS	7.05	AUS
3	999.	3.32	AUS	AUS	AUS	AUS	AUS	AUS	97.8	AUS	4648.6	AUS	11.25	AUS
4	999.	6.12	AUS	AUS	AUS	AUS	AUS	AUS	119.3	AUS	5996.6	AUS	17.42	AUS
5	1000.	9.31	AUS	AUS	AUS	AUS	AUS	AUS	109.6	AUS	5378.8	AUS	16.83	AUS
6	1000.	10.36	AUS	AUS	AUS	AUS	AUS	AUS	150.8	AUS	6871.9	AUS	21.99	AUS
7	1000.	11.32	AUS	AUS	AUS	AUS	AUS	AUS	166.3	AUS	7715.5	AUS	25.72	AUS
8	999.	12.22	AUS	AUS	AUS	AUS	AUS	AUS	3246.8	AUS	5574.8	AUS	49.62	AUS
9	1196.	-0.3	AUS	AUS	AUS	AUS	AUS	AUS	102.2	AUS	4268.7	AUS	6.07	AUS
10	1196.	1.36	AUS	AUS	AUS	AUS	AUS	AUS	100.2	AUS	4563.4	AUS	6.75	AUS
11	1204.	3.37	AUS	AUS	AUS	AUS	AUS	AUS	110.4	AUS	5532.6	AUS	10.54	AUS
12	1196.	6.36	AUS	AUS	AUS	AUS	AUS	AUS	126.5	AUS	6143.2	AUS	14.38	AUS
13	1204.	7.38	AUS	AUS	AUS	AUS	AUS	AUS	148.7	AUS	7140.2	AUS	17.81	AUS
14	1196.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	183.1	AUS	8299.8	AUS	20.96	AUS
15	1196.	11.88	AUS	AUS	AUS	AUS	AUS	AUS	417.5	AUS	9423.7	AUS	29.87	AUS
16	1203.	11.31	AUS	AUS	AUS	AUS	AUS	AUS	3589.8	AUS	6832.8	AUS	51.57	AUS
17	1400.	-1.2	AUS	AUS	AUS	AUS	AUS	AUS	108.2	AUS	4592.9	AUS	8.86	AUS
18	1400.	2.31	AUS	AUS	AUS	AUS	AUS	AUS	95.6	AUS	4972.8	AUS	7.15	AUS
19	1400.	4.32	AUS	AUS	AUS	AUS	AUS	AUS	109.2	AUS	5727.7	AUS	11.24	AUS
20	1400.	5.97	AUS	AUS	AUS	AUS	AUS	AUS	137.0	AUS	7160.8	AUS	16.77	AUS
21	1393.	7.33	AUS	AUS	AUS	AUS	AUS	AUS	162.5	AUS	8313.3	AUS	19.23	AUS
22	1393.	10.01	AUS	AUS	AUS	AUS	AUS	AUS	203.9	AUS	9582.2	AUS	23.54	AUS
23	1401.	11.37	AUS	AUS	AUS	AUS	AUS	AUS	220.6	AUS	10746.8	AUS	29.13	AUS
24	1400.	12.19	AUS	AUS	AUS	AUS	AUS	AUS	4564.3	AUS	7989.8	AUS	62.98	AUS
25	1604.	-0.1	AUS	AUS	AUS	AUS	AUS	AUS	113.2	AUS	4366.5	AUS	7.76	AUS
26	1597.	1.98	AUS	AUS	AUS	AUS	AUS	AUS	120.2	AUS	5604.1	AUS	9.74	AUS
27	1597.	4.34	AUS	AUS	AUS	AUS	AUS	AUS	146.7	AUS	6499.6	AUS	15.27	AUS
28	1598.	6.02	AUS	AUS	AUS	AUS	AUS	AUS	168.4	AUS	7019.2	AUS	20.59	AUS
29	1598.	8.33	AUS	AUS	AUS	AUS	AUS	AUS	218.9	AUS	8737.1	AUS	23.84	AUS
30	1598.	10.80	AUS	AUS	AUS	AUS	AUS	AUS	266.4	AUS	10116.1	AUS	26.51	AUS
31	1598.	11.37	AUS	AUS	AUS	AUS	AUS	AUS	331.6	AUS	11062.1	AUS	32.85	AUS
32	1605.	13.25	AUS	AUS	AUS	AUS	AUS	AUS	4694.3	AUS	9361.3	AUS	68.21	AUS

G-345

DRZ 1/MTN	BRL KP	SC3 G/KWH	SC02 G/KWH	SCH2 G/KWH	SN0X G/KWH	S02 G/KWH	HC0 G/H	MPCO G/H	HC02 G/H	MPCO2 G/H	HC2 G/H	MPCH2 G/H	HNOX G/H
33	1794.	AUS	AUS	AUS	AUS	AUS	AUS	126.7	AUS	4983.0	AUS	7.48	AUS
34	1801.	AUS	AUS	AUS	AUS	AUS	AUS	139.2	AUS	6149.0	AUS	11.37	AUS
35	1802.	AUS	AUS	AUS	AUS	AUS	AUS	151.8	AUS	6722.0	AUS	17.32	AUS
36	1802.	AUS	AUS	AUS	AUS	AUS	AUS	168.1	AUS	8171.7	AUS	23.27	AUS
37	1802.	AUS	AUS	AUS	AUS	AUS	AUS	256.1	AUS	9878.2	AUS	27.50	AUS
38	1802.	AUS	AUS	AUS	AUS	AUS	AUS	319.3	AUS	11771.6	AUS	32.05	AUS
39	1802.	AUS	AUS	AUS	AUS	AUS	AUS	388.2	AUS	13547.5	AUS	37.63	AUS
40	1802.	AUS	AUS	AUS	AUS	AUS	AUS	4349.3	AUS	12119.5	AUS	73.09	AUS
41	1998.	AUS	AUS	AUS	AUS	AUS	AUS	111.2	AUS	5133.5	AUS	7.30	AUS
42	1998.	AUS	AUS	AUS	AUS	AUS	AUS	128.6	AUS	5904.1	AUS	12.67	AUS
43	1998.	AUS	AUS	AUS	AUS	AUS	AUS	177.3	AUS	7822.5	AUS	20.99	AUS
44	1998.	AUS	AUS	AUS	AUS	AUS	AUS	210.9	AUS	9199.6	AUS	27.44	AUS
45	1998.	AUS	AUS	AUS	AUS	AUS	AUS	284.4	AUS	10929.1	AUS	35.84	AUS
46	1999.	AUS	AUS	AUS	AUS	AUS	AUS	373.1	AUS	13012.3	AUS	39.01	AUS
47	1999.	AUS	AUS	AUS	AUS	AUS	AUS	468.1	AUS	14983.2	AUS	45.93	AUS
48	2006.	AUS	AUS	AUS	AUS	AUS	AUS	462.4	AUS	16533.2	AUS	49.68	AUS
49	1999.	AUS	AUS	AUS	AUS	AUS	AUS	3990.4	AUS	14002.7	AUS	78.10	AUS
50	2194.	AUS	AUS	AUS	AUS	AUS	AUS	134.1	AUS	5550.6	AUS	7.69	AUS
51	2203.	AUS	AUS	AUS	AUS	AUS	AUS	147.7	AUS	6040.0	AUS	13.59	AUS
52	2195.	AUS	AUS	AUS	AUS	AUS	AUS	205.5	AUS	8112.4	AUS	22.84	AUS
53	2195.	AUS	AUS	AUS	AUS	AUS	AUS	284.2	AUS	10255.9	AUS	33.21	AUS
54	2195.	AUS	AUS	AUS	AUS	AUS	AUS	361.3	AUS	12121.4	AUS	41.73	AUS
55	2203.	AUS	AUS	AUS	AUS	AUS	AUS	459.8	AUS	14469.2	AUS	45.01	AUS
56	2196.	AUS	AUS	AUS	AUS	AUS	AUS	480.2	AUS	16304.9	AUS	50.11	AUS
57	2195.	AUS	AUS	AUS	AUS	AUS	AUS	529.8	AUS	18258.8	AUS	56.48	AUS
58	2203.	AUS	AUS	AUS	AUS	AUS	AUS	4201.5	AUS	16063.3	AUS	86.71	AUS
59	2407.	AUS	AUS	AUS	AUS	AUS	AUS	137.3	AUS	5679.3	AUS	8.11	AUS
60	2399.	AUS	AUS	AUS	AUS	AUS	AUS	175.2	AUS	7406.1	AUS	16.80	AUS
61	2399.	AUS	AUS	AUS	AUS	AUS	AUS	226.4	AUS	9173.7	AUS	25.74	AUS
62	2400.	AUS	AUS	AUS	AUS	AUS	AUS	323.6	AUS	11292.4	AUS	36.41	AUS
63	2400.	AUS	AUS	AUS	AUS	AUS	AUS	393.2	AUS	13059.0	AUS	45.02	AUS
64	2400.	AUS	AUS	AUS	AUS	AUS	AUS	490.2	AUS	15866.8	AUS	48.71	AUS
65	2400.	AUS	AUS	AUS	AUS	AUS	AUS	491.3	AUS	17878.4	AUS	54.87	AUS
66	2400.	AUS	AUS	AUS	AUS	AUS	AUS	550.5	AUS	20345.0	AUS	64.45	AUS
67	2399.	AUS	AUS	AUS	AUS	AUS	AUS	4252.6	AUS	18026.6	AUS	93.16	AUS
68	2603.	AUS	AUS	AUS	AUS	AUS	AUS	131.7	AUS	5765.2	AUS	8.16	AUS
69	2596.	AUS	AUS	AUS	AUS	AUS	AUS	188.7	AUS	8261.1	AUS	17.46	AUS
70	2596.	AUS	AUS	AUS	AUS	AUS	AUS	256.5	AUS	9816.3	AUS	27.22	AUS
71	2596.	AUS	AUS	AUS	AUS	AUS	AUS	348.2	AUS	12087.9	AUS	38.32	AUS
72	2604.	AUS	AUS	AUS	AUS	AUS	AUS	444.9	AUS	14379.4	AUS	47.62	AUS
73	2596.	AUS	AUS	AUS	AUS	AUS	AUS	463.6	AUS	17174.6	AUS	50.10	AUS
74	2596.	AUS	AUS	AUS	AUS	AUS	AUS	511.7	AUS	19621.2	AUS	60.15	AUS
75	2604.	AUS	AUS	AUS	AUS	AUS	AUS	541.6	AUS	22323.6	AUS	73.18	AUS
76	2604.	AUS	AUS	AUS	AUS	AUS	AUS	4919.2	AUS	19579.3	AUS	106.54	AUS
77	2799.	AUS	AUS	AUS	AUS	AUS	AUS	138.2	AUS	6048.3	AUS	10.46	AUS

	DRZ 1/PHN	BRL KP	SC3 G/KMH	SC02 G/KMH	SCH2 G/KMH	SNOX G/KMH	S02 G/KMH	HCO G/H	HPC0 G/H	HCO2 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
76	2800.	2.01	AUS	AUS	AUS	AUS	AUS	AUS	200.4	AUS	8320.9	AUS	10.69	AUS
79	2800.	3.99	AUS	AUS	AUS	AUS	AUS	AUS	293.6	AUS	10566.6	AUS	29.59	AUS
80	2800.	6.01	AUS	AUS	AUS	AUS	AUS	AUS	302.6	AUS	12970.9	AUS	41.41	AUS
81	2800.	7.99	AUS	AUS	AUS	AUS	AUS	AUS	447.8	AUS	15313.0	AUS	40.03	AUS
82	2800.	9.98	AUS	AUS	AUS	AUS	AUS	AUS	496.7	AUS	18749.2	AUS	54.62	AUS
83	2800.	11.97	AUS	AUS	AUS	AUS	AUS	AUS	534.5	AUS	21196.1	AUS	67.71	AUS
84	2800.	13.99	AUS	AUS	AUS	AUS	AUS	AUS	592.1	AUS	23959.1	AUS	77.01	AUS
85	2800.	14.83	AUS	AUS	AUS	AUS	AUS	AUS	5901.9	AUS	21302.9	AUS	110.62	AUS
86	3004.	.03	AUS	AUS	AUS	AUS	AUS	AUS	164.5	AUS	6792.6	AUS	13.00	AUS
87	2996.	2.00	AUS	AUS	AUS	AUS	AUS	AUS	210.4	AUS	8731.2	AUS	20.29	AUS
88	3004.	4.32	AUS	AUS	AUS	AUS	AUS	AUS	338.7	AUS	11184.5	AUS	32.23	AUS
89	3004.	6.33	AUS	AUS	AUS	AUS	AUS	AUS	444.2	AUS	14243.7	AUS	45.57	AUS
90	3004.	7.38	AUS	AUS	AUS	AUS	AUS	AUS	471.9	AUS	16908.9	AUS	51.09	AUS
91	3004.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	540.5	AUS	20374.0	AUS	63.11	AUS
92	2997.	12.14	AUS	AUS	AUS	AUS	AUS	AUS	562.3	AUS	23360.6	AUS	73.91	AUS
93	3004.	13.99	AUS	AUS	AUS	AUS	AUS	AUS	654.7	AUS	26193.2	AUS	70.02	AUS
94	2997.	15.15	AUS	AUS	AUS	AUS	AUS	AUS	602.1	AUS	23048.5	AUS	122.82	AUS
95	3201.	.00	AUS	AUS	AUS	AUS	AUS	AUS	161.2	AUS	6646.5	AUS	11.71	AUS
96	3201.	1.97	AUS	AUS	AUS	AUS	AUS	AUS	254.0	AUS	9244.6	AUS	21.61	AUS
97	3201.	4.00	AUS	AUS	AUS	AUS	AUS	AUS	373.4	AUS	12088.8	AUS	35.39	AUS
98	3201.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	465.4	AUS	14049.8	AUS	46.98	AUS
99	3201.	7.98	AUS	AUS	AUS	AUS	AUS	AUS	506.6	AUS	18161.9	AUS	56.00	AUS
100	3201.	9.99	AUS	AUS	AUS	AUS	AUS	AUS	542.6	AUS	21299.6	AUS	66.22	AUS
101	3201.	11.99	AUS	AUS	AUS	AUS	AUS	AUS	600.7	AUS	24660.9	AUS	74.13	AUS
102	3202.	14.01	AUS	AUS	AUS	AUS	AUS	AUS	658.4	AUS	27799.3	AUS	70.00	AUS
103	3201.	15.24	AUS	AUS	AUS	AUS	AUS	AUS	6691.2	AUS	24928.7	AUS	122.72	AUS
104	3405.	.00	AUS	AUS	AUS	AUS	AUS	AUS	166.4	AUS	7269.0	AUS	13.21	AUS
105	3397.	1.98	AUS	AUS	AUS	AUS	AUS	AUS	285.1	AUS	10118.1	AUS	22.95	AUS
106	3399.	3.99	AUS	AUS	AUS	AUS	AUS	AUS	398.8	AUS	13235.8	AUS	33.29	AUS
107	3399.	6.04	AUS	AUS	AUS	AUS	AUS	AUS	452.3	AUS	16658.2	AUS	45.06	AUS
108	3400.	8.01	AUS	AUS	AUS	AUS	AUS	AUS	505.8	AUS	19376.9	AUS	56.26	AUS
109	3400.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	551.3	AUS	23034.1	AUS	65.06	AUS
110	3400.	12.01	AUS	AUS	AUS	AUS	AUS	AUS	618.0	AUS	26420.7	AUS	71.71	AUS
111	3399.	13.99	AUS	AUS	AUS	AUS	AUS	AUS	655.4	AUS	29876.5	AUS	75.25	AUS
112	3399.	15.15	AUS	AUS	AUS	AUS	AUS	AUS	6003.2	AUS	27989.6	AUS	115.98	AUS
113	3602.	.01	AUS	AUS	AUS	AUS	AUS	AUS	238.6	AUS	9794.5	AUS	14.42	AUS
114	3595.	2.03	AUS	AUS	AUS	AUS	AUS	AUS	337.7	AUS	11079.2	AUS	23.49	AUS
115	3603.	4.00	AUS	AUS	AUS	AUS	AUS	AUS	460.7	AUS	14710.0	AUS	37.16	AUS
116	3603.	5.99	AUS	AUS	AUS	AUS	AUS	AUS	500.5	AUS	17777.4	AUS	40.50	AUS
117	3595.	8.01	AUS	AUS	AUS	AUS	AUS	AUS	540.1	AUS	20973.2	AUS	59.95	AUS
118	3595.	10.04	AUS	AUS	AUS	AUS	AUS	AUS	620.7	AUS	24432.0	AUS	67.63	AUS
119	3603.	12.01	AUS	AUS	AUS	AUS	AUS	AUS	675.7	AUS	28837.4	AUS	73.46	AUS
120	3603.	13.99	AUS	AUS	AUS	AUS	AUS	AUS	793.3	AUS	32170.7	AUS	70.03	AUS
121	3602.	15.22	AUS	AUS	AUS	AUS	AUS	AUS	6402.5	AUS	29977.6	AUS	119.00	AUS
122	3790.	.05	AUS	AUS	AUS	AUS	AUS	AUS	243.4	AUS	9830.8	AUS	13.27	AUS

	DRZ 17MIN	BRL KP	SC0 G/KMH	SC02 G/KMH	SCM2 G/KMH	SNOX G/KMH	S02 G/KMH	HCO G/H	HPCO G/H	HCO2 G/H	HPCO2 G/H	HCH2 G/H	HPCCH2 G/H	HNOX G/H
123	3798.	2.32	AUS	AUS	AUS	AJS	AUS	AUS	349.9	AUS	12749.9	AUS	24.34	AUS
124	3798.	3.95	AUS	AUS	AUS	AJS	AUS	AUS	452.8	AUS	15804.3	AUS	37.59	AUS
125	3799.	5.97	AUS	AUS	AUS	AUS	AUS	AUS	496.6	AUS	18628.2	AUS	49.25	AUS
126	3798.	7.30	AUS	AUS	AUS	AJS	AUS	AUS	536.6	AUS	22340.6	AUS	61.66	AUS
127	3799.	9.96	AUS	AUS	AUS	AUS	AUS	AUS	641.8	AUS	26196.4	AUS	69.22	AUS
128	3798.	11.98	AUS	AUS	AUS	AUS	AUS	AUS	689.7	AUS	29930.7	AUS	74.32	AUS
129	3799.	14.00	AUS	AUS	AUS	AUS	AUS	AUS	797.3	AUS	33880.3	AUS	79.62	AUS
130	3806.	15.12	AUS	AUS	AUS	AUS	AUS	AUS	5939.8	AUS	32110.2	AUS	118.80	AUS
131	4002.	.31	AUS	AUS	AUS	AUS	AUS	AUS	246.8	AUS	10291.8	AUS	12.85	AUS
132	3994.	2.30	AUS	AUS	AUS	AJS	AUS	AUS	352.6	AUS	13268.5	AUS	24.09	AUS
133	4002.	4.03	AUS	AUS	AUS	AUS	AUS	AUS	446.6	AUS	16355.1	AUS	39.02	AUS
134	4002.	6.31	AUS	AUS	AUS	AUS	AUS	AUS	536.3	AUS	20153.9	AUS	54.04	AUS
135	3994.	8.35	AUS	AUS	AUS	AJS	AUS	AUS	551.4	AUS	23706.9	AUS	65.25	AUS
136	3994.	10.31	AUS	AUS	AUS	AUS	AUS	AUS	652.8	AUS	27821.4	AUS	72.83	AUS
137	4002.	12.32	AUS	AUS	AUS	AUS	AUS	AUS	770.7	AUS	31961.1	AUS	78.71	AUS
138	4002.	14.32	AUS	AUS	AUS	AJS	AUS	AUS	850.2	AUS	36239.3	AUS	84.63	AUS
139	4002.	15.09	AUS	AUS	AUS	AJS	AUS	AUS	5901.8	AUS	34605.5	AUS	123.24	AUS
140	4198.	.31	AUS	AUS	AUS	AJS	AUS	AUS	264.5	AUS	10782.8	AUS	13.30	AUS
141	4198.	1.38	AUS	AUS	AUS	AJS	AUS	AUS	418.3	AUS	13989.1	AUS	25.08	AUS
142	4206.	3.94	AUS	AUS	AUS	AJS	AJS	AUS	520.9	AUS	17362.3	AUS	40.62	AUS
143	4198.	5.99	AUS	AUS	AUS	AJS	AUS	AUS	568.5	AUS	21347.0	AUS	54.66	AUS
144	4198.	8.35	AUS	AUS	AUS	AJS	AUS	AUS	659.1	AJS	25528.9	AUS	68.63	AUS
145	4199.	10.32	AUS	AUS	AUS	AJS	AUS	AUS	712.4	AUS	29522.8	AUS	77.33	AUS
146	4206.	11.38	AUS	AUS	AUS	AJS	AUS	AUS	786.4	AJS	34134.7	AUS	83.79	AUS
147	4207.	13.97	AUS	AUS	AUS	AUS	AUS	AUS	898.4	AUS	38392.4	AUS	89.85	AUS
148	4198.	15.31	AUS	AUS	AUS	AJS	AUS	AUS	4533.6	AUS	37606.2	AUS	122.60	AUS
149	4401.	.00	AUS	AUS	AUS	AJS	AUS	AUS	267.4	AUS	11027.0	AUS	12.50	AUS
150	4394.	2.34	AUS	AUS	AUS	AJS	AUS	AUS	461.3	AUS	14936.6	AUS	28.15	AUS
151	4402.	3.37	AUS	AUS	AUS	AUS	AUS	AUS	507.2	AUS	18098.8	AUS	42.18	AUS
152	4402.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	576.3	AJS	22479.7	AUS	56.54	AUS
153	4402.	7.98	AUS	AUS	AUS	AJS	AUS	AUS	671.1	AUS	26847.2	AUS	69.14	AUS
154	4394.	10.31	AUS	AUS	AUS	AUS	AUS	AUS	773.7	AUS	31242.5	AUS	80.05	AUS
155	4394.	12.80	AUS	AUS	AUS	AJS	AUS	AUS	893.3	AUS	35424.9	AUS	85.56	AUS
156	4402.	14.32	AUS	AUS	AUS	AJS	AUS	AUS	1015.8	AJS	40880.2	AUS	93.25	AUS
157	4401.	14.79	AUS	AUS	AUS	AJS	AUS	AUS	6216.1	AUS	38437.1	AUS	132.11	AUS
158	4606.	.31	AUS	AUS	AUS	AUS	AUS	AUS	287.3	AUS	11755.8	AUS	13.16	AUS
159	4606.	2.00	AUS	AUS	AUS	AUS	AUS	AUS	414.4	AUS	14794.9	AUS	26.71	AUS
160	4598.	4.31	AUS	AUS	AUS	AJS	AUS	AUS	490.9	AUS	19517.7	AUS	44.38	AUS
161	4598.	6.14	AUS	AUS	AUS	AUS	AUS	AUS	565.6	AJS	24109.4	AUS	58.46	AUS
162	4606.	7.96	AUS	AUS	AUS	AJS	AUS	AUS	659.5	AUS	28554.0	AUS	71.68	AUS
163	4598.	9.99	AUS	AUS	AUS	AJS	AUS	AUS	777.3	AUS	32982.0	AUS	79.74	AUS
164	4606.	11.97	AUS	AUS	AUS	AUS	AUS	AUS	851.3	AJS	37908.4	AUS	88.25	AUS
165	4605.	13.96	AUS	AUS	AUS	AUS	AUS	AUS	912.8	AUS	42887.2	AUS	94.14	AUS
166	4598.	14.31	AUS	AUS	AUS	AUS	AUS	AUS	6433.3	AUS	39970.3	AUS	129.64	AUS
167	4801.	.32	AUS	AUS	AUS	AUS	AUS	AUS	288.6	AUS	12179.2	AUS	14.08	AUS

	DR2 17MIN	BRL KP	SC0 G/KWH	SC02 G/KWH	SCHE G/KWH	SN0X G/KWH	SO2 G/KWH	HC0 G/H	HC02 G/H	HPC0 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
123	3798.	2.32	AUS	AUS	AUS	AUS	AUS	AUS	AUS	349.9	12749.9	AUS	24.34	AUS
124	3798.	3.95	AUS	AUS	AUS	AUS	AUS	AUS	AUS	452.8	15804.3	AUS	37.59	AUS
125	3799.	5.97	AUS	AUS	AUS	AUS	AUS	AUS	AUS	496.6	18628.2	AUS	49.25	AUS
126	3798.	7.30	AUS	AUS	AUS	AUS	AUS	AUS	AUS	536.6	22340.6	AUS	61.66	AUS
127	3799.	9.96	AUS	AUS	AUS	AUS	AUS	AUS	AUS	641.8	26196.4	AUS	69.22	AUS
128	3798.	11.98	AUS	AUS	AUS	AUS	AUS	AUS	AUS	689.7	29930.7	AUS	74.32	AUS
129	3799.	14.00	AUS	AUS	AUS	AUS	AUS	AUS	AUS	797.5	33880.3	AUS	79.62	AUS
130	3806.	15.12	AUS	AUS	AUS	AUS	AUS	AUS	AUS	5939.0	32110.2	AUS	118.80	AUS
131	4002.	.31	AUS	AUS	AUS	AUS	AUS	AUS	AUS	246.8	10291.8	AUS	12.85	AUS
132	3994.	2.30	AUS	AUS	AUS	AUS	AUS	AUS	AUS	352.6	13268.5	AUS	24.09	AUS
133	4002.	4.03	AUS	AUS	AUS	AUS	AUS	AUS	AUS	446.6	16355.1	AUS	39.02	AUS
134	4002.	6.31	AUS	AUS	AUS	AUS	AUS	AUS	AUS	536.3	20153.9	AUS	54.04	AUS
135	3994.	8.15	AUS	AUS	AUS	AUS	AUS	AUS	AUS	551.4	23706.9	AUS	65.25	AUS
136	3994.	10.11	AUS	AUS	AUS	AUS	AUS	AUS	AUS	652.8	27821.4	AUS	72.83	AUS
137	4002.	12.12	AUS	AUS	AUS	AUS	AUS	AUS	AUS	770.7	31961.1	AUS	78.71	AUS
138	4002.	14.12	AUS	AUS	AUS	AUS	AUS	AUS	AUS	850.2	36239.3	AUS	84.63	AUS
139	4002.	15.09	AUS	AUS	AUS	AUS	AUS	AUS	AUS	5901.8	34605.5	AUS	123.24	AUS
140	4198.	.31	AUS	AUS	AUS	AUS	AUS	AUS	AUS	264.5	10782.8	AUS	13.30	AUS
141	4198.	1.38	AUS	AUS	AUS	AUS	AUS	AUS	AUS	418.1	13989.1	AUS	25.08	AUS
142	4206.	3.94	AUS	AUS	AUS	AUS	AUS	AUS	AUS	520.9	17362.3	AUS	40.62	AUS
143	4198.	5.99	AUS	AUS	AUS	AUS	AUS	AUS	AUS	568.5	21347.0	AUS	54.66	AUS
144	4198.	8.15	AUS	AUS	AUS	AUS	AUS	AUS	AUS	659.1	25528.9	AUS	68.63	AUS
145	4199.	10.12	AUS	AUS	AUS	AUS	AUS	AUS	AUS	712.4	29522.8	AUS	77.33	AUS
146	4206.	11.38	AUS	AUS	AUS	AUS	AUS	AUS	AUS	786.4	34134.7	AUS	83.79	AUS
147	4207.	13.97	AUS	AUS	AUS	AUS	AUS	AUS	AUS	898.4	38392.4	AUS	89.85	AUS
148	4198.	15.11	AUS	AUS	AUS	AUS	AUS	AUS	AUS	4533.6	37606.2	AUS	122.60	AUS
149	4401.	.00	AUS	AUS	AUS	AUS	AUS	AUS	AUS	267.4	11027.0	AUS	12.50	AUS
150	4394.	2.34	AUS	AUS	AUS	AUS	AUS	AUS	AUS	461.3	14936.6	AUS	28.15	AUS
151	4402.	3.37	AUS	AUS	AUS	AUS	AUS	AUS	AUS	507.2	18098.8	AUS	42.18	AUS
152	4402.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	AUS	576.3	22479.7	AUS	56.54	AUS
153	4402.	7.98	AUS	AUS	AUS	AUS	AUS	AUS	AUS	671.1	26847.2	AUS	69.14	AUS
154	4394.	10.11	AUS	AUS	AUS	AUS	AUS	AUS	AUS	773.7	31242.5	AUS	80.05	AUS
155	4394.	12.00	AUS	AUS	AUS	AUS	AUS	AUS	AUS	893.3	35424.9	AUS	85.56	AUS
156	4402.	14.12	AUS	AUS	AUS	AUS	AUS	AUS	AUS	1015.8	40880.2	AUS	93.25	AUS
157	4401.	14.79	AUS	AUS	AUS	AUS	AUS	AUS	AUS	6216.1	38437.1	AUS	132.11	AUS
158	4606.	.31	AUS	AUS	AUS	AUS	AUS	AUS	AUS	287.3	11755.8	AUS	13.16	AUS
159	4606.	2.00	AUS	AUS	AUS	AUS	AUS	AUS	AUS	414.4	14794.9	AUS	26.71	AUS
160	4598.	4.11	AUS	AUS	AUS	AUS	AUS	AUS	AUS	490.9	19517.7	AUS	44.38	AUS
161	4598.	6.14	AUS	AUS	AUS	AUS	AUS	AUS	AUS	565.6	24109.4	AUS	58.46	AUS
162	4606.	7.96	AUS	AUS	AUS	AUS	AUS	AUS	AUS	659.5	28554.0	AUS	71.68	AUS
163	4598.	9.99	AUS	AUS	AUS	AUS	AUS	AUS	AUS	777.3	32982.0	AUS	79.74	AUS
164	4606.	11.97	AUS	AUS	AUS	AUS	AUS	AUS	AUS	851.9	37908.4	AUS	88.25	AUS
165	4605.	13.96	AUS	AUS	AUS	AUS	AUS	AUS	AUS	912.8	42887.2	AUS	94.14	AUS
166	4598.	14.51	AUS	AUS	AUS	AUS	AUS	AUS	AUS	6433.3	39970.3	AUS	129.64	AUS
167	4901.	.32	AUS	AUS	AUS	AUS	AUS	AUS	AUS	288.6	12179.2	AUS	14.08	AUS

DRZ 1/HIN	ARL KP	SCJ G/KWH	SC02 G/KWH	SC02 G/KWH	SNOX G/KWH	S02 G/KWH	HCO G/H	HPCO G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPC02 G/H	HNOX G/H
160	4801.	2.33	AUS	AUS	AUS	AUS	AUS	413.5	AUS	15930.0	AUS	20.61	AUS
169	4801.	4.33	AUS	AUS	AUS	AUS	AUS	492.5	AUS	20364.6	AUS	46.13	AUS
170	4801.	6.34	AUS	AUS	AUS	AUS	AUS	593.6	AUS	24874.6	AUS	58.31	AUS
171	4801.	7.99	AUS	AUS	AUS	AUS	AUS	663.7	AUS	29972.3	AUS	73.54	AUS
172	4801.	9.34	AUS	AUS	AUS	AUS	AUS	796.9	AUS	34067.8	AUS	82.61	AUS
173	4801.	11.95	AUS	AUS	AUS	AUS	AUS	903.2	AUS	39606.7	AUS	90.60	AUS
174	4801.	14.12	AUS	AUS	AUS	AUS	AUS	1049.6	AUS	45409.0	AUS	97.24	AUS
175	4800.	14.45	AUS	AUS	AUS	AUS	AUS	6390.0	AUS	42100.0	AUS	134.03	AUS
176	5004.	.00	AUS	AUS	AUS	AUS	AUS	312.4	AUS	13085.8	AUS	14.32	AUS
177	5005.	2.34	AUS	AUS	AUS	AUS	AUS	397.1	AUS	16796.6	AUS	20.93	AUS
178	5005.	3.91	AUS	AUS	AUS	AUS	AUS	475.7	AUS	21333.4	AUS	45.09	AUS
179	4997.	6.33	AUS	AUS	AUS	AUS	AUS	504.8	AUS	26276.0	AUS	59.83	AUS
180	4997.	8.33	AUS	AUS	AUS	AUS	AUS	667.6	AUS	31348.9	AUS	76.27	AUS
181	4997.	9.98	AUS	AUS	AUS	AUS	AUS	764.6	AUS	36363.2	AUS	84.46	AUS
182	5005.	12.32	AUS	AUS	AUS	AUS	AUS	916.8	AUS	42546.0	AUS	92.66	AUS
183	5005.	13.39	AUS	AUS	AUS	AUS	AUS	997.2	AUS	47713.4	AUS	97.47	AUS
184	4997.	14.32	AUS	AUS	AUS	AUS	AUS	5409.7	AUS	44236.4	AUS	137.66	AUS
185	5200.	.32	AUS	AUS	AUS	AUS	AUS	351.4	AUS	13711.3	AUS	16.73	AUS
186	5200.	2.11	AUS	AUS	AUS	AUS	AUS	399.7	AUS	17910.9	AUS	20.73	AUS
187	5200.	3.99	AUS	AUS	AUS	AUS	AUS	541.3	AUS	22847.7	AUS	46.33	AUS
188	5201.	5.97	AUS	AUS	AUS	AUS	AUS	620.1	AUS	27451.7	AUS	62.26	AUS
189	5200.	8.30	AUS	AUS	AUS	AUS	AUS	747.9	AUS	33367.3	AUS	70.40	AUS
190	5201.	10.00	AUS	AUS	AUS	AUS	AUS	869.2	AUS	38906.0	AUS	85.88	AUS
191	5201.	11.98	AUS	AUS	AUS	AUS	AUS	966.0	AUS	44967.4	AUS	94.09	AUS
192	5201.	13.98	AUS	AUS	AUS	AUS	AUS	1062.7	AUS	50597.4	AUS	99.32	AUS
193	5200.	14.19	AUS	AUS	AUS	AUS	AUS	5936.2	AUS	46609.1	AUS	136.79	AUS
194	5395.	.04	AUS	AUS	AUS	AUS	AUS	339.9	AUS	14723.2	AUS	10.50	AUS
195	5396.	2.30	AUS	AUS	AUS	AUS	AUS	409.7	AUS	10905.8	AUS	20.55	AUS
196	5396.	4.34	AUS	AUS	AUS	AUS	AUS	530.5	AUS	23856.1	AUS	46.51	AUS
197	5396.	6.34	AUS	AUS	AUS	AUS	AUS	600.5	AUS	29414.8	AUS	64.56	AUS
198	5404.	7.97	AUS	AUS	AUS	AUS	AUS	788.2	AUS	35414.4	AUS	82.13	AUS
199	5403.	9.53	AUS	AUS	AUS	AUS	AUS	827.3	AUS	39692.8	AUS	88.40	AUS
200	5403.	12.30	AUS	AUS	AUS	AUS	AUS	986.4	AUS	47005.4	AUS	97.59	AUS
201	5404.	13.92	AUS	AUS	AUS	AUS	AUS	6254.8	AUS	48537.8	AUS	143.36	AUS
202	5404.	13.91	AUS	AUS	AUS	AUS	AUS	5872.0	AUS	47794.2	AUS	142.41	AUS
203	5607.	.00	AUS	AUS	AUS	AUS	AUS	323.8	AUS	15605.7	AUS	15.00	AUS
204	5599.	.15	AUS	AUS	AUS	AUS	AUS	557.1	AUS	15426.0	AUS	25.00	AUS
205	5607.	3.92	AUS	AUS	AUS	AUS	AUS	622.7	AUS	25125.6	AUS	40.47	AUS
206	5599.	6.02	AUS	AUS	AUS	AUS	AUS	740.1	AUS	31300.6	AUS	67.69	AUS
207	5599.	7.99	AUS	AUS	AUS	AUS	AUS	851.4	AUS	36991.8	AUS	86.01	AUS
208	5607.	10.01	AUS	AUS	AUS	AUS	AUS	986.0	AUS	43074.2	AUS	91.82	AUS
209	5599.	12.31	AUS	AUS	AUS	AUS	AUS	1098.2	AUS	49924.6	AUS	102.65	AUS
210	5599.	13.54	AUS	AUS	AUS	AUS	AUS	6413.4	AUS	49227.8	AUS	154.95	AUS
211	5801.	.01	AUS	AUS	AUS	AUS	AUS	309.0	AUS	16619.6	AUS	11.99	AUS
212	5802.	1.98	AUS	AUS	AUS	AUS	AUS	841.7	AUS	20754.6	AUS	39.27	AUS

DRZ 1Z/IN	BRL KP	SC0 G/KWH	SC02 G/KWH	SCH2 G/KWH	SNOX G/KWH	S02 G/KWH	HC0 G/H	WPC0 G/H	WPC02 G/H	HCH2 G/H	WPC02 G/H	HNOX G/H
213	5801.	AUS	AUS	AUS	AUS	AUS	AUS	983.8	26231.4	AUS	52.15	AUS
214	5794.	AUS	AUS	AUS	AUS	AUS	AUS	1018.6	31756.4	AUS	72.02	AUS
215	5802.	AUS	AUS	AUS	AUS	AUS	AUS	907.5	38841.1	AUS	89.46	AUS
216	5802.	AUS	AUS	AUS	AUS	AUS	AUS	1022.0	44604.8	AUS	96.48	AUS
217	5802.	AUS	AUS	AUS	AUS	AUS	AUS	1193.4	51252.8	AUS	103.09	AUS
218	5794.	AUS	AUS	AUS	AUS	AUS	AUS	6851.7	49463.0	AUS	157.99	AUS
219	6005.	AUS	AUS	AUS	AUS	AUS	AUS	336.3	17971.3	AUS	11.70	AUS
220	6005.	AUS	AUS	AUS	AUS	AUS	AUS	808.2	23056.6	AUS	37.96	AUS
221	5997.	AUS	AUS	AUS	AUS	AUS	AUS	970.3	27998.6	AUS	51.73	AUS
222	5998.	AUS	AUS	AUS	AUS	AUS	AUS	829.6	34284.1	AUS	72.01	AUS
223	6006.	AUS	AUS	AUS	AUS	AUS	AUS	901.3	40454.6	AUS	84.96	AUS
224	5997.	AUS	AUS	AUS	AUS	AUS	AUS	1050.0	46575.7	AUS	92.50	AUS
225	5998.	AUS	AUS	AUS	AUS	AUS	AUS	1131.5	53606.4	AUS	98.44	AUS
226	5998.	AUS	AUS	AUS	AUS	AUS	AUS	1140.5	55087.5	AUS	96.93	AUS
227	1203.	AUS	AUS	AUS	AUS	AUS	AUS	105.6	1918.0	AUS	39.80	AUS
228	1396.	AUS	AUS	AUS	AUS	AUS	AUS	219.3	2395.2	AUS	97.15	AUS
229	1613.	AUS	AUS	AUS	AUS	AUS	AUS	317.3	2559.4	AUS	155.89	AUS
230	1806.	AUS	AUS	AUS	AUS	AUS	AUS	305.4	2080.6	AUS	149.23	AUS
231	2007.	AUS	AUS	AUS	AUS	AUS	AUS	379.7	2117.8	AUS	195.71	AUS
232	2199.	AUS	AUS	AUS	AUS	AUS	AUS	412.5	1808.2	AUS	214.39	AUS
233	2199.	AUS	AUS	AUS	AUS	AUS	AUS	205.4	3834.6	AUS	111.28	AUS
234	2411.	AUS	AUS	AUS	AUS	AUS	AUS	578.2	2023.7	AUS	320.69	AUS
235	2407.	AUS	AUS	AUS	AUS	AUS	AUS	202.7	4487.4	AUS	136.76	AUS
236	2602.	AUS	AUS	AUS	AUS	AUS	AUS	640.8	2001.3	AUS	372.15	AUS
237	2603.	AUS	AUS	AUS	AUS	AUS	AUS	205.7	4460.0	AUS	148.47	AUS
238	2808.	AUS	AUS	AUS	AUS	AUS	AUS	648.5	1857.2	AUS	387.25	AUS
239	2808.	AUS	AUS	AUS	AUS	AUS	AUS	201.1	4856.4	AUS	171.85	AUS
240	3003.	AUS	AUS	AUS	AUS	AUS	AUS	647.3	1667.2	AUS	400.54	AUS
241	3002.	AUS	AUS	AUS	AUS	AUS	AUS	200.8	4459.9	AUS	176.00	AUS
242	3208.	AUS	AUS	AUS	AUS	AUS	AUS	697.5	1719.1	AUS	429.52	AUS
243	3208.	AUS	AUS	AUS	AUS	AUS	AUS	230.3	4848.0	AUS	179.81	AUS
244	3409.	AUS	AUS	AUS	AUS	AUS	AUS	685.0	1462.5	AUS	428.50	AUS
245	3409.	AUS	AUS	AUS	AUS	AUS	AUS	214.4	5337.1	AUS	193.07	AUS
246	3607.	AUS	AUS	AUS	AUS	AUS	AUS	773.1	1358.4	AUS	505.90	AUS
247	3607.	AUS	AUS	AUS	AUS	AUS	AUS	196.8	4855.1	AUS	208.44	AUS
248	3807.	AUS	AUS	AUS	AUS	AUS	AUS	843.1	1378.1	AUS	548.18	AUS
249	3807.	AUS	AUS	AUS	AUS	AUS	AUS	210.6	5561.6	AUS	275.16	AUS
250	4008.	AUS	AUS	AUS	AUS	AUS	AUS	874.2	1198.1	AUS	587.64	AUS
251	4007.	AUS	AUS	AUS	AUS	AUS	AUS	184.3	5876.4	AUS	185.07	AUS
252	4207.	AUS	AUS	AUS	AUS	AUS	AUS	877.5	1165.0	AUS	571.82	AUS
253	4208.	AUS	AUS	AUS	AUS	AUS	AUS	174.0	6096.6	AUS	234.93	AUS
254	4405.	AUS	AUS	AUS	AUS	AUS	AUS	825.3	1050.1	AUS	536.93	AUS
255	4406.	AUS	AUS	AUS	AUS	AUS	AUS	162.6	6567.5	AUS	252.66	AUS
256	4606.	AUS	AUS	AUS	AUS	AUS	AUS	1054.1	1110.1	AUS	722.98	AUS
257	4607.	AUS	AUS	AUS	AUS	AUS	AUS	174.4	6543.2	AUS	286.39	AUS

	DRZ 1/MIN	BRL KP	SO3 G/KWH	SO2 G/KWH	SO2 G/KWH	SOX G/KWH	SO2 G/KWH	HCO G/H	HPCO G/H	HCO2 G/H	HPCO2 G/H	HCH2 G/H	HPCH2 G/H	HMOX G/H
258	4807.	-4.43	AUS	AUS	AUS	AJS	AUS	AUS	946.0	AUS	966.2	AUS	613.97	AUS
259	4807.	-1.99	AUS	AUS	AUS	AUS	AUS	AUS	164.4	AUS	7157.3	AUS	300.81	AUS
260	5008.	-4.55	AUS	AUS	AUS	AUS	AUS	AUS	1110.0	AUS	1237.0	AUS	507.10	AUS
261	5008.	-2.11	AUS	AUS	AUS	AJS	AUS	AUS	154.0	AUS	7513.3	AUS	279.67	AUS
262	5216.	-4.71	AUS	AUS	AUS	AUS	AUS	AUS	1221.1	AUS	1209.6	AUS	488.63	AUS
263	5217.	-3.98	AUS	AUS	AUS	AUS	AUS	AUS	644.6	AUS	3691.2	AUS	409.34	AUS
264	5218.	-1.83	AUS	AUS	AUS	AJS	AUS	AUS	160.2	AUS	8320.0	AUS	244.19	AUS
265	5404.	-4.85	AUS	AUS	AUS	AUS	AUS	AUS	1299.9	AUS	1660.1	AUS	337.83	AUS
266	5404.	-3.88	AUS	AUS	AUS	AUS	AUS	AUS	637.2	AUS	5569.0	AUS	395.26	AUS
267	5404.	-1.86	AUS	AUS	AUS	AJS	AUS	AUS	179.1	AUS	9500.0	AUS	216.01	AUS
268	5603.	-5.14	AUS	AUS	AUS	AUS	AUS	AUS	1000.1	AUS	1381.1	AUS	228.78	AUS
269	5603.	-3.39	AUS	AUS	AUS	AUS	AUS	AUS	491.7	AUS	6211.9	AUS	337.17	AUS
270	5503.	-1.90	AUS	AUS	AUS	AUS	AUS	AUS	200.3	AUS	10125.0	AUS	200.43	AUS
271	5407.	-5.21	AUS	AUS	AUS	AUS	AUS	AUS	1020.1	AUS	1664.0	AUS	233.13	AUS
272	5307.	-3.99	AUS	AUS	AUS	AUS	AUS	AUS	391.2	AUS	7315.0	AUS	297.19	AUS
273	5807.	-1.32	AUS	AUS	AUS	AJS	AUS	AUS	228.9	AUS	11754.2	AUS	205.26	AUS
274	6011.	-5.40	AUS	AUS	AUS	AUS	AUS	AUS	987.6	AUS	1640.4	AUS	217.68	AUS
275	6012.	-3.88	AUS	AUS	AUS	AUS	AUS	AUS	269.1	AUS	7961.5	AUS	227.58	AUS
276	6007.	-2.80	AUS	AUS	AUS	AUS	AUS	AUS	229.8	AUS	11868.1	AUS	168.78	AUS

	DRZ 1/MIN	GR KP	HPNDX G/H	H02 G/H	HP02 G/H
1	999.	.07	2.24	AUS	68.55
2	1000.	2.05	5.69	AUS	107.87
3	999.	3.92	11.68	AUS	141.57
4	999.	6.12	32.12	AUS	184.81
5	1000.	8.31	48.99	AUS	166.88
6	1000.	10.06	95.56	AUS	203.53
7	1000.	11.32	139.08	AUS	206.54
8	999.	12.22	8.60	AUS	75.41
9	1196.	-.33	3.22	AUS	114.95
10	1196.	1.36	6.07	AUS	125.67
11	1204.	3.97	13.62	AUS	163.56
12	1196.	6.06	28.49	AUS	145.15
13	1204.	7.98	54.20	AUS	201.21
14	1196.	10.00	97.74	AUS	228.72
15	1196.	11.88	121.13	AUS	142.84
16	1203.	11.31	11.61	AUS	83.61
17	1400.	-.12	3.38	AUS	135.16
18	1400.	2.01	6.75	AUS	128.75
19	1400.	4.02	14.08	AUS	167.07
20	1400.	5.97	33.59	AUS	209.15
21	1393.	7.93	61.85	AUS	229.86
22	1393.	10.01	102.73	AUS	269.11
23	1401.	11.97	147.08	AUS	282.20
24	1400.	12.19	11.73	AUS	101.98
25	1604.	-.01	3.54	AUS	126.14
26	1597.	1.98	8.90	AUS	167.85
27	1597.	4.84	24.93	AUS	222.41
28	1598.	6.32	55.03	AUS	237.22
29	1598.	8.03	84.78	AUS	272.98
30	1598.	10.00	126.27	AUS	299.22
31	1598.	11.37	180.61	AUS	337.13
32	1605.	13.25	20.88	AUS	120.68

	ORZ 1/MTN	BRL KP	HPDX G/H	HO2 G/H	HP02 G/H
33	1794.	2.00	4.39	AUS	137.97
34	1801.	2.01	11.69	AUS	179.98
35	1802.	3.96	33.39	AUS	219.11
36	1802.	6.03	74.40	AUS	262.56
37	1802.	8.04	112.79	AUS	316.11
38	1802.	9.99	164.85	AUS	351.86
39	1802.	12.80	229.84	AUS	396.45
40	1802.	13.82	49.04	AUS	149.31
41	1998.	.01	5.08	AUS	133.96
42	1998.	1.98	16.41	AUS	184.36
43	1998.	4.01	50.07	AUS	255.98
44	1998.	6.03	106.64	AUS	312.48
45	1998.	7.99	180.52	AUS	376.28
46	1999.	10.02	218.38	AUS	463.83
47	1999.	12.02	287.50	AUS	463.79
48	2006.	13.88	355.77	AUS	480.21
49	1999.	14.21	88.11	AUS	201.73
50	2194.	.13	6.31	AUS	151.72
51	2203.	1.97	20.18	AUS	207.56
52	2195.	4.04	63.36	AUS	300.98
53	2195.	6.05	137.66	AUS	395.62
54	2195.	8.03	224.12	AUS	461.27
55	2203.	9.98	264.39	AUS	506.56
56	2196.	12.02	346.45	AUS	528.39
57	2195.	13.95	423.22	AUS	555.73
58	2203.	14.22	121.12	AUS	254.83
59	2407.	.02	6.74	AUS	152.12
60	2399.	1.96	29.13	AUS	251.58
61	2399.	3.97	79.96	AUS	343.64
62	2400.	5.99	157.77	AUS	442.39
63	2400.	8.02	254.15	AUS	507.79
64	2400.	10.02	312.86	AUS	568.21
65	2400.	12.00	398.92	AUS	589.07
66	2400.	13.98	490.97	AUS	559.85
67	2399.	14.30	158.55	AUS	307.76
68	2603.	.11	7.69	AUS	153.72
69	2596.	2.12	33.09	AUS	268.90
70	2596.	4.00	84.96	AUS	362.83
71	2596.	6.13	169.44	AUS	467.17
72	2604.	8.00	278.04	AUS	560.93
73	2596.	9.99	339.55	AUS	594.85
74	2596.	12.01	437.17	AUS	654.68
75	2604.	13.99	549.09	AUS	741.86
76	2604.	14.33	167.23	AUS	350.53
77	2799.	.81	9.47	AUS	168.37

	DRZ 1/MIN	BRL KP	HPNDX G/H	H02 G/H	HP02 G/H
76	2800.	2.31	39.59	AUS	272.67
79	2800.	3.99	101.96	AUS	393.35
80	2808.	6.81	192.74	AUS	506.91
81	2900.	7.99	339.41	AUS	592.10
82	2900.	9.98	372.99	AUS	552.39
83	2900.	11.97	476.87	AUS	713.41
84	2800.	13.99	599.87	AUS	917.15
85	2800.	14.83	173.32	AUS	386.87
86	3004.	.13	12.80	AUS	198.00
87	2996.	2.00	51.05	AUS	307.27
88	3004.	4.02	131.03	AUS	441.45
89	3004.	6.33	241.83	AUS	579.05
90	3004.	7.38	366.65	AUS	646.37
91	3004.	10.00	428.60	AUS	725.15
92	2997.	12.84	553.00	AUS	905.97
93	3004.	13.99	682.98	AUS	987.41
94	2997.	15.15	191.37	AUS	397.46
95	3201.	.00	14.04	AUS	204.28
96	3201.	1.97	59.36	AUS	329.29
97	3201.	4.00	146.85	AUS	464.40
98	3201.	6.00	269.96	AUS	586.57
99	3201.	7.38	411.53	AUS	591.00
100	3201.	9.99	478.83	AUS	756.39
101	3201.	11.99	615.09	AUS	853.73
102	3202.	14.01	762.31	AUS	908.35
103	3201.	15.24	240.30	AUS	430.36
104	3405.	.00	17.02	AUS	203.83
105	3397.	1.39	67.09	AUS	342.09
106	3399.	3.99	155.58	AUS	403.72
107	3399.	6.04	297.04	AUS	514.89
108	3400.	8.31	436.85	AUS	569.53
109	3400.	10.80	511.35	AUS	628.84
110	3400.	12.31	646.64	AUS	705.49
111	3399.	13.99	803.82	AUS	762.23
112	3399.	15.35	313.33	AUS	339.65
113	3602.	.31	23.36	AUS	230.29
114	3595.	2.83	78.29	AUS	334.79
115	3603.	4.00	181.32	AUS	442.55
116	3603.	5.99	333.73	AUS	552.14
117	3598.	6.81	481.74	AUS	611.17
118	3595.	10.34	572.33	AUS	681.04
119	3603.	12.01	720.03	AUS	753.67
120	3603.	13.99	868.15	AUS	913.56
121	3602.	15.22	352.51	AUS	364.73
122	3798.	.05	24.44	AUS	209.69

MOTOR 31901401F0H22

	DRZ 1/MIN	BRL KP	HPNDX G/H	HO2 G/H	HPD2 G/H
123	3798.	2.02	90.05	AUS	347.15
124	3798.	3.95	204.10	AUS	454.72
125	3799.	5.97	357.91	AUS	562.73
126	3798.	7.98	523.63	AUS	541.46
127	3799.	9.96	628.27	AUS	719.94
128	3798.	11.98	768.39	AUS	775.22
129	3799.	14.00	944.57	AUS	854.22
130	3806.	15.12	436.53	AUS	406.14
131	4002.	.01	28.18	AUS	213.65
132	3994.	2.00	103.36	AUS	355.36
133	4002.	4.03	243.94	AUS	468.29
134	4002.	6.01	421.70	AUS	586.67
135	3994.	8.05	595.14	AUS	582.55
136	3994.	10.01	710.27	AUS	766.26
137	4002.	12.02	849.27	AUS	840.04
138	4002.	14.02	1036.02	AUS	897.51
139	4002.	15.09	518.36	AUS	452.65
140	4198.	.01	32.76	AUS	220.17
141	4198.	1.98	122.90	AUS	357.30
142	4206.	3.94	274.69	AUS	483.14
143	4198.	5.99	465.90	AUS	521.17
144	4198.	8.05	659.52	AUS	719.13
145	4199.	10.02	770.74	AUS	792.69
146	4206.	11.98	937.58	AUS	968.72
147	4207.	13.97	1131.40	AUS	947.09
148	4198.	15.01	729.82	AUS	527.45
149	4401.	.00	40.16	AUS	233.49
150	4394.	2.04	154.61	AUS	389.67
151	4402.	3.97	322.93	AUS	509.04
152	4402.	6.00	525.85	AUS	637.69
153	4402.	7.98	718.49	AUS	747.14
154	4394.	10.01	833.06	AUS	925.08
155	4394.	12.00	1004.21	AUS	918.40
156	4402.	14.02	1256.53	AUS	1009.00
157	4401.	14.79	654.04	AUS	521.45
158	4606.	.01	46.37	AUS	221.41
159	4606.	2.00	176.47	AUS	378.11
160	4598.	4.01	395.02	AUS	556.72
161	4598.	6.14	626.53	AUS	712.49
162	4606.	7.95	924.02	AUS	831.90
163	4598.	9.99	916.48	AUS	906.59
164	4606.	11.37	1148.49	AUS	1804.62
165	4605.	13.96	1482.90	AUS	1867.60
166	4598.	14.61	709.10	AUS	557.64
167	4801.	.02	55.01	AUS	228.43

G-355

MOTOR31901401FDH22

	DRZ 1/MIN	BRL KP	HPNOX G/H	H02 G/H	HPO2 G/H
168	4801.	2.83	200.14	AUS	390.00
169	4801.	4.33	421.67	AUS	556.24
170	4801.	6.04	650.91	AUS	706.16
171	4801.	7.99	891.43	AUS	856.80
172	4801.	9.98	1006.67	AUS	342.33
173	4801.	11.95	1238.89	AUS	1331.89
174	4801.	14.02	1501.87	AUS	1120.05
175	4800.	14.45	804.16	AUS	568.78
176	5004.	.00	58.91	AUS	220.96
177	5005.	2.14	215.14	AUS	396.41
178	5005.	3.91	449.13	AUS	586.28
179	4997.	6.03	711.26	AUS	756.97
180	4997.	8.03	975.69	AUS	885.03
181	4997.	9.98	1078.80	AUS	982.24
182	5005.	12.02	1333.63	AUS	1090.80
183	5005.	13.99	1591.15	AUS	1169.62
184	4997.	14.32	873.19	AUS	615.76
185	5200.	-.02	66.96	AUS	241.93
186	5200.	2.11	231.81	AUS	411.02
187	5200.	3.99	486.76	AUS	614.79
188	5201.	5.97	759.96	AUS	793.14
189	5200.	8.00	1036.25	AUS	976.13
190	5201.	10.30	1144.89	AUS	1035.34
191	5201.	11.98	1391.36	AUS	1140.79
192	5201.	13.98	1654.67	AUS	1226.97
193	5200.	14.19	967.22	AUS	655.13
194	5395.	.04	80.83	AUS	263.83
195	5396.	2.00	254.32	AUS	419.74
196	5396.	4.04	516.91	AUS	625.53
197	5396.	6.04	812.29	AUS	823.37
198	5404.	7.97	1090.81	AUS	983.37
199	5403.	9.53	1141.99	AUS	1046.98
200	5403.	12.00	1456.66	AUS	1104.20
201	5404.	13.92	1013.19	AUS	710.41
202	5404.	13.91	1019.82	AUS	684.54
203	5607.	.00	70.29	AUS	240.40
204	5599.	-.15	83.81	AUS	297.92
205	5607.	3.92	552.34	AUS	651.49
206	5599.	6.02	873.88	AUS	886.43
207	5599.	7.99	1131.11	AUS	1055.74
208	5607.	10.01	1241.10	AUS	1133.32
209	5599.	12.31	1542.42	AUS	1241.40
210	5599.	13.54	1036.81	AUS	716.77
211	5801.	.31	65.74	AUS	219.21
212	5802.	1.98	225.82	AUS	426.19

MOTOR31901401F0H22

	DRZ 1 / MIN	BRL KP	HPN3X G/H	HO2 G/H	HP02 G/H
213	5801.	3.97	524.80	AUS	641.69
214	5794.	6.01	848.57	AUS	875.86
215	5802.	7.97	1154.97	AUS	1357.70
216	5802.	9.96	1315.98	AUS	1158.29
217	5802.	11.97	1604.24	AUS	1278.40
218	5794.	13.10	1036.54	AUS	725.26
219	6005.	.00	74.31	AUS	225.55
220	6005.	2.27	253.02	AUS	438.04
221	5997.	4.08	564.15	AUS	648.40
222	5998.	6.00	912.76	AUS	897.50
223	6006.	7.88	1094.61	AUS	1041.85
224	5997.	9.85	1338.15	AUS	1164.53
225	5998.	11.99	1669.63	AUS	1261.08
226	5998.	12.27	1708.10	AUS	1303.39
227	1203.	-1.33	.64	AUS	212.06
228	1396.	-1.65	.55	AUS	447.41
229	1613.	-1.94	.46	AUS	672.37
230	1806.	-2.20	.33	AUS	527.59
231	2007.	-2.49	.31	AUS	808.30
232	2199.	-2.78	.25	AUS	875.79
233	2199.	-1.93	1.32	AUS	370.85
234	2411.	-2.93	.32	AUS	1307.44
235	2407.	-1.91	1.68	AUS	381.49
236	2602.	-3.03	.35	AUS	1539.73
237	2603.	-2.03	1.63	AUS	410.87
238	2808.	-3.11	.34	AUS	1596.55
239	2808.	-2.01	1.98	AUS	374.84
240	3003.	-3.20	.34	AUS	1572.92
241	3002.	-2.36	1.91	AUS	406.21
242	3208.	-3.36	.38	AUS	1842.51
243	3208.	-2.34	2.27	AUS	480.08
244	3409.	-3.46	.35	AUS	1803.51
245	3409.	-1.93	3.01	AUS	393.54
246	3607.	-3.62	.39	AUS	2088.04
247	3607.	-2.33	2.71	AUS	357.26
248	3807.	-3.70	.43	AUS	2260.30
249	3807.	-1.95	3.17	AUS	368.34
250	4008.	-3.87	.43	AUS	2382.89
251	4007.	-1.92	3.86	AUS	294.95
252	4207.	-3.37	.44	AUS	2395.44
253	4208.	-1.30	4.45	AUS	271.16
254	4405.	-4.12	.41	AUS	2273.57
255	4406.	-1.87	5.60	AUS	221.32
256	4606.	-4.30	.55	AUS	3144.06
257	4607.	-1.94	6.42	AUS	243.21

	DRZ 1/MIN	BRL KP	HPNOX G/H	HO2 G/H	HP02 G/H
258	4807.	-4.43	.48	AUS	2531.48
259	4807.	-1.99	7.67	AUS	218.03
260	5006.	-4.55	.50	AUS	1374.79
261	5008.	-2.11	8.23	AUS	177.23
262	5216.	-4.71	.52	AUS	1784.49
263	5217.	-3.98	.83	AUS	1447.65
264	5218.	-1.13	11.24	AUS	159.82
265	5404.	-4.15	.78	AUS	1216.11
266	5404.	-3.88	1.80	AUS	1281.26
267	5404.	-1.16	14.20	AUS	149.51
268	5603.	-5.14	.81	AUS	343.93
269	5603.	-3.19	2.54	AUS	321.63
270	5603.	-1.30	15.85	AUS	138.20
271	5807.	-5.21	1.16	AUS	307.11
272	5807.	-3.98	3.50	AUS	582.64
273	5807.	-1.92	18.80	AUS	99.33
274	5011.	-5.40	1.29	AUS	922.44
275	5012.	-3.68	4.48	AUS	425.75
276	6007.	-2.00	20.55	AUS	85.20

APPENDIX G.8
MODIFICATION CODE 15

DKL

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position

LINIEN GLEICHER LEISTUNG IN PS curves of constant power output


KF MIT 1.3 LTR MOTOR (VN3742) 6TOR 3.9 NOD.CODE 15

MOTOR31901401J0022

DATUM / 20/02/78 MOTOR-TYP/A0
 PST-NR. / 22 CO/LL /
 VORZUEHNG/975 -3
 KRAFTST. /BLEIFREI

MOTOR-NR /VN 3742
 BEMERKNG./
 VERDICHTG/ 8.2
 SPEZ.GEW./1.745

ER-NR. /
 HUBRAUM /1272
 VERGASER /K-JET
 OEL /SHELL 30



SPZVE

-KENNFELD LINIEN MIT KONST. WERTEN IN GPPSH

fuel consumption (fc) $\frac{g}{hph}$


KF MIT 1.3 LTR MOTOR (VN3742) STOR 3.9 MOD. CODE 15

MOTOR 31901401JUX22

DATUM 00 02 75 MOTOR-TYP/A0
 PST-NR. 702 CO. LL
 VORZUGSG 975 -3
 KRAFTST. BLEIFREI

MOTOR-NR /VN 3742
 BEMERKUNG.
 VERDICHTG/ 3.2
 SPEZ. GEW./ .745

EA-NR. /
 HUBRAUM /1272
 VERDASER /KJET
 OEL /SHELL 30




SPZVB

-KENNFELD LINIEN MIT KONST. WERTEN IN GPKNH

 $fc \left(\frac{g}{kWh} \right)$

KF MIT 1.3 LTR MOTOR (VN3742) STOR 3.8 MOD CODE 15

MOTGR31901401JUX22

DATUM / 20/02/78
PST-NR. / 22MOTOR-TYP/A0
CO/LL /
VORZUEHEND/976 -3
KRAFTST. /BLEIFREIMOTOR-NR /VN 3742
BEMERKNG./
VERDICHTG/ 8.2
SPEZ.OEW./745ER-NR. /
HUBRAUM /1272
VERGASER /K-JET
OEL /SHELL 30

LTRPLU -KENNFELD LINIEN MIT KONST. WERTEN IN LPH

$$fc \left(\frac{1}{h} \right)$$


KF MIT 1.3 LTR MOTOR (VN3742) STOR 3-9 MOD. CODE 16

MOTOR3190140100X22

DATUM / 20/02/78 MOTOR-TYP/A0
PST-NR. /02 CO/LL /
VORZUEHUNG/915 -0
KRAFTST. /BLEIFREI

MOTOR-NR /VN 3742
BEMERKUNG./
VERDICHTG/ 8.2
SPEZ.GEW./745

EA-NR. /
HUBRAUM /1272
VERGASER /K-JET
OEL /SHELL 30




KF MIT 1.3 LTR NOTOR (VN3742) STOR 3.9 MOD.CODE 15

$$f_c \left(\frac{\text{kg}}{\text{h}} \right)$$

NOTED 1901401JUN22

ER-NR. /
HUBRAUM /1272
VERGASER /K.JET
OEL /SHELL 30



CO

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(5)


KF MIT 1.3 LTR MOTOR (VN3742) STOP 3.9 MOD. CODE 15

MOTOR31901401JUX22

DATUM / 20/02/78 MOTOR-TYP/90
 PST-NR. /00 CO/LL /
 VORZUEHEND/975 -3
 KRAFTST. /BLEIFREI

MOTOR-NR. /VN 3742
 BEMERKNG./
 VERDICHTG/ 8.2
 SPEZ.GEW./745

ER-NR. /
 HUBRAUM /1272
 VERGRASER /K-JET
 OEL /SHELL 30



HPCO

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{G}{h}\right)$


KF MIT 1.3 LTR MOTOR (VH3742) STOR 3.9 NOD-CODE 16

MOTOR 3190140100420

DATUM / 20/02/78 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHNG/975 -3
 KRAFTST. /BLEIFREI

MOTOR-NR /VH 3742
 BEMERKNG./
 VERDICHTG/ 8.2
 SPEZ.GEW./ 1.745

ER-NR. /
 HUBRAUM /1272
 VERGASER /K.JET
 OEL /SHELL 30



C3H8

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM


KF MIT 1-3 LTR MOTOR (VM3742) STD 3-9 MOD-CODE 15

MOTOR31901401JUX22

DATUM / 20/02/78 MOTOR-TYP/40
 PST-NR. /22 CO/LL /
 VORZUEHNG/975 -3
 KRAFTST. /BLEIFREI

MOTOR-NR /VM 3742
 BEMERKNG./
 VERDICHTG/ 8.2
 SPEZ.GEW./1.745

EA-NR. /
 HUBRAUM /1272
 VERGASER /K-JET
 OEL /SHELL 30



HPCH2

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$\left(\frac{g}{h}\right)$

KF MIT 1.3 LTR MOTOR (VN3742) STD 3-9 MOD. CODE 1E


MOTORC1901401JUX22

DATUM / 20/02/78
PST-NR. / 22

MOTOR-TYP/A0
CO/LL /
VORZUEHUNG/976 -3
KRAFTST. /BLEIFREI

MOTOR-NR. /VN 3742
BEMERKUNG /
VERDICHTG/ 8.2
SPEZ.GEW./1.745


EA-NR. /
HUBRAUM /1272
VERGASER /K-JET
ÖL /SHELL 30



-KENNFELD LINIEN MIT KONST. WERTEN IN PPM

NOTGR31901401JUX22

EA-NR. /
HUBRAUM /1272
VERGASER /K.JET
OEL /SHELL 30



HPNOX -KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$\left(\frac{G}{h}\right)$


KF MIT 1.3 LTR MOTOR (VM3742) STDR 3.9 MOD CODE 16

MOTOR31901401JUX22

DATUM / 20/02/78 MOTOR-TYP/A0
 CO/LL /
 VORZUEHENDG/875 -3
 KRAFTST. /BLEIFREI

MOTOR-NR /VM 3742
 BEMERKNG./
 VERDICHTG/ 8.2
 SPEZ.GEW./.746

EA-NR. /
 HUBRAUM /1272
 VERGASER /K-JET
 OEL /SHELL 30




02

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)

KF MIT 1.3 LTR MOTOR (VN3742) STD 3.8 MOD CODE 15

MOTOR 3190140100X02

DATUM / 20/02/78
PST-NR. / 22MOTOR-TYP/A0
CO/LL /
VORZUEHNG/975 -3
KRAFTST. /BLEIFREIMOTOR-NR /VN 3742
BEMERKNG./
VERDICHTG/ 8.2
SPEZ.GEW./ .746EA-NR. /
HUBRAUM /1272
VERGASER /K-JET
OEL /SHELL 30

HP02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$\left(\frac{G}{h}\right)$


KF MIT 1.3 LTR MOTOR (VM3742) STD 3.9 N60.C00E 15

MOTOR31901401JUY22

DATUM / 20/02/78 MOTOR-TYP/40
PST-NR. /22 CO/LL /
VORZUEHENDG/975 -3
KRAFTST. /BLEIFREI

MOTOR-NR /VM 3742
BEMERKNG./
VERDICHTG/ 8.2
SPEZ.GEW./1745

EA-NR. /
HUBRAUM /1272
VERGASER /K.JET
OEL /SHELL 30



002

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(5)


KF MIT 1.3 LTR MOTOR (VM3742) STOR 3-9 MOD-CODE 15

MOTOR31901401JUX22

DATUM / 20/02/73 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHNG/975 -3
 KRAFTST. /BLEIFREI

MOTOR-NR /VM 3742
 BEMERKNG./
 VERDICHTG/ 8.2
 SPEZ.GEW./ .745

EA-NR. /
 HUBRAUM /1272
 VERGASER /K.JET
 OEL /SHELL 20



HPC02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{G}{h}\right)$


KF MIT 1.3 LTR MOTOR (VM3742) STDR 3.9 NOD.CODE 16

MOTOR 31901401JUX22

DATUM / 20/02/78 MOTOR-TYP/A0
 PST-NR. /22 CO/LL /
 VORZUEHOG/875 -3
 KRAFTST. /BLEIFREI

MOTOR-NR /VM 3742
 BEMERKNG./
 VERDICHTG/ 3.2
 SPEZ.GEW./ .745

EA-NR. /
 HUBRAUM /1272
 VERGASER /K-JET
 DEL /6HELL 30



ZUEK

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG

curves of constant spark advance


KF MIT 1.2 LTR MOTOR (XN3742) STOR 3 & NOO CODE 16

MOTOR31901401JUX02

DATUM: 20/05/70 MOTOR-TYP: A3
 RST-NR.: 122 OÖ/LL
 VORZUEHEND: 975 -0
 KRAFTST.: BLEIFREI

MOTOR-NR.: /VM 3742
 BEMERKUNG: /
 VERDICHTG.: 8.2
 SPEZ.GEW.: 7.746

EA-NR.: /
 HUBRAUM: /1272
 VERGASER: /K-JET
 OEL: /SHELL 30



-KENNFELD LINIEN MIT KONST. WERTEN IN 1


KF NIT 1.3 LTR NGTOR (VN3742) STDN 3.9 NOD CODE 16

NGTGR31901401JUN22

DATUM / 20/02/78 MOTOR-TYP/A0
FST-NR. /02 CO/LL /
VORZUEHNDG/976 -3
KRAFTST. /BLEIFREI

MOTOR-NR. /VN 3742
BEMERKUNG./
VERDICHTG./ 8.2
SPEZ.GEW./,745

ER-NR. /
HUBRAUM /1272
VERGASER /K.JET
OEL /SHELL 30



MESSPROTOKOLL PROGRAM 1 MOTOR										PRUEFSTAND NR		22		SACHBEARBEITER		DR. DETTING	
DATE INAME MOTOR 1901401JUX22										VERSUCHSBEGINN		20/02/78		13.26.41			
VERSUCHS NR 1										VERSUCHSENDE		21/02/78		11.18.18			
VERSUCHSART KENNFELD ABGAS														EA-NR		31901	
BEMERKUNGEN ZUR VERSUCHSREIHE																	
MOTOR-TYP		AL		HUBRAUM		1272.		KRAFTSTOFFSORTE		BLEIFREI							
MOTOR-ART		OTTO		VERDICHTUNG		9.2		OKTANZAHL (ROZ)		91							
MOTOR-NR		VM 37+2		VERGASER/EINSPR.		K. JET		OELSORTE		SHELL 30							
ZYLINDERZ.		4.		LEERL. / CO / VORZ.		975 -3		EINSPIRITZBEGINN									
BEHARRUNGSZEIT																	
BEMERKUNGEN ZUR VERSUCHSREIHE										KF MIT 1.3 LTR MOTOR (VM3742) STOR 3.9				Mod Code : 15			

DRZ 1/1/1971	BCL KP	BRL N	REOHDR BAR	EFFLST KM	REDLST KM	REDLST PS	NOHT MM	MOHT KPM	SPZVB G/KWH	SPZV3 G/PSH	LTRPLU L/H	KRSTHAS G	KRSTPLU KG/H
33 P 1795.	7.98	79.2	5.5	10.5	10.5	14.3	55.7	5.68	321.6	236.5	4.55	50.00	3.4
34 P 1796.	9.96	97.7	6.9	13.2	13.1	17.8	59.6	7.18	300.9	221.3	5.31	50.00	4.0
35 P 1795.	11.27	110.5	7.8	14.9	14.8	20.1	70.8	8.03	299.4	220.2	5.98	50.00	4.5 V
36 P 1998.	2.00	20.0	2.0	2.0	2.0	2.0	2.0	2.00	724.2	344.6	2.30	50.00	1.7
37 P 1999.	2.02	19.8	1.4	3.0	3.0	4.0	14.1	1.44	674.6	496.2	2.69	50.00	2.0
38 P 1999.	4.02	39.5	2.8	5.9	5.9	8.0	28.1	2.87	397.2	292.2	3.15	50.00	2.3
39 P 1999.	6.01	59.9	4.1	8.8	8.8	12.0	42.0	4.28	339.5	249.7	4.02	50.00	3.0
40 P 1999.	7.97	78.2	5.5	11.7	11.7	15.9	55.7	5.68	312.9	230.2	4.92	50.00	3.7
41 P 1999.	10.01	98.1	6.9	14.7	14.6	19.9	59.9	7.13	299.5	220.3	5.91	50.00	4.4
42 P 1999.	11.78	115.5	8.1	17.3	17.2	23.4	92.3	8.40	289.4	212.8	6.72	50.00	5.0 V
43 P 2202.	2.01	20.1	2.0	2.0	2.0	2.0	2.0	2.00	924.3	461.1	2.36	50.00	1.8
44 P 2202.	2.01	19.7	1.4	3.3	3.2	4.4	14.0	1.43	626.9	461.1	2.74	50.00	2.0
45 P 2203.	4.00	39.2	2.8	6.5	6.4	8.8	27.9	2.85	384.2	282.6	3.34	50.00	2.5
46 P 2203.	5.94	58.2	4.1	9.6	9.6	13.0	41.5	4.23	333.2	245.1	4.30	50.00	3.2
47 P 2203.	7.97	78.2	5.5	12.9	12.8	17.5	55.7	5.68	304.4	223.3	5.28	50.00	3.9
48 P 2195.	10.01	93.2	6.9	16.2	16.1	21.9	70.0	7.13	288.0	211.8	6.25	50.00	4.7
49 P 2203.	11.93	117.0	8.2	19.3	19.2	26.1	93.3	8.49	291.1	214.1	7.55	50.00	5.6 V
50 P 2399.	2.01	20.1	2.0	2.0	2.0	2.0	2.0	2.00	393.1	251.8	2.52	50.00	1.9
51 P 2398.	1.99	19.5	1.4	3.5	3.5	4.7	13.9	1.41	636.7	468.3	2.99	50.00	2.2
52 P 2398.	4.03	39.5	2.8	7.1	7.1	9.6	28.2	2.87	376.7	277.0	3.59	50.00	2.7
53 P 2398.	5.99	58.8	4.1	10.6	10.5	14.3	41.8	4.27	334.5	246.3	4.74	50.00	3.5
54 P 2406.	7.97	78.2	5.5	14.1	14.0	19.1	55.7	5.68	306.4	225.4	5.80	50.00	4.3
55 P 2398.	10.02	93.3	6.9	17.7	17.6	23.9	70.0	7.14	290.4	213.6	6.89	50.00	5.1
56 P 2406.	11.97	117.3	8.3	21.2	21.1	28.7	93.5	8.53	283.2	208.3	8.05	50.00	6.0
57 P 2398.	11.98	117.5	8.3	21.1	21.0	28.6	93.8	8.54	285.9	210.3	8.11	50.00	6.0 V
58 P 2601.	2.02	20.2	2.0	2.0	2.0	2.0	2.0	2.01	436.5	291.3	2.47	50.00	1.8
59 P 2594.	2.05	20.1	1.4	3.9	3.9	5.3	14.3	1.46	596.8	438.9	3.13	50.00	2.3
60 P 2602.	3.97	39.0	2.7	7.6	7.5	10.3	27.8	2.83	379.1	278.8	3.87	50.00	2.9
61 P 2594.	5.95	58.3	4.1	11.4	11.3	15.4	41.6	4.24	337.7	248.4	5.14	50.00	3.8
62 P 2602.	8.00	78.5	5.5	15.3	15.2	20.7	55.9	5.70	305.7	224.9	6.28	50.00	4.7
63 P 2594.	9.98	97.8	6.9	19.1	18.9	25.8	59.7	7.11	290.8	213.9	7.43	50.00	5.5
64 P 2602.	11.93	117.0	8.2	22.9	22.7	31.9	93.4	8.50	280.7	206.5	8.60	50.00	6.4
65 P 2602.	12.17	119.4	8.4	23.3	23.2	31.5	95.0	8.67	284.0	208.9	8.88	50.00	6.6 V
66 P 2805.	2.02	20.2	2.0	2.0	2.0	2.0	2.0	2.01	304.1	147.0	2.75	50.00	2.0
67 P 2798.	2.02	19.8	1.4	4.2	4.1	5.6	14.1	1.44	562.5	413.7	3.14	50.00	2.3
68 P 2797.	4.02	39.4	2.8	8.3	8.2	11.2	28.1	2.86	377.6	277.8	4.19	50.00	3.1
69 P 2806.	6.01	58.9	4.1	12.4	12.3	16.8	42.0	4.28	338.1	248.7	5.63	50.00	4.2
70 P 2798.	8.01	78.8	5.5	16.5	16.4	22.3	56.0	5.71	308.8	227.1	6.83	50.00	5.1
71 P 2798.	10.02	98.3	6.9	20.6	20.5	27.9	70.0	7.14	292.0	214.8	8.08	50.00	6.0
72 P 2798.	11.97	117.4	8.3	24.7	24.5	33.3	93.6	8.52	278.8	205.1	9.22	50.00	6.9
73 P 2798.	12.51	122.7	8.6	25.8	25.6	34.8	97.4	8.91	281.8	207.3	9.74	50.00	7.3 V
74 P 3001.	2.01	20.1	2.0	2.0	2.0	2.0	2.0	2.00	592.9	354.4	2.82	50.00	2.1
75 P 2994.	2.03	19.9	1.4	4.5	4.4	6.0	14.2	1.44	594.9	437.5	3.56	50.00	2.7
76 P 2994.	4.05	39.8	2.8	8.9	8.9	12.1	28.3	2.89	389.9	286.7	4.67	50.00	3.5
77 P 3001.	5.99	58.7	4.1	13.2	13.1	17.9	41.8	4.26	332.0	244.2	5.89	50.00	4.4

DRZ 1/MIN	BR KP	URL N	REDHOR BAR	FFLSI KW	REDLST KW	REDLST PS	MONY NM	MONY KPH	SPZVB G/KMH	SPZVB G/PS4	LTRPLU L/H	KRSTMAS G	KRSTOLU KG/H
78 P 3001.	7.98	78.3	5.5	17.6	17.5	23.8	35.7	5.68	309.2	227.4	7.31	50.00	5.4
79 P 3001.	10.01	98.1	6.9	22.1	22.0	29.9	53.8	7.12	296.3	217.9	8.78	50.00	6.5
80 P 3002.	11.99	117.6	8.3	26.5	26.3	35.8	93.8	8.54	283.6	208.6	10.08	50.00	7.5
81 P 3002.	12.52	123.8	8.7	27.9	27.7	37.7	98.1	8.99	283.6	208.6	10.60	50.00	7.9 V
82 P 3197.	.02	.2	.0	.0	.0	.0	.1	.01	*739.0	*337.8	2.95	50.00	2.2
83 P 3205.	1.36	19.2	1.3	4.6	4.6	5.2	13.7	1.39	614.4	451.9	3.80	50.00	2.8
84 P 3205.	3.39	39.2	2.7	9.2	9.1	12.4	27.2	2.77	419.0	308.1	5.16	50.00	3.8
85 P 3198.	6.35	53.3	4.2	14.2	14.1	13.2	42.2	4.30	337.6	248.3	6.44	50.00	4.8
86 P 3198.	8.03	78.7	5.5	18.9	18.8	25.5	56.0	5.71	308.0	226.5	7.80	50.00	5.8
87 P 3198.	9.98	97.3	6.9	23.5	23.4	31.8	59.7	7.11	299.9	220.6	9.44	50.00	7.0
88 P 3206.	11.98	117.5	8.3	28.3	28.1	38.2	93.7	8.53	282.7	207.9	10.72	50.00	8.0
89 P 3193.	12.72	124.8	8.8	30.0	29.9	43.5	98.9	9.06	286.3	210.6	11.50	50.00	8.6 V
90 P 3393.	.01	.1	.0	.0	.0	.0	.0	.00	*724.6	*256.6	2.97	50.00	2.2
91 P 3402.	2.01	13.7	1.4	5.0	5.0	5.8	14.0	1.43	595.8	438.2	4.02	50.00	3.0
92 P 3394.	4.03	33.5	2.8	10.1	10.0	13.6	28.2	2.87	400.9	294.8	5.41	50.00	4.0
93 P 3402.	6.02	59.0	4.1	15.1	15.0	20.3	42.0	4.28	336.0	247.1	6.79	50.00	5.1
94 P 3395.	7.99	78.3	5.5	20.0	19.9	27.1	56.1	5.72	320.7	235.3	8.59	50.00	6.4
95 P 3403.	10.11	98.2	6.9	25.1	25.0	34.0	70.2	7.16	301.2	221.5	10.13	50.00	7.5
96 P 3395.	11.98	117.5	8.3	29.9	29.9	40.6	94.1	8.57	284.7	209.4	11.43	50.00	8.5
97 P 3403.	12.78	125.3	8.9	32.0	32.0	43.5	99.7	9.14	288.6	212.2	12.39	50.00	9.2 V
98 P 3605.	.01	.1	.0	.0	.0	.0	.0	.00	*293.5	*779.3	3.89	50.00	2.9
99 P 3553.	1.39	13.5	1.4	5.3	5.3	7.2	14.0	1.43	684.0	503.1	4.84	50.00	3.6
100 P 3593.	4.02	33.4	2.8	10.7	10.6	14.5	28.2	2.88	418.1	307.5	5.97	50.00	4.5
101 P 3593.	5.96	53.4	4.1	15.8	15.8	21.4	41.8	4.26	342.3	251.8	7.24	50.00	5.4
102 P 3598.	8.01	78.6	5.6	21.2	21.2	28.8	56.2	5.73	302.9	222.3	8.62	50.00	6.4
103 P 3606.	9.95	97.6	6.9	26.4	26.4	35.9	59.8	7.12	291.0	214.0	10.30	50.00	7.7
104 P 3606.	11.35	117.2	8.3	31.7	31.7	43.1	93.9	8.56	275.3	202.5	11.71	50.00	8.7
105 P 3593.	12.76	125.2	8.8	33.8	33.7	45.9	99.5	9.13	280.1	206.3	12.70	50.00	9.5 V
106 P 3901.	.02	.2	.0	.0	.0	.0	.0	.01	*303.2	*468.8	3.92	50.00	2.9
107 P 3801.	1.39	19.5	1.4	5.6	5.6	7.6	14.0	1.42	676.3	497.4	5.05	50.00	3.8
108 P 3802.	3.36	38.8	2.7	11.1	11.1	15.0	27.8	2.83	421.9	310.3	6.27	50.00	4.7
109 P 3794.	5.32	59.1	4.2	16.8	16.8	22.8	42.3	4.31	344.0	253.0	7.76	50.00	5.8
110 P 3801.	8.01	78.6	5.6	22.4	22.4	30.5	56.3	5.74	312.6	229.9	9.40	50.00	7.0
111 P 3802.	9.37	97.8	6.9	27.3	27.3	37.9	70.0	7.14	292.9	215.4	10.96	50.00	8.2
112 P 3802.	11.37	117.4	8.3	33.5	33.5	45.5	94.0	8.57	280.5	206.3	12.60	50.00	9.4
113 P 3802.	12.43	121.9	8.6	34.8	34.7	47.2	97.2	8.89	290.8	213.9	13.56	50.00	10.1 V
114 P 4005.	.00	.0	.0	.0	.0	.0	.0	.00	*262.0	*386.4	4.12	50.00	3.1
115 P 3997.	2.00	19.6	1.4	5.9	5.9	8.0	14.0	1.43	678.7	499.2	5.35	50.00	4.0
116 P 3997.	4.05	39.7	2.8	11.9	11.9	16.2	28.4	2.90	420.9	309.6	6.72	50.00	5.0
117 P 3998.	6.03	59.1	4.2	17.7	17.7	25.1	42.3	4.31	333.7	245.4	7.94	50.00	5.9
118 P 3998.	8.00	78.5	5.5	23.5	23.5	32.3	56.1	5.73	314.5	231.3	9.93	50.00	7.4
119 P 3999.	10.02	98.3	6.9	29.5	29.5	40.1	70.3	7.17	294.9	216.9	11.66	50.00	8.7
120 P 4006.	11.39	117.5	8.3	35.4	35.3	48.0	94.1	8.58	283.3	208.4	13.43	50.00	10.8
121 P 3998.	12.29	120.6	8.5	36.2	36.1	49.1	96.2	8.79	289.8	213.1	14.06	50.00	10.5
122 P 4201.	.01	.1	0.0	.0	.0	.0	0.0	0.00	*620.6	*77.1	4.25	50.00	3.2

	URZ 1/MIN	BRL Kp	BRL N	REDHNR BAR	EFFLST KM	REDLST KM	REDLST PS	MOHT MM	MMI KPM	SPZVB G/KMH	SPZV3 G/PS4	LTRPLU L/H	KKSIMAS G	KRSTPLU KG/H
123 P	4201	1.20	13.4	1.4	5.1	6.1	9.3	13.2	1.42	667.7	491.1	5.49	50.00	5.1
124 P	4201	4.05	39.7	2.8	12.5	12.5	17.0	28.4	2.90	414.3	304.7	6.96	50.00	5.2
125 P	4201	5.98	58.7	4.1	18.5	18.5	25.1	42.0	4.28	341.7	251.3	8.48	50.00	6.3
126 P	4201	8.01	78.6	5.6	24.8	24.7	33.6	56.2	5.73	313.6	230.6	10.42	50.00	7.8
127 P	4201	9.96	97.6	6.9	30.8	30.7	41.8	59.8	7.12	298.5	219.5	12.32	50.00	9.2
128 P	4201	11.97	117.4	8.3	37.0	37.0	50.3	85.0	8.57	292.6	215.2	14.53	50.00	10.8 V
129 P	4404	-0.1	-0.1	-0	-0	-0	-0.1	-0.1	-0.01	*627.9	*566.0	4.50	50.00	3.4
130 P	4396	2.06	20.2	1.4	6.7	6.7	9.1	14.5	1.48	648.4	476.9	5.80	50.00	4.3
131 P	4404	3.99	39.2	2.8	12.9	12.9	17.6	28.0	2.86	423.1	311.2	7.35	50.00	5.5
132 P	4396	6.03	59.1	4.2	19.5	19.5	26.5	42.3	4.32	345.3	254.3	9.03	50.00	6.7
133 P	4396	7.98	78.3	5.5	25.8	25.8	35.1	56.0	5.71	313.9	230.9	10.87	50.00	8.1
134 P	4404	9.99	98.0	6.9	32.4	32.3	44.0	70.1	7.15	296.2	217.3	12.86	50.00	9.6
135 P	4404	11.93	117.0	8.3	38.7	38.6	52.3	83.7	8.54	296.4	218.0	15.36	50.00	11.4 V
136 P	4599	-0.1	-0.1	-0	-0	-0	-0	-0	-0.00	*782.5	*048.5	4.48	50.00	3.3
137 P	4600	1.99	19.5	1.4	6.7	6.7	9.2	14.0	1.42	656.1	482.5	5.93	50.00	4.4
138 P	4600	4.02	39.4	2.8	13.6	13.6	18.5	28.2	2.89	421.1	309.7	7.68	50.00	5.7
139 P	4600	6.00	58.9	4.2	20.3	20.3	27.6	42.1	4.30	344.1	253.1	9.38	50.00	7.0
140 P	4601	8.01	78.6	5.6	27.1	27.1	36.8	56.2	5.73	319.0	234.6	11.60	50.00	8.6
141 P	4601	9.95	97.5	6.9	33.7	33.6	45.7	59.8	7.12	299.8	220.5	13.54	50.00	10.1
142 P	4601	11.85	116.3	8.2	40.1	40.1	54.5	93.2	8.48	294.4	216.5	15.85	50.00	11.8 V
143 P	4802	-0.1	-0.1	-0	-0	-0	-0	-0.1	-0.01	*972.6	*000.5	4.63	50.00	3.5
144 P	4803	1.39	19.5	1.4	7.0	7.0	9.5	13.9	1.42	672.6	494.7	6.33	50.00	4.7
145 P	4803	3.91	39.3	2.7	13.8	13.8	18.8	27.4	2.80	424.5	312.2	7.87	50.00	5.9
146 P	4795	6.00	58.3	4.2	21.2	21.1	29.7	42.1	4.29	345.2	253.9	9.80	50.00	7.3
147 P	4803	7.98	78.3	5.5	28.2	28.2	38.3	56.0	5.71	318.4	234.2	12.05	50.00	9.0
148 P	4795	10.00	98.0	6.9	35.3	35.2	47.9	70.1	7.15	298.4	219.5	14.11	50.00	10.5
149 P	4795	11.90	115.8	8.2	41.7	41.6	56.6	92.8	8.44	293.4	215.3	16.39	50.00	12.2 V
150 P	4997	-0.1	-0.1	-0	-0	-0	-0.1	-0.1	-0.01	*503.4	*739.0	4.69	50.00	3.5
151 P	4998	2.01	19.7	1.4	7.4	7.4	10.0	14.1	1.44	661.4	486.5	6.55	50.00	4.9
152 P	4998	3.99	39.1	2.8	14.7	14.7	19.9	28.0	2.86	426.7	313.8	8.40	50.00	6.3
153 P	4998	6.06	59.4	4.2	22.3	22.3	30.3	42.5	4.33	351.5	258.5	10.51	50.00	7.8
154 P	4999	8.00	78.4	5.5	29.4	29.4	43.0	56.2	5.73	320.9	236.3	12.66	50.00	9.4
155 P	4998	10.01	98.2	6.9	36.8	36.8	50.0	70.3	7.16	301.9	222.0	14.91	50.00	11.1
156 P	4998	11.55	114.2	8.1	42.9	42.8	58.2	91.8	8.34	293.7	216.3	16.88	50.00	12.6 V
157 P	5200	-0.1	-0.1	-0	-0	-0	-0.1	-0	-0.00	*601.3	*520.9	5.06	50.00	3.8
158 P	5200	2.01	19.7	1.4	7.7	7.7	10.4	14.1	1.44	666.5	490.2	6.86	50.00	5.1
159 P	5201	4.02	39.4	2.8	15.4	15.4	20.9	28.2	2.88	423.7	311.6	8.74	50.00	6.5
160 P	5200	6.00	58.9	4.2	23.0	22.9	31.2	42.1	4.30	356.2	262.3	10.98	50.00	8.2
161 P	5200	7.99	78.3	5.5	30.6	30.5	41.5	56.1	5.72	322.4	237.1	13.22	50.00	9.8
162 P	5200	9.99	98.0	6.9	38.2	38.2	51.9	70.1	7.15	303.9	223.5	15.58	50.00	11.6
163 P	5201	11.39	111.7	7.9	43.6	43.6	53.2	79.9	8.15	295.9	217.7	17.30	50.00	12.9 V
164 P	5402	-0.00	-0.0	-0	-0	-0	-0	-0	-0.00	*417.3	*133.3	5.22	50.00	3.9
165 P	5401	1.37	19.3	1.4	7.8	7.8	10.6	13.8	1.41	666.7	490.4	7.01	50.00	5.2
166 P	5400	4.01	39.3	2.8	15.9	15.9	21.6	28.1	2.87	432.0	317.7	9.23	50.00	6.9
167 P	5403	6.01	58.9	4.2	23.9	23.8	32.4	42.1	4.30	353.5	260.0	11.32	50.00	8.4

DRZ 1/MIN	BRL KP	BRL N	REOMR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT VM	MONT KPM	SPZVB G/KMH	SPZVJ G/PSH	LTRPLU L/H	KRSTNAS G	KRSTPLU KG/H
168 P	5396.	8.01	73.6	5.6	31.8	43.2	56.2	5.74	324.7	238.8	13.86	50.00	10.3
169 P	5403.	10.06	93.6	7.0	40.0	54.3	70.5	7.19	305.7	224.8	16.39	50.00	12.2
170 P	5403.	11.17	103.5	7.7	44.4	60.3	78.4	7.99	301.1	221.5	17.93	50.00	13.4
171 P	5406.	11.17	103.5	7.7	44.4	60.3	78.4	7.99	301.1	221.5	17.93	50.00	13.4
172 P	5404.	10.06	93.6	7.0	40.0	54.3	70.5	7.19	305.7	224.8	16.39	50.00	12.2
173 P	5597.	3.96	33.1	2.8	16.4	22.3	28.0	2.85	433.6	318.9	9.55	50.00	7.1
174 P	5598.	5.97	53.6	4.1	24.6	33.4	41.9	4.28	359.9	264.7	11.88	50.00	8.8
175 P	5606.	7.39	73.4	5.5	33.0	44.8	56.1	5.72	331.0	243.5	14.64	50.00	10.9
176 P	5598.	9.99	93.0	6.9	41.2	55.9	70.1	7.14	314.6	231.4	17.37	50.00	12.9
177 P	5606.	10.96	105.5	7.5	44.8	60.8	76.2	7.77	308.5	226.9	18.54	50.00	13.8
178 P	5600.	10.51	104.0	7.4	45.3	61.5	74.4	7.53	319.8	235.2	19.42	50.00	14.5
179 P	5600.	10.51	104.0	7.4	45.3	61.5	74.4	7.53	319.8	235.2	19.42	50.00	14.5
180 P	5798.	4.02	33.4	2.8	17.2	23.3	28.2	2.89	441.4	324.6	10.16	50.00	7.6
181 P	5803.	5.01	53.9	4.2	25.7	34.8	42.2	4.30	367.0	269.3	12.63	50.00	9.4
182 P	5793.	6.04	73.9	5.6	34.3	46.6	56.4	5.75	338.6	249.0	15.59	50.00	11.6
183 P	5803.	10.02	93.3	6.9	42.8	58.1	70.3	7.17	316.6	232.9	18.17	50.00	13.5
184 P	5799.	10.51	104.0	7.4	45.3	61.5	74.4	7.53	319.8	235.2	19.42	50.00	14.5
185 P	5801.	10.51	104.0	7.4	45.3	61.5	74.4	7.53	319.8	235.2	19.42	50.00	14.5
186 P	5801.	1.97	13.3	1.4	8.7	11.8	13.8	1.41	696.1	512.0	8.11	50.00	6.8
187 P	6109.	4.03	33.5	2.8	17.8	24.2	28.3	2.88	443.3	326.1	10.59	50.00	7.9
188 P	5993.	6.00	53.8	4.2	26.5	35.9	42.0	4.29	373.8	274.9	13.27	50.00	9.9
189 P	5803.	8.06	79.1	5.6	35.6	48.3	56.5	5.76	336.7	247.6	16.08	50.00	12.0
190 P	5801.	9.93	97.3	6.9	43.8	59.5	59.6	7.10	323.4	237.9	19.01	50.00	14.2
191 P	5993.	10.33	101.3	7.2	45.6	61.8	72.4	7.39	321.5	236.4	19.65	50.00	14.6
192 K	1204.	1.92	13.0	1.4	8.7	11.8	13.8	1.41	696.1	512.0	8.11	50.00	6.8
193 K	1403.	1.35	13.2	0.9	1.4	1.9	2.3	0.66	-122.2	-89.9	1.23	50.00	0.9
194 K	1605.	1.64	16.1	1.1	1.9	2.6	3.1	0.96	-741.0	-545.0	1.38	50.00	1.0
195 K	1806.	1.88	18.4	1.3	2.5	3.4	4.2	1.17	-578.6	-425.6	1.50	50.00	1.1
196 K	2101.	2.08	21.4	1.4	3.1	4.2	5.1	1.35	-452.0	-332.4	1.52	50.00	1.1
197 K	2202.	2.29	22.5	1.6	3.7	5.0	6.0	1.49	-330.5	-243.1	1.36	50.00	1.0
198 K	2410.	2.47	24.2	1.7	4.4	5.8	7.0	1.63	-270.0	-198.6	1.34	50.00	1.0
199 K	2410.	2.47	24.2	1.7	4.4	5.8	7.0	1.63	-270.0	-198.6	1.34	50.00	1.0
200 K	2603.	2.61	25.6	1.8	5.0	6.8	8.3	1.87	-354.7	-260.9	1.67	50.00	1.2
201 K	2603.	1.99	19.9	1.4	3.8	5.2	6.5	1.42	-246.5	-181.3	1.45	50.00	1.1
202 K	2808.	2.80	27.5	1.9	5.8	7.9	9.6	1.76	-162.5	-119.5	1.48	50.00	1.1
203 K	2908.	2.05	20.1	1.4	4.2	5.7	6.4	1.87	-394.5	-290.2	2.01	50.00	1.5
204 K	3009.	2.92	28.6	2.0	6.5	8.8	10.5	2.09	-204.7	-150.6	1.59	50.00	1.2
205 K	3008.	1.94	19.0	1.3	4.3	5.8	6.6	1.39	-353.4	-259.9	2.01	50.00	1.5
206 K	3181.	3.05	23.9	2.1	7.1	9.7	11.4	2.18	-157.5	-115.8	1.37	50.00	1.8
207 K	3197.	2.06	20.2	1.4	4.8	6.5	7.4	1.47	-435.1	-320.0	2.50	50.00	1.9
208 K	3408.	3.15	30.9	2.2	7.9	10.7	12.1	2.25	-153.3	-112.8	1.47	50.00	1.1
209 K	3410.	1.95	19.1	1.4	4.9	6.7	8.3	1.40	-373.5	-274.7	2.42	50.00	1.8
210 K	3609.	3.22	31.6	2.2	8.5	11.6	13.9	2.30	-136.5	-100.4	1.45	50.00	1.1
211 K	3611.	1.98	19.4	1.4	5.3	7.2	8.9	1.42	-425.8	-313.2	2.80	50.00	2.1
212 K	3602.	3.26	32.0	2.3	9.1	12.4	14.9	2.34	-139.6	-102.7	1.68	50.00	1.2
									-393.7	-289.6	2.78	50.00	2.1
									-113.9	-83.8	1.39	50.00	1.0

	ORZ 1/MIN.	BRL KP	BRL N	REDHOR BAR	EFFLST KW	REDLST KW	REDLST PS	MONY MM	MONY KPM	SPZVB G/KWH	SPZVB G/PSH	LTRPLU L/H	KRSTNAS 6	KRSTPLU KG/M
213 K	3402.	-1.90	-18.6	-1.3	-5.3	-5.3	-7.2	-13.3	-1.36	-381.9	-280.9	2.72	50.00	2.0
214 K	4014.	-3.35	-32.9	-2.3	-9.9	-9.9	-13.5	-23.3	-2.38	-93.9	-69.1	1.25	50.00	.9
215 K	4007.	-1.94	-19.0	-1.3	-5.7	-5.7	-7.7	-13.6	-1.39	-371.3	-273.1	2.85	50.00	2.1
216 K	4205.	-3.41	-33.4	-2.4	-10.5	-10.5	-14.3	-23.9	-2.44	-104.2	-76.6	1.47	50.00	.1
217 K	4206.	-2.09	-20.5	-1.4	-6.5	-6.5	-8.8	-14.7	-1.50	-322.2	-237.0	2.80	50.00	2.1
218 K	4407.	-3.46	-33.9	-2.4	-11.2	-11.2	-15.2	-24.3	-2.48	-90.5	-66.6	1.36	50.00	1.0
219 K	4407.	-1.37	-19.3	-1.4	-6.4	-6.4	-8.7	-13.8	-1.41	-362.3	-266.5	3.10	50.00	2.3
220 K	4604.	-3.54	-34.7	-2.5	-12.0	-12.0	-16.3	-24.8	-2.53	-85.8	-63.1	1.38	50.00	1.0
221 K	4604.	-2.01	-19.7	-1.4	-6.8	-6.8	-9.2	-14.1	-1.44	-323.9	-238.2	2.97	50.00	2.2
222 K	4805.	-3.63	-35.6	-2.5	-12.8	-12.8	-17.4	-25.5	-2.60	-77.5	-57.0	1.34	50.00	1.0
223 K	4806.	-1.96	-13.2	-1.4	-6.9	-6.9	-9.4	-13.8	-1.41	-322.7	-237.3	3.00	50.00	2.2
224 K	5004.	-3.74	-36.7	-2.6	-13.8	-13.8	-18.8	-25.3	-2.59	-73.0	-53.7	1.35	50.00	1.0
225 K	5005.	-2.01	-13.7	-1.4	-7.4	-7.4	-10.1	-14.1	-1.44	-309.9	-227.9	3.07	50.00	2.3
226 K	5211.	-3.94	-37.7	-2.7	-14.7	-14.7	-20.0	-26.9	-2.74	-76.0	-55.9	1.50	50.00	1.1
227 K	5211.	-2.01	-13.7	-1.4	-7.7	-7.7	-10.5	-14.1	-1.44	-307.5	-226.2	3.18	50.00	2.4
228 K	5402.	-3.36	-34.8	-2.7	-15.7	-15.7	-21.3	-27.8	-2.83	-68.9	-50.7	1.45	50.00	1.1
229 K	5403.	-2.01	-13.7	-1.4	-8.0	-8.0	-10.9	-14.1	-1.44	-304.7	-224.1	3.27	50.00	2.4
230 K	5612.	-4.38	-43.0	-2.8	-16.9	-16.9	-22.8	-28.6	-2.92	-64.7	-47.5	1.46	50.00	1.1
231 K	5613.	-1.94	-19.0	-1.3	-8.0	-8.0	-10.9	-13.6	-1.39	-340.5	-250.4	3.67	50.00	2.7
232 K	5814.	-4.20	-41.2	-2.9	-18.0	-17.9	-24.3	-29.4	-3.00	-64.5	-47.4	1.55	50.00	1.2
233 K	5815.	-4.06	-33.8	-2.8	-17.4	-17.3	-23.5	-28.5	-2.91	-103.7	-76.3	2.42	50.00	1.8
234 K	5819.	-2.06	-20.2	-1.4	-8.8	-8.8	-12.0	-14.4	-1.47	-325.0	-239.1	3.85	50.00	2.9
235 K	6010.	-4.32	-42.4	-3.0	-19.1	-19.1	-26.0	-30.3	-3.09	-57.1	-42.0	1.46	50.00	1.1
236 K	6005.	-4.04	-39.6	-2.8	-17.9	-17.8	-24.2	-28.3	-2.89	-116.0	-85.3	2.78	50.00	2.1
237 K	6007.	-2.03	-13.9	-1.4	-9.0	-8.9	-12.1	-1.4	-1.15	-346.2	-254.5	4.16	50.00	3.1

	DRZ 1/MIN	BRL KP	ZUEH DEG	LAMA 1	SIGMA 1	C3 PROZ	C02 PROZ	NO PPH	C3H8 PPH	J2 PROZ	DKL DEG	OK- DEG	OK- KP/CH2	DELTEMP CEL
1	999.	.21	-3.0	1.010	.067	.74	13.91	95.	877.	1.12	19.1	6.7	1.3	73.3
2	1000.	2.23	-2.1	1.008	.050	.55	14.49	223.	420.	.72	25.8	13.3	1.3	71.3
3	1000.	4.11	2.4	1.007	.045	.48	14.53	444.	538.	.72	28.4	16.4	1.3	70.7
4	1000.	6.00	6.4	1.006	.043	.47	14.55	364.	650.	.71	31.2	19.8	1.4	69.9
5	1000.	7.97	7.1	1.009	.044	.45	14.55	1738.	669.	.73	38.0	29.1	1.4	69.6
6	1000.	9.88	7.4	1.010	.046	.45	14.48	2523.	752.	.76	55.9	55.2	1.4	69.0
7	1000.	10.45	7.5	.936	0.000	2.29	13.32	1397.	966.	.44	85.1	84.8	1.4	68.7
8	1204.	.06	-2.1	1.009	.061	.66	14.17	117.	588.	.92	23.1	10.5	1.7	69.0
9	1204.	1.85	-1	1.008	.051	.56	14.48	219.	331.	.69	28.2	16.2	1.8	68.6
10	1196.	3.97	5.2	1.009	.047	.48	14.54	486.	438.	.71	30.3	18.7	1.7	68.3
11	1199.	6.02	7.9	1.008	.044	.45	14.59	1018.	533.	.68	33.9	24.1	1.7	68.2
12	1199.	8.00	8.3	1.011	.046	.44	14.54	1701.	565.	.72	41.4	33.3	1.7	68.2
13	1199.	9.88	8.6	1.012	.048	.44	14.48	2399.	665.	.76	59.2	60.6	1.7	68.2
14	1199.	10.54	8.3	.956	.056	1.74	13.67	1666.	855.	.47	85.2	84.8	1.7	68.6
15	1402.	-.07	1.2	1.009	.062	.68	14.02	98.	825.	1.04	24.9	12.4	2.1	69.0
16	1403.	2.04	5.0	1.007	.044	.47	14.67	211.	301.	.59	30.1	18.5	2.1	69.0
17	1403.	4.11	8.9	1.008	.041	.42	14.66	451.	404.	.62	32.7	21.9	2.0	69.6
18	1404.	5.97	10.6	1.008	.041	.42	14.63	851.	455.	.63	36.3	26.6	2.0	69.6
19	1396.	8.08	10.2	1.009	.042	.42	14.64	1436.	481.	.63	43.9	37.7	2.0	69.7
20	1404.	9.76	10.2	1.010	.045	.44	14.68	1895.	494.	.65	79.1	81.6	2.0	71.0
21	1404.	10.18	10.7	.945	.062	2.11	13.48	1164.	629.	.38	85.2	84.8	2.0	70.8
22	1593.	-.26	4.2	1.006	.053	.61	14.25	100.	694.	.87	26.0	13.6	2.3	71.3
23	1593.	2.04	7.5	1.006	.041	.45	14.73	233.	270.	.54	31.3	20.0	2.3	71.1
24	1600.	3.37	13.2	1.007	.043	.46	14.62	534.	422.	.63	32.5	21.6	2.3	71.1
25	1599.	5.99	14.0	1.008	.044	.46	14.58	1018.	479.	.66	36.8	27.3	2.3	71.5
26	1599.	7.37	13.6	1.010	.046	.45	14.58	1548.	477.	.67	43.1	36.4	2.2	71.8
27	1599.	9.22	13.0	1.009	.051	.52	14.48	1884.	483.	.69	60.8	60.9	2.2	72.1
28	1600.	10.70	13.0	.930	.058	2.60	13.17	1075.	617.	.35	85.2	84.8	2.2	72.7
29	1795.	-.01	7.3	1.006	.047	.52	14.55	119.	400.	.67	28.5	16.6	2.5	73.7
30	1795.	1.38	11.2	1.006	.042	.46	14.73	268.	260.	.55	31.4	20.2	2.5	73.6
31	1795.	4.02	20.3	1.008	.046	.48	14.54	820.	505.	.70	32.9	22.1	2.5	73.7
32	1903.	5.98	22.0	1.010	.048	.48	14.49	1632.	577.	.73	36.9	27.6	2.5	74.2

MOTOR319,1401JJX22

	ORZ 17MIN	DRL KP	ZUEW DEG	LAMA 1	SIGMA 1	C3 PROZ	C02 PROZ	NO PPH	C3H8 PPH	J2 PROZ	DKL DEG	DK_PST DEG	DELD KP/CM2	OELTEMP DEL
33	1796.	7.38	16.7	1.010	.049	.40	14.52	1900.	514.	.69	13.2	36.6	2.5	74.4
34	1796.	9.96	16.9	1.010	.054	.55	14.42	2232.	526.	.73	56.6	53.4	2.4	75.3
35	1795.	11.27	16.8	.946	.069	2.12	13.51	1537.	594.	.38	85.2	84.8	2.4	75.6
36	1994.	-80	9.5	1.005	.047	.55	14.61	125.	297.	.61	29.3	17.5	2.7	75.8
37	1999.	2.02	14.9	1.006	.041	.46	14.74	295.	276.	.55	31.7	20.5	2.7	76.3
38	1999.	4.02	25.9	1.008	.045	.46	14.56	1149.	551.	.70	33.9	23.4	2.7	76.6
39	1999.	6.01	26.3	1.010	.047	.46	14.53	2019.	571.	.71	38.3	29.4	2.7	76.5
40	1999.	7.97	19.9	1.010	.053	.54	14.45	2055.	493.	.71	44.2	38.0	2.7	76.8
41	1993.	10.01	19.1	1.010	.051	.51	14.49	2494.	512.	.69	54.0	52.6	2.7	77.1
42	1399.	11.78	19.5	.962	.068	1.65	13.79	1998.	582.	.42	85.1	84.8	2.6	77.9
43	2202.	-01	12.0	1.005	.044	.52	14.68	132.	236.	.55	30.2	18.7	2.9	78.3
44	2202.	2.01	20.1	1.006	.041	.45	14.70	347.	336.	.57	32.4	21.4	2.9	78.2
45	2203.	4.00	30.8	1.009	.046	.47	14.52	1578.	592.	.71	34.8	24.6	2.9	78.1
46	2203.	5.34	30.8	1.011	.051	.50	14.43	2552.	612.	.74	39.2	30.7	2.9	77.9
47	2203.	7.37	22.9	1.011	.055	.56	14.39	2353.	527.	.74	45.2	39.5	2.9	78.3
48	2195.	10.01	21.0	1.010	.052	.53	14.46	2640.	521.	.69	54.8	53.7	2.8	79.4
49	2203.	11.93	22.3	.960	.070	1.74	13.74	2100.	565.	.41	83.7	84.2	2.8	80.3
50	2399.	.01	15.0	1.004	.042	.49	14.73	138.	227.	.52	31.1	19.6	3.1	80.7
51	2398.	1.99	26.2	1.007	.043	.47	14.62	461.	376.	.61	32.5	21.8	3.1	80.4
52	2398.	4.03	36.2	1.010	.050	.50	14.42	1864.	608.	.75	36.4	26.8	3.1	80.2
53	2398.	5.99	34.6	1.011	.058	.59	14.26	2581.	616.	.81	40.8	33.0	3.0	80.4
54	2406.	7.97	27.3	1.011	.054	.54	14.38	2651.	549.	.73	46.4	41.3	3.0	80.6
55	2398.	10.02	24.9	1.010	.051	.51	14.46	2389.	554.	.68	55.9	55.3	3.0	81.2
56	2406.	11.97	25.1	.993	.058	.90	14.19	2703.	552.	.57	81.2	82.9	2.9	82.9
57	2398.	11.98	24.9	.968	.069	1.52	13.83	2384.	562.	.44	85.1	84.8	2.9	83.8
58	2601.	-02	18.1	1.004	.038	.45	14.79	137.	194.	.47	31.4	20.1	3.4	83.8
59	2594.	2.05	29.5	1.007	.046	.50	14.52	540.	388.	.65	33.8	23.3	3.3	83.0
60	2602.	3.97	38.2	1.011	.053	.52	14.32	2050.	623.	.79	37.6	28.5	3.2	83.2
61	2594.	5.95	35.3	1.011	.060	.63	14.18	2683.	632.	.82	42.1	35.0	3.2	83.1
62	2602.	8.00	27.8	1.011	.055	.55	14.33	2749.	566.	.75	47.9	43.5	3.2	83.4
63	2594.	9.38	24.8	1.009	.053	.56	14.37	2893.	549.	.70	56.7	56.4	3.1	83.6
64	2602.	11.93	25.1	1.009	.055	.58	14.40	3228.	489.	.66	77.4	80.3	3.1	84.4
65	2602.	12.17	24.9	.971	.068	1.45	13.84	2513.	545.	.45	85.1	84.8	3.0	85.7
66	2805.	-02	21.7	1.003	.038	.46	14.76	148.	186.	.46	31.9	20.8	3.5	86.2
67	2798.	2.02	36.2	1.007	.051	.57	14.36	772.	458.	.71	34.4	24.0	3.5	85.6
68	2797.	4.02	38.8	1.012	.056	.56	14.24	2192.	641.	.83	38.9	30.4	3.4	85.8
69	2806.	6.01	37.1	1.012	.062	.63	14.15	2878.	650.	.84	43.3	36.8	3.4	85.7
70	2798.	8.01	30.4	1.011	.056	.56	14.30	2996.	597.	.76	48.7	44.7	3.3	85.4
71	2798.	10.02	25.6	1.009	.054	.57	14.35	2960.	531.	.69	57.5	57.6	3.3	86.1
72	2798.	11.97	25.6	1.010	.053	.55	14.41	3331.	492.	.65	74.0	77.4	3.2	87.3
73	2798.	12.51	25.6	.979	.063	1.23	13.97	2780.	551.	.47	85.1	84.8	3.2	88.5
74	3001.	-01	27.3	1.003	.030	.46	14.77	171.	170.	.44	32.2	21.1	3.7	88.4
75	2994.	2.03	39.4	1.007	.054	.61	14.32	904.	453.	.73	35.5	25.6	3.7	87.3
76	2994.	4.05	39.4	1.010	.064	.69	14.08	2128.	626.	.86	40.3	32.3	3.6	86.9
77	3001.	5.99	37.2	1.011	.061	.63	14.16	2861.	633.	.82	44.5	38.5	3.5	86.6

	DRZ 1/MIN	DRL KP	ZUEH DEG	LAMA 1	SIGMA 1	C3 PROZ	C02 PROZ	NO PPH	C3H8 PPH	J2 PROZ	OKL DEG	DK_PST DEG	DELR KP/CM2	OELTEMP DEG
33	1796.	7.98	16.7	1.010	.049	.49	14.52	1900.	514.	.69	43.2	36.6	2.5	74.4
34	1796.	9.96	16.9	1.010	.054	.55	14.42	2232.	526.	.73	54.6	53.4	2.4	75.3
35	1795.	11.27	16.8	.946	.069	2.12	13.51	1537.	594.	.38	85.2	84.8	2.4	75.6
36	1999.	-8.0	9.5	1.005	.047	.55	14.61	125.	297.	.61	29.3	17.5	2.7	75.8
37	1999.	2.02	14.9	1.006	.041	.46	14.74	295.	276.	.55	31.7	20.5	2.7	76.3
38	1999.	4.02	25.9	1.008	.045	.46	14.56	1149.	551.	.70	33.9	23.4	2.7	76.6
39	1999.	6.01	26.3	1.010	.047	.46	14.53	2019.	571.	.71	38.3	29.4	2.7	76.5
40	1999.	7.97	19.9	1.010	.053	.54	14.45	2055.	493.	.71	44.2	38.8	2.7	76.8
41	1999.	10.01	19.1	1.010	.051	.51	14.49	2494.	512.	.69	54.0	52.6	2.7	77.1
42	1999.	11.78	19.5	.962	.068	1.65	13.79	1998.	582.	.42	85.1	84.8	2.6	77.9
43	2202.	-0.1	12.0	1.005	.044	.52	14.68	132.	236.	.55	30.2	18.7	2.9	78.3
44	2202.	2.01	20.1	1.006	.041	.45	14.70	347.	336.	.57	32.4	21.4	2.9	78.2
45	2203.	4.00	30.8	1.009	.046	.47	14.52	1578.	592.	.71	34.8	24.6	2.9	78.1
46	2203.	5.34	30.8	1.011	.051	.50	14.43	2552.	612.	.74	39.2	30.7	2.9	77.9
47	2203.	7.37	22.9	1.011	.055	.56	14.39	2353.	527.	.74	45.2	39.5	2.9	78.3
48	2195.	10.01	21.0	1.010	.052	.53	14.46	2640.	521.	.69	54.8	53.7	2.8	79.4
49	2203.	11.93	22.3	.960	.070	1.74	13.74	2100.	565.	.41	83.7	84.2	2.8	80.3
50	2399.	.01	15.0	1.004	.042	.49	14.73	138.	227.	.52	31.1	19.6	3.1	80.7
51	2398.	1.99	26.2	1.007	.043	.47	14.62	461.	376.	.61	32.5	21.8	3.1	80.4
52	2398.	4.63	36.2	1.010	.050	.50	14.42	1864.	608.	.75	36.4	26.8	3.1	80.2
53	2398.	5.99	34.6	1.011	.058	.59	14.26	2581.	616.	.81	40.8	33.0	3.0	80.4
54	2406.	7.97	27.3	1.011	.054	.54	14.38	2651.	549.	.73	46.4	41.3	3.0	80.6
55	2398.	10.02	24.9	1.010	.051	.51	14.46	2389.	554.	.68	55.9	55.3	3.0	81.2
56	2406.	11.97	25.1	.993	.058	.90	14.19	2703.	552.	.57	81.2	82.9	2.9	82.9
57	2398.	11.98	24.9	.968	.069	1.52	13.83	2384.	562.	.44	85.1	84.8	2.9	83.8
58	2601.	-0.2	18.1	1.004	.038	.45	14.79	137.	194.	.47	31.4	20.1	3.4	83.8
59	2594.	2.05	29.5	1.007	.046	.50	14.52	540.	388.	.65	33.8	23.3	3.3	83.0
60	2602.	3.97	38.2	1.011	.053	.52	14.32	2050.	623.	.79	37.6	28.5	3.2	83.2
61	2594.	5.95	35.3	1.011	.060	.63	14.18	2683.	632.	.82	42.1	35.0	3.2	83.1
62	2602.	8.00	27.8	1.011	.055	.55	14.33	2749.	566.	.75	47.9	43.5	3.2	83.4
63	2594.	9.38	24.8	1.009	.053	.56	14.37	2893.	549.	.70	56.7	56.4	3.1	83.6
64	2602.	11.93	25.1	1.009	.055	.58	14.40	3228.	489.	.66	77.4	80.3	3.1	84.4
65	2602.	12.17	24.9	.971	.068	1.45	13.84	2513.	545.	.45	85.1	84.8	3.0	85.7
66	2805.	-0.2	21.7	1.003	.038	.46	14.76	148.	186.	.46	31.9	20.8	3.5	86.2
67	2798.	2.02	36.2	1.007	.051	.57	14.36	772.	458.	.71	34.4	24.0	3.5	85.6
68	2797.	4.02	38.8	1.012	.056	.58	14.24	2192.	641.	.83	38.9	30.4	3.4	85.8
69	2806.	6.01	37.1	1.012	.062	.63	14.15	2878.	650.	.84	43.3	36.8	3.4	85.7
70	2798.	8.01	30.4	1.011	.056	.56	14.30	2996.	597.	.76	48.7	44.7	3.3	85.4
71	2798.	10.02	25.6	1.009	.054	.57	14.35	2960.	531.	.69	57.5	57.6	3.3	86.1
72	2798.	11.97	25.6	1.010	.053	.55	14.41	3331.	492.	.65	74.0	77.4	3.2	87.3
73	2798.	12.51	25.6	.979	.063	1.23	13.97	2780.	551.	.47	85.1	84.8	3.2	88.5
74	3001.	-0.1	27.3	1.003	.038	.46	14.77	171.	170.	.44	32.2	21.1	3.7	88.4
75	2994.	2.03	39.4	1.007	.054	.61	14.32	904.	453.	.73	35.5	25.6	3.7	87.3
76	2994.	4.05	39.4	1.010	.064	.69	14.08	2128.	626.	.86	40.3	32.3	3.6	86.9
77	3001.	5.99	37.2	1.011	.061	.63	14.16	2861.	633.	.82	44.5	38.5	3.5	86.6

	DRZ 1/MIN	BRL KZ	ZUEW DEG	LAMA 1	SIGMA 1	C3 PROZ	C02 PROZ	NO PPM	C3H8 PPM	C2 PROZ	DKL DEG	DKLPST DEG	OELDR KP/CH2	OELTEMP CEL
76	3001	7.98	30.9	1.010	.050	.61	14.23	2957	611	.77	50.0	46.7	3.5	87.0
79	3001	13.01	25.8	1.008	.055	.60	14.34	2904	506	.66	58.9	59.6	3.4	87.2
80	3002	11.99	25.9	1.010	.053	.54	14.42	3271	493	.65	74.8	78.1	3.4	88.6
81	3002	12.62	25.0	.973	.066	1.39	13.87	2623	575	.46	85.1	84.8	3.3	89.0
82	3197	.02	30.0	1.001	.041	.54	14.67	207	210	.47	33.4	22.8	3.8	89.9
83	3205	1.96	39.2	1.004	.056	.69	14.27	915	431	.70	36.6	27.1	3.8	88.6
84	3205	3.99	39.1	1.009	.066	.73	14.06	1338	565	.85	41.2	33.7	3.8	88.7
85	3198	5.05	38.6	1.010	.065	.69	14.10	2878	615	.84	45.8	40.5	3.7	88.3
86	3198	8.03	30.8	1.010	.061	.65	14.17	2883	601	.79	51.4	48.8	3.6	88.8
87	3198	9.98	25.2	1.008	.053	.57	14.42	2874	459	.64	60.4	61.6	3.6	89.9
88	3206	11.98	25.1	1.010	.054	.55	14.39	3198	510	.67	75.5	78.8	3.5	90.9
89	3198	12.72	25.0	.972	.066	1.42	13.84	2584	600	.46	85.1	84.8	3.4	91.5
90	3393	.01	35.1	1.003	.044	.54	14.63	245	189	.49	33.4	22.6	4.0	91.6
91	3402	2.01	39.1	1.005	.055	.67	14.27	1020	424	.69	37.9	28.9	3.9	90.9
92	3394	4.03	39.2	1.008	.063	.70	14.09	2106	567	.81	42.3	35.3	3.9	90.9
93	3402	6.02	39.3	1.011	.061	.63	14.15	3036	602	.80	46.9	42.1	3.8	90.5
94	3395	7.99	25.9	1.008	.055	.61	14.22	2452	486	.68	53.5	51.8	4.4	81.0
95	3403	10.01	25.6	1.008	.054	.58	14.29	2915	445	.64	62.1	63.8	4.1	84.5
96	3395	11.98	25.5	1.009	.053	.56	14.25	3184	540	.68	75.8	79.0	3.9	87.5
97	3403	12.78	25.6	.961	.071	1.73	13.52	2401	662	.45	85.0	84.7	3.7	90.0
98	3606	.01	37.2	1.003	.038	.47	14.63	258	172	.43	34.1	23.6	4.1	91.6
99	3598	1.39	39.9	1.004	.050	.59	14.28	1643	383	.62	38.8	30.2	4.1	91.4
100	3598	4.02	39.6	1.009	.056	.60	14.12	2166	538	.74	43.4	36.9	4.0	91.2
101	3599	5.96	38.4	1.010	.057	.60	14.12	2949	574	.74	48.0	43.8	3.9	91.8
102	3598	8.01	30.0	1.008	.054	.59	14.22	2722	508	.68	54.5	53.3	3.9	92.1
103	3606	9.35	26.3	1.008	.053	.57	14.29	2826	445	.63	64.0	66.3	3.8	92.9
104	3606	11.95	26.3	1.009	.052	.53	14.24	3233	571	.67	77.1	80.1	3.7	94.5
105	3598	12.76	26.2	.953	.073	1.95	13.33	2300	695	.44	85.0	84.8	3.7	95.0
106	3801	.02	38.5	1.002	.039	.49	14.55	284	178	.43	34.4	24.1	4.5	91.9
107	3801	1.99	40.5	1.005	.048	.56	14.28	1276	408	.62	39.8	31.6	5.0	85.2
108	3802	3.96	40.5	1.009	.053	.54	14.16	2440	559	.72	44.4	38.4	4.7	82.1
109	3794	6.02	39.6	1.011	.053	.52	14.19	3203	574	.70	49.4	45.9	4.8	81.0
110	3801	8.01	29.0	1.008	.051	.55	14.26	2595	458	.62	56.4	56.0	4.8	80.1
111	3802	9.37	26.6	1.008	.050	.54	14.29	2910	463	.61	66.4	69.2	4.7	80.9
112	3802	11.97	26.6	.996	.055	.81	14.07	3020	589	.57	79.3	81.7	4.6	82.6
113	3802	12.43	26.3	.953	.072	1.94	13.34	2263	677	.43	85.0	84.7	4.6	82.7
114	4005	.00	41.1	1.003	.037	.44	14.63	382	174	.43	35.4	25.4	4.7	82.5
115	3997	2.00	40.6	1.006	.050	.57	14.26	1367	391	.63	40.8	33.1	4.7	81.0
116	3997	4.05	40.4	1.009	.050	.52	14.22	2516	545	.68	45.6	40.2	4.7	80.7
117	3998	6.03	39.4	1.010	.053	.55	14.17	3115	574	.69	50.6	47.5	4.6	81.3
118	3998	8.00	29.4	1.008	.049	.52	14.30	2672	438	.60	57.8	58.0	4.5	81.8
119	3998	10.02	26.8	1.009	.048	.50	14.31	2787	468	.61	69.3	72.7	4.5	83.2
120	4005	11.99	27.0	.989	.054	.92	14.02	2908	595	.50	80.2	82.3	4.5	84.0
121	3998	12.29	26.6	.951	.070	1.98	13.32	2213	654	.40	85.0	84.8	4.5	85.0
122	4201	.01	41.2	1.002	.040	.51	14.47	386	201	.45	36.1	26.4	4.6	84.3

	DRZ 1/MIN	BRL KP	ZUEH DEG	LAMA 1	SIGMA 1	C0 PROZ	CO2 PROZ	% PPM	C3H8 PPM	32 PROZ	OKL DEG	OKL DEG	OKL PST DEG	OECLR KP/CM2	DEL TEMP CEL
123	4201.	1.98	41.5	1.003	.055	.69	14.08	1406.	414.	.64	41.4	34.0	4.6	83.4	
124	4201.	4.05	41.3	1.005	.055	.64	14.06	2632.	536.	.67	46.4	41.3	4.6	83.8	
125	4201.	6.90	39.9	1.005	.054	.65	14.06	3120.	575.	.65	51.4	48.8	4.6	83.2	
126	4201.	8.01	30.4	1.004	.050	.60	14.21	2729.	452.	.57	58.8	59.4	4.6	84.3	
127	4201.	9.96	27.7	1.004	.050	.61	14.19	2786.	480.	.58	70.1	73.5	4.5	85.0	
128	4201.	11.97	27.7	.969	.062	1.43	13.66	2540.	613.	.41	82.5	83.6	4.5	86.2	
129	4404.	-.01	42.2	1.002	.041	.52	14.46	408.	178.	.44	36.6	27.2	4.6	86.0	
130	4396.	2.06	42.0	1.003	.054	.67	14.08	1599.	421.	.63	42.3	35.3	4.6	85.4	
131	4404.	3.99	41.5	1.005	.057	.69	13.99	2708.	529.	.68	47.1	42.4	4.6	85.5	
132	4396.	6.03	40.2	1.009	.053	.55	14.13	3327.	540.	.66	52.6	50.5	4.5	85.9	
133	4396.	7.98	30.5	1.008	.047	.49	14.28	2941.	452.	.58	59.9	60.9	4.5	86.3	
134	4404.	9.99	28.6	1.007	.047	.51	14.25	3020.	458.	.57	71.0	74.4	4.4	87.4	
135	4404.	11.93	28.9	.949	.069	2.05	13.23	2247.	591.	.35	85.1	84.8	4.4	88.4	
136	4599.	-.01	42.9	.999	.041	.56	14.39	435.	197.	.43	37.6	28.5	4.6	88.6	
137	4600.	1.99	42.8	1.003	.053	.66	14.08	1720.	404.	.61	43.0	36.3	4.6	87.8	
138	4600.	4.02	42.9	1.005	.057	.67	13.98	2905.	527.	.67	48.1	43.9	4.5	87.6	
139	4600.	6.00	41.5	1.008	.053	.57	14.08	3537.	531.	.63	53.6	51.9	4.5	88.5	
140	4601.	8.01	31.5	1.008	.049	.52	14.20	3108.	453.	.58	60.9	62.3	4.4	88.6	
141	4601.	9.35	29.1	1.006	.048	.54	14.20	3065.	445.	.55	71.3	74.8	4.4	90.0	
142	4601.	11.85	30.3	.959	.066	1.71	13.43	2511.	547.	.35	85.1	84.8	4.3	91.6	
143	4302.	-.01	43.8	.997	.045	.65	14.26	480.	223.	.45	38.3	29.3	4.5	91.0	
144	4803.	1.99	43.5	1.002	.056	.71	13.98	1862.	434.	.63	43.9	37.4	4.5	90.3	
145	4803.	3.91	43.3	1.005	.059	.70	13.90	2398.	531.	.68	48.8	44.8	4.5	90.1	
146	4795.	5.00	41.8	1.006	.056	.66	13.97	3548.	526.	.64	54.4	53.2	4.4	90.4	
147	4803.	7.98	31.7	1.004	.051	.61	14.09	3147.	469.	.57	61.7	63.3	4.4	90.8	
148	4795.	10.00	29.7	1.004	.049	.59	14.12	3150.	453.	.54	71.5	75.0	4.4	91.9	
149	4795.	11.80	30.2	.973	.059	1.23	13.68	2872.	523.	.37	85.0	84.8	4.3	93.1	
150	4997.	-.01	44.4	1.000	.040	.53	14.41	526.	198.	.43	38.9	30.4	4.4	92.4	
151	4998.	2.01	44.3	.998	.060	.83	13.83	1945.	466.	.64	44.6	38.6	4.4	91.9	
152	4998.	3.99	43.6	1.000	.062	.82	13.78	3109.	560.	.67	49.7	46.2	4.3	91.8	
153	4998.	6.06	41.2	1.005	.057	.69	13.91	3669.	549.	.64	55.6	55.0	4.3	92.2	
154	4999.	8.00	31.9	1.002	.052	.66	14.04	3194.	470.	.55	62.9	64.8	4.3	93.1	
155	4998.	10.01	30.3	1.003	.049	.60	14.09	3285.	459.	.53	72.2	75.7	4.2	93.9	
156	4998.	11.65	30.2	.987	.054	.96	13.88	3211.	495.	.42	85.1	84.8	4.2	95.0	
157	5200.	.01	44.9	1.000	.039	.53	14.39	560.	191.	.40	39.9	31.8	4.3	95.3	
158	5203.	2.01	44.7	1.001	.054	.71	13.96	2014.	435.	.60	45.4	39.8	4.3	94.0	
159	5201.	4.02	44.8	1.003	.059	.75	13.81	3179.	540.	.66	50.7	47.7	4.3	94.1	
160	5203.	6.00	41.9	1.004	.054	.66	13.94	3743.	536.	.60	56.7	56.5	4.3	94.5	
161	5200.	7.99	31.4	1.004	.049	.60	14.08	3255.	463.	.54	64.3	66.7	4.2	95.5	
162	5200.	9.99	30.8	1.003	.050	.61	14.08	3420.	453.	.52	73.0	76.4	4.2	96.4	
163	5201.	11.99	30.5	.993	.051	.81	13.97	3355.	472.	.44	85.1	84.8	4.1	97.6	
164	5482.	-.00	44.6	1.000	.036	.50	14.45	571.	146.	.36	40.7	33.0	4.2	97.0	
165	5401.	1.97	44.8	1.001	.051	.68	14.04	1875.	382.	.55	46.2	41.1	4.2	96.2	
166	5400.	4.01	44.4	1.003	.058	.73	13.85	3115.	506.	.63	51.7	49.2	4.2	96.4	
167	5403.	6.01	41.7	1.006	.054	.62	13.98	3685.	511.	.60	57.9	58.1	4.2	97.0	

	ORZ 1/HIN	URL KP	ZUEW DEG	LAMA 1	SIGMA 1	CJ PROZ	CO2 PROZ	NO PPM	C3H8 PPM	J2 PROZ	DKL DEG	DK-PST DEG	OELDR KP/CH2	OELTEMP CEL
168	5395.	8.01	31.5	1.005	.049	.58	14.09	3194.	427.	.54	66.2	69.1	4.1	98.0
169	5403.	10.06	30.9	1.004	.049	.60	14.08	3365.	432.	.52	74.7	78.0	4.1	98.5
170	5403.	11.17	31.1	.987	.053	.94	13.89	3260.	480.	.40	85.1	84.8	4.0	99.3
171	5595.	.01	43.7	.998	.036	.52	14.45	550.	137.	.33	41.7	34.4	4.2	98.7
172	5604.	2.00	44.3	1.000	.049	.66	14.06	1806.	349.	.52	47.3	42.7	4.2	98.0
173	5597.	3.98	44.7	1.005	.057	.67	13.89	3076.	469.	.63	52.6	50.6	4.2	97.4
174	5598.	5.97	41.3	1.004	.055	.67	13.91	3588.	493.	.60	58.9	59.4	4.1	98.9
175	5606.	7.99	30.8	1.004	.050	.59	14.07	3072.	403.	.53	68.5	71.8	4.1	98.9
176	5598.	9.99	30.7	1.003	.048	.59	14.08	3355.	416.	.49	76.5	79.6	4.0	99.7
177	5605.	10.86	30.5	.984	.053	1.00	13.82	3184.	478.	.37	85.1	84.8	4.0	100.5
178	5600.	.02	45.0	.997	.033	.50	14.47	542.	143.	.30	42.0	34.9	4.1	100.7
179	5600.	2.02	44.3	.998	.050	.70	14.03	1778.	336.	.49	47.8	43.5	4.1	99.7
180	5798.	4.02	44.7	1.000	.057	.77	13.80	3043.	503.	.60	53.5	51.8	4.1	99.7
181	5800.	6.01	39.8	1.000	.057	.77	13.83	3415.	485.	.57	60.1	61.2	4.1	99.8
182	5793.	8.04	32.3	1.002	.050	.64	14.04	3076.	383.	.50	70.1	73.5	4.0	100.2
183	5800.	10.02	31.1	1.001	.050	.65	14.00	3416.	408.	.49	78.2	80.9	3.9	102.0
184	5799.	10.61	32.2	.975	.058	1.25	13.63	3071.	486.	.34	85.1	84.8	3.8	102.8
185	5801.	.01	44.6	.996	.035	.54	14.42	581.	126.	.30	43.5	37.2	3.9	102.4
186	6001.	1.37	44.8	.998	.047	.67	14.09	1726.	325.	.47	48.9	44.9	4.0	101.4
187	6003.	4.33	46.1	.999	.056	.78	13.82	2941.	498.	.58	54.9	53.8	4.0	101.2
188	5993.	6.00	39.7	.999	.057	.78	13.82	3184.	473.	.56	61.9	63.5	3.9	101.9
189	5503.	8.06	32.8	1.001	.050	.66	14.01	3304.	388.	.49	71.4	74.9	3.9	102.6
190	6001.	9.93	32.7	.976	.060	1.26	13.62	3145.	479.	.36	79.5	81.8	3.8	104.1
191	5993.	10.33	32.0	.966	.060	1.48	13.45	2998.	515.	.31	85.1	84.8	3.7	104.7
192	1204.	.92	-2.0	1.004	.069	.86	13.36	55.	1523.	1.41	1.1	.1	2.0	64.3
193	1403.	-1.35	1.0	.999	.070	.96	12.99	41.	2197.	1.69	1.4	0.0	2.5	63.0
194	1605.	-1.64	4.0	.991	.079	1.22	12.13	34.	3445.	2.31	1.3	.1	3.1	63.1
195	1806.	-1.88	7.1	.973	.096	1.76	10.75	26.	5302.	3.20	.6	.2	3.4	63.0
196	2000.	-2.08	8.9	.989	.148	2.11	9.55	22.	6000.	4.16	.7	.2	3.8	64.1
197	2202.	-2.29	11.4	1.014	.225	2.61	8.20	19.	6000.	5.02	.8	.2	4.2	64.2
198	2410.	-1.98	14.1	.998	.071	.99	12.93	43.	2506.	1.84	24.2	11.6	4.5	65.4
199	2410.	-2.47	14.3	1.075	.326	2.72	6.84	16.	6000.	6.27	1.0	.1	4.6	66.5
200	2603.	-2.61	15.5	1.359	0.000	2.46	6.19	17.	6000.	7.09	1.2	.1	4.9	66.9
201	2603.	-1.99	15.5	.991	.050	.82	13.48	51.	2117.	1.40	25.8	13.4	4.7	67.3
202	2808.	-2.80	15.6	1.410	0.000	2.26	6.02	19.	6000.	7.42	1.5	0.0	5.1	68.4
203	2808.	-2.05	15.5	1.004	.071	.89	13.37	51.	1857.	1.59	26.3	14.0	5.0	68.8
204	3009.	-2.92	16.5	1.428	0.000	2.15	5.99	18.	6000.	7.51	1.4	0.0	5.0	70.3
205	3008.	-1.94	16.1	1.002	.039	.49	14.56	69.	622.	.67	28.7	16.7	4.8	71.0
206	3181.	-3.05	12.7	1.394	0.000	2.21	6.18	18.	6000.	7.22	1.3	.1	5.0	72.1
207	3197.	-2.86	17.2	1.012	.055	.54	14.33	66.	837.	1.81	29.3	17.5	5.0	73.0
208	3408.	-3.15	17.3	1.370	0.000	2.15	6.44	18.	6000.	7.02	1.1	.1	5.3	73.9
209	3410.	-1.95	18.8	1.001	.034	.45	14.66	78.	608.	.61	30.1	18.5	5.1	74.7
210	3603.	-3.22	15.7	1.101	.319	2.25	6.99	21.	6000.	6.42	1.8	.1	5.3	77.0
211	3611.	-1.98	22.9	.997	.032	.49	14.60	81.	685.	.59	30.8	18.3	5.1	77.5
212	3802.	-3.26	17.9	1.006	.305	2.32	7.14	21.	6000.	6.21	1.5	0.0	4.7	78.6

	DRZ 1/MIN	ORL KP	ZUEW DEG	LAMA 1	SIGMA 1	C3 PROZ	C02 PROZ	NO PPM	C3H8 PPM	32 PROZ	DKL DEG	DKL PST DEG	DELDR KP/CH2	DELTEMP CEL
213	3802.	-1.90	24.9	1.000	.836	.50	14.56	87.	823.	.87	38.5	19.0	4.6	80.1
214	4014.	-3.35	18.7	1.036	.233	2.31	8.17	26.	8000.	5.28	.8	.2	4.7	80.9
215	4007.	-1.94	26.5	.999	.037	.52	14.46	85.	777.	.70	31.0	19.6	4.6	81.5
216	4205.	-3.41	19.4	1.047	.257	2.48	7.70	25.	6000.	5.50	1.1	.1	4.7	82.0
217	4206.	-2.09	26.9	.999	.031	.44	14.59	83.	721.	.61	31.1	19.8	4.7	82.8
218	4497.	-3.46	20.1	1.016	.211	2.40	8.26	29.	8000.	4.92	1.4	.1	4.7	83.7
219	4407.	-1.97	29.8	1.000	.034	.47	14.58	88.	662.	.62	31.4	20.1	4.7	84.3
220	4604.	-3.54	20.0	1.036	.265	2.78	7.69	27.	6000.	5.47	1.1	.1	4.6	85.2
221	4604.	-2.01	31.0	.996	.036	.55	14.46	91.	762.	.66	31.7	20.5	4.6	86.5
222	4805.	-3.53	20.1	1.056	.316	2.99	6.96	25.	6000.	6.02	1.0	.1	4.6	86.9
223	4806.	-1.96	36.2	.998	.039	.57	14.36	99.	818.	.73	31.9	20.8	4.5	87.9
224	5004.	-3.74	21.3	1.046	.321	3.19	6.73	25.	6000.	6.00	.3	.3	4.5	88.2
225	5005.	-2.01	39.3	.998	.040	.58	14.31	103.	911.	.77	31.0	19.6	4.5	89.4
226	5211.	-3.84	21.6	1.013	.272	3.16	7.42	28.	6000.	5.38	.2	.3	4.4	90.2
227	5211.	-2.01	44.5	.994	.037	.61	14.23	114.	1100.	.80	31.0	19.6	4.4	90.5
228	5402.	-3.96	20.9	.985	.210	2.94	8.42	35.	6000.	4.63	.5	.2	4.4	91.9
229	5403.	-2.01	43.8	.998	.044	.64	14.18	122.	1020.	.87	31.6	20.3	4.3	92.6
230	5612.	-4.08	22.2	.971	.208	3.18	8.37	37.	6000.	4.48	.2	.3	4.3	93.1
231	5613.	-1.94	43.9	.997	.039	.57	14.43	143.	674.	.64	32.5	21.5	4.3	93.8
232	5814.	-4.20	22.6	.981	.220	3.13	8.12	33.	600.	4.67	.5	.2	4.3	94.4
233	5815.	-4.06	22.9	1.048	.284	2.70	7.34	26.	6000.	5.75	23.6	11.0	4.2	95.0
234	5819.	-2.06	44.8	.998	.035	.52	14.62	150.	557.	.55	32.8	21.9	4.2	95.4
235	6010.	-4.32	22.4	.953	.209	3.51	8.16	35.	6000.	4.32	.4	.3	4.2	96.1
236	6005.	-4.64	23.9	1.019	.287	3.22	7.26	26.	6000.	5.55	27.3	15.0	4.2	96.7
237	6107.	-2.03	44.8	.996	.033	.51	14.69	162.	503.	.49	34.5	24.2	4.2	97.1

	DRZ 1/MIN	SRL KP	RAUMTEMP CEL	LFTDR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCC2 G/H	HPCH2 G/H	HPNOX G/H	HP02 G/H
1	999.	.21	13.4	763.6	11636.	.550	.745	106.3	3173.8	19.12	2.20	185.56
2	1000.	2.23	19.3	763.6	14484.	.550	.745	99.2	4114.8	11.40	6.62	148.68
3	1000.	4.11	13.7	763.6	16284.	.550	.745	98.4	4640.3	16.44	1.83	167.48
4	1000.	6.00	13.6	763.6	18761.	.550	.745	110.8	5351.4	22.86	37.06	190.81
5	1000.	7.97	19.8	763.6	21338.	.550	.745	119.4	6088.1	26.75	76.02	221.22
6	1000.	9.88	19.8	763.6	23939.	.550	.745	136.0	6737.1	33.77	123.80	260.05
7	1000.	10.45	20.0	763.6	24595.	.550	.745	703.0	6424.7	44.56	70.44	153.77
8	1200.	.06	13.2	763.6	13113.	.550	.745	107.9	3643.5	14.46	3.16	171.87
9	1204.	1.85	19.7	763.6	17103.	.550	.745	119.2	4856.1	10.63	7.68	167.73
10	1196.	3.37	19.5	763.6	18805.	.550	.745	112.3	5361.1	15.43	18.74	189.86
11	1199.	6.02	19.6	763.6	21251.	.550	.745	118.4	6079.6	21.23	44.36	207.39
12	1199.	8.00	19.6	763.6	26321.	.550	.745	145.3	7503.6	27.90	91.79	268.60
13	1199.	9.88	13.1	763.6	28868.	.550	.745	158.6	8194.2	35.99	141.92	313.91
14	1199.	10.54	13.2	763.6	30805.	.550	.745	670.4	8275.1	49.46	105.40	208.61
15	1402.	.07	13.5	763.6	13568.	.550	.745	115.4	3730.7	20.99	2.72	201.35
16	1403.	2.04	13.1	763.6	18548.	.550	.745	108.6	5335.6	10.47	9.02	157.35
17	1403.	4.11	13.4	763.6	21451.	.550	.745	113.5	6168.3	16.24	19.85	190.62
18	1404.	5.87	19.4	763.6	25330.	.550	.745	133.7	7269.6	21.59	44.20	227.27
19	1395.	8.08	19.2	763.6	30166.	.550	.745	157.2	8650.6	27.23	88.83	269.96
20	1404.	9.76	19.4	763.6	34001.	.550	.745	185.4	9733.2	31.48	132.10	315.92
21	1404.	10.18	19.4	763.6	35658.	.550	.745	941.0	9428.5	42.07	85.08	194.12
22	1593.	.20	19.6	763.6	14526.	.550	.745	109.9	4058.3	18.90	2.97	180.96
23	1593.	2.04	19.1	763.6	20623.	.550	.745	114.9	5955.2	10.45	9.86	159.25
24	1600.	3.37	19.1	763.6	22591.	.550	.745	129.0	6475.2	17.16	24.73	203.86
25	1593.	5.99	19.2	763.6	28335.	.550	.745	161.4	8093.9	25.45	59.12	267.52
26	1593.	7.97	19.5	763.6	32450.	.550	.745	184.2	9277.0	29.02	103.00	309.67
27	1593.	9.92	19.2	763.6	36986.	.550	.745	255.5	11073.2	35.32	150.57	381.86
28	1600.	10.70	19.0	763.6	40548.	.550	.745	1317.2	10475.1	46.94	89.36	200.13
29	1795.	.01	19.0	763.6	17515.	.550	.745	114.7	4996.9	13.12	4.27	168.15
30	1795.	1.90	19.3	763.6	22803.	.550	.745	131.8	6682.9	11.17	12.54	178.05
31	1795.	4.02	19.2	763.6	23949.	.550	.745	143.4	6828.0	22.66	40.28	240.47
32	1803.	5.90	19.2	763.6	29640.	.550	.745	178.9	8420.4	32.05	93.14	310.19

	ORZ 1/MIN	BRL KP	RAU+TEMP SEL	LFTOK TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HP4OX G/H	HP02 G/H
33	1796.	7.98	19.4	763.6	36551.	.550	.745	222.3	10410.6	35.25	142.34	361.98
34	1796.	9.96	19.3	763.6	42753.	.550	.745	296.2	12089.9	42.15	195.67	445.59
35	1795.	11.27	19.7	763.6	45540.	.550	.745	203.5	12066.5	50.71	143.47	247.51
36	1998.	-0.00	19.5	763.6	18404.	.550	.745	126.7	5272.1	10.24	1.71	159.32
37	1999.	2.02	19.5	763.6	21516.	.550	.745	123.8	6213.9	11.15	13.00	167.56
38	1999.	4.02	19.9	763.6	25299.	.550	.745	146.9	7222.4	26.15	59.57	252.94
39	1999.	5.01	19.8	763.6	32346.	.550	.745	186.2	9218.2	34.62	133.88	327.31
40	1999.	7.97	19.8	763.6	39595.	.550	.745	267.1	11222.3	36.57	166.84	401.73
41	1999.	10.01	19.6	763.6	47571.	.550	.745	305.8	13521.7	45.66	243.24	467.89
42	1999.	11.78	19.8	763.6	51915.	.550	.745	1069.8	14034.9	56.65	212.61	312.82
43	2202.	-0.01	19.4	763.6	18841.	.550	.745	122.5	5424.6	8.34	5.12	147.60
44	2202.	2.01	19.6	763.6	21897.	.550	.745	123.7	6310.6	13.80	15.57	176.86
45	2203.	4.00	19.2	763.6	26810.	.550	.745	156.4	7632.8	29.77	86.73	273.16
46	2203.	5.94	19.3	763.6	34636.	.550	.745	214.9	9804.3	39.73	181.18	365.81
47	2203.	7.97	19.2	763.6	42481.	.550	.745	297.1	11983.5	41.98	204.90	449.42
48	2195.	10.01	19.2	763.6	50242.	.550	.745	334.6	14243.0	49.18	271.95	495.33
49	2203.	11.93	19.2	763.6	58192.	.550	.745	1264.3	15680.5	61.70	250.49	340.36
50	2399.	.01	19.6	763.6	20102.	.550	.745	123.7	5807.4	8.55	5.70	147.95
51	2398.	1.99	19.2	763.6	23955.	.550	.745	140.9	6867.2	16.91	22.64	209.33
52	2398.	4.03	19.4	763.6	28890.	.550	.745	180.9	8168.6	32.33	110.40	308.58
53	2398.	5.99	19.2	763.6	38237.	.550	.745	281.5	10695.8	44.19	202.33	440.75
54	2406.	7.97	19.7	763.6	46714.	.550	.745	316.2	13174.9	48.09	253.88	487.04
55	2398.	10.02	19.3	763.6	55395.	.550	.745	354.1	15711.3	57.59	328.06	539.71
56	2406.	11.97	19.0	763.6	63757.	.550	.745	718.1	17739.5	65.96	353.24	515.63
57	2398.	11.98	19.8	763.6	62925.	.550	.745	1194.8	17065.3	66.29	307.54	398.80
58	2601.	-0.02	19.4	763.6	19719.	.550	.745	109.6	5718.7	7.17	5.54	132.75
59	2594.	2.05	19.0	763.6	25081.	.550	.745	157.4	7140.3	18.25	27.77	231.39
60	2602.	3.97	19.4	763.6	31161.	.550	.745	202.6	8752.7	36.40	130.93	353.18
61	2594.	5.95	19.4	763.6	41453.	.550	.745	323.7	11525.0	49.14	228.02	486.13
62	2602.	8.00	19.2	763.6	50619.	.550	.745	350.7	14223.6	53.76	285.27	540.12
63	2594.	9.98	19.4	763.6	59735.	.550	.745	414.6	16831.4	61.48	354.24	592.75
64	2602.	11.93	19.3	763.6	69165.	.550	.745	498.0	19533.9	63.40	457.67	646.60
65	2602.	12.17	19.3	763.6	69098.	.550	.745	1253.6	18746.1	70.55	355.97	448.20
66	2805.	-0.02	19.3	763.6	21922.	.550	.745	126.7	6345.5	7.66	6.63	142.84
67	2798.	2.02	19.4	763.6	25183.	.550	.745	180.7	7090.6	21.64	39.88	255.46
68	2797.	4.02	19.4	763.6	33764.	.550	.745	234.6	9425.3	40.51	151.74	398.27
69	2806.	6.01	19.7	763.6	45394.	.550	.745	354.6	12592.1	55.34	267.84	546.39
70	2798.	8.01	19.4	763.6	55074.	.550	.745	384.7	15445.6	61.56	338.31	597.00
71	2798.	10.02	19.5	763.6	64960.	.550	.745	464.3	18277.8	64.53	394.19	638.80
72	2799.	11.97	19.8	763.6	74151.	.550	.745	512.2	20958.0	68.47	506.32	685.00
73	2798.	12.51	19.2	763.6	76227.	.550	.745	1170.0	20893.0	78.82	434.70	513.96
74	3001.	-0.01	19.1	763.6	22485.	.550	.745	128.3	6513.4	7.17	7.87	141.90
75	2994.	2.03	19.0	763.6	28589.	.550	.745	216.1	8026.8	24.30	52.97	297.66
76	2994.	4.05	19.0	763.6	37616.	.550	.745	323.6	10384.9	44.16	164.08	461.69
77	3001.	5.99	18.9	763.6	47482.	.550	.745	373.8	13185.5	56.36	278.50	552.56

	URZ 1/MIN	BKL KP	RAU-TEMP DEL	LFTOR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPYOX G/H	HP02 G/H
78	3001.	7.38	19.9	763.6	58865.	.550	.745	449.2	16429.1	67.46	356.83	643.55
79	3001.	10.01	18.9	763.6	70503.	.550	.745	532.5	19827.1	66.90	413.72	667.29
80	3002.	11.99	19.2	763.6	81079.	.550	.745	546.2	22925.5	74.92	543.66	755.23
81	3002.	12.52	19.0	763.6	82683.	.550	.745	1432.4	22433.1	89.11	444.56	547.91
82	3197.	.02	18.7	763.6	23493.	.550	.715	158.4	6753.4	9.25	9.96	157.10
83	3265.	1.36	18.6	763.6	30446.	.550	.745	262.2	8517.0	24.60	57.13	305.43
84	3205.	3.89	19.0	763.6	41549.	.550	.745	380.3	11453.1	44.03	165.10	501.59
85	3198.	6.05	19.0	763.6	51949.	.550	.745	448.3	14364.9	59.90	306.48	619.27
86	3199.	8.03	19.1	763.6	62029.	.550	.745	510.5	17464.2	70.74	371.40	706.05
87	3199.	9.98	19.5	763.6	75844.	.550	.745	540.9	21443.7	65.33	446.87	692.94
88	3205.	11.98	19.2	763.6	86235.	.550	.745	593.2	24335.7	82.39	565.42	822.48
89	3199.	12.72	19.4	763.6	89500.	.550	.745	1590.3	24296.2	100.52	47.03	589.89
90	3393.	.01	19.1	763.6	23694.	.550	.745	160.5	6795.5	8.39	11.89	166.77
91	3402.	2.01	18.9	763.6	32157.	.550	.745	267.7	8935.6	25.58	67.22	318.05
92	3394.	4.03	19.4	763.6	43536.	.550	.745	378.1	12031.5	46.28	187.99	504.07
93	3402.	6.02	19.0	763.6	54714.	.550	.745	431.4	15181.5	61.81	340.58	621.49
94	3395.	7.39	19.9	760.6	68906.	.550	.745	526.7	19219.9	62.83	346.41	672.44
95	3403.	10.01	19.3	760.6	81357.	.550	.745	594.2	22801.4	57.83	486.10	742.29
96	3395.	11.98	19.6	760.6	91895.	.550	.745	539.6	25673.2	92.39	599.80	887.45
97	3403.	12.78	19.6	760.6	95527.	.550	.745	2065.6	25328.6	118.62	470.19	618.20
98	3606.	.01	19.9	760.6	31004.	.550	.745	180.9	8893.1	10.00	16.41	191.19
99	3598.	1.39	20.0	760.6	38706.	.550	.745	287.6	10842.6	27.77	82.76	344.10
100	3599.	4.12	19.9	760.6	48036.	.550	.745	359.5	13293.8	48.47	213.16	507.87
101	3599.	5.96	19.8	760.6	50255.	.550	.745	438.2	16130.0	62.69	352.16	615.16
102	3598.	8.01	19.8	760.6	69211.	.550	.745	508.7	19301.6	65.90	386.26	670.36
103	3606.	9.95	19.9	760.6	82705.	.550	.745	586.5	23170.9	68.99	479.09	742.05
104	3606.	11.95	20.0	760.6	94109.	.550	.745	628.4	26287.1	100.75	623.65	905.30
105	3599.	12.76	19.5	760.6	97323.	.550	.745	2365.9	25436.3	126.83	458.90	615.41
106	3801.	.02	19.9	760.6	31236.	.550	.745	191.9	8910.0	10.40	18.16	193.47
107	3801.	1.99	19.8	760.6	40402.	.550	.745	280.8	11312.6	30.32	105.65	355.51
108	3802.	3.96	19.9	760.6	50370.	.550	.745	342.6	13990.6	52.78	251.96	515.36
109	3794.	6.02	19.9	760.6	62445.	.550	.745	407.4	17376.8	67.23	410.01	628.22
110	3801.	8.01	20.1	760.6	75383.	.550	.745	518.5	21085.5	64.77	415.49	669.90
111	3802.	9.97	19.8	760.6	87913.	.550	.745	588.7	24637.1	76.30	524.51	763.53
112	3802.	11.97	20.0	760.6	99996.	.550	.745	1014.3	27595.2	110.41	619.10	817.10
113	3802.	12.43	19.6	760.6	103956.	.550	.745	2518.3	27198.9	131.98	482.24	639.37
114	4005.	.00	19.7	760.6	32833.	.550	.745	182.4	9417.2	10.72	25.72	199.18
115	3997.	2.00	19.7	760.6	42078.	.550	.745	303.6	11990.0	31.45	120.18	383.56
116	3997.	4.05	19.7	760.6	53964.	.550	.745	353.2	15045.0	55.10	278.38	523.16
117	3998.	6.03	19.7	760.6	63824.	.550	.745	438.7	17732.4	68.64	407.55	632.64
118	3998.	8.00	19.8	760.6	79623.	.550	.745	518.0	22324.1	65.37	436.14	680.02
119	3998.	10.02	19.8	760.6	93624.	.550	.745	584.4	26268.2	82.13	534.88	812.63
120	4086.	11.99	19.6	760.6	105993.	.550	.745	1215.3	29143.6	118.30	631.84	761.56
121	3998.	12.29	19.4	760.6	107554.	.550	.745	2655.3	28090.6	131.96	487.94	612.96
122	4201.	.01	19.7	760.6	33070.	.550	.745	217.4	9608.0	12.74	26.79	218.22

ORZ 1/MIN	BRL KP	RAU-TEMP CEL	LFTOR TORR	LFTPLU L/H	LFTFEUCH KG/L	JCHTE	HPCO G/H	HPCO2 G/H	HPC42 G/H	HP4OX G/4	HP02 G/H
123	4201.	19.8	760.6	43852.	.550	.745	377.9	12104.3	34.87	126.44	403.23
124	4201.	19.7	760.6	55754.	.550	.745	448.5	15378.3	56.15	300.89	534.95
125	4201.	19.7	760.6	67855.	.550	.745	547.5	18712.6	73.20	433.95	629.87
126	4201.	19.7	760.6	83234.	.550	.745	625.6	23210.7	70.65	465.92	680.18
127	4201.	19.6	760.6	98487.	.550	.745	748.2	27401.5	88.58	562.97	810.57
128	4201.	19.6	760.6	112736.	.550	.745	2007.7	30200.9	129.59	585.93	666.42
129	4404.	19.4	760.6	35824.	.550	.745	231.8	10159.5	11.34	30.00	226.27
130	4396.	19.4	760.6	46356.	.550	.745	389.9	12802.0	36.60	151.92	415.51
131	4404.	19.6	760.6	58827.	.550	.745	508.7	16140.1	58.32	326.62	569.47
132	4396.	20.0	760.6	72570.	.550	.745	500.7	20107.7	73.46	494.93	682.83
133	4396.	19.9	760.6	87190.	.550	.745	533.3	24422.3	73.36	525.65	719.31
134	4604.	19.9	760.6	103060.	.550	.745	657.9	28794.4	88.59	638.05	836.26
135	4404.	19.9	760.6	117238.	.550	.745	2995.1	30411.1	130.00	540.04	591.40
136	4599.	19.6	760.6	35562.	.550	.745	251.0	10038.4	13.15	31.73	217.64
137	4600.	19.6	760.6	47380.	.550	.745	391.3	13080.0	35.91	167.08	413.86
138	4600.	19.8	760.6	61559.	.550	.745	516.2	16871.5	60.96	366.63	591.19
139	4600.	19.6	760.6	75326.	.550	.745	537.1	20803.2	74.38	546.14	681.22
140	4601.	19.8	760.6	93033.	.550	.745	607.6	25907.2	78.37	592.73	766.52
141	4601.	19.6	760.6	108392.	.550	.745	734.1	30174.5	90.45	681.14	852.65
142	4601.	19.7	760.6	122010.	.550	.745	2603.2	32133.1	125.25	628.08	609.16
143	4802.	19.5	760.6	36742.	.550	.745	300.2	10274.4	15.34	36.18	233.97
144	4833.	19.5	760.6	50530.	.550	.745	448.5	13867.3	41.13	193.07	457.15
145	4833.	19.3	760.6	63026.	.550	.745	552.8	17180.0	62.77	387.37	612.37
146	4795.	19.7	760.6	78545.	.550	.745	647.5	21510.9	77.52	571.23	716.07
147	4803.	19.7	760.6	96345.	.550	.745	734.5	26628.6	84.73	621.60	780.05
148	4795.	19.8	760.6	112798.	.550	.745	834.4	31226.1	97.09	728.51	871.41
149	4795.	19.6	760.6	127629.	.550	.745	2061.8	34247.2	125.28	751.53	671.14
150	4997.	19.8	760.6	37294.	.550	.745	248.5	10536.3	13.86	45.25	226.91
151	4998.	19.7	760.6	52133.	.550	.745	542.7	14143.7	45.56	207.88	476.87
152	4998.	19.5	760.6	67071.	.550	.745	585.3	18125.4	70.47	427.51	638.51
153	4998.	19.5	760.6	84140.	.550	.745	727.4	22344.9	86.42	632.92	766.18
154	4999.	19.3	760.6	101078.	.550	.745	833.7	27828.3	89.14	661.91	790.97
155	4998.	19.8	760.6	119052.	.550	.745	898.7	32889.9	102.46	801.73	893.18
156	4998.	19.9	760.6	132887.	.550	.745	1586.1	36175.5	123.35	874.66	790.28
157	5203.	19.9	760.6	40199.	.550	.745	265.0	11342.7	14.37	46.17	231.25
158	5200.	19.9	760.6	54735.	.550	.745	486.7	14983.5	44.70	225.97	466.40
159	5201.	19.8	760.6	69831.	.550	.745	554.4	18933.6	70.81	455.44	657.75
160	5200.	19.5	760.6	87864.	.550	.745	720.3	24021.1	88.23	674.28	754.33
161	5200.	19.7	760.6	105673.	.550	.745	785.6	29175.9	91.66	705.13	817.69
162	5200.	19.9	760.6	124442.	.550	.745	948.1	34350.5	105.73	872.59	931.40
163	5201.	19.8	760.6	136957.	.550	.745	1386.3	37528.5	121.17	941.92	863.65
164	5402.	19.6	760.6	41459.	.550	.745	258.1	11750.8	11.37	48.55	213.28
165	5401.	19.8	760.6	55826.	.550	.745	474.1	15365.5	39.97	214.55	440.84
166	5400.	19.7	760.6	73758.	.550	.745	672.3	20036.9	70.01	471.00	665.86
167	5403.	19.6	760.6	90731.	.550	.745	697.4	24867.9	86.91	685.50	781.37

	DRZ 1/MIN	REL KP	RAUMTEMP SEL	LFTOR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HP02 G/H
168	5396.	8.01	19.8	700.5	110849.	.550	.745	803.4	30625.0	88.65	725.01	846.87
169	5403.	10.06	19.4	700.6	131062.	.550	.745	975.0	36185.6	106.07	904.20	976.04
170	5403.	11.17	19.6	760.6	141233.	.550	.745	1656.6	38456.6	127.05	943.83	805.91
171	5596.	-0.01	19.9	700.5	43996.	.550	.745	288.5	12468.0	11.29	43.65	210.09
172	5604.	2.00	19.7	700.6	59390.	.550	.745	487.4	16374.9	38.85	219.84	441.76
173	5597.	3.96	19.7	760.6	76463.	.550	.745	638.9	20834.6	67.31	402.20	687.96
174	5598.	5.97	19.9	760.6	95048.	.550	.745	794.6	25913.2	87.32	693.07	811.94
175	5606.	7.99	19.5	760.6	117083.	.550	.745	868.9	32317.2	88.47	737.38	886.81
176	5598.	9.99	19.3	760.5	138700.	.550	.745	1023.2	38292.3	108.10	954.09	978.00
177	5606.	10.80	19.4	760.6	145580.	.550	.745	1817.6	39465.9	130.39	950.34	764.75
178	5603.	-0.02	19.6	760.6	44672.	.550	.745	279.7	12674.4	11.99	43.67	191.56
179	5600.	2.02	19.7	760.6	61743.	.550	.745	543.3	16985.9	38.90	225.05	433.27
180	5798.	4.02	19.5	760.6	81031.	.550	.745	774.9	21931.9	76.39	505.44	696.54
181	5803.	6.01	19.4	760.6	100708.	.550	.745	962.4	27310.8	91.60	755.08	823.82
182	5799.	8.04	19.4	760.6	124413.	.550	.745	990.2	34243.6	89.40	794.62	895.23
183	5800.	10.02	19.5	760.5	144907.	.550	.745	1182.1	39780.7	110.77	1014.71	1010.39
184	5799.	10.51	19.6	760.6	151316.	.550	.745	2360.0	40430.2	138.01	952.54	727.38
185	6001.	.01	19.1	760.6	47899.	.550	.745	323.3	13542.0	11.34	57.04	205.74
186	6001.	1.37	19.2	760.6	64434.	.550	.745	542.3	17805.5	39.23	227.99	429.39
187	6003.	4.03	19.4	760.6	84320.	.550	.745	821.1	22847.6	78.71	563.42	700.89
188	5999.	6.00	19.2	760.6	105740.	.550	.745	1028.8	28649.1	93.31	690.24	846.12
189	6003.	8.06	19.1	760.6	128190.	.550	.745	1062.5	35212.6	93.18	789.42	892.91
190	6001.	9.93	19.5	760.6	148330.	.550	.745	2325.8	39611.8	133.14	956.32	752.21
191	5993.	10.33	19.1	760.6	152108.	.550	.745	2806.3	40112.9	146.78	934.84	673.96
192	1204.	-0.32	19.5	760.6	9911.	.550	.745	106.3	2596.1	28.30	1.13	198.80
193	1403.	-1.35	19.5	760.6	11073.	.550	.745	132.3	2821.4	45.61	.94	266.48
194	1605.	-1.64	19.5	760.6	12045.	.550	.745	183.1	2864.1	77.80	.84	397.08
195	1806.	-1.88	19.5	760.6	12054.	.550	.745	264.7	2540.8	119.83	.65	549.76
196	2000.	-2.08	19.5	760.6	11020.	.550	.745	290.6	2064.0	123.37	.51	653.49
197	2202.	-2.29	19.5	760.6	11272.	.550	.745	367.0	1813.5	126.91	.44	806.84
198	2410.	-1.98	19.5	760.6	13395.	.550	.745	166.0	3395.5	62.94	1.17	352.66
199	2410.	-2.47	19.5	760.6	12981.	.550	.745	441.4	1740.5	146.04	.44	1161.40
200	2603.	-2.61	19.5	760.6	16947.	.550	.745	520.6	2055.6	190.65	.58	1715.61
201	2603.	-1.99	19.5	760.6	16000.	.550	.745	164.3	4229.5	63.51	1.66	319.70
202	2808.	-2.80	19.5	760.6	18892.	.550	.745	532.1	2227.3	212.42	.72	1998.05
203	2808.	-2.05	19.5	760.6	16156.	.550	.745	178.9	4235.7	56.27	1.69	365.66
204	3009.	-2.92	19.5	760.6	16484.	.550	.745	443.3	1936.7	185.44	.60	1766.16
205	3008.	-1.94	19.5	760.6	19943.	.550	.745	123.0	5695.3	23.25	2.81	189.39
206	3181.	-3.05	19.5	760.6	17228.	.550	.745	476.2	2088.8	193.81	.64	1774.58
207	3192.	-2.06	19.5	760.6	19543.	.550	.745	131.7	5492.7	30.68	2.66	282.75
208	3408.	-3.15	19.5	760.6	16676.	.550	.745	447.7	2105.6	187.50	.63	1670.66
209	3410.	-1.95	19.5	760.6	22300.	.550	.745	124.5	6403.5	25.41	3.58	194.91
210	3602.	-3.22	19.5	760.6	14605.	.550	.745	410.3	2001.5	164.31	.62	1337.48
211	3611.	-1.98	19.5	760.6	22049.	.550	.745	134.1	6313.3	28.33	3.67	185.79
212	3802.	-3.26	19.5	760.6	12563.	.550	.745	364.4	1750.9	141.33	.55	1112.63

MOTOR31901401JJX27

	DRZ 1/HIN	GRZ KP	RAUMTEMP °C	LFTDR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	WPCO G/H	WPCJ2 G/H	MPCM2 G/H	WPHOX G/H	WPOZ G/H
213	3002.	-1.90	19.5	760.6	21628.	.550	.745	134.4	6174.2	21.20	3.85	177.07
214	4014.	-3.35	19.5	760.6	10666.	.550	.745	307.7	1708.1	119.99	.56	801.27
215	4007.	-1.94	19.5	760.6	22697.	.550	.745	147.9	6434.9	33.08	3.95	225.67
216	4205.	-3.41	19.5	760.6	12726.	.550	.745	394.8	1920.9	143.16	.66	993.26
217	4206.	-2.09	19.5	760.6	22206.	.550	.745	123.0	6354.9	30.00	3.77	194.05
218	4407.	-3.46	13.5	760.6	11456.	.550	.745	342.8	1855.1	128.88	.68	804.83
219	4407.	-1.97	19.5	760.6	24673.	.550	.745	145.1	7056.3	30.65	4.43	218.99
220	4604.	-3.54	19.5	760.6	11795.	.550	.745	410.0	1779.1	132.70	.66	920.63
221	4604.	-2.01	19.5	760.6	23527.	.550	.745	161.8	6672.7	33.61	4.39	220.07
222	4805.	-3.53	19.5	760.6	11712.	.550	.745	473.0	1598.3	131.76	.59	1006.92
223	4806.	-1.36	19.5	760.6	23839.	.550	.745	169.4	6720.2	36.58	4.84	247.56
224	5004.	-3.74	19.5	760.6	11759.	.550	.745	467.8	1551.0	132.29	.61	1006.25
225	5005.	-2.01	19.5	760.6	24417.	.550	.745	176.4	6843.6	41.72	5.16	269.73
226	5211.	-3.94	19.5	760.6	12677.	.550	.745	499.6	1843.9	142.61	.74	973.35
227	5211.	-2.01	19.5	760.6	25189.	.550	.745	193.0	7023.1	51.96	5.87	287.11
228	5402.	-3.36	19.5	760.6	11877.	.550	.745	436.8	1961.9	133.52	.85	784.51
229	5403.	-2.01	19.5	760.6	26036.	.550	.745	207.0	7237.8	49.82	5.49	321.89
230	5612.	-4.08	19.5	760.6	11799.	.550	.745	468.8	1937.8	132.74	.89	754.56
231	5613.	-1.94	19.5	760.6	9117.	.550	.745	205.5	8242.2	36.81	8.54	265.82
232	5814.	-4.20	19.5	760.6	12644.	.550	.745	494.9	2014.3	142.24	.86	842.86
233	5815.	-4.06	19.5	760.6	21048.	.550	.745	710.7	3030.5	236.79	1.14	1726.95
234	5819.	-2.06	19.5	760.6	30536.	.550	.745	197.3	8755.0	31.87	9.37	241.57
235	6010.	-4.32	19.5	760.6	11598.	.550	.745	508.2	1854.8	130.48	.84	714.84
236	6005.	-4.04	19.5	760.6	23647.	.550	.745	949.9	3341.1	266.33	1.25	1873.78
237	6007.	-2.03	13.5	760.6	32988.	.550	.745	210.7	9501.0	31.12	10.95	230.13

G-395/G-396

APPENIDX G.9
MODIFICATION CODE 16

DKLPST -KENNFELD LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position

LINIEN GLEICHER LEISTUNG IN PS curves of constant power output


KF.NIT AUDI 5000 MOTORISE MIT EGR UND LAMBDA-REG. STDR.3.45.CODE 18

MOTOR31801401WAZ21

DATUM / 24/01/78 MOTOR-TYP/AUDIF000
PST-NR. /22 CO/LL /
VORZUEHNG/-3/950
KRAFTST. /BLEIFREI

MOTOR-NR /WE 004 071
BEMERKUNG./
VERDICHTG/ 8.0
SPEZ.GEW./745

EA-NR. /
HUBRAUM /2000
VERGASER /K-JETR.
OEL /SHELL 30



SPZVE

-KENNFELD LINIEN MIT KONST. WERTEN IN GPPSH₀ fuel consumption (fc) $\frac{g}{Hph}$


MF MIT AUDI 5000 MOTOR/SE INIT EGR UND LAMBDA-REG. STOR-0.45 CODE 16

MOTOR 31901401HA200

DATUM / 24/01/78 MOTOR-TYP/AUDI 5000
EST-NR. 22 CO-LL /
VORZUEHUNG-3/950
KRAFTST. /BLEIFREI

MOTOR-NR /ME 004 071
BEMERKUNG /
VERDICHTEG/ 8.0
SPEZ.GEW./1.745

EA-NR. /
HUBRAUM 1.2000
VERGASER /K-JETRA
OEL /SHELL 20




SPZVB

-KENNFELD LINIEN MIT KONST. WERTEN IN GPKWH

$$f_c \left(\frac{g}{kWh} \right)$$

PF-NIT 6001 5000 MOTOR(5E)NIT EGR UND LANEDA-REG. STD6.0.45.000E 18

MOTORC1901401WAZ20

DATUM / 24/01/78
PST-NR. / 20MOTOR-TYP/AU016000
CO/LL /
VORZUEHENDG/-3/950
KRAFTST. /SLEIFREIMOTOR-NR /WE 004 071
BEMERKUNG./
VERDICHTG/ 8.0
SPEZ.GEW./745ER-NR. /
HUBRAUM /2000
VERGRASER /K.-JETR.
OEL /SHELL 30

LTRFLU -KENNFELD LINIEN MIT KONST. WERTEN IN LPH

$$fc \left(\frac{1}{h} \right)$$


NE MIT AUCH 5000 MOTORISE MIT EGR UND LAMBDA-REG. STOR. 0.46, CODE 16

MOTORSE 1901401W422

DATUM 1.2.4.01.70 MOTOR-TYP 40015000
 PIST-NR. 100 CO-LL 1
 WERZLENDG 4015F0
 KRAFTST. 16L15F5

MOTOR-NR. VME 004 071
 BENEFUNG 1
 VERDICHTG 8.10
 SPEZ. GEW. 1.745

ER-NR. 1
 HUBRAUM 12000
 VERGASER 1/6-105R.
 OEL 1/8HELL 10



KRSTPLU -KENNFELD LINIEN MIT KONST. WERTEN IN KGPH

$f_c \left(\frac{kg}{h} \right)$


KF.NIT AUDI 6000 MOTOR(5E)NIT ERS.UND LANSER-REIN. STOR.3.46,CODE 16

MOTOR31901401HAZ22

DATUM / 24/01/78 MOTOR-TYP/AUD15000
PST-NR. / 22 CO-LL /
VORZUEHNG/-3/960
KRAFTST. /BLEIFREI

MOTOR-NR /ME 004 071
BEMERKNG. /
VERDICHTG/ 8.0
SFEZ.GEW./7.745

ER-NR. /
HUBRAUM /2000
VERGASER /W.-JETR.
GEL /6HELL 30



00

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ (%)


KF MIT AUD: 6000 MOTOR (EE) MIT EGR UND LAMDA-REG. STDR 3.45, CODE 16

MOTOR 31901401WAZ22

DATE: / 24.01/78 MOTOR-TYP/AUD16000
 PST-NR. 122 CO/LL /
 VORZUEHUNG/-3/950
 KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
 BEMERKNG./
 VERDICHIG/ 8.0
 SPEZ.GEN./ 745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /6HELL 30



HP00

-KENNFELD LINIEN MIT KONST. WERTEN IN GFH

$\left(\frac{g}{h}\right)$


KF MIT AUDI 5000 MOTORSEEINITE EGR UND LAMBDA-REG. STDR. 3 45.0002 15

MOTOR 190140145202

DATUM / 24/01/78 MOTOR-TYP/ANDIE000
PST-NR. /22 CO/LL /
VORZUEHENDG/40160
KRAFTST. /BLEIFREI

MOTOR-NR /RE 004 071
BEMERKNG./
VERDICHTG/ 810
SPEZ.GEW./746

ER-NR.
HUBRAUM /2001
VERGASER /K-JETP
GEL /SHELL 30



C3H8

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM


KF MIT AUDI 5000 MOTOR (SEIN) EGR UND LAMBDA-REG. STD. 3.45 CODE 16

MOTOR 01901401HPI20

DATUM / 24/01/78 MOTOR-TYP/AUDI5000
 PST-NR. 100 CO-LL 7
 VORZUEHUNG/-3/960
 KRAFTST. /BLEIFREI

MOTOR-NR. /ME 004 071
 BEMERKUNG-/
 VERDICHTG/ 8.0
 SPEZ.GEW./1.745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /6HELL 30



HPCH2

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$\left(\frac{g}{h}\right)$


KF.NIT AUD1 6000 MOTOR(EE)NIT EGR UND LAMBA-REG. STDR.3.46.CODE 16

MOTOR31901401H4Z22

DATUM / 24/01/78 MOTOR-TYP/AUD16000
PST-NR. / 22 CO/LL /
VORZUEHNG/-3/950
KRAFTST. /BLEIFREI

MOTOR-NR./HE 004 071
BEMERKNG./
VERDICHTG./ 8.0
SPEZ.GEW./1.745

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
ÖEL /SHELL 30



NO

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM


KRAFTST. 5000 MOTOR (5000) MIT EGR UND LAMBDA-REG. STDR. 3.45 CODE 18

MOTOR 31901401WAZ22

DATUM 12.10.1978 MOTOR-TYP AUDI 16000
 EST-NR. 722 CO-LL /
 VORZUEHUNG 3/960
 KRAFTST. 5000 (5000)

MOTOR-NR. / ME 004 073
 BEMERKUNG /
 VERDICHTG. 8.0
 SPEZ. GEW. 7.745

EA-NR. /
 HUBRAUM 70000
 VERGASER 781-JETZ.
 OEL 7SHELL 20



HPNOX

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$\left(\frac{G}{h}\right)$


KF.NIT AUDI 6000 MOTORISE/NIT EGRUND LAMDA-REG. STOR.3.45, CODE 16

MOTORID1901401WAZ20

DATUM 24/01/79 MOTOR-TYP/AUDI 6000
FST-NR. 722 CO/LL /
VORZUEHEND/-3/960
KRAFTST. /BLEI FREI

MOTOR-NR. /WE 004 071
BEMERKUNG /
VERDICHTG. 8.0
SPEZ.GEW. /1.745

EA-NR. /
HUBRAUM /2000
VERGASER /K1-JETR.
OEL /SHELL 50



02

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)


KF. MIT AUDI 5000 MOTOR/EE MIT EGR UND LAMBDA-REG. STOR. 3.45, CODE 16

MOTOR 31901401WR222

DATUM 24.01.78 MOTOR-TYP/AUDI 5000
 PST-NR. 12 CO-LL /
 WERZUENDIG-34950
 KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
 BEMERKNG. /
 VERDICHTG. 8.0
 SPEZ. GEW. / 745

ER-NR. /
 HUBRAUM / 2600
 VERGASER / K.-JETR.
 OEL / SHELL 30



HP02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{g}{h}\right)$


KF-NIT AUD: 5000 MOTOR-EE-NIT EGR UND LAMBA-REG. STD: 3.46, CODE 16

MOTOR-190140:149722

DATUM / 24/01/79 MOTOR-TYP/AUD15000
 PST-NR. / 22 CO/LL /
 VORZUEHNG/-3/950
 KRAFTST. /6LEIFREI

MOTOR-NR /WE 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./ 7.46

EA-NR. /
 HUBRAUM /2000
 VERGASER /W-LISTER
 OEL /SHELL 20



002

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)


WF MIT AUD) 5000 MOTOR (SE MIT EGR UND LAMBDA-REG. STDR. 3.45.000E 16

MOTOR 031901401WAZ02

DATUM / 24/01/78 MOTOR-TYP/AUD15000
PST-NR. / 22 CO/LL /
VORZUEHENDG. - 3/950
KRAFTST. (BLEI) FRE)

MOTOR-NR. / ME 004 071
BEMERKNG. /
VERDICHTG. / 8.0
SPEZ. GEW. / 7.45

EA-NR. /
HUBRAUM / 2000
VERGRASER / K.-JETR.
OEL / SHELL 30



HPC02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{g}{h}\right)$


KF.NIT AUDI 5000 MOTOR/EE/NIT EGR UND LAMBDA-REG. STDR. 3.45, CODE 16

MOTOR 31991401MP312

DATUM / 24/01/78 MOTOR-TYP/AUDI5000
 FST-NR. / 22 CO/LL /
 VORZUEHNG/-3/950
 KRAFTST. /BLEIFREI

MOTOR-NR /WE 004 071
 ENEBERANG./
 VERDICHTG/ 8.0
 SPEZ.GEW./746

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /8HELL 30



ZUEW

-KENNFELD LINIEN MIT KONST. WERTEN IN DEGREE

curves of constant spark advance


KF-NR. 4001 5000 MOTOR-GEINIT EGR-UND LAMBER-REG. STOR-3.46 CODE 16

MOTOR31901401W9200

DATUM 14.03.75 MOTOR-TYP-RUD15001
 PST-NR. 111 CO-LL
 VORZUEHUNG 1:1966
 KRAFTST. ELEKTRISCH

MOTOR-NR. 7WE 004 001
 BEMERKUNG:
 VERDICHTG. 8.0
 SPEZ.GEW. 7.746

ER-NR. 7
 HUERRAUM 70000
 VERGASER 7A-JETR.
 OEL 70HELL 20




-KENNFELD LINIEN MIT KONST. WERTEN IN 1

 λ - Map

NOTRE 01901401WAZ22

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETZ.
OEL /SHELL 00



MESSPROTOKOLL PROGRAMM MOTOR				PRUEFSTAND NR				SACHBEARBEITER				DR. OETTING			
DATE/NAME				26/01/78				13.10.54				14.21.18			
VERSUCHS NR				25/01/78				EA-NR				31901			
VERSUCHSART				KEMFIELD ABGAS				KRAFTSTOFFSORTE				BLEIFREI			
BEMERKUNGEN ZUR VERSUCHSREIHE				5.				OKTANZAHL (MOZ)				91			
				KEMFIELD ABGAS				DEL-SORTE				SHELL 38			
				5.				EINSPRITZ-BEGINN							
MOTOR-TYP				AUDI 5000				2000.							
MOTOR-ART				OTTO				8.0							
MOTOR-NR				ME 004 071				K.-JETR.							
ZYLINDERZ.				5.				-3/950							
BEHARRUNGZEIT															
BEMERKUNGEN ZUM VERSUCH				KF. MIT AUDI 5000 MOTOR(5E) MIT EGR, UND LAMBDA-REG. SIDR. 3.45, CODE 16											
DRZ	BRL	BRL	BRL	REDMDR	EFFLST	REDLST	REDLST	HOMT	HOMT	SPZVERB	SPZVERB	SPZVERB	SPZVERB	SPZVERB	LTRSTD
1/MIN	KP	N	BAR	KW	KW	PS	PS	VM	KPH	G/KWH	G/PSH	G/KWH	G/PSH	G/PSH	L/H
1 P 1006.	-0.12	-0.2	-0.0	-0.0	-0.0	-0.0	-0.0	-0.1	-0.01	AJS	AJS	AJS	AJS	*976.5	AUS
2 P 998.	2.19	21.5	1.0	1.6	1.7	2.3	2.3	15.9	1.62	AUS	AUS	AUS	AUS	1173.7	AUS
3 P 999.	3.36	38.8	1.8	2.9	3.0	4.1	4.1	28.7	2.93	AUS	AUS	AUS	AUS	686.3	AUS
4 P 999.	6.17	60.5	2.8	4.5	4.7	6.4	6.4	44.8	4.57	AUS	AUS	AUS	AUS	505.9	AUS
5 P 1007.	7.97	77.1	3.6	5.8	6.0	8.2	8.2	57.1	5.83	AUS	AUS	AUS	AUS	461.1	AUS
6 P 999.	10.09	99.8	4.6	7.4	7.7	10.4	10.4	73.3	7.47	AUS	AUS	AUS	AUS	363.0	AUS
7 P 1000.	12.16	119.3	5.6	9.0	9.3	12.6	12.6	88.4	9.01	AJS	AJS	AJS	AJS	348.5	AUS
8 P 1008.	13.95	136.8	6.4	10.3	10.7	14.5	14.5	101.3	10.33	AUS	AUS	AUS	AUS	305.9	AUS
9 P 1000.	15.02	157.1	7.3	11.8	12.2	16.6	16.6	116.3	11.86	AUS	AUS	AUS	AUS	316.4	AUS
10 P 999.	18.06	177.1	8.2	13.3	13.7	18.7	18.7	131.2	13.38	AUS	AJS	AJS	AJS	319.4	AUS
11 P 999.	18.54	181.8	8.5	13.6	14.1	19.2	19.2	134.7	13.73	AUS	AUS	AUS	AUS	304.9	AUS
12 P 1195.	-0.23	-2.3	-0.1	-0.2	-0.2	-0.3	-0.3	-1.7	-0.17	AUS	AUS	AUS	AUS	*992.2	AUS
13 P 1203.	1.97	19.3	0.9	1.7	1.8	2.5	2.5	14.3	1.46	AUS	AUS	AUS	AUS	1375.8	AUS
14 P 1195.	4.16	40.8	1.9	3.7	3.8	5.1	5.1	30.2	3.08	AUS	AUS	AUS	AUS	799.9	AUS
15 P 1195.	6.14	60.2	2.8	5.4	5.6	7.6	7.6	44.6	4.55	AUS	AJS	AJS	AJS	544.5	AUS
16 P 1196.	8.15	79.9	3.7	7.2	7.4	10.1	10.1	59.2	6.04	AUS	AUS	AUS	AUS	447.3	AUS
17 P 1196.	10.01	98.2	4.6	8.8	9.1	12.4	12.4	72.8	7.42	AUS	AUS	AJS	AJS	386.0	AUS
18 P 1195.	12.83	118.0	5.5	10.6	11.0	14.9	14.9	87.5	8.92	AUS	AUS	AUS	AUS	309.9	AUS
19 P 1203.	14.01	137.4	6.4	12.4	12.9	17.5	17.5	101.9	10.39	AUS	AUS	AUS	AUS	317.0	AUS
20 P 1204.	15.97	156.6	7.3	14.2	14.7	19.9	19.9	116.2	11.85	AUS	AUS	AJS	AJS	277.8	AUS
21 P 1204.	18.03	176.8	8.2	16.0	16.5	22.5	22.5	131.1	13.37	AUS	AJS	AJS	AJS	298.6	AUS
22 P 1204.	18.59	182.3	8.5	16.5	17.1	23.2	23.2	135.2	13.79	AUS	AUS	AUS	AUS	306.9	AUS
23 P 1399.	0.33	3.3	0.2	0.3	0.4	0.5	0.5	2.4	0.25	AUS	AUS	AUS	AUS	6077.9	AUS
24 P 1399.	1.97	19.3	0.9	2.0	2.1	2.8	2.8	14.3	1.46	AUS	AUS	AUS	AUS	1298.9	AUS
25 P 1399.	4.08	40.8	1.9	4.2	4.4	5.9	5.9	29.7	3.83	AUS	AUS	AUS	AUS	676.4	AUS
26 P 1399.	6.02	59.0	2.8	6.2	6.4	8.7	8.7	43.8	4.47	AUS	AUS	AUS	AUS	438.8	AUS
27 P 1399.	7.82	76.7	3.6	8.1	8.3	11.3	11.3	56.9	5.81	AUS	AUS	AUS	AUS	447.6	AUS
28 P 1400.	10.31	101.1	4.7	10.6	11.0	15.0	15.0	75.0	7.65	AUS	AJS	AJS	AJS	372.6	AUS
29 P 1400.	12.01	117.7	5.5	12.4	12.8	17.4	17.4	87.3	8.91	AUS	AUS	AUS	AUS	333.1	AUS
30 P 1399.	13.99	137.2	6.4	14.4	14.9	20.2	20.2	101.8	10.38	AUS	AUS	AUS	AUS	322.9	AUS
31 P 1400.	16.01	157.0	7.3	16.5	17.1	23.2	23.2	116.5	11.88	AUS	AUS	AUS	AUS	287.7	AUS
32 P 1400.	18.00	176.5	8.2	18.5	19.2	26.1	26.1	138.9	13.35	AUS	AUS	AUS	AUS	308.2	AUS

DRZ 1/MIN	BRL KP	BRL M	REDMDR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT MH	MONT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H	V
33 P 1408.	19.01	185.5	8.7	19.6	20.3	27.6	180.2	14.99	AUS	AJS	317.3	233.4	AUS	V
34 P 1604.	-0.3	-3	-0	-0	-0	-1	-3	-0.3	AUS	AJS	+448.9	+193.5	AUS	
35 P 1595.	1.86	18.3	.9	2.2	2.3	3.1	13.5	1.38	AUS	AUS	1257.1	924.6	AUS	
36 P 1604.	4.01	39.3	1.8	4.7	4.9	6.7	29.2	2.98	AUS	AUS	591.0	434.7	AUS	
37 P 1604.	6.07	59.6	2.8	7.2	7.4	10.1	44.2	4.51	AUS	AJS	449.1	330.3	AUS	
38 P 1596.	7.81	78.6	3.6	9.2	9.5	12.9	56.8	5.88	AUS	AJS	429.5	312.9	AUS	
39 P 1597.	11.29	110.7	5.2	13.3	13.7	18.7	82.1	8.38	AUS	AUS	351.2	258.3	AUS	
40 P 1603.	11.94	117.1	5.5	14.1	14.6	19.9	86.9	8.86	AUS	AJS	330.2	242.9	AUS	
41 P 1604.	14.07	138.0	6.4	16.6	17.2	23.4	132.4	10.44	AUS	AJS	301.2	221.5	AUS	
42 P 1597.	16.04	157.3	7.3	18.8	19.5	26.6	116.8	11.91	AUS	AUS	309.6	227.7	AUS	
43 P 1604.	17.39	176.4	8.2	21.2	22.0	29.9	130.9	13.35	AUS	AUS	385.9	225.0	AUS	
44 P 1596.	19.07	187.1	8.7	22.4	23.2	31.6	138.9	14.17	AUS	AUS	312.2	229.6	AUS	V
45 P 1799.	-1.8	-1.8	-1	-2	-2	-3	-1.3	-1.3	AUS	AUS	+941.3	+311.8	AUS	
46 P 1800.	1.79	17.5	.8	2.4	2.5	3.3	13.0	1.33	AUS	AUS	1227.8	903.1	AUS	
47 P 1801.	4.03	39.5	1.8	5.3	5.5	7.5	29.3	2.99	AUS	AUS	565.2	415.7	AUS	
48 P 1800.	5.81	59.8	2.8	8.0	8.3	11.2	43.8	4.47	AUS	AJS	458.2	337.0	AUS	
49 P 1800.	8.10	79.5	3.7	10.7	11.1	15.1	59.0	6.02	AUS	AJS	423.4	311.4	AUS	
50 P 1802.	10.82	106.1	4.9	14.3	14.9	20.2	78.8	8.03	AUS	AUS	336.1	247.2	AUS	
51 P 1800.	12.85	118.1	5.5	16.0	16.5	22.5	87.7	8.94	AUS	AUS	324.9	239.0	AUS	
52 P 1801.	14.00	137.3	6.4	18.6	19.2	26.1	101.9	10.39	AJS	AJS	313.2	230.4	AUS	
53 P 1801.	16.06	157.5	7.3	21.3	22.1	30.0	116.9	11.92	AUS	AUS	298.3	219.4	AUS	
54 P 1801.	18.35	177.0	8.3	23.9	24.8	33.7	131.4	13.40	AJS	AJS	310.4	228.3	AUS	V
55 P 1793.	18.53	181.7	8.5	24.4	25.3	34.4	134.9	13.75	AUS	AUS	380.6	221.1	AUS	
56 P 1996.	-1.0	-1.0	-0	-1	-2	-2	-7	-0.7	AUS	AJS	+158.2	+619.8	AUS	
57 P 2003.	1.98	19.5	.9	2.9	3.0	4.1	14.4	1.47	AUS	AUS	932.2	685.6	AUS	
58 P 2004.	4.01	39.3	1.8	5.9	6.1	8.3	29.2	2.97	AJS	AUS	576.6	424.1	AUS	
59 P 1996.	6.23	61.1	2.9	9.2	9.5	12.9	45.4	4.53	AUS	AUS	456.7	335.9	AUS	
60 P 1996.	7.90	77.5	3.6	11.6	12.0	16.3	57.5	5.86	AJS	AUS	358.3	257.6	AUS	
61 P 2006.	10.64	104.4	4.9	15.7	16.3	22.1	77.5	7.90	AUS	AUS	343.1	252.4	AUS	
62 P 2005.	11.38	117.5	5.5	17.7	18.3	24.9	87.2	8.89	AUS	AUS	328.0	241.3	AUS	
63 P 2005.	14.01	137.4	6.4	20.7	21.4	29.1	102.0	10.40	AUS	AUS	293.0	215.5	AUS	
64 P 1997.	16.03	157.2	7.3	23.6	24.4	33.2	116.7	11.98	AUS	AUS	289.8	213.1	AUS	
65 P 2005.	18.00	176.5	8.2	26.6	27.5	37.4	130.9	13.35	AUS	AUS	295.3	217.2	AUS	
66 P 2005.	19.12	187.5	8.7	28.2	29.2	39.7	139.2	14.20	AUS	AUS	294.8	216.8	AUS	V
67 P 2199.	.12	.2	.0	.0	.0	.1	.2	.02	AUS	AUS	+288.3	+490.3	AUS	
68 P 2200.	2.10	20.6	1.0	3.4	3.5	4.8	15.3	1.56	AUS	AUS	1030.8	758.1	AUS	
69 P 2193.	4.13	40.5	1.9	6.7	6.9	9.4	30.1	3.07	AUS	AUS	571.4	420.2	AUS	
70 P 2200.	6.11	59.9	2.8	9.9	10.2	13.9	44.4	4.53	AUS	AUS	425.8	313.2	AUS	
71 P 2200.	7.99	78.3	3.7	12.9	13.4	18.2	58.2	5.93	AUS	AUS	375.8	276.4	AUS	
72 P 2202.	10.74	105.4	4.9	17.4	18.0	24.5	78.2	7.98	AUS	AUS	315.9	232.3	AUS	
73 P 2193.	12.16	119.3	5.6	19.6	20.3	27.7	88.6	9.03	AJS	AJS	290.0	213.3	AUS	
74 P 2201.	14.04	137.7	6.4	22.7	23.6	32.0	102.2	10.42	AUS	AUS	303.7	223.3	AUS	
75 P 2201.	15.99	156.8	7.3	25.9	26.8	36.5	116.5	11.88	AUS	AUS	294.9	216.9	AUS	
76 P 2201.	17.97	176.3	8.2	29.1	30.2	41.0	130.9	13.34	AUS	AUS	285.1	209.7	AUS	V
77 P 2201.	19.84	194.6	9.1	32.1	33.3	45.3	144.5	14.74	AJS	AUS	306.8	225.6	AUS	

	ORZ 1/MI	BRL KP	BRL M	REDHOR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT NM	MONT KPM	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/PSH	LTRSTD L/H
78 P	2484.	86	21.1	1.0	0.1	3.9	5.4	15.7	1.60	AUS	AUS	*295.9	AUS
79 P	2396.	3.76	36.9	1.7	6.7	6.9	9.4	27.4	2.79	AUS	AUS	710.0	AUS
80 P	2404.									AUS	AUS	439.1	AUS
81 P	2397.	6.16	60.4	2.8	10.9	11.3	15.3	44.8	4.57	AUS	AUS	315.5	AUS
82 P	2397.	0.16	00.0	3.7	14.4	14.9	20.3	59.4	6.06	AUS	AUS	265.9	AUS
83 P	2397.	10.41	102.1	4.8	18.4	19.0	25.9	75.8	7.73	AUS	AUS	239.0	AUS
84 P	2405.	12.11	110.0	5.5	21.4	22.2	30.2	88.3	9.00	AUS	AUS	227.7	AUS
85 P	2398.	14.04	137.6	6.4	24.8	25.7	34.9	102.2	10.42	AUS	AUS	219.7	AUS
86 P	2397.	15.39	156.8	7.3	28.2	29.2	33.0	116.5	11.88	AUS	AUS	217.6	AUS
87 P	2397.	18.01	176.6	8.2	31.8	33.0	44.8	131.2	13.38	AUS	AUS	210.2	AUS
88 P	2405.	20.00	196.1	9.2	35.4	36.7	49.9	145.7	14.85	AUS	AUS	217.4	AUS
89 P	2688.	.04	.4	.0	.1	.1	.1	.3	.03	AUS	AUS	*006.0	AUS
90 P	2601.	2.06	20.2	.9	3.9	4.1	5.6	15.0	1.53	AUS	AUS	660.2	AUS
91 P	2680.	3.92	38.5	1.8	7.5	7.8	10.6	28.6	2.92	AUS	AUS	452.5	AUS
92 P	2601.	6.85	59.3	2.8	11.6	12.0	16.3	44.1	4.49	AUS	AUS	303.9	AUS
93 P	2601.	8.04	78.8	3.7	15.4	16.0	21.7	58.5	5.97	AUS	AUS	272.4	AUS
94 P	2602.	10.40	102.0	4.8	19.9	20.7	28.1	75.8	7.73	AUS	AUS	233.8	AUS
95 P	2601.	12.84	118.1	5.5	23.0	23.9	32.5	87.8	8.95	AUS	AUS	228.3	AUS
96 P	2601.	13.93	136.6	6.4	26.7	27.7	37.6	101.5	10.35	AUS	AUS	221.7	AUS
97 P	2594.	16.06	157.5	7.4	30.7	31.8	43.3	117.1	11.94	AUS	AUS	217.4	AUS
98 P	2601.	17.96	176.1	8.2	34.4	35.7	48.5	130.8	13.34	AUS	AUS	212.9	AUS
99 P	2601.	20.00	196.2	9.2	38.3	39.7	54.0	145.7	14.86	AUS	AUS	221.4	AUS
100 P	2795.	.03	.3	.0	.1	.1	.1	.2	.02	AUS	AUS	*688.0	AUS
101 P	2795.	2.03	19.9	.9	4.2	4.3	5.9	14.8	1.51	AUS	AUS	641.8	AUS
102 P	2584.	3.96	38.8	1.8	8.2	8.5	11.5	28.8	2.94	AUS	AUS	441.2	AUS
103 P	2797.	5.98	58.7	2.7	12.3	12.8	17.4	43.6	4.45	AUS	AUS	317.4	AUS
104 P	2797.	8.05	79.0	3.7	16.6	17.2	23.4	58.7	5.98	AUS	AUS	262.8	AUS
105 P	2805.	10.28	108.8	4.7	21.2	22.0	29.9	74.9	7.64	AUS	AUS	240.8	AUS
106 P	2797.	12.02	117.9	5.5	24.7	25.7	34.9	97.6	8.93	AUS	AUS	229.0	AUS
107 P	2797.	14.87	138.8	6.4	29.0	30.1	40.9	102.6	10.46	AUS	AUS	218.3	AUS
108 P	2797.	15.99	156.8	7.3	32.9	34.2	46.4	116.6	11.89	AUS	AUS	216.3	AUS
109 P	2797.	18.03	176.8	8.3	37.1	38.5	52.4	131.4	13.48	AUS	AUS	207.9	AUS
110 P	2797.	19.39	196.0	9.2	41.2	42.7	58.1	145.7	14.86	AUS	AUS	212.7	AUS
111 P	3000.	.01	.1	.0	.0	.0	.0	.1	.01	AUS	AUS	*109.3	AUS
112 P	3001.	1.83	17.9	.8	4.0	4.2	5.7	13.3	1.36	AUS	AUS	891.0	AUS
113 P	2993.	4.51	44.2	2.1	9.9	10.3	14.8	32.9	3.35	AUS	AUS	395.9	AUS
114 P	2993.	6.05	59.4	2.8	13.4	13.8	18.7	43.8	4.46	AUS	AUS	324.4	7.86
115 P	2999.	8.01	78.6	3.6	17.7	18.2	24.8	58.0	5.91	AUS	AUS	271.6	AUS
116 P	3000.	10.23	100.3	4.6	22.6	23.3	31.6	74.0	7.54	AUS	AUS	235.8	AUS
117 P	3000.	12.83	118.0	5.5	26.6	27.4	37.2	97.1	8.88	AUS	AUS	237.8	AUS
118 P	2999.	13.95	136.8	6.3	30.8	31.7	43.1	101.0	10.29	AUS	AUS	217.5	AUS
119 P	2999.	15.05	157.4	7.3	35.4	36.5	49.6	116.1	11.84	AUS	AUS	211.8	AUS
120 P	3000.	17.99	176.4	8.2	39.7	40.9	55.8	138.1	13.27	AUS	AUS	207.4	AUS
121 P	3088.	20.83	196.5	9.1	44.2	45.6	62.0	165.8	14.79	AUS	AUS	207.4	AUS
122 P	3088.	20.70	203.0	9.4	45.7	47.1	64.0	149.8	15.20	AUS	AUS	214.2	AUS

DRZ 1/HIN	BRL KP	BRL N	REDHQR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT MM	MONT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H
123 P 3202.	.86	19.3	.8	.1	.2	.2	.5	.05	AUS	AJS	*945.7	*610.5	AUS
124 P 3202.	1.96	38.9	.9	4.6	6.5	14.2	1.45	1.45	AUS	AJS	1021.3	751.2	AUS
125 P 3203.	3.97		1.8	9.4	13.1	28.7	2.93	2.93	AUS	AUS	552.9	406.7	AUS
126 P 3203.	6.06	59.4	2.8	14.3	20.0	43.9	4.47	4.47	AUS	AUS	409.6	301.4	AUS
127 P 3203.	8.01	78.5	3.6	18.9	26.5	50.0	5.91	5.91	AUS	AJS	847.3	255.4	AUS
128 P 3203.	10.84	98.4	4.6	23.7	33.2	72.7	7.41	7.41	AUS	AUS	816.5	232.0	AUS
129 P 3195.	12.05	118.2	5.5	28.3	39.8	87.4	8.91	8.91	AUS	AUS	308.2	220.8	AUS
130 P 3194.	14.00	137.3	6.4	32.9	46.1	101.4	10.34	10.34	AUS	AJS	291.0	214.0	AUS
131 P 3194.	16.07	157.6	7.3	37.8	52.9	116.4	11.87	11.87	AUS	AJS	203.0	200.1	AUS
132 P 3202.	18.03	176.8	8.2	42.5	59.6	130.6	13.32	13.32	AUS	AUS	274.8	202.1	AUS
133 P 3202.	20.00	196.1	9.1	47.1	66.1	145.0	14.79	14.79	AUS	AUS	282.1	207.5	AUS
134 P 3202.	20.70	203.0	9.4	48.8	68.4	158.0	15.30	15.30	AUS	AUS	296.4	218.0	AUS
135 P 3397.	.05	.5	.8	.1	.2	.3	.03	.03	AUS	AUS	*761.3	*317.1	AUS
136 P 3405.	2.04	20.0	.9	5.1	7.2	14.8	1.51	1.51	AUS	AUS	959.6	705.0	AUS
137 P 3405.	3.59	36.1	1.7	9.2	12.9	26.7	2.72	2.72	AUS	AUS	615.2	452.5	AUS
138 P 3397.	6.02	59.0	2.7	15.0	21.1	43.6	4.44	4.44	AUS	AUS	410.1	307.5	AUS
139 P 3398.	7.97	78.1	3.6	19.9	27.9	57.7	5.89	5.89	AUS	AUS	350.3	257.7	AUS
140 P 3405.	10.08	98.9	4.6	25.3	35.4	73.1	7.45	7.45	AUS	AUS	327.1	240.6	AUS
141 P 3397.	12.00	117.7	5.5	30.0	42.1	86.9	8.87	8.87	AUS	AUS	305.3	224.6	AUS
142 P 3405.	13.97	137.0	6.4	35.0	49.1	101.3	10.33	10.33	AUS	AUS	293.2	215.6	AUS
143 P 3397.	16.12	157.1	7.3	40.1	56.2	116.2	11.85	11.85	AUS	AUS	287.0	211.1	AUS
144 P 3405.	18.04	176.9	8.2	45.2	63.5	130.8	13.34	13.34	AUS	AUS	279.2	205.4	AUS
145 P 3398.	20.01	196.3	9.1	50.1	70.2	145.1	14.80	14.80	AUS	AJS	283.8	208.7	AUS
146 P 3405.	20.79	203.9	9.5	52.1	73.1	150.8	15.37	15.37	AUS	AUS	299.8	220.5	AUS
147 P 3600.	.00	.0	.0	.0	.0	.0	.00	.00	AUS	AUS	*455.3	*670.1	AUS
148 P 3601.	2.12	20.8	1.0	5.6	7.9	15.4	1.57	1.57	AUS	AUS	931.9	685.4	AUS
149 P 3602.	4.16	40.8	1.9	11.0	15.5	30.2	3.08	3.08	AUS	AJS	531.3	390.8	AUS
150 P 3601.	6.02	59.1	2.7	16.0	22.4	43.7	4.45	4.45	AUS	AUS	423.9	311.0	AUS
151 P 3601.	8.05	78.9	3.7	21.3	30.0	58.4	5.96	5.96	AUS	AJS	360.5	265.1	AUS
152 P 3601.	10.08	98.8	4.6	26.7	37.5	73.1	7.46	7.46	AUS	AJS	324.9	238.9	AUS
153 P 3601.	12.03	118.0	5.5	31.9	44.8	87.3	8.90	8.90	AUS	AUS	305.6	224.0	AUS
154 P 3601.	14.01	137.4	6.4	37.1	52.2	101.7	10.37	10.37	AUS	AUS	295.1	217.1	AUS
155 P 3601.	16.06	157.5	7.3	42.6	59.8	116.5	11.88	11.88	AUS	AUS	290.0	213.3	AUS
156 P 3594.	18.05	177.0	8.2	47.7	67.1	131.0	13.36	13.36	AUS	AJS	281.6	207.1	AUS
157 P 3601.	20.04	196.6	9.1	53.1	74.6	145.4	14.83	14.83	AUS	AUS	281.2	206.8	AUS
158 P 3601.	21.07	206.6	9.6	55.8	78.4	152.9	15.59	15.59	AUS	AUS	299.7	220.4	AUS
159 P 3796.	.01	.1	.0	.0	.1	.1	.01	.01	AUS	AUS	*607.6	*442.0	AUS
160 P 3796.	2.04	20.0	.9	5.7	8.0	14.8	1.51	1.51	AUS	AUS	976.2	718.8	AUS
161 P 3804.	3.88	38.0	1.8	10.9	15.3	28.1	2.87	2.87	AUS	AJS	569.6	419.0	AUS
162 P 3796.	6.06	59.4	2.8	16.9	23.8	44.0	4.49	4.49	AUS	AUS	435.6	320.4	AUS
163 P 3804.	8.05	79.0	3.7	22.6	31.7	58.5	5.96	5.96	AUS	AJS	352.6	259.4	AUS
164 P 3804.	9.96	97.6	4.5	27.9	39.2	72.3	7.37	7.37	AUS	AUS	327.8	241.1	AUS
165 P 3804.	12.01	117.8	5.5	33.6	47.3	87.2	8.89	8.89	AUS	AUS	317.6	238.6	AUS
166 P 3804.	14.00	137.3	6.4	39.2	55.0	101.6	10.36	10.36	AUS	AUS	303.5	223.2	AUS
167 P 3796.	16.01	157.0	7.3	44.7	62.9	116.3	11.86	11.86	AUS	AJS	298.7	213.0	AUS

URZ 1/MIN	BRL KP	BRL M	REDNR BAR	EFFLST KM	REDLST KM	REDLST PS	MDMT NM	MDMT KPM	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LIR31J L/H
168 P	3796.	17.87	175.2	8.1	49.9	51.6	78.1	129.7	13.22	AUS	287.3	211.3	AUS
169 P	3804.	20.04	196.6	9.1	56.1	58.0	78.9	145.5	14.84	AUS	281.4	207.8	AUS
170 P	3804.	21.07	206.7	9.6	59.0	61.0	82.9	153.1	15.61	AUS	296.1	217.8	AUS
171 P	3998.	.10	1.0	.0	.3	.3	.4	.8	.08	AUS	*591.2	*731.8	AUS
172 P	3999.	2.02	19.8	.9	5.9	6.1	8.3	14.6	1.49	AUS	937.6	609.6	AUS
173 P	3999.	4.01	39.3	1.8	11.8	12.2	16.6	29.1	2.97	AUS	542.4	398.9	AUS
174 P	3999.	6.01	58.9	2.7	17.7	18.3	24.9	43.7	4.45	AUS	430.8	316.9	AUS
175 P	4000.	8.12	79.6	3.7	23.9	24.7	33.5	58.9	6.08	AUS	362.4	266.6	AUS
176 P	4000.	10.01	98.1	4.6	29.5	30.4	41.4	72.6	7.41	AUS	337.1	248.0	AUS
177 P	4000.	12.00	117.7	5.5	35.3	36.5	49.7	87.2	8.89	AUS	320.4	235.6	AUS
178 P	4000.	14.01	137.4	6.4	41.3	42.6	58.0	101.7	10.38	AUS	304.5	224.0	AUS
179 P	4007.	15.73	154.3	7.2	46.4	47.9	65.2	114.2	11.65	AUS	303.3	223.1	AUS
180 P	3999.	16.05	177.0	8.2	53.1	54.9	74.7	131.1	13.37	AUS	292.4	215.1	AUS
181 P	3999.	19.96	195.7	9.1	58.7	60.7	82.6	145.0	14.79	AUS	289.6	213.8	AUS
182 P	4000.	21.43	210.1	9.8	63.1	65.2	88.7	155.7	15.87	AUS	304.1	223.6	AUS
183 P	4203.	.01	.1	.0	.0	.0	.0	.0	.00	AUS	*153.3	*439.2	AUS
184 P	4195.	2.10	20.6	1.0	6.5	6.7	9.1	15.2	1.55	AUS	922.7	678.6	AUS
185 P	4195.	4.05	39.8	1.9	12.5	12.9	17.6	29.4	3.00	AUS	539.6	398.9	AUS
186 P	4203.	5.98	58.6	2.7	18.5	19.1	26.0	43.4	4.43	AUS	428.4	315.1	AUS
187 P	4203.	8.06	79.8	3.7	24.9	25.8	35.0	58.5	5.97	AUS	372.3	273.9	AUS
188 P	4203.	9.97	97.8	4.6	30.9	31.9	43.4	72.5	7.39	AUS	346.9	255.2	AUS
189 P	4195.	12.03	118.0	5.5	37.1	38.4	52.2	87.4	8.91	AUS	322.8	236.8	AUS
190 P	4203.	13.99	137.2	6.4	43.3	44.8	60.9	101.7	10.37	AUS	310.7	228.5	AUS
191 P	4195.	16.17	158.5	7.4	49.9	51.6	78.2	117.5	11.98	AUS	302.4	222.4	AUS
192 P	4195.	18.04	176.9	8.2	55.7	57.7	78.4	131.2	13.38	AUS	293.6	216.0	AUS
193 P	4195.	20.00	196.1	9.1	61.0	63.9	86.9	145.4	14.83	AUS	289.8	213.1	AUS
194 P	4195.	21.59	211.7	9.9	66.7	68.9	93.7	156.9	16.00	AUS	303.8	223.4	AUS
195 P	4398.	.01	.1	.0	.0	.0	.0	.0	.01	AUS	*813.4	*600.2	AUS
196 P	4398.	2.16	21.1	1.0	7.0	7.2	9.8	15.7	1.60	AUS	910.8	669.9	AUS
197 P	4406.	3.96	38.9	1.8	12.9	13.3	18.1	28.8	2.94	AUS	555.1	408.3	AUS
198 P	4398.	6.08	59.6	2.8	19.7	20.4	27.7	44.2	4.58	AUS	434.4	319.5	AUS
199 P	4398.	8.09	79.3	3.7	26.2	27.1	36.8	58.8	6.08	AUS	366.4	269.5	AUS
200 P	4398.	9.96	97.7	4.6	32.2	33.4	45.4	72.5	7.39	AUS	349.5	257.1	AUS
201 P	4398.	12.03	118.0	5.5	38.9	40.3	54.8	87.5	8.92	AUS	324.3	238.6	AUS
202 P	4398.	14.03	137.6	6.4	45.4	47.0	63.9	102.0	10.48	AUS	316.4	232.7	AUS
203 P	4399.	16.95	166.3	7.7	54.9	56.8	77.2	123.3	12.57	AUS	301.3	221.6	AUS
204 P	4399.	18.02	176.7	8.2	58.3	60.4	82.1	131.1	13.37	AUS	298.6	219.6	AUS
205 P	4399.	19.98	195.9	9.1	64.7	66.9	91.8	145.3	14.81	AUS	294.9	216.9	AUS
206 P	4398.	21.31	209.0	9.7	69.0	71.4	97.1	155.0	15.81	AUS	304.1	223.7	AUS
207 P	4599.	.17	1.7	.1	.6	.6	.8	1.2	.13	AUS	9913.1	7291.1	AUS
208 P	4601.	2.10	20.6	1.0	7.1	7.4	10.8	15.3	1.56	AUS	912.9	671.4	AUS
209 P	4602.	4.07	40.0	1.9	13.8	14.3	19.4	29.6	3.02	AUS	552.4	408.3	AUS
210 P	4602.	6.05	59.3	2.8	28.5	21.2	28.8	44.0	4.48	AUS	417.7	307.2	AUS
211 P	4602.	8.07	79.1	3.7	27.3	28.3	38.4	58.7	5.98	AUS	374.0	275.1	AUS
212 P	4600.	10.02	98.2	4.6	33.9	35.1	47.7	72.9	7.43	AUS	341.3	251.8	AUS

ORZ 1/MIN	BRL KP	BRL M	REDMDR BAR	EFFLSI KM	REDLST KM	REDLST PS	MONT MM	MONT KPH	SPZVERB G/KWH	SPZVERB G/PSH	LTRSTD L/H
213 P	4602.	11.93	117.0	5.5	40.4	41.9	56.9	8.85	AUS	327.4	AUS
214 P	4602.	13.97	137.0	6.4	47.3	49.0	66.6	10.36	AUS	317.3	AUS
215 P	4587.	15.66	153.6	7.2	52.9	54.8	74.5	11.63	AUS	311.7	AUS
216 P	4595.	10.07	177.3	0.3	61.1	63.4	86.2	13.43	AUS	297.8	AUS
217 P	4594.	20.02	196.4	9.2	67.7	70.2	95.4	14.87	AUS	295.7	AUS
218 P	4603.	20.96	205.5	9.6	71.0	73.6	100.0	15.56	AUS	302.0	AUS
219 P	4797.	-0.02	-0.2	-0.8	-0.1	-0.1	-0.1	-0.02	AUS	*105.3	AUS
220 P	4805.	1.96	19.3	.9	6.9	7.2	3.8	1.46	AUS	989.5	AUS
221 P	4797.	3.97	38.9	1.0	14.0	14.5	19.7	2.95	AUS	567.9	AUS
222 P	4805.	5.93	58.1	2.7	21.0	21.7	29.6	4.40	AUS	442.1	AUS
223 P	4797.	7.96	78.1	3.6	28.1	29.1	39.6	5.91	AUS	389.7	AUS
224 P	4805.	9.92	97.3	4.5	35.1	36.4	49.5	7.37	AUS	360.8	AUS
225 P	4805.	11.98	117.5	5.5	42.4	43.9	59.7	8.89	AUS	339.7	AUS
226 P	4794.	13.71	134.5	6.3	48.4	50.1	65.2	10.16	AUS	329.2	AUS
227 P	4821.	16.47	161.5	7.5	58.4	60.6	82.4	12.23	AUS	313.3	AUS
228 P	4797.	17.96	176.1	8.2	63.4	65.8	89.4	13.35	AUS	306.6	AUS
229 P	4813.	19.97	195.8	9.1	70.7	73.3	99.7	14.83	AUS	303.4	AUS
230 P	5007.	-0.01	-0.1	-0.8	-0.0	-0.0	-0.1	-0.01	AUS	*700.8	AUS
231 P	4999.	1.93	19.8	.9	7.1	7.4	10.0	1.43	AUS	996.8	AUS
232 P	5000.	4.31	42.3	2.0	15.9	16.4	22.4	3.20	AUS	539.0	AUS
233 P	5000.	5.99	58.7	2.7	22.0	22.8	31.0	4.44	AUS	455.5	AUS
234 P	5000.	8.15	79.9	3.7	30.0	31.1	42.3	6.05	AUS	392.8	AUS
235 P	5000.	10.00	98.1	4.6	36.8	38.1	51.8	7.42	AUS	368.4	AUS
236 P	5000.	12.04	110.1	5.5	44.3	45.9	62.5	8.94	AUS	358.4	AUS
237 P	5023.	14.33	140.6	6.6	53.0	54.9	74.7	10.65	AUS	331.7	AUS
238 P	5008.	16.49	161.7	7.6	60.8	63.0	85.7	12.25	AUS	319.0	AUS
239 P	5000.	18.03	176.9	8.3	66.4	68.8	93.5	13.40	AUS	308.5	AUS
240 P	4999.	20.00	196.2	9.2	73.6	76.3	103.7	14.86	AUS	306.5	AUS
241 P	5203.	.04	.4	.0	.1	.1	.2	.03	AUS	*265.4	AUS
242 P	5195.	2.10	20.6	1.0	8.0	8.3	11.3	1.56	AUS	941.9	AUS
243 P	5194.	4.89	40.2	1.9	15.7	16.2	22.1	3.04	AUS	579.7	AUS
244 P	5203.	5.98	50.7	2.7	22.9	23.8	32.3	4.45	AUS	470.4	AUS
245 P	5203.	8.01	78.6	3.7	30.7	31.8	43.3	5.95	AUS	405.4	AUS
246 P	5203.	9.94	97.5	4.6	38.1	39.5	53.7	7.38	AUS	374.3	AUS
247 P	5203.	11.85	116.2	5.4	45.4	47.1	64.0	8.80	AUS	356.4	AUS
248 P	5227.	13.00	127.5	6.0	50.0	51.9	70.5	9.66	AUS	346.8	AUS
249 P	5200.	16.62	163.0	7.6	63.6	66.0	89.7	12.35	AUS	323.6	AUS
250 P	5195.	18.04	176.9	8.3	69.0	71.5	97.3	13.41	AUS	315.5	AUS
251 P	5203.	19.70	193.2	9.8	75.4	78.2	106.4	14.64	AUS	316.4	AUS
252 P	5309.	.30	2.9	.1	1.2	1.2	1.7	.22	AUS	6043.5	AUS
253 P	5403.	2.24	22.0	1.0	8.9	9.3	12.6	1.67	AUS	917.1	AUS
254 P	5390.	3.99	39.2	1.8	15.8	16.4	22.3	2.97	AUS	606.3	AUS
255 P	5405.	5.88	57.7	2.7	23.4	24.3	33.0	4.37	AUS	485.7	AUS
256 P	5406.	7.99	78.3	3.7	31.8	33.0	44.8	5.94	AUS	416.4	AUS
257 P	5397.	9.97	97.0	4.6	39.6	41.1	55.9	7.41	AUS	382.2	AUS

	DRZ 1/MIN	BRL KP	BRL N	REDMDR BAR	EFFLST KM	REDLST CM	REDLST PS	MONY NM	MONY KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H
258 P	5369.	12.77	125.2	5.6	50.6	52.5	71.4	33.0	9.49	AUS	AUS	353.4	259.9	AUS
259 P	5421.	15.54	152.4	7.1	62.0	64.3	87.4	113.2	11.55	AUS	AUS	331.9	244.1	AUS
260 P	5396.	16.30	159.9	7.5	64.6	67.2	91.3	118.6	12.12	AUS	AUS	329.5	242.8	AUS
261 P	5397.	10.03	176.0	0.3	71.6	74.3	101.0	131.4	13.39	AUS	AUS	321.4	236.4	AUS
262 P	5397.	19.86	186.9	8.7	75.7	78.5	106.7	138.9	14.16	AUS	AUS	323.6	238.0	AUS
263 P	5598.	.02	.2	.8	.1	.1	.1	.1	.01	AUS	AUS	*380.5	*003.6	AUS
264 P	5606.	2.16	21.2	1.0	8.9	9.3	12.6	15.0	1.61	AUS	AUS	979.2	720.2	AUS
265 P	5599.	4.08	40.8	1.9	16.8	17.4	23.7	29.7	3.03	AUS	AUS	621.3	457.0	AUS
266 P	5599.	5.99	58.8	2.7	24.7	25.6	34.0	43.7	4.45	AUS	AUS	493.1	362.7	AUS
267 P	5605.	8.02	78.6	3.7	33.1	34.3	46.6	58.4	5.96	AUS	AUS	426.9	315.5	AUS
268 P	5600.	9.99	98.0	4.6	41.2	42.7	58.1	72.8	7.42	AUS	AUS	400.9	294.8	AUS
269 P	5606.	12.34	121.0	5.6	50.9	52.8	71.8	99.9	9.16	AUS	AUS	369.8	272.0	AUS
270 P	5614.	15.72	154.2	7.2	65.0	67.4	91.6	114.6	11.69	AUS	AUS	336.2	247.3	AUS
271 P	5590.	16.23	159.2	7.4	66.9	69.4	94.3	118.3	12.86	AUS	AUS	334.2	245.0	AUS
272 P	5595.	18.06	177.1	8.3	74.4	77.2	104.9	131.6	13.42	AUS	AUS	330.6	243.2	AUS
273 P	5795.	.01	.1	.0	.0	.0	.1	.0	.00	AUS	AUS	*928.8	*389.1	AUS
274 P	5789.	2.11	20.7	1.0	9.0	9.3	12.7	15.4	1.57	AUS	AUS	1046.8	769.9	AUS
275 P	5803.	4.08	40.0	1.9	17.4	18.1	24.6	29.7	3.03	AUS	AUS	644.8	474.2	AUS
276 P	5804.	6.01	58.9	2.8	25.7	26.6	36.2	43.8	4.47	AUS	AUS	518.8	375.7	AUS
277 P	5800.	7.90	77.5	3.6	33.7	35.0	47.5	57.5	5.87	AUS	AUS	449.9	338.9	AUS
278 P	5801.	9.45	92.7	4.3	40.3	41.9	56.9	68.9	7.02	AUS	AUS	416.8	306.6	AUS
279 P	5811.	13.72	134.5	6.3	58.7	60.9	82.8	100.0	10.20	AUS	AUS	360.4	265.1	AUS
280 P	5797.	13.00	127.5	6.0	55.5	57.5	78.2	94.8	9.66	AUS	AUS	376.4	276.0	AUS
281 P	5801.	15.98	156.7	7.3	68.2	70.8	96.2	116.5	11.88	AUS	AUS	344.8	253.6	AUS
282 P	5804.	17.38	170.5	8.8	74.3	77.0	104.8	126.7	12.92	AUS	AUS	343.1	252.4	AUS
283 P	6001.	.02	.2	.0	.1	.1	.1	.1	.01	AUS	AUS	*279.9	*183.0	AUS
284 P	5996.	2.00	19.7	.9	8.8	9.2	12.5	14.6	1.49	AUS	AUS	1143.0	840.7	AUS
285 P	6009.	3.88	38.1	1.8	17.2	17.6	24.2	28.3	2.89	AUS	AUS	703.0	517.0	AUS
286 P	5994.	6.03	59.1	2.8	26.6	27.6	37.5	44.0	4.48	AUS	AUS	532.1	391.4	AUS
287 P	6003.	7.96	78.1	3.6	35.2	36.5	49.6	58.1	5.92	AUS	AUS	493.0	362.6	AUS
288 P	5998.	10.63	104.3	4.9	46.9	48.7	66.2	77.5	7.98	AUS	AUS	408.4	300.4	AUS
289 P	5991.	13.59	133.2	6.2	59.9	62.1	84.5	99.0	10.10	AUS	AUS	367.2	270.0	AUS
290 P	6005.	13.86	135.9	6.3	61.3	63.5	86.4	101.0	10.30	AUS	AUS	371.5	273.2	AUS
291 P	5997.	16.00	156.9	7.3	70.6	73.3	99.6	116.7	11.90	AUS	AUS	359.3	264.2	AUS
292 H	1198.	-1.20	-11.8	-5	-1.1	-1.1	-1.5	-0.7	-0.9	AUS	AUS	*606.5	*183.0	AUS
293 H	1408.	-2.15	-21.1	-1.0	-2.2	-2.3	-3.1	-15.5	-1.59	AUS	AUS	-755.0	-555.3	AUS
294 H	1602.	-2.82	-28.7	-1.2	-3.1	-3.2	-4.3	-19.0	-1.98	AUS	AUS	-676.9	-497.8	AUS
295 H	1803.	-2.62	-26.7	-1.2	-3.5	-3.6	-4.9	-19.0	-1.94	AUS	AUS	-546.8	-402.2	AUS
296 H	2003.	-2.77	-27.2	-1.3	-4.1	-4.2	-5.7	-20.1	-2.84	AUS	AUS	-518.8	-381.5	AUS
297 H	2004.	-2.88	-28.4	-0.9	-3.1	-3.2	-4.3	-15.1	-1.94	AUS	AUS	-798.5	-581.4	AUS
298 H	2204.	-2.96	-29.0	-1.3	-4.0	-5.0	-6.7	-21.4	-2.19	AUS	AUS	-422.2	-310.6	AUS
299 H	2205.	-2.00	-19.6	-0.9	-3.3	-3.4	-4.6	-14.5	-1.48	AUS	AUS	-751.8	-552.9	AUS
300 H	2410.	-3.10	-30.4	-1.4	-5.5	-5.7	-7.7	-22.5	-2.28	AUS	AUS	-442.7	-323.6	AUS
301 H	2412.	-1.06	-10.2	-0.8	-3.3	-3.4	-4.6	-13.4	-1.37	AUS	AUS	-698.0	-668.5	AUS
302 H	2610.	-3.28	-32.2	-1.5	-6.3	-6.5	-8.8	-23.8	-2.42	AUS	AUS	-389.0	-286.1	AUS

DRZ 1/MIN	BRL KP	BRL M	REDWOR BAR	EFFLST KM	REDLST KM	REDLST PS	MMH MM	MMHT KPH	SPZVERB G/KMH	SPZVERB G/PSH	LTRSTD L/H
303 H	2612.	-1.85	-18.2	-3.6	-3.7	-3.8	-13.4	-1.37	AUS	AUS	AUS
304 H	2802.	-3.47	-34.0	-7.2	-7.4	-10.0	-25.1	-2.36	AUS	AUS	AUS
305 H	2803.	-1.86	-18.2	-3.0	-4.0	-5.4	-13.5	-1.37	AUS	AUS	AUS
306 H	3003.	-3.62	-35.5	-9.0	-8.2	-11.2	-26.2	-2.67	AUS	AUS	AUS
307 H	3005.	-2.02	-19.8	-4.5	-4.6	-6.3	-14.6	-1.49	AUS	AUS	AUS
308 H	3207.	-3.93	-38.3	-9.3	-9.6	-13.0	-28.4	-2.98	AUS	AUS	AUS
309 H	3208.	-1.96	-19.2	-4.6	-4.8	-6.5	-14.2	-1.45	AUS	AUS	AUS
310 H	3403.	-4.16	-40.8	-10.4	-10.7	-14.6	-30.1	-3.07	AUS	AUS	AUS
311 H	3408.	-1.89	-18.5	-4.7	-4.9	-6.6	-13.7	-1.40	AUS	AUS	AUS
312 H	3600.	-4.40	-43.2	-11.7	-12.0	-16.3	-31.9	-3.25	AUS	AUS	AUS
313 H	3601.	-1.90	-18.6	-5.0	-5.2	-7.1	-13.8	-1.40	AUS	AUS	AUS
314 H	3805.	-4.59	-45.1	-12.9	-13.3	-18.0	-33.3	-3.39	AUS	AUS	AUS
315 H	3806.	-1.85	-18.2	-5.2	-5.4	-7.3	-13.4	-1.37	AUS	AUS	AUS
316 H	4002.	-4.80	-47.1	-14.1	-14.6	-19.0	-34.7	-3.54	AUS	AUS	AUS
317 H	4002.	-3.90	-38.3	-11.5	-11.8	-16.1	-29.3	-2.88	AUS	AUS	AUS
318 H	4002.	-1.92	-18.8	-5.7	-5.8	-7.9	-13.9	-1.42	AUS	AUS	AUS
319 H	4205.	-5.00	-49.1	-15.5	-16.0	-21.7	-36.2	-3.70	AUS	AUS	AUS
320 H	4206.	-3.86	-38.1	-12.0	-12.4	-16.9	-28.2	-2.87	AUS	AUS	AUS
321 H	4207.	-2.00	-19.6	-6.2	-6.4	-8.7	-14.5	-1.48	AUS	AUS	AUS
322 H	4402.	-5.19	-50.9	-16.8	-17.3	-23.5	-37.6	-3.83	AUS	AUS	AUS
323 H	4405.	-3.86	-37.9	-12.5	-12.9	-17.5	-28.0	-2.85	AUS	AUS	AUS
324 H	4405.	-2.05	-20.1	-6.7	-6.9	-9.3	-14.9	-1.52	AUS	AUS	AUS
325 H	4599.	-5.42	-53.1	-18.3	-18.9	-25.7	-39.2	-4.00	AUS	AUS	AUS
326 H	4600.	-3.86	-37.9	-13.1	-13.5	-18.3	-28.0	-2.85	AUS	AUS	AUS
327 H	4600.	-1.93	-19.0	-6.5	-6.7	-9.2	-14.0	-1.43	AUS	AUS	AUS
328 H	4796.	-5.74	-56.3	-20.3	-20.9	-28.4	-41.5	-4.23	AUS	AUS	AUS
329 H	4814.	-3.98	-39.1	-14.1	-14.6	-19.8	-28.8	-2.94	AUS	AUS	AUS
330 H	4814.	-1.97	-19.4	-7.0	-7.2	-9.8	-14.3	-1.46	AUS	AUS	AUS
331 H	5019.	-6.11	-59.9	-22.6	-23.3	-31.6	-44.2	-4.51	AUS	AUS	AUS
332 H	5019.	-3.87	-38.0	-14.3	-14.7	-20.0	-28.0	-2.85	AUS	AUS	AUS
333 H	4991.	-1.92	-18.8	-7.1	-7.3	-9.9	-13.9	-1.42	AUS	AUS	AUS
334 H	5202.	-6.31	-61.9	-24.2	-24.9	-33.8	-45.7	-4.66	AUS	AUS	AUS
335 H	5205.	-3.94	-38.6	-15.1	-15.6	-21.2	-28.5	-2.91	AUS	AUS	AUS
336 H	5205.	-1.89	-18.6	-7.3	-7.5	-10.2	-13.7	-1.40	AUS	AUS	AUS
337 H	5428.	-6.75	-66.2	-27.0	-27.8	-37.8	-48.9	-4.99	AUS	AUS	AUS
338 H	5394.	-5.93	-58.2	-23.6	-24.3	-33.0	-43.0	-4.38	AUS	AUS	AUS
339 H	5424.	-3.91	-38.4	-15.6	-16.1	-21.9	-28.3	-2.89	AUS	AUS	AUS
340 H	5406.	-1.77	-17.3	-7.0	-7.3	-9.9	-12.8	-1.31	AUS	AUS	AUS
341 H	5601.	-6.89	-67.6	-28.4	-29.3	-39.8	-49.9	-5.09	AUS	AUS	AUS
342 H	5601.	-5.97	-58.6	-24.6	-25.4	-34.5	-43.3	-4.41	AUS	AUS	AUS
343 H	5601.	-3.99	-39.2	-16.5	-17.0	-23.1	-28.9	-2.95	AUS	AUS	AUS
344 H	5600.	-1.96	-19.2	-8.1	-8.3	-11.3	-14.2	-1.45	AUS	AUS	AUS
345 H	5815.	-7.22	-70.8	-30.9	-31.8	-43.3	-52.3	-5.33	AUS	AUS	AUS
346 H	5807.	-5.93	-58.2	-25.4	-26.1	-35.5	-43.0	-4.38	AUS	AUS	AUS
347 H	5809.	-3.96	-38.9	-17.0	-17.5	-23.8	-28.7	-2.93	AUS	AUS	AUS

ORZ 1/MIN	BRL KP	BRL N	REDMDR BAR	EFFLST KM	REDLST KM	REDLST PS	HUMI MM	HUMI KPH	SPZVEHD G/KMH	SPZVEHD G/PSH	SPZVEHD G/KMH	SPZVEHD G/PSH	LTRSTJ L/H
348 H	5007.	-1.09	-10.0	-0.1	-0.3	-11.3	-13.7	-1.40	AUS	AUS	-043.0	-620.0	AUS
349 H	6002.	-7.56	-74.1	-33.4	-34.4	-46.0	-54.0	-5.59	AUS	AUS	-74.4	-54.7	AUS
350 H	6003.	-6.07	-59.6	-26.0	-27.6	-37.6	-44.0	-4.40	AUS	AUS	-174.6	-120.4	AUS
351 H	6001.	-3.04	-37.7	-17.0	-17.5	-23.0	-27.0	-2.04	AUS	AUS	-345.3	-254.0	AUS
352 H	5990.	-1.95	-19.1	-0.6	-0.9	-12.1	-14.1	-1.44	AUS	AUS	-840.2	-610.0	AUS

DRZ 1/MIN	BRL KP	LTPLU L/H	DURCHLIT S	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
1	1006.	2.17	AUS	50.00	AUS	1.6	1.005	.067	.79	13.50	65.	1571.
2	998.	2.53	AUS	50.00	AUS	1.9	1.004	.054	.65	14.10	83.	403.
3	999.	2.68	AUS	50.00	AUS	2.0	1.005	.054	.63	14.21	98.	368.
4	999.	3.08	AUS	50.00	AUS	2.3	1.004	.050	.61	14.24	135.	392.
5	1007.	3.61	AUS	50.00	AUS	2.7	1.002	.048	.61	14.26	198.	406.
6	999.	3.61	AUS	50.00	AUS	2.7	1.001	.046	.61	14.27	358.	445.
7	1000.	4.09	AUS	50.00	AUS	3.0	1.002	.049	.62	14.23	960.	451.
8	1008.	4.24	AUS	50.00	AUS	3.2	1.000	.047	.63	14.23	1604.	482.
9	1300.	5.00	AUS	50.00	AUS	3.7	1.002	.041	.51	14.33	2380.	537.
10	999.	5.69	AUS	50.00	AUS	4.2	.902	0.000	2.99	13.16	1312.	879.
11	999.	5.58	AUS	50.00	AUS	4.2	.895	0.000	3.05	13.12	1386.	1179.
12	1195.	2.87	AUS	50.00	AUS	2.1	.999	.065	.87	13.31	78.	2070.
13	1203.	3.22	AUS	50.00	AUS	2.4	1.003	.052	.65	14.21	87.	433.
14	1195.	3.93	AUS	50.00	AUS	2.9	1.003	.048	.59	14.31	184.	355.
15	1195.	3.94	AUS	50.00	AUS	2.9	1.001	.042	.56	14.38	144.	347.
16	1196.	4.30	AUS	50.00	AUS	3.2	1.000	.041	.56	14.39	216.	379.
17	1196.	4.56	AUS	50.00	AUS	3.4	1.000	.041	.55	14.39	358.	407.
18	1195.	4.40	AUS	50.00	AUS	3.3	1.001	.044	.57	14.33	1164.	414.
19	1203.	5.28	AUS	50.00	AUS	3.9	1.001	.045	.59	14.29	1612.	440.
20	1204.	5.27	AUS	50.00	AUS	3.9	1.001	.046	.61	14.24	2150.	466.
21	1204.	6.40	AUS	50.00	AUS	4.8	.984	0.000	3.83	13.14	1274.	682.
22	1204.	6.78	AUS	50.00	AUS	5.1	.889	0.000	3.50	12.85	1137.	729.
23	1399.	2.79	AUS	50.00	AUS	2.1	1.001	.052	.67	14.13	74.	646.
24	1399.	3.51	AUS	50.00	AUS	2.6	1.002	.051	.66	14.26	84.	336.
25	1399.	3.81	AUS	50.00	AUS	2.8	1.001	.050	.64	14.24	106.	389.
26	1399.	3.65	AUS	50.00	AUS	2.7	1.002	.048	.61	14.29	148.	374.
27	1399.	4.84	AUS	50.00	AUS	3.6	.999	.043	.68	14.36	207.	389.
28	1400.	5.31	AUS	50.00	AUS	4.0	1.000	.045	.60	14.32	445.	368.
29	1400.	5.92	AUS	50.00	AUS	4.1	1.001	.051	.67	14.22	1241.	368.
30	1399.	7.82	AUS	50.00	AUS	4.6	.988	.047	.84	14.28	1782.	412.
31	1400.	6.24	AUS	50.00	AUS	4.7	1.000	.046	.62	14.27	2266.	460.
32	1400.	6.36	AUS	50.00	AUS	5.7	.920	0.000	2.48	13.46	1533.	667.
33	1400.	7.66	AUS	50.00	AUS	5.7	.920	0.000	2.48	13.46	1533.	667.

ORZ 1/MIN	ORL KP	LYRPLU /H	DURCHLZT 5	KRSTMAS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NU PPM	WOMB PPM
33 1400.	19.01	8.34	AUS	50.00	AUS	6.2	11.7	.007	0.000	3.91	12.07	1193.	651.
34 1604.	8.83	8.34	AUS	50.00	AUS	2.5	9.8	1.005	.061	.73	13.93	72.	839.
35 1595.	1.06	3.60	AUS	50.00	AUS	2.7	17.7	1.005	.060	.70	14.04	84.	562.
36 1604.	4.01	3.75	AUS	50.00	AUS	2.0	21.1	1.005	.056	.65	14.16	115.	468.
37 1684.	6.07	4.82	AUS	50.00	AUS	2.2	21.2	1.004	.051	.60	14.27	162.	486.
38 1596.	7.81	5.24	AUS	50.00	AUS	3.9	17.8	1.001	.046	.60	14.34	219.	363.
39 1597.	11.29	6.25	AUS	50.00	AUS	4.7	14.4	1.001	.043	.57	14.37	503.	373.
40 1603.	11.94	6.24	AUS	50.00	AUS	4.6	14.3	1.000	.049	.65	14.27	1418.	373.
41 1604.	14.07	6.71	AUS	50.00	AUS	5.0	14.6	1.000	.048	.64	14.27	1888.	400.
42 1597.	16.04	7.03	AUS	50.00	AUS	6.0	14.3	1.000	.045	.60	14.30	2269.	441.
43 1604.	17.99	8.71	AUS	50.00	AUS	6.5	14.5	.929	0.000	2.24	13.60	1746.	629.
44 1596.	19.07	9.38	AUS	50.00	AUS	7.0	14.6	.090	0.000	3.52	12.85	1286.	706.
45 1799.	-18	3.15	AUS	50.00	AUS	2.3	12.8	1.004	.061	.74	13.88	78.	1818.
46 1800.	1.79	3.09	AUS	50.00	AUS	2.9	23.0	1.004	.055	.67	14.09	95.	659.
47 1801.	4.03	4.05	AUS	50.00	AUS	3.0	23.5	1.002	.048	.61	14.26	129.	589.
48 1800.	6.01	4.90	AUS	50.00	AUS	3.6	23.4	1.000	.042	.56	14.38	185.	449.
49 1800.	8.10	6.10	AUS	50.00	AUS	4.5	18.6	.999	.037	.53	14.47	242.	393.
50 1802.	10.82	6.47	AUS	50.00	AUS	4.8	16.3	.997	.036	.53	14.48	565.	383.
51 1800.	12.05	6.96	AUS	50.00	AUS	5.2	16.5	.998	.039	.56	14.42	1573.	382.
52 1801.	14.00	7.79	AUS	50.00	AUS	5.8	16.3	.998	.037	.53	14.47	1949.	399.
53 1801.	16.06	8.51	AUS	50.00	AUS	6.3	16.4	.999	.036	.52	14.47	2260.	417.
54 1801.	18.05	9.96	AUS	50.00	AUS	7.4	16.6	.914	0.000	2.72	13.39	1416.	565.
55 1793.	18.53	9.85	AUS	50.00	AUS	7.3	16.3	.889	0.000	3.56	12.89	1172.	602.
56 1996.	-18	3.34	AUS	50.00	AUS	2.5	10.3	1.002	.053	.68	14.03	74.	912.
57 2003.	1.90	3.66	AUS	50.00	AUS	2.7	26.0	1.003	.049	.60	14.23	184.	494.
58 2004.	4.01	4.57	AUS	50.00	AUS	3.4	25.9	1.001	.045	.58	14.33	142.	450.
59 1996.	6.23	5.61	AUS	50.00	AUS	4.2	25.9	.998	.040	.57	14.40	218.	449.
60 1996.	7.90	5.45	AUS	50.00	AUS	4.1	25.3	.998	.037	.53	14.43	309.	460.
61 2006.	10.64	7.23	AUS	50.00	AUS	5.4	18.8	.998	.036	.52	14.46	681.	401.
62 2005.	11.98	7.70	AUS	50.00	AUS	5.8	18.8	.999	.040	.56	14.38	1889.	397.
63 2005.	14.81	8.12	AUS	50.00	AUS	6.1	19.2	.998	.041	.58	14.36	2191.	487.
64 1997.	16.03	9.15	AUS	50.00	AUS	6.8	19.1	.996	.043	.65	14.29	2413.	434.
65 2005.	18.00	10.51	AUS	50.00	AUS	7.8	19.6	.951	0.000	1.61	13.93	2068.	499.
66 2005.	19.12	11.15	AUS	50.00	AUS	8.3	19.7	.897	0.000	3.33	12.98	1423.	571.
67 2199.	.02	3.65	AUS	50.00	AUS	2.7	26.3	1.001	.048	.64	14.17	90.	640.
68 2200.	2.10	4.70	AUS	50.00	AUS	3.5	28.2	1.001	.044	.56	14.38	114.	364.
69 2193.	4.13	5.11	AUS	50.00	AUS	3.0	28.0	1.001	.042	.55	14.39	155.	391.
70 2200.	6.11	5.65	AUS	50.00	AUS	4.2	28.4	.998	.038	.55	14.39	227.	442.
71 2200.	7.99	6.52	AUS	50.00	AUS	4.9	28.0	.996	.037	.55	14.41	345.	468.
72 2202.	10.74	7.38	AUS	50.00	AUS	5.5	21.5	.996	.035	.54	14.46	618.	399.
73 2193.	12.16	7.63	AUS	50.00	AUS	5.7	24.2	.998	.041	.59	14.34	2200.	407.
74 2201.	14.04	9.26	AUS	50.00	AUS	6.9	21.5	.998	.043	.60	14.34	2332.	389.
75 2201.	15.99	10.24	AUS	50.00	AUS	7.6	21.2	.997	.044	.64	14.30	2542.	388.
76 2201.	17.97	11.13	AUS	58.08	AUS	8.3	21.5	.977	.040	1.00	14.18	2473.	425.
77 2201.	19.84	13.22	AUS	50.00	AUS	9.9	21.6	.898	0.000	3.59	12.82	1495.	578.

	ORZ 1/MIN	BRL KP	-TRPLU /H	DURCHLZT S	KRSTMS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
70	2404.	86	3.05	AUS	50.00	AUS	2.9	30.0	.999	.047	.66	14.11	90.	700.
79	2396.	2.15	4.97	AUS	50.00	AUS	3.7	31.3	1.001	.045	.59	14.32	130.	365.
80	2404.	3.76	5.32	AUS	50.00	AUS	4.0	31.2	.999	.043	.60	14.33	166.	390.
81	2397.	6.16	6.25	AUS	50.00	AUS	4.7	30.7	.997	.041	.60	14.35	265.	442.
82	2397.	8.16	6.98	AUS	50.00	AUS	5.2	30.9	.996	.040	.61	14.35	392.	465.
83	2397.	10.41	8.00	AUS	50.00	AUS	6.0	26.3	.995	.038	.50	14.30	585.	420.
84	2405.	12.11	8.98	AUS	50.00	AUS	6.6	20.4	.999	.050	.69	14.20	2307.	375.
85	2398.	14.84	9.92	AUS	50.00	AUS	7.4	24.8	.998	.050	.70	14.20	2414.	397.
86	2397.	15.99	11.19	AUS	50.00	AUS	8.3	24.2	.997	.051	.74	14.17	2687.	397.
87	2397.	16.01	12.10	AUS	50.00	AUS	9.1	24.1	.983	.040	.95	14.13	2645.	300.
88	2405.	20.00	14.03	AUS	50.00	AUS	10.5	24.0	.894	0.000	3.40	12.87	1626.	551.
89	2600.	.04	4.20	AUS	50.00	AUS	3.1	33.4	.999	.040	.67	14.22	107.	534.
90	2601.	2.06	4.75	AUS	50.00	AUS	3.5	33.8	.993	.045	.62	14.34	135.	357.
91	2600.	3.92	6.19	AUS	50.00	AUS	4.6	33.5	.997	.044	.65	14.33	104.	360.
92	2601.	6.05	6.42	AUS	50.00	AUS	4.8	33.7	.996	.043	.64	14.31	205.	427.
93	2601.	8.04	7.64	AUS	50.00	AUS	5.7	33.7	.995	.042	.65	14.32	435.	443.
94	2602.	10.40	8.49	AUS	50.00	AUS	6.3	30.5	.995	.046	.69	14.26	801.	417.
95	2601.	12.84	9.59	AUS	50.00	AUS	7.1	30.9	.999	.054	.75	14.14	2572.	340.
96	2601.	13.93	10.78	AUS	50.00	AUS	8.0	26.6	.998	.053	.73	14.18	2576.	340.
97	2594.	16.06	12.15	AUS	50.00	AUS	9.1	26.7	.997	.053	.75	14.18	2830.	342.
98	2601.	17.96	13.34	AUS	50.00	AUS	9.9	26.7	.986	.046	.87	14.22	2079.	304.
99	2601.	20.00	15.46	AUS	50.00	AUS	11.5	26.9	.902	0.000	3.21	13.02	1044.	533.
100	2796.	.03	4.36	AUS	50.00	AUS	3.2	35.5	.995	.042	.63	14.26	113.	550.
101	2796.	2.03	4.88	AUS	50.00	AUS	3.6	35.3	.993	.045	.61	14.31	138.	391.
102	2804.	3.96	6.57	AUS	50.00	AUS	4.9	35.4	.996	.043	.65	14.30	190.	389.
103	2797.	5.98	7.13	AUS	50.00	AUS	5.3	35.5	.996	.044	.66	14.29	299.	414.
104	2797.	8.05	7.94	AUS	50.00	AUS	5.9	35.4	.994	.043	.68	14.30	406.	435.
105	2805.	10.28	9.32	AUS	50.00	AUS	6.9	32.3	.993	.045	.72	14.27	910.	399.
106	2797.	12.02	10.33	AUS	50.00	AUS	7.7	32.9	.997	.052	.75	14.10	2745.	360.
107	2797.	14.07	11.53	AUS	50.00	AUS	8.6	20.7	.996	.050	.74	14.20	2719.	354.
108	2797.	15.99	12.99	AUS	50.00	AUS	9.7	20.4	.996	.049	.72	14.22	2919.	340.
109	2797.	18.03	14.07	AUS	50.00	AUS	10.5	20.5	.984	.044	.87	14.25	2940.	392.
110	2797.	19.99	15.96	AUS	50.00	AUS	11.9	20.6	.904	0.000	3.17	13.07	1907.	510.
111	3000.	.01	4.36	AUS	50.00	AUS	3.3	36.3	.990	.045	.65	14.27	110.	514.
112	3001.	1.83	6.56	AUS	50.00	AUS	4.9	36.5	.998	.045	.64	14.28	143.	453.
113	2993.	4.51	7.17	AUS	50.00	AUS	5.3	36.5	.995	.043	.65	14.31	231.	415.
114	2999.	6.05	7.91	31.0	50.00	5.7	5.9	36.4	1.003	.051	.64	14.31	327.	433.
115	2999.	8.01	8.76	AUS	50.00	AUS	6.5	36.5	1.002	.052	.66	14.29	707.	420.
116	3000.	10.23	9.71	AUS	50.00	AUS	7.2	36.4	1.005	.057	.60	14.24	2195.	307.
117	3000.	12.83	11.40	AUS	50.00	AUS	8.6	36.0	1.005	.000	.72	14.10	3007.	302.
118	2999.	13.95	12.21	AUS	50.00	AUS	9.1	30.1	1.005	.057	.68	14.24	2012.	349.
119	2999.	16.05	13.69	AUS	50.00	AUS	10.2	29.0	1.004	.059	.73	14.22	2933.	336.
120	3000.	17.99	15.82	AUS	50.00	AUS	11.2	29.4	.995	.054	.80	14.24	3112.	381.
121	3000.	20.83	16.73	AUS	50.00	AUS	12.5	29.4	.932	0.000	2.40	13.39	2270.	491.
122	3000.	20.70	17.84	AUS	50.00	AUS	13.3	29.2	.098	0.000	3.61	12.72	1631.	520.

3

5

10

20

30

40

50

60

70

80

90

100

110

120

130

140

150

160

170

180

190

200

210

220

230

240

250

260

270

280

290

300

310

320

330

340

350

360

370

380

390

400

410

420

430

440

450

460

470

480

490

500

510

520

530

540

550

560

570

580

590

600

610

620

630

640

650

660

670

680

690

700

710

720

730

740

750

760

770

780

790

800

810

820

830

840

850

860

870

880

890

900

910

920

930

940

950

960

970

980

990

1000

1010

1020

1030

1040

1050

1060

1070

1080

1090

1100

1110

1120

1130

1140

1150

1160

1170

1180

1190

1200

1210

1220

1230

1240

1250

1260

1270

1280

1290

1300

1310

1320

1330

1340

1350

1360

1370

1380

1390

1400

1410

1420

1430

1440

1450

1460

1470

1480

1490

1500

1510

1520

1530

1540

1550

1560

1570

1580

1590

1600

1610

1620

1630

1640

1650

1660

1670

1680

1690

1700

1710

1720

1730

1740

1750

1760

1770

1780

1790

1800

1810

1820

1830

1840

1850

1860

1870

1880

1890

1900

1910

1920

1930

1940

1950

1960

1970

1980

1990

2000

2010

2020

2030

2040

2050

2060

2070

2080

2090

2100

2110

2120

2130

2140

2150

2160

2170

2180

2190

2200

2210

2220

2230

2240

2250

2260

2270

2280

2290

2300

2310

2320

2330

2340

2350

2360

2370

2380

2390

2400

2410

2420

2430

2440

2450

2460

2470

2480

2490

2500

2510

2520

2530

2540

2550

2560

2570

2580

2590

2600

2610

2620

2630

2640

2650

2660

2670

2680

2690

2700

2710

2720

2730

2740

2750

2760

2770

2780

2790

2800

2810

2820

2830

2840

2850

2860

2870

2880

2890

2900

2910

2920

2930

2940

2950

2960

2970

2980

2990

3000

3010

3020

3030

3040

3050

3060

3070

3080

3090

3100

3110

3120

3130

3140

3150

3160

3170

3180

3190

3200

3210

3220

3230

3240

3250

3260

3270

3280

3290

3300

3310

3320

3330

3340

3350

3360

3370

3380

3390

3400

3410

3420

3430

3440

3450

3460

3470

3480

3490

3500

3510

3520

3530

3540

3550

	ORZ 1/HIN	BRL KP	-TRPLU /H	DURCHLZT S	KRSTMS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA I	SIGMA I	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
168	3796.	17.87	19.23	AUS	50.00	AUS	14.3	38.6	.988	.052	.90	14.22	3198.	347.
169	3804.	20.04	21.17	AUS	50.00	AUS	15.0	30.0	.969	.059	1.39	13.95	3137.	379.
170	3804.	21.87	23.43	AUS	50.00	AUS	17.5	30.6	.912	0.000	3.12	13.01	2279.	430.
171	3398.	.10	6.02	AUS	50.00	AUS	4.5	38.4	.996	.050	.75	14.27	129.	344.
172	3999.	2.02	7.47	AUS	50.00	AUS	5.6	38.8	.996	.051	.75	14.25	197.	342.
173	3999.	4.01	8.59	AUS	50.00	AUS	6.4	38.5	.993	.051	.80	14.22	348.	358.
174	3999.	6.01	10.22	AUS	50.00	AUS	7.6	38.3	.995	.054	.81	14.16	691.	373.
175	4000.	8.12	11.61	AUS	50.00	AUS	8.7	38.5	.997	.053	.76	14.21	1440.	363.
176	4000.	10.01	13.32	AUS	50.00	AUS	9.9	38.3	1.004	.057	.70	14.19	3169.	307.
177	4000.	12.00	15.18	AUS	50.00	AUS	11.3	38.6	1.004	.058	.71	14.18	3374.	319.
178	4000.	14.01	16.05	AUS	50.00	AUS	12.6	36.0	1.002	.057	.73	14.21	3345.	304.
179	4007.	15.73	18.07	AUS	50.00	AUS	14.1	31.0	.989	.053	.90	14.19	2948.	335.
180	3999.	18.05	20.83	AUS	50.00	AUS	15.5	30.2	.988	.053	.92	14.19	3228.	334.
181	3999.	19.96	22.81	AUS	50.00	AUS	17.8	30.0	.978	.056	1.14	14.08	3283.	346.
182	4000.	21.43	25.72	AUS	50.00	AUS	19.2	29.9	.909	0.000	3.24	12.93	2224.	423.
183	4203.	.01	6.96	AUS	50.00	AUS	5.2	38.3	.995	.048	.72	14.33	134.	307.
184	4195.	2.10	8.02	AUS	50.00	AUS	6.8	37.8	.994	.047	.74	14.32	212.	309.
185	4195.	4.85	9.06	AUS	50.00	AUS	6.7	37.5	.993	.058	.79	14.27	404.	326.
186	4203.	5.98	10.62	AUS	50.00	AUS	7.9	38.1	.994	.052	.80	14.22	773.	344.
187	4203.	8.06	12.44	AUS	50.00	AUS	9.3	37.7	1.002	.054	.69	14.25	2116.	297.
188	4203.	9.97	14.35	AUS	50.00	AUS	10.7	37.3	1.004	.057	.70	14.19	3091.	293.
189	4195.	12.03	16.04	AUS	50.00	AUS	11.9	37.9	1.004	.057	.68	14.20	3303.	314.
190	4203.	13.99	18.03	AUS	50.00	AUS	13.4	36.4	1.001	.056	.73	14.20	3324.	305.
191	4195.	16.17	20.24	AUS	50.00	AUS	15.1	30.2	.993	.050	.80	14.25	2956.	316.
192	4195.	18.04	21.94	AUS	50.00	AUS	16.3	29.4	.992	.052	.83	14.21	3162.	312.
193	4195.	20.00	24.00	AUS	50.00	AUS	17.9	29.4	.983	.052	1.01	14.14	3250.	332.
194	4195.	21.59	27.15	AUS	50.00	AUS	20.2	29.6	.914	0.000	3.06	13.02	2271.	401.
195	4398.	.01	6.93	AUS	50.00	AUS	5.2	38.9	.992	.045	.73	14.27	142.	436.
196	4398.	2.16	8.52	AUS	50.00	AUS	6.4	39.0	.993	.046	.74	14.30	228.	307.
197	4406.	3.96	9.57	AUS	50.00	AUS	7.1	38.6	.992	.049	.80	14.24	438.	316.
198	4398.	6.08	11.47	AUS	50.00	AUS	8.5	39.0	.997	.049	.71	14.26	984.	314.
199	4398.	8.09	12.87	AUS	50.00	AUS	9.6	38.4	1.004	.053	.65	14.24	2711.	274.
200	4398.	9.96	15.11	AUS	50.00	AUS	11.3	38.5	1.004	.055	.66	14.21	3806.	283.
201	4398.	12.03	16.94	AUS	50.00	AUS	12.6	39.1	1.003	.054	.67	14.21	3183.	299.
202	4398.	14.03	19.28	AUS	50.00	AUS	14.4	36.8	.981	.054	1.06	14.07	2963.	357.
203	4399.	16.95	22.18	AUS	50.00	AUS	16.5	31.4	.988	.049	.87	14.22	2943.	309.
204	4399.	18.02	23.36	AUS	50.00	AUS	17.4	30.7	.987	.058	.90	14.28	3112.	312.
205	4399.	19.98	25.57	AUS	50.00	AUS	19.1	30.8	.974	.055	1.23	14.01	3144.	321.
206	4398.	21.31	28.13	AUS	50.00	AUS	21.8	31.8	.916	0.000	2.99	13.83	2323.	382.
207	4599.	.17	7.72	AUS	50.00	AUS	5.7	38.2	.988	.044	.79	14.18	143.	541.
208	4601.	2.10	8.69	AUS	50.00	AUS	6.5	38.3	.991	.046	.78	14.27	238.	280.
209	4602.	4.07	10.22	AUS	50.00	AUS	7.6	38.4	.993	.048	.76	14.27	498.	277.
210	4602.	6.05	11.40	AUS	50.00	AUS	8.6	38.6	1.008	.048	.65	14.31	1259.	254.
211	4602.	8.07	13.70	AUS	50.00	AUS	10.2	38.8	1.004	.051	.62	14.29	2662.	238.
212	4600.	10.02	15.52	AUS	50.00	AUS	11.6	38.7	1.003	.053	.65	14.23	2898.	267.

	DRZ 1/HIN	BRL KP	LIRPLU L/H	DURCHLZY S	KRSTN5 6	KRSTDS KG/H	KRSTPLU KG/H	ZUEM DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	MO PPH	CIHD PPH
213	4602.	11.93	17.74	AUS	50.00	AUS	13.2	36.7	1.002	.034	.68	14.21	3066.	269.
214	4602.	13.97	20.18	AUS	50.00	AUS	15.0	36.6	.984	.031	.97	14.16	2837.	323.
215	4587.	15.66	22.10	AUS	50.00	AUS	16.5	30.8	.985	.049	.92	14.22	2672.	302.
216	4595.	10.07	24.41	AUS	50.00	AUS	10.2	30.7	.902	.051	1.01	14.16	3041.	389.
217	4594.	20.02	26.85	AUS	50.00	AUS	20.0	31.4	.958	.059	1.68	13.01	2935.	336.
218	4603.	20.96	20.76	AUS	50.00	AUS	21.4	31.4	.913	.080	3.08	13.01	2286.	382.
219	4797.	.02	7.89	AUS	50.00	AUS	5.9	30.0	.976	.050	1.22	13.03	154.	565.
220	4805.	1.96	9.03	AUS	50.00	AUS	6.7	36.3	.981	.053	1.06	14.14	298.	279.
221	4797.	3.97	10.67	AUS	50.00	AUS	7.9	30.5	.994	.046	.72	14.34	736.	250.
222	4805.	5.93	12.43	AUS	50.00	AUS	9.3	37.6	1.000	.047	.64	14.34	2047.	226.
223	4797.	7.96	14.69	AUS	50.00	AUS	10.9	37.5	1.002	.050	.64	14.31	2569.	227.
224	4805.	9.32	16.98	AUS	50.00	AUS	12.7	37.5	1.002	.052	.66	14.27	2823.	247.
225	4805.	11.90	19.30	AUS	50.00	AUS	14.4	37.5	1.001	.052	.60	14.29	3002.	245.
226	4794.	13.71	21.36	AUS	50.00	AUS	15.9	35.6	.986	.052	.94	14.19	2895.	305.
227	4821.	16.47	24.65	AUS	50.00	AUS	18.3	31.0	.980	.049	.86	14.27	2901.	282.
228	4797.	17.96	26.07	AUS	50.00	AUS	19.4	30.0	.984	.051	.97	14.21	3101.	270.
229	4813.	19.97	28.78	AUS	50.00	AUS	21.4	30.2	.957	.059	1.69	13.80	2979.	322.
230	5007.	.01	8.10	AUS	50.00	AUS	6.0	36.0	.992	.039	.66	14.43	190.	307.
231	4999.	1.93	9.51	AUS	50.00	AUS	7.1	37.7	.992	.040	.68	14.44	466.	224.
232	5000.	4.31	11.49	AUS	50.00	AUS	8.6	36.4	.993	.045	.69	14.38	1111.	217.
233	5000.	5.99	13.45	AUS	50.00	AUS	10.0	36.5	.999	.048	.66	14.34	2104.	220.
234	5000.	8.15	15.79	AUS	50.00	AUS	11.0	36.5	.998	.052	.73	14.26	2512.	243.
235	5000.	10.00	18.10	AUS	50.00	AUS	13.5	36.3	.994	.055	.83	14.16	2724.	265.
236	5000.	12.04	21.30	AUS	50.00	AUS	15.9	36.0	.956	.062	1.77	13.72	2577.	366.
237	5023.	14.33	23.57	AUS	50.00	AUS	17.6	29.7	.989	.051	.88	14.23	2628.	244.
238	5000.	16.49	26.00	AUS	50.00	AUS	19.4	29.4	.974	.056	1.24	14.02	2752.	305.
239	5000.	18.03	27.45	AUS	50.00	AUS	20.5	29.1	.992	.050	.81	14.28	3233.	214.
240	4999.	20.00	30.25	AUS	50.00	AUS	22.5	28.8	.944	.056	2.10	13.58	2764.	321.
241	5203.	.04	8.69	AUS	50.00	AUS	6.5	36.6	.984	.043	.87	14.28	230.	347.
242	5195.	2.10	10.16	AUS	50.00	AUS	7.6	36.0	.983	.043	.77	14.36	608.	226.
243	5194.	4.09	12.17	AUS	50.00	AUS	9.1	36.1	.995	.043	.66	14.39	1535.	218.
244	5203.	5.98	14.46	AUS	50.00	AUS	10.8	36.6	.999	.047	.65	14.34	2210.	225.
245	5203.	8.01	16.68	AUS	50.00	AUS	12.4	36.1	.993	.049	.66	14.30	2499.	239.
246	5203.	9.94	19.10	AUS	50.00	AUS	14.2	36.1	.998	.050	.70	14.28	2739.	243.
247	5203.	11.85	21.69	AUS	50.00	AUS	16.2	35.9	.978	.052	1.10	14.09	2729.	313.
248	5227.	13.00	23.26	AUS	50.00	AUS	17.3	33.3	.980	.050	1.04	14.14	2699.	293.
249	5200.	16.62	27.61	AUS	50.00	AUS	20.6	28.1	.980	.048	1.01	14.18	2788.	274.
250	5195.	18.04	29.18	AUS	50.00	AUS	21.7	28.5	.967	.052	1.36	13.98	2864.	296.
251	5203.	19.70	32.01	AUS	50.00	AUS	23.8	27.9	.911	0.000	3.13	12.97	2158.	368.
252	5389.	.30	9.53	AUS	50.00	AUS	7.1	36.5	.991	.032	.59	14.57	342.	197.
253	5403.	2.24	10.98	AUS	50.00	AUS	8.2	36.7	.993	.037	.63	14.49	806.	206.
254	5390.	3.99	12.88	AUS	50.00	AUS	9.6	37.1	.997	.040	.59	14.46	1609.	199.
255	5405.	5.88	15.24	AUS	50.00	AUS	11.4	36.5	.998	.044	.63	14.39	1909.	198.
256	5406.	7.99	17.74	AUS	50.00	AUS	13.2	35.6	.998	.046	.65	14.36	2232.	283.
257	5397.	9.97	20.30	AUS	50.00	AUS	15.1	36.0	.997	.046	.67	14.35	2466.	213.

	ORZ 1/MIN	BRL KP	LTRPLU -/H	DURCHLIT S	KRSTMS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA I	SIGNA I	CO PROZ	CO2 PROZ	NU PPH	C3H8 PPH
258	5389.	12.77	24.00	AUS	50.00	AUS	17.9	31.9	.978	.048	1.84	14.18	2429.	284.
259	5421.	15.54	27.59	AUS	50.00	AUS	20.6	27.7	.978	.047	1.03	14.20	2491.	264.
260	5398.	16.30	28.61	AUS	50.00	AUS	21.3	28.0	.972	.046	1.20	14.10	2590.	275.
261	5397.	18.03	30.86	AUS	50.00	AUS	23.0	28.2	.946	.045	1.97	13.67	2511.	324.
262	5397.	19.06	32.86	AUS	50.00	AUS	24.5	27.4	.902	0.000	3.41	12.82	1927.	364.
263	5598.	.02	9.59	AUS	50.00	AUS	7.1	35.2	.977	.036	.96	14.33	369.	221.
264	5608.	2.16	11.72	AUS	50.00	AUS	8.7	35.5	.995	.031	.50	14.65	839.	122.
265	5599.	4.08	14.01	AUS	50.00	AUS	10.4	35.7	.995	.036	.56	14.55	1201.	139.
266	5599.	5.99	16.33	AUS	50.00	AUS	12.2	36.1	.994	.040	.63	14.48	1509.	146.
267	5605.	8.02	19.02	AUS	50.00	AUS	14.2	36.4	.933	.043	.69	14.39	1894.	170.
268	5600.	9.99	22.14	AUS	50.00	AUS	16.5	35.5	.958	.053	1.62	13.83	1987.	341.
269	5606.	12.34	25.24	AUS	50.00	AUS	18.8	30.2	.984	.043	.86	14.32	2103.	196.
270	5614.	15.72	29.28	AUS	50.00	AUS	21.8	28.0	.973	.047	1.02	14.19	2476.	225.
271	5598.	16.23	29.97	AUS	50.00	AUS	22.3	28.0	.973	.049	1.18	14.10	2548.	236.
272	5595.	18.06	32.98	AUS	50.00	AUS	24.6	28.4	.914	0.000	3.02	13.81	2005.	357.
273	5795.	.01	10.06	AUS	50.00	AUS	7.5	35.7	.995	.021	.37	14.87	384.	54.
274	5789.	2.11	12.64	AUS	50.00	AUS	9.4	36.3	.995	.026	.44	14.75	757.	84.
275	5803.	4.08	15.07	AUS	50.00	AUS	11.2	36.4	.993	.032	.54	14.61	1098.	187.
276	5804.	6.81	17.59	AUS	50.00	AUS	13.1	36.5	.994	.037	.61	14.58	1479.	128.
277	5800.	7.90	20.34	AUS	50.00	AUS	15.2	35.8	.991	.041	.71	14.48	1760.	157.
278	5881.	9.45	22.55	AUS	50.00	AUS	16.8	36.3	.965	.050	1.48	13.93	1867.	304.
279	5811.	13.72	28.35	AUS	50.00	AUS	21.1	27.9	.976	.045	1.07	14.15	2111.	244.
280	5797.	13.00	28.00	AUS	50.00	AUS	20.9	28.3	.973	.045	1.14	14.16	1993.	223.
281	5801.	15.98	31.53	AUS	50.00	AUS	23.5	28.1	.947	.046	1.96	13.65	2222.	298.
282	5804.	17.38	34.17	AUS	50.00	AUS	25.5	28.2	.884	0.000	4.82	12.41	1566.	386.
283	6001.	.02	11.82	AUS	50.00	AUS	8.2	35.5	.991	.023	.46	14.78	424.	61.
284	5996.	2.80	13.56	AUS	50.00	AUS	10.1	35.2	.994	.024	.42	14.76	705.	64.
285	6009.	3.88	16.19	AUS	50.00	AUS	12.1	36.0	.994	.028	.47	14.69	1018.	83.
286	5994.	5.03	18.97	AUS	50.00	AUS	14.1	36.3	.994	.033	.55	14.55	1431.	102.
287	6003.	7.96	23.26	AUS	50.00	AUS	17.3	35.6	.890	0.000	3.78	12.53	1147.	449.
288	5998.	10.63	25.70	AUS	50.00	AUS	19.1	31.1	.976	.044	1.07	14.22	1832.	199.
289	5991.	13.59	29.58	AUS	50.00	AUS	22.0	28.3	.972	.044	1.16	14.12	2090.	220.
290	6005.	13.86	30.52	AUS	50.00	AUS	22.7	28.8	.964	.045	1.38	14.02	2108.	231.
291	5997.	16.00	34.03	AUS	50.00	AUS	25.4	29.8	.893	0.000	3.69	12.62	1592.	373.
292	1198.	-1.20	2.29	AUS	50.00	AUS	1.7	-1.3	.986	.102	1.59	11.85	53.	4165.
293	1488.	-2.15	2.25	AUS	50.00	AUS	1.7	1.6	.982	.095	1.58	11.81	43.	4437.
294	1602.	-2.62	2.88	AUS	50.00	AUS	2.1	4.3	.999	.124	1.63	11.45	39.	4574.
295	1803.	-2.62	2.55	AUS	50.00	AUS	1.9	6.1	1.084	.123	1.54	11.64	39.	4195.
296	2003.	-2.77	2.84	AUS	50.00	AUS	2.1	8.7	.983	.111	1.65	11.58	40.	4588.
297	2004.	-2.88	3.26	AUS	50.00	AUS	2.4	8.6	.996	.074	1.86	12.98	52.	2762.
298	2204.	-2.96	2.72	AUS	50.00	AUS	2.0	11.3	.986	.120	1.82	11.23	41.	5165.
299	2205.	-2.88	3.28	AUS	50.00	AUS	2.4	11.2	1.009	.085	.98	13.87	56.	2113.
300	2410.	-3.18	3.27	AUS	50.00	AUS	2.4	14.4	.985	.109	1.69	11.32	42.	5213.
301	2412.	-1.86	3.97	AUS	50.00	AUS	3.0	15.2	1.002	.075	.96	13.31	65.	1871.
302	2610.	-3.28	3.29	AUS	50.00	AUS	2.5	17.2	.998	.112	1.65	11.44	43.	4888.

MOTOR31901401HA722

	DRZ 1/MIN	BRK KP	TRPLU 3/H	DURCHLZT 5	KRSTMAS G	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	MO PPH	C3H6 PPH
303	2612.	-1.85	3.80	AUS	50.00	AUS	2.8	20.4	1.007	.075	.88	13.44	66.	1647.
304	2602.	-3.47	3.40	AUS	50.00	AUS	2.5	19.0	.986	.135	2.00	10.70	39.	9779.
305	2683.	-1.06	4.04	AUS	50.00	AUS	3.0	23.7	1.004	.065	.80	13.64	60.	1517.
306	3003.	-3.62	3.21	AUS	50.00	AUS	2.4	20.0	.980	.130	2.15	10.27	36.	6664.
307	3005.	-2.02	4.05	AUS	50.00	AUS	3.0	25.6	1.002	.069	.89	13.50	68.	1722.
308	3207.	-3.93	3.45	AUS	50.00	AUS	2.6	21.6	.971	.153	2.49	9.50	34.	7872.
309	3208.	-1.96	4.14	AUS	50.00	AUS	3.1	30.4	1.003	.074	.90	13.56	73.	1470.
310	3408.	-4.16	3.54	AUS	50.00	AUS	2.6	21.0	.961	.150	2.71	9.13	34.	6560.
311	3400.	-1.89	4.11	AUS	50.00	AUS	3.1	34.0	1.004	.068	.84	13.76	79.	1204.
312	3600.	-4.40	3.54	AUS	50.00	AUS	2.6	22.0	.958	.152	2.72	8.97	34.	9032.
313	3601.	-1.90	4.39	AUS	50.00	AUS	3.3	36.9	1.001	.056	.74	14.07	04.	067.
314	3805.	-4.59	3.40	AUS	50.00	AUS	2.5	22.0	.954	.149	2.76	0.72	33.	9630.
315	3806.	-1.85	4.57	AUS	50.00	AUS	3.4	38.5	1.004	.058	.71	14.07	90.	792.
316	4002.	-4.00	3.61	AUS	50.00	AUS	2.7	21.9	.953	.163	2.93	8.42	33.	9864.
317	4002.	-3.90	3.90	AUS	50.00	AUS	3.0	24.3	1.001	.081	1.06	13.15	56.	2002.
318	4002.	-1.92	4.75	AUS	50.00	AUS	3.5	38.8	1.003	.051	.64	14.31	95.	426.
319	4205.	-5.00	3.82	AUS	50.00	AUS	2.8	21.7	.951	.170	3.06	8.16	34.	10216.
320	4206.	-3.89	4.17	AUS	50.00	AUS	3.1	27.2	1.001	.064	.85	13.67	63.	1445.
321	4207.	-2.00	4.98	AUS	50.00	AUS	3.7	38.6	1.000	.043	.58	14.44	104.	373.
322	4402.	-5.19	3.42	AUS	50.00	AUS	2.5	22.4	.946	.173	3.10	7.72	35.	11029.
323	4405.	-3.86	4.18	AUS	50.00	AUS	3.1	31.0	1.005	.074	.90	13.60	63.	1334.
324	4405.	-2.05	5.42	AUS	50.00	AUS	4.0	38.8	.990	.046	.65	14.29	106.	504.
325	4599.	-5.42	3.39	AUS	50.00	AUS	2.5	22.3	.929	.161	3.39	7.21	35.	12324.
326	4600.	-3.06	4.23	AUS	50.00	AUS	3.2	35.5	.993	.067	1.03	13.40	60.	1039.
327	4600.	-1.93	5.63	AUS	50.00	AUS	4.2	38.8	.997	.050	.72	14.12	114.	020.
328	4796.	-5.74	3.72	AUS	50.00	AUS	2.8	22.1	.975	0.000	3.67	6.57	34.	13506.
329	4814.	-3.98	4.95	AUS	50.00	AUS	3.7	38.2	.997	.005	1.10	12.96	69.	2433.
330	4814.	-1.97	6.36	AUS	50.00	AUS	4.7	37.0	.990	.058	.95	13.71	111.	1420.
331	5019.	-6.11	3.25	AUS	50.00	AUS	2.4	21.1	.963	0.000	3.96	5.66	34.	15480.
332	5019.	-3.87	5.52	AUS	50.00	AUS	4.1	36.7	.989	.063	1.02	13.49	81.	1893.
333	4991.	-1.92	6.65	AUS	50.00	AUS	5.0	37.2	.992	.053	.85	13.07	117.	1264.
334	5202.	-6.31	3.31	AUS	50.00	AUS	2.5	20.2	.966	0.000	4.00	5.49	35.	15706.
335	5205.	-3.94	5.21	AUS	50.00	AUS	3.9	36.0	.994	.071	1.05	13.44	84.	1001.
336	5205.	-1.89	7.47	AUS	50.00	AUS	5.6	36.2	.990	.053	.88	14.01	124.	1005.
337	5428.	-6.75	3.64	AUS	50.00	AUS	2.7	19.5	.953	0.000	4.50	4.99	36.	16321.
338	5394.	-5.93	4.58	AUS	50.00	AUS	3.4	31.1	.970	.154	2.37	10.27	44.	6212.
339	5424.	-3.31	6.09	AUS	50.00	AUS	4.5	36.7	.993	.059	.92	13.71	89.	1562.
340	5406.	-1.77	8.19	AUS	50.00	AUS	6.1	37.6	.992	.049	.80	14.18	136.	804.
341	5601.	-6.89	3.86	AUS	50.00	AUS	2.9	18.7	.832	0.000	6.80	7.13	43.	12293.
342	5601.	-5.97	4.90	AUS	50.00	AUS	3.7	36.5	.972	.140	2.31	10.56	50.	5852.
343	5601.	-3.99	7.05	AUS	50.00	AUS	5.3	36.4	.992	.040	.79	13.99	92.	1294.
344	5600.	-1.96	8.27	AUS	50.00	AUS	6.2	36.3	.990	.045	.79	14.25	138.	806.
345	5815.	-7.22	3.34	AUS	50.00	AUS	2.5	19.1	.865	.210	5.61	9.18	94.	4747.
346	5807.	-5.33	5.24	AUS	50.00	AUS	3.9	36.5	.988	.105	1.59	12.24	61.	3267.
347	5809.	-3.96	7.30	AUS	50.00	AUS	5.4	36.3	.994	.039	.64	14.38	98.	769.

ORZ 1/H/M	BRL KP	LIRPLU L/H	DURCHLZT S	KRSTMAS G	KKSTDS KG/H	KRSTPLU KG/H	ZUEW DEC	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
348	-1.89	9.15	AUS	50.00	AUS	6.8	35.8	.987	.031	.86	14.51	151.	599.
349	-7.56	3.33	AUS	50.00	AUS	2.5	20.5	.842	0.000	5.64	9.81	60.	4037.
350	-6.87	6.28	AUS	50.00	AUS	4.7	37.1	.990	.079	1.23	13.08	67.	2175.
351	-3.84	7.86	AUS	50.00	AUS	5.9	37.1	.994	.036	.60	14.48	107.	601.
352	-1.95	9.71	AUS	50.00	AUS	7.2	36.9	.992	.032	.56	14.71	165.	220.

	DRZ 1/MIN	BRL Kp	O2 PROZ	DKL DEG	OKLPST DEG	QELDR Kp/CM2	QELTEMP CEL	RAUMTEMP CEL	LFTDR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
1	1006.	-02	1.44	17.7	5.6	4.3	65.7	18.3	733.6	AUS	17488.	AUS	.600	.745
2	998.	2.19	.72	25.6	13.2	4.2	66.0	18.5	733.6	AUS	20233.	AUS	.600	.745
3	999.	3.36	.70	27.1	14.9	4.2	66.2	18.5	733.6	AUS	21422.	AUS	.600	.745
4	999.	6.17	.66	30.6	19.1	4.1	66.7	18.9	733.6	AUS	24579.	AUS	.600	.745
5	1007.	7.87	.64	33.7	23.2	4.1	67.4	18.6	733.6	AUS	26754.	AUS	.600	.745
6	999.	10.09	.61	38.3	29.5	4.1	67.7	18.6	733.6	AUS	28757.	AUS	.600	.745
7	1000.	12.16	.63	40.0	32.0	4.0	68.5	18.9	733.6	AUS	32597.	AUS	.600	.745
8	1008.	13.95	.58	46.1	40.9	4.0	68.7	18.9	733.6	AUS	33778.	AUS	.600	.745
9	1008.	16.02	.53	57.2	57.1	3.9	69.1	18.5	733.6	AUS	39854.	AUS	.600	.745
10	999.	18.06	.02	71.9	75.4	3.9	69.2	18.8	733.6	AUS	41522.	AUS	.600	.745
11	999.	18.54	.04	85.1	84.8	3.8	69.6	18.8	733.6	AUS	40448.	AUS	.600	.745
12	1195.	-23	1.59	22.5	9.9	4.4	69.7	18.7	733.6	AUS	22962.	AUS	.600	.745
13	1203.	1.97	.69	27.7	15.6	4.4	69.7	19.0	733.6	AUS	25669.	AUS	.600	.745
14	1195.	4.16	.62	29.4	17.7	4.4	69.9	19.0	733.6	AUS	31313.	AUS	.600	.745
15	1195.	6.14	.54	33.5	22.8	4.3	70.1	19.1	733.6	AUS	31353.	AUS	.600	.745
16	1196.	8.15	.54	37.4	28.2	4.3	70.8	19.1	733.6	AUS	34164.	AUS	.600	.745
17	1196.	10.01	.55	40.8	33.1	4.3	71.6	19.3	733.6	AUS	36276.	AUS	.600	.745
18	1195.	12.03	.54	41.3	38.8	4.3	72.2	19.4	733.6	AUS	35014.	AUS	.600	.745
19	1203.	14.01	.54	48.4	44.2	4.3	73.0	19.7	733.6	AUS	41973.	AUS	.600	.745
20	1204.	15.97	.54	59.7	60.5	4.2	73.8	19.6	733.6	AUS	41958.	AUS	.600	.745
21	1204.	18.03	.08	72.1	75.6	4.2	73.3	19.6	733.6	AUS	46771.	AUS	.600	.745
22	1204.	18.59	-.01	85.2	84.8	4.2	74.5	19.5	733.6	AUS	48989.	AUS	.600	.745
23	1399.	.33	.78	26.2	13.8	4.5	73.4	19.8	733.6	AUS	22239.	AUS	.600	.745
24	1399.	1.97	.63	28.4	16.4	4.5	72.9	19.6	733.6	AUS	27969.	AUS	.600	.745
25	1399.	4.08	.64	29.9	18.3	4.5	73.2	20.0	733.6	AUS	30338.	AUS	.600	.745
26	1399.	6.02	.62	33.4	22.7	4.4	73.5	19.8	733.6	AUS	29063.	AUS	.600	.745
27	1399.	7.02	.53	39.2	30.6	4.4	73.1	19.9	733.6	AUS	38398.	AUS	.600	.745
28	1400.	10.31	.56	43.1	36.5	4.4	74.0	19.9	733.6	AUS	42197.	AUS	.600	.745
29	1400.	12.01	.57	43.8	37.5	4.4	73.9	19.7	733.6	AUS	43974.	AUS	.600	.745
30	1399.	13.99	.53	58.2	45.9	4.4	74.8	19.8	733.6	AUS	49578.	AUS	.600	.745
31	1400.	16.01	.51	58.8	59.3	4.4	75.0	19.6	733.6	AUS	50601.	AUS	.600	.745
32	1400.	18.80	.03	68.9	73.3	4.3	76.0	19.6	733.6	AUS	56823.	AUS	.600	.745

MOTOR31901401MAZ22

	DRZ 1/MIN	BRL KP	Q2 PROZ	DKL DEG	DKLPST DEG	QELDR KP/CH2	OELTEMP CEL	RAUMTEMP CEL	LF TORR	LF TDSL L/H	LF TPLU L/H	LFGR 1	LF TFEUCH KG/L	DICHTE KG/L
33	1600.	19.01	.00	85.1	86.8	4.8	74.1	19.2	733.6	AUS	60121.	AUS	.800	.745
34	1604.	-.03	1.01	25.4	12.9	4.5	76.3	19.9	733.6	AUS	26789.	AUS	.690	.745
35	1595.	1.06	.86	27.1	14.8	4.5	75.8	19.6	733.6	AUS	29512.	AUS	.600	.745
36	1604.	4.01	.76	30.1	18.5	4.5	76.8	20.8	733.6	AUS	29989.	AUS	.600	.745
37	1604.	6.07	.69	34.3	23.9	4.5	75.7	19.9	733.6	AUS	34495.	AUS	.680	.745
38	1596.	7.81	.59	39.2	30.8	4.5	76.4	19.8	733.6	AUS	41664.	AUS	.680	.745
39	1597.	11.29	.55	46.5	41.6	4.5	76.3	19.8	733.6	AUS	49692.	AUS	.680	.745
40	1603.	11.94	.55	44.3	38.1	4.5	75.7	20.0	733.6	AUS	49647.	AUS	.680	.745
41	1604.	14.07	.54	51.4	48.7	4.5	75.1	20.0	733.6	AUS	53351.	AUS	.680	.745
42	1597.	16.04	.50	59.9	60.9	4.5	74.3	20.0	733.6	AUS	62213.	AUS	.680	.745
43	1604.	17.99	.05	69.9	73.3	4.5	74.1	19.8	733.6	AUS	65062.	AUS	.680	.745
44	1596.	19.37	-.00	85.1	84.8	4.5	73.4	20.3	733.6	AUS	67819.	AUS	.680	.745
45	1799.	-.18	1.08	26.5	14.0	4.7	72.6	20.3	733.6	AUS	25238.	AUS	.680	.745
46	1800.	1.79	.05	27.3	15.3	4.7	71.9	20.3	733.6	AUS	31120.	AUS	.680	.745
47	1801.	4.03	.69	31.9	21.2	4.7	72.1	20.3	733.6	AUS	32241.	AUS	.680	.745
48	1800.	6.01	.59	35.7	26.2	4.7	71.6	20.4	733.6	AUS	38909.	AUS	.680	.745
49	1800.	8.10	.48	42.3	35.1	4.7	71.7	20.3	733.6	AUS	48300.	AUS	.680	.745
50	1802.	10.82	.45	46.2	41.1	4.7	71.9	20.1	733.6	AUS	51183.	AUS	.680	.745
51	1800.	12.05	.44	46.6	41.2	4.7	72.3	20.8	733.6	AUS	55146.	AUS	.680	.745
52	1801.	14.00	.41	52.8	50.9	4.7	72.7	20.1	733.6	AUS	61782.	AUS	.680	.745
53	1801.	16.06	.42	63.0	65.1	4.6	72.9	20.2	733.6	AUS	67568.	AUS	.680	.745
54	1801.	18.05	-.01	75.0	78.2	4.6	73.9	20.8	733.6	AUS	73425.	AUS	.680	.745
55	1793.	18.53	-.03	85.2	84.0	4.6	73.9	20.1	733.6	AUS	71192.	AUS	.680	.745
56	1996.	-.10	.93	26.7	14.4	4.8	74.1	20.1	733.6	AUS	26633.	AUS	.680	.745
57	2003.	1.98	.70	30.3	18.7	4.8	73.3	20.1	733.6	AUS	29173.	AUS	.680	.745
58	2004.	4.01	.63	33.9	23.4	4.8	73.5	20.0	733.6	AUS	36361.	AUS	.680	.745
59	1996.	6.23	.54	37.6	28.5	4.8	73.8	20.1	733.6	AUS	44480.	AUS	.680	.745
60	1996.	7.90	.51	40.3	32.4	4.7	73.8	20.8	733.6	AUS	43190.	AUS	.680	.745
61	2006.	10.64	.46	47.0	42.2	4.7	73.9	20.2	733.6	AUS	57272.	AUS	.680	.745
62	2005.	11.98	.44	47.4	42.8	4.7	74.1	20.8	733.6	AUS	61718.	AUS	.680	.745
63	2005.	14.01	.44	53.2	51.4	4.7	74.4	20.2	733.6	AUS	64438.	AUS	.680	.745
64	1997.	16.03	.42	60.8	62.1	4.7	74.7	20.1	733.6	AUS	72429.	AUS	.680	.745
65	2005.	18.00	.08	71.0	74.5	4.7	75.2	19.7	733.6	AUS	79970.	AUS	.680	.745
66	2005.	19.12	-.03	85.2	84.8	4.7	75.8	20.3	733.6	AUS	81066.	AUS	.680	.745
67	2199.	.02	.75	27.5	15.3	4.8	75.1	20.0	733.6	AUS	29077.	AUS	.680	.745
68	2200.	2.10	.57	32.1	21.1	4.8	74.9	20.0	733.6	AUS	37371.	AUS	.680	.745
69	2193.	4.13	.56	35.3	25.4	4.8	75.3	20.1	733.6	AUS	40628.	AUS	.680	.745
70	2200.	6.11	.52	38.6	29.9	4.8	75.3	20.0	733.6	AUS	44752.	AUS	.680	.745
71	2200.	7.99	.50	42.1	34.9	4.8	75.6	20.4	733.6	AUS	51577.	AUS	.680	.745
72	2202.	10.74	.43	48.7	44.8	4.8	75.9	20.2	733.6	AUS	58340.	AUS	.680	.745
73	2193.	12.16	.43	48.1	43.8	4.7	76.0	20.2	733.6	AUS	60508.	AUS	.680	.745
74	2201.	14.04	.43	53.6	52.0	4.7	76.6	20.3	733.6	AUS	73436.	AUS	.680	.745
75	2201.	15.99	.42	60.8	61.0	4.7	76.9	20.2	733.6	AUS	81191.	AUS	.680	.745
76	2201.	17.97	.22	70.1	73.5	4.7	76.8	20.1	733.6	AUS	86622.	AUS	.680	.745
77	2201.	19.04	-.03	85.1	84.8	4.7	78.4	20.3	733.6	AUS	95623.	AUS	.680	.745

DRZ 1/MIN	BRL KP	OZ PROZ	OKL DEG	OKLPST DEG	OEldr KPYCH2	OEIEMP CEL	RAUMTEMP CEL	LFIDSL TORR	LFIDSL L/H	LFIDPLU L/H	LFGR 1	LFIDFEUCH KG/L	OICHTTE KG/L
76	2404.	.06	27.7	15.6	4.8	77.7	20.2	733.6	AUS	30575.	AUS	.600	.745
79	2396.	.59	32.8	22.2	4.8	77.0	20.3	733.6	AUS	39562.	AUS	.600	.745
80	2404.	.55	35.9	26.2	4.8	78.1	20.5	733.6	AUS	42248.	AUS	.600	.745
81	2397.	.53	40.0	31.6	4.8	78.0	20.1	733.6	AUS	49520.	AUS	.600	.745
82	2397.	.53	43.4	37.2	4.8	78.5	20.2	733.6	AUS	55240.	AUS	.600	.745
83	2397.	.48	49.0	45.6	4.8	78.0	20.3	733.6	AUS	63311.	AUS	.600	.745
84	2405.	.49	49.2	45.4	4.8	79.3	20.6	733.6	AUS	70669.	AUS	.600	.745
85	2398.	.47	54.5	53.7	4.7	80.4	20.2	733.6	AUS	78769.	AUS	.600	.745
86	2397.	.46	60.6	61.9	4.7	80.2	20.4	733.6	AUS	88733.	AUS	.600	.745
87	2397.	.31	70.1	73.5	4.7	80.5	20.5	733.6	AUS	95365.	AUS	.600	.745
88	2405.	-.01	82.0	83.3	4.7	80.9	20.4	733.6	AUS	101830.	AUS	.600	.745
89	2600.	.67	88.8	16.9	4.9	80.2	20.4	733.6	AUS	33343.	AUS	.600	.745
90	2601.	.56	34.4	24.1	4.9	80.0	20.9	733.6	AUS	37601.	AUS	.600	.745
91	2600.	.53	37.3	28.0	4.9	80.0	20.9	733.6	AUS	49049.	AUS	.600	.745
92	2601.	.54	40.8	33.1	4.8	80.4	20.5	733.6	AUS	50010.	AUS	.600	.745
93	2601.	.52	44.6	38.7	4.8	80.5	20.5	733.6	AUS	60440.	AUS	.600	.745
94	2602.	.53	49.2	45.6	4.8	80.9	20.6	733.6	AUS	67196.	AUS	.600	.745
95	2601.	.50	50.0	47.8	4.8	82.3	21.0	733.6	AUS	76213.	AUS	.600	.745
96	2601.	.48	55.7	55.8	4.7	82.1	20.7	733.6	AUS	85556.	AUS	.600	.745
97	2594.	.46	62.5	64.5	4.7	82.4	21.0	733.6	AUS	96386.	AUS	.600	.745
98	2601.	.30	71.0	74.5	4.7	82.2	20.6	733.6	AUS	104695.	AUS	.600	.745
99	2601.	-.01	82.4	83.6	4.7	83.0	20.4	733.6	AUS	113003.	AUS	.600	.745
100	2796.	.60	30.0	18.3	4.9	82.6	20.6	733.6	AUS	34519.	AUS	.600	.745
101	2796.	.57	35.7	25.9	4.9	82.3	20.5	733.6	AUS	38767.	AUS	.600	.745
102	2804.	.52	38.5	29.8	4.9	82.5	20.9	733.6	AUS	51973.	AUS	.600	.745
103	2797.	.53	42.1	35.0	4.8	83.3	20.5	733.6	AUS	56398.	AUS	.600	.745
104	2797.	.51	46.3	41.2	4.8	83.0	20.7	733.6	AUS	62747.	AUS	.600	.745
105	2805.	.47	50.6	47.5	4.8	83.2	20.8	733.6	AUS	73573.	AUS	.600	.745
106	2797.	.46	52.3	50.1	4.8	84.1	20.8	733.6	AUS	81921.	AUS	.600	.745
107	2797.	.44	57.7	57.8	4.8	84.0	20.8	733.6	AUS	91352.	AUS	.600	.745
108	2797.	.42	63.9	66.2	4.7	84.1	20.3	733.6	AUS	102854.	AUS	.600	.745
109	2797.	.27	71.5	75.0	4.7	84.2	20.9	733.6	AUS	110146.	AUS	.600	.745
110	2797.	-.01	81.6	83.2	4.7	85.0	20.8	733.6	AUS	116763.	AUS	.600	.745
111	3000.	.62	38.7	19.1	4.9	84.8	20.6	733.6	AUS	34606.	AUS	.600	.745
112	3001.	.59	35.9	26.2	4.9	84.5	20.7	733.6	AUS	52043.	AUS	.600	.745
113	2993.	.52	48.4	32.5	4.9	84.6	20.9	733.6	AUS	56733.	AUS	.600	.745
114	2999.	.68	48.8	36.8	5.8	75.5	19.1	737.6	6110.8.	63104.	.395	.600	.745
115	2999.	.65	45.0	40.7	4.9	80.2	19.5	737.6	AUS	69852.	AUS	.600	.745
116	3000.	.63	49.3	45.6	4.9	81.5	19.6	737.6	AUS	77625.	AUS	.600	.745
117	3008.	.61	53.8	51.1	4.8	83.1	19.7	737.6	AUS	91798.	AUS	.600	.745
118	2999.	.59	58.0	58.4	4.8	84.3	19.9	737.6	AUS	97647.	AUS	.600	.745
119	2999.	.58	64.5	67.0	4.7	85.1	19.5	737.6	AUS	109359.	AUS	.600	.745
120	3000.	.45	78.2	74.8	4.7	85.9	19.8	737.6	AUS	119018.	AUS	.600	.745
121	3000.	.20	78.3	81.1	4.7	86.2	19.9	737.6	AUS	125672.	AUS	.600	.745
122	3000.	.16	85.8	84.7	4.6	87.3	19.9	737.6	AUS	130339.	AUS	.600	.745

MOTOR31901481WAZ22

	ORZ 1/MIN	BRL KP	O2 PROZ	DKL DEG	OKLPST DEG	OELOR KP/CH2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
123	3202.	.06	.69	31.4	20.2	4.8	87.2	19.9	737.6	AUS	43244.	AUS	.600	.745
124	3202.	1.96	.67	37.7	28.6	4.8	86.7	20.0	737.6	AUS	50447.	AUS	.600	.745
125	3203.	3.97	.65	40.4	32.4	4.8	87.5	20.2	737.6	AUS	55213.	AUS	.600	.745
126	3203.	6.06	.64	44.0	37.7	4.8	87.7	20.0	737.6	AUS	62484.	AUS	.600	.745
127	3203.	8.01	.62	47.7	43.2	4.8	88.2	20.2	737.6	AUS	69813.	AUS	.600	.745
128	3203.	10.04	.60	50.9	48.0	4.8	88.8	20.2	737.6	AUS	79956.	AUS	.600	.745
129	3195.	12.05	.58	54.8	53.7	4.7	89.5	20.6	737.6	AUS	91143.	AUS	.600	.745
130	3194.	14.00	.55	59.5	60.4	4.7	89.2	20.3	737.6	AUS	102340.	AUS	.600	.745
131	3194.	16.07	.51	66.1	68.9	4.7	89.4	20.1	737.6	AUS	113956.	AUS	.600	.745
132	3202.	18.03	.46	71.7	75.2	4.7	90.0	20.3	737.6	AUS	124139.	AUS	.600	.745
133	3202.	20.00	.22	78.0	80.8	4.6	90.8	20.9	737.6	AUS	134834.	AUS	.600	.745
134	3202.	20.70	.16	84.9	84.7	4.6	91.4	20.8	737.6	AUS	141515.	AUS	.600	.745
135	3397.	.05	.63	32.9	22.1	4.8	98.4	20.4	737.6	AUS	44378.	AUS	.600	.745
136	3405.	2.04	.69	39.4	31.1	4.8	89.9	20.7	737.6	AUS	52400.	AUS	.600	.745
137	3405.	3.69	.63	41.7	34.3	4.8	89.6	20.1	737.6	AUS	60554.	AUS	.600	.745
138	3397.	6.02	.59	45.5	40.1	4.8	90.0	20.4	737.6	AUS	66044.	AUS	.600	.745
139	3398.	7.97	.58	49.1	45.4	4.8	90.9	20.5	737.6	AUS	74123.	AUS	.600	.745
140	3405.	10.08	.57	52.3	50.0	4.7	91.3	20.6	737.6	AUS	88237.	AUS	.600	.745
141	3397.	12.00	.54	56.4	56.1	4.7	92.2	20.5	737.6	AUS	97964.	AUS	.600	.745
142	3405.	13.97	.51	61.1	62.6	4.7	91.8	20.7	737.6	AUS	109619.	AUS	.600	.745
143	3397.	16.02	.50	67.5	70.6	4.7	92.6	21.0	737.6	AUS	122713.	AUS	.600	.745
144	3405.	18.04	.46	72.2	75.7	4.6	93.2	21.1	737.6	AUS	134358.	AUS	.600	.745
145	3398.	20.01	.24	77.6	80.5	4.6	93.5	20.9	737.6	AUS	145490.	AUS	.600	.745
146	3405.	20.79	.14	85.0	84.7	4.6	94.2	21.0	737.6	AUS	152285.	AUS	.600	.745
147	3600.	.00	.57	34.8	24.8	4.8	93.4	20.9	737.6	AUS	44136.	AUS	.600	.745
148	3601.	2.12	.63	40.9	33.1	4.8	91.8	21.2	737.6	AUS	55768.	AUS	.600	.745
149	3602.	4.16	.60	44.2	38.0	4.8	92.5	21.7	737.6	AUS	62271.	AUS	.600	.745
150	3601.	6.02	.58	47.4	42.8	4.8	92.9	21.1	737.6	AUS	71031.	AUS	.600	.745
151	3601.	8.05	.58	51.5	49.0	4.7	93.0	21.7	737.6	AUS	81626.	AUS	.600	.745
152	3601.	10.08	.58	54.2	52.9	4.7	94.0	21.2	737.6	AUS	92853.	AUS	.600	.745
153	3601.	12.03	.55	58.1	58.6	4.7	94.6	21.3	737.6	AUS	104233.	AUS	.600	.745
154	3601.	14.01	.51	62.6	64.4	4.7	94.0	21.2	737.6	AUS	116965.	AUS	.600	.745
155	3601.	16.06	.47	68.2	71.5	4.6	94.4	21.3	737.6	AUS	131274.	AUS	.600	.745
156	3594.	18.05	.47	72.5	76.0	4.6	95.0	21.5	737.6	AUS	143131.	AUS	.600	.745
157	3601.	20.04	.31	77.1	80.1	4.6	96.0	21.3	737.6	AUS	155987.	AUS	.600	.745
158	3601.	21.07	.13	85.3	84.8	4.5	97.2	21.5	737.6	AUS	165223.	AUS	.600	.745
159	3796.	.01	.62	37.8	28.9	4.8	95.2	21.3	737.6	AUS	47619.	AUS	.600	.745
160	3796.	2.04	.60	41.6	34.2	4.8	94.4	21.4	737.6	AUS	59180.	AUS	.600	.745
161	3804.	3.08	.57	44.5	38.6	4.8	94.6	21.7	737.6	AUS	65631.	AUS	.600	.745
162	3796.	6.06	.56	48.5	44.4	4.7	94.8	22.0	737.6	AUS	78161.	AUS	.600	.745
163	3804.	8.05	.57	52.0	49.6	4.7	95.1	21.6	737.6	AUS	84468.	AUS	.600	.745
164	3804.	9.96	.55	54.7	53.6	4.7	95.6	21.7	737.6	AUS	97686.	AUS	.600	.745
165	3804.	12.01	.55	59.0	59.6	4.7	95.8	21.9	737.6	AUS	114373.	AUS	.600	.745
166	3804.	14.00	.53	63.7	65.9	4.7	95.8	21.3	737.6	AUS	127300.	AUS	.600	.745
167	3796.	15.01	.37	69.5	72.9	4.6	96.5	21.8	737.6	AUS	137326.	AUS	.600	.745

	ORZ 1/HIN	BRL KP	OZ PROZ	OKL DEG	DKLPST DEG	OELOR KPC/M2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTEUCH 1	DICHT KG/L
168	3796.	17.87	.34	72.5	75.9	4.6	96.9	21.5	737.6	AUS	151200.	AUS	.600	.745
169	3884.	20.04	.25	77.4	80.3	4.6	97.6	21.0	737.6	AUS	163742.	AUS	.600	.745
170	3804.	21.07	.13	85.0	84.8	4.5	98.4	21.9	737.6	AUS	172939.	AUS	.600	.745
171	3998.	.10	.56	39.4	31.1	4.8	96.3	21.4	737.6	AUS	47632.	AUS	.600	.745
172	3999.	2.02	.56	42.3	35.3	4.8	95.9	21.4	737.6	AUS	59095.	AUS	.600	.745
173	3999.	4.01	.54	45.6	40.2	4.7	96.1	21.2	737.6	AUS	67860.	AUS	.600	.745
174	3999.	6.01	.57	49.2	45.4	4.7	96.8	21.9	737.6	AUS	80864.	AUS	.600	.745
175	4000.	8.12	.55	52.8	50.7	4.7	96.6	21.3	737.6	AUS	92089.	AUS	.600	.745
176	4000.	10.01	.53	56.0	55.4	4.7	97.5	21.6	737.6	AUS	106236.	AUS	.600	.745
177	4000.	12.00	.54	60.2	61.3	4.7	97.4	21.9	737.6	AUS	121103.	AUS	.600	.745
178	4000.	14.01	.50	65.0	67.5	4.6	98.3	21.7	737.6	AUS	134173.	AUS	.600	.745
179	4007.	15.73	.37	69.7	73.1	4.6	98.6	21.6	737.6	AUS	148536.	AUS	.600	.745
180	3999.	18.05	.35	73.1	76.5	4.6	99.1	21.9	737.6	AUS	163811.	AUS	.600	.745
181	3999.	19.96	.28	76.7	79.7	4.5	99.7	22.0	737.6	AUS	177810.	AUS	.600	.745
182	4000.	21.43	.12	85.1	84.8	4.5	100.5	22.0	737.6	AUS	189288.	AUS	.600	.745
183	4203.	.01	.51	40.1	32.1	4.7	99.0	21.0	737.6	AUS	55025.	AUS	.600	.745
184	4195.	2.10	.49	44.0	37.8	4.7	97.9	21.5	737.6	AUS	63342.	AUS	.600	.745
185	4195.	4.05	.51	46.9	42.1	4.7	98.5	22.0	737.6	AUS	71496.	AUS	.600	.745
186	4203.	5.98	.53	50.3	47.1	4.7	98.8	22.1	737.6	AUS	83948.	AUS	.600	.745
187	4203.	8.06	.53	53.5	51.8	4.7	98.9	21.9	737.6	AUS	99030.	AUS	.600	.745
188	4203.	9.97	.53	57.0	56.8	4.7	99.3	22.1	737.6	AUS	114509.	AUS	.600	.745
189	4195.	12.03	.54	61.3	62.7	4.6	99.2	22.0	737.6	AUS	127997.	AUS	.600	.745
190	4203.	13.99	.49	65.9	68.6	4.6	99.6	22.3	737.6	AUS	143460.	AUS	.600	.745
191	4195.	16.17	.37	70.8	74.3	4.6	100.7	22.4	737.6	AUS	159614.	AUS	.600	.745
192	4195.	18.04	.37	73.3	75.7	4.6	101.4	22.6	737.6	AUS	172937.	AUS	.600	.745
193	4195.	20.00	.28	77.2	80.1	4.5	101.8	22.4	737.6	AUS	187636.	AUS	.600	.745
194	4195.	21.59	.10	85.1	84.8	4.5	102.3	22.3	737.6	AUS	200537.	AUS	.600	.745
195	4398.	.01	.52	40.7	32.9	4.8	99.8	22.3	737.6	AUS	54636.	AUS	.600	.745
196	4398.	2.16	.47	44.6	38.6	4.7	99.9	22.6	737.6	AUS	67197.	AUS	.600	.745
197	4406.	3.96	.48	47.6	43.1	4.7	99.6	22.1	737.6	AUS	75440.	AUS	.600	.745
198	4398.	6.86	.51	51.3	48.6	4.7	100.4	22.1	737.6	AUS	90829.	AUS	.600	.745
199	4398.	8.09	.51	54.3	53.0	4.7	100.6	22.5	737.6	AUS	102536.	AUS	.600	.745
200	4398.	9.96	.51	58.8	58.3	4.7	100.5	22.9	737.6	AUS	120429.	AUS	.600	.745
201	4398.	12.83	.50	62.6	64.5	4.6	101.3	22.8	737.6	AUS	134946.	AUS	.600	.745
202	4398.	14.03	.31	67.4	70.5	4.6	101.3	22.5	737.6	AUS	150553.	AUS	.600	.745
203	4399.	16.95	.31	72.7	75.2	4.6	103.0	22.6	737.6	AUS	174112.	AUS	.600	.745
204	4399.	18.82	.30	74.1	77.5	4.5	103.1	22.8	737.6	AUS	183194.	AUS	.600	.745
205	4399.	19.98	.23	78.7	81.3	4.5	103.5	22.7	737.6	AUS	198402.	AUS	.600	.745
206	4398.	21.31	.18	85.1	84.8	4.5	104.7	22.8	737.6	AUS	208103.	AUS	.600	.745
207	4599.	.17	.52	43.4	37.8	4.7	102.3	22.9	737.6	AUS	68395.	AUS	.600	.745
208	4601.	2.10	.44	45.8	40.4	4.7	101.1	22.8	737.6	AUS	68306.	AUS	.600	.745
209	4602.	4.87	.46	49.8	45.1	4.7	101.0	22.4	737.6	AUS	80626.	AUS	.600	.745
210	4602.	6.85	.49	52.2	49.9	4.7	101.5	22.3	737.6	AUS	91081.	AUS	.600	.745
211	4602.	8.07	.47	55.7	55.0	4.7	102.4	22.6	737.6	AUS	109124.	AUS	.600	.745
212	4600.	10.02	.48	59.6	60.4	4.6	102.1	22.9	737.6	AUS	123586.	AUS	.600	.745

ORZ 1/MIN	BRL MP	O2 PROZ	OKL DEG	DKLPST DEG	OELDR KPI/CH2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTEUCH KG/L	DICHTE KG/L
213	4602.	11.93	.47	64.1	86.4	4.6	102.6	23.0	737.6	141154.	AUS	.600	.745
214	4602.	13.97	.31	69.6	73.0	4.6	102.6	22.9	737.6	197550.	AUS	.600	.745
215	4507.	15.66	.29	71.7	75.2	4.5	104.0	23.3	737.6	172947.	AUS	.600	.745
216	4595.	10.07	.26	75.4	70.7	4.5	104.5	23.6	737.6	190490.	AUS	.600	.745
217	4594.	20.02	.17	79.9	82.1	4.5	105.5	23.5	737.6	205434.	AUS	.600	.745
218	4603.	20.96	.09	85.1	84.0	4.4	106.0	23.3	737.6	212093.	AUS	.600	.745
219	4797.	-.02	.59	48.6	37.2	4.7	103.6	23.1	737.6	61372.	AUS	.600	.745
220	4805.	1.96	.39	46.4	41.6	4.7	102.7	23.3	737.6	70406.	AUS	.600	.745
221	4797.	3.97	.42	49.5	46.1	4.7	103.3	23.5	737.6	84076.	AUS	.600	.745
222	4805.	5.93	.42	52.0	50.9	4.6	104.0	23.8	737.6	98472.	AUS	.600	.745
223	4797.	7.96	.45	56.7	56.5	4.6	104.0	23.5	737.6	116773.	AUS	.600	.745
224	4805.	9.92	.45	60.0	62.1	4.6	104.2	23.4	737.6	134974.	AUS	.600	.745
225	4805.	11.98	.43	65.6	68.4	4.6	104.6	23.4	737.6	153257.	AUS	.600	.745
226	4794.	13.71	.31	69.9	73.4	4.5	105.3	23.4	737.6	167330.	AUS	.600	.745
227	4821.	16.47	.30	73.9	77.3	4.5	106.2	23.6	737.6	192702.	AUS	.600	.745
228	4797.	17.96	.26	76.1	79.3	4.5	107.2	23.8	737.6	203795.	AUS	.600	.745
229	4813.	19.97	.16	81.0	82.0	4.4	107.2	23.5	737.6	220111.	AUS	.600	.745
230	5007.	-.01	.41	43.7	37.4	4.7	103.6	23.0	737.6	63756.	AUS	.600	.745
231	4999.	1.93	.36	46.6	41.6	4.7	104.1	23.2	737.6	74788.	AUS	.600	.745
232	5000.	4.31	.39	51.0	48.1	4.6	104.6	23.2	737.6	90643.	AUS	.600	.745
233	5000.	5.99	.41	54.0	52.6	4.6	105.3	23.2	737.6	106599.	AUS	.600	.745
234	5000.	8.15	.43	58.4	58.8	4.6	105.0	23.6	737.6	125057.	AUS	.600	.745
235	5000.	10.00	.41	62.6	64.5	4.6	105.5	23.4	737.6	143544.	AUS	.600	.745
236	5000.	12.04	.22	66.9	69.9	4.5	106.4	23.7	737.6	162696.	AUS	.600	.745
237	5023.	14.33	.32	72.1	75.6	4.5	106.6	23.7	737.6	185064.	AUS	.600	.745
238	5008.	16.49	.24	74.5	77.9	4.5	107.3	23.9	737.6	201523.	AUS	.600	.745
239	5000.	18.03	.30	77.9	80.7	4.4	108.3	23.6	737.6	216137.	AUS	.600	.745
240	4999.	20.00	.12	83.9	84.3	4.4	109.2	23.5	737.6	228798.	AUS	.600	.745
241	5203.	.04	.37	45.9	40.5	4.6	105.6	23.5	737.6	67898.	AUS	.600	.745
242	5195.	2.10	.35	48.7	45.0	4.6	105.8	23.8	737.6	79706.	AUS	.600	.745
243	5194.	4.09	.36	51.9	49.5	4.6	106.1	23.8	737.6	96010.	AUS	.600	.745
244	5203.	5.98	.39	55.5	54.0	4.6	105.7	23.7	737.6	114441.	AUS	.600	.745
245	5203.	8.01	.41	59.6	60.4	4.5	106.3	23.8	737.6	132170.	AUS	.600	.745
246	5203.	9.94	.39	64.1	66.4	4.5	107.0	23.8	737.6	151175.	AUS	.600	.745
247	5203.	11.05	.25	69.3	72.6	4.5	107.2	23.6	737.6	168733.	AUS	.600	.745
248	5227.	13.00	.24	71.0	74.5	4.5	107.8	23.8	737.6	181147.	AUS	.600	.745
249	5200.	16.62	.21	76.1	79.3	4.4	108.7	23.8	737.6	214921.	AUS	.600	.745
250	5195.	18.04	.15	79.0	81.5	4.4	109.4	24.0	737.6	224699.	AUS	.600	.745
251	5203.	19.70	.06	85.1	84.0	4.3	110.5	23.8	737.6	235430.	AUS	.600	.745
252	5369.	.30	.27	46.9	42.1	4.6	107.9	23.8	737.6	74791.	AUS	.600	.745
253	5403.	2.24	.31	50.2	47.0	4.5	107.2	23.6	737.6	86320.	AUS	.600	.745
254	5390.	3.99	.33	52.9	51.0	4.5	107.8	23.9	737.6	101713.	AUS	.600	.745
255	5405.	5.88	.36	56.8	56.6	4.5	108.1	23.8	737.6	120539.	AUS	.600	.745
256	5406.	7.99	.37	61.3	62.0	4.5	107.8	23.8	737.6	140325.	AUS	.600	.745
257	5397.	9.97	.36	66.0	68.8	4.5	108.2	23.4	737.6	168466.	AUS	.600	.745

DRZ 1/MIN	BKL KP	O2 PROZ	OKL DEG	OKLPST DEG	DELDR KP/CM2	DELTEMP CEL	RAUMTEMP CEL	LFTDR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH KG/L	DICHT KG/L
250	5309.	12.77	.22	71.6	75.0	4.4	109.1	23.8	737.6	10600.	AUS	.600	.745
259	5421.	15.54	.20	75.6	78.9	4.4	110.2	23.9	737.6	214461.	AUS	.600	.745
260	5390.	16.30	.17	76.4	79.9	4.3	110.5	23.9	737.6	221224.	AUS	.600	.745
261	5397.	18.03	.11	80.7	82.6	4.3	111.4	23.8	737.6	233603.	AUS	.600	.745
262	5397.	19.06	.05	85.2	84.8	4.3	111.7	23.8	737.6	239937.	AUS	.600	.745
263	5598.	.02	.20	48.2	43.4	4.5	110.3	23.7	737.6	74330.	AUS	.600	.745
264	5608.	2.16	.24	51.9	49.9	4.5	109.0	23.6	737.6	92271.	AUS	.600	.745
265	5599.	4.88	.27	55.8	54.0	4.5	108.9	23.5	737.6	110414.	AUS	.600	.745
266	5599.	5.99	.28	58.7	59.3	4.5	109.3	23.7	737.6	120639.	AUS	.600	.745
267	5605.	8.02	.30	63.3	65.4	4.4	109.6	23.9	737.6	149768.	AUS	.600	.745
268	5600.	9.99	.20	67.6	70.8	4.4	110.5	23.8	737.6	169333.	AUS	.600	.745
269	5686.	12.34	.21	72.3	75.7	4.4	111.0	23.7	737.6	197170.	AUS	.600	.745
270	5614.	15.72	.16	77.5	80.4	4.3	111.4	24.1	737.6	227602.	AUS	.600	.745
271	5598.	16.23	.16	78.3	81.0	4.3	112.4	24.0	737.6	231826.	AUS	.600	.745
272	5595.	18.06	.07	83.9	84.3	4.2	113.3	24.0	737.6	243133.	AUS	.600	.745
273	5795.	.01	.13	49.8	47.1	4.4	112.4	24.0	737.6	79035.	AUS	.600	.745
274	5789.	2.11	.18	53.4	51.6	4.4	111.0	23.6	737.6	99409.	AUS	.600	.745
275	5893.	4.08	.21	56.8	56.6	4.4	111.1	23.9	737.6	118466.	AUS	.600	.745
276	5804.	6.81	.25	61.2	62.8	4.4	111.2	23.9	737.6	138385.	AUS	.600	.745
277	5800.	7.90	.25	65.2	67.8	4.4	111.9	23.7	737.6	159734.	AUS	.600	.745
278	5801.	9.45	.19	69.8	72.3	4.3	112.7	24.0	737.6	173363.	AUS	.600	.745
279	5811.	13.72	.18	75.4	78.7	4.3	113.4	24.0	737.6	219823.	AUS	.600	.745
280	5797.	13.00	.15	74.3	77.7	4.3	114.3	24.0	737.6	216458.	AUS	.600	.745
281	5801.	15.98	.11	79.8	82.1	4.2	115.9	24.2	737.6	238750.	AUS	.600	.745
282	5804.	17.38	.05	85.2	84.8	4.2	116.3	24.1	737.6	245850.	AUS	.600	.745
283	6081.	.02	.12	51.6	49.8	4.3	115.5	24.1	737.6	86333.	AUS	.600	.745
284	5996.	2.00	.15	54.9	53.8	4.3	114.4	24.4	737.6	106486.	AUS	.600	.745
285	6009.	3.88	.17	58.7	59.1	4.3	114.2	24.1	737.6	127277.	AUS	.600	.745
286	5994.	6.03	.20	62.5	64.4	4.3	114.6	24.5	737.6	149147.	AUS	.600	.745
287	6003.	7.96	.18	66.2	69.0	4.2	114.8	24.2	737.6	168183.	AUS	.600	.745
288	5998.	10.63	.16	72.2	75.7	4.2	115.5	24.8	737.6	199157.	AUS	.600	.745
289	5991.	13.59	.14	76.7	79.8	4.2	115.9	23.9	737.6	227846.	AUS	.600	.745
290	6005.	13.86	.11	77.5	80.4	4.1	117.1	23.8	737.6	234330.	AUS	.600	.745
291	5997.	16.80	.05	83.8	83.9	4.1	117.9	24.8	737.6	246672.	AUS	.600	.745
292	1190.	-1.20	2.82	.9	.2	4.0	79.9	20.8	737.6	18321.	AUS	.550	.745
293	1408.	-2.15	2.87	.9	.2	4.4	77.1	20.0	737.6	17978.	AUS	.550	.745
294	1682.	-2.62	3.34	.9	.2	4.6	76.1	19.9	737.6	22792.	AUS	.550	.745
295	1803.	-2.62	3.10	.9	.1	4.7	75.0	20.8	737.6	20839.	AUS	.550	.745
296	2093.	-2.77	3.12	.9	.1	4.8	74.7	19.9	737.6	22852.	AUS	.550	.745
297	2084.	-2.08	1.97	22.5	9.9	4.8	74.2	20.8	737.6	26128.	AUS	.550	.745
298	2204.	-2.96	3.46	1.8	.1	4.9	74.7	20.0	737.6	21888.	AUS	.550	.745
299	2205.	-2.80	1.88	25.2	12.7	4.8	74.5	20.2	737.6	26551.	AUS	.550	.745
300	2418.	-3.18	3.19	1.1	.1	4.9	74.2	20.1	737.6	26288.	AUS	.550	.745
301	2412.	-1.86	1.61	26.1	13.7	4.9	75.8	20.1	737.6	31913.	AUS	.550	.745
302	2610.	-3.28	3.29	.7	.2	5.0	76.2	20.2	737.6	26505.	AUS	.550	.745

	ORZ 1/MIN	BRL KP	O2 PROZ	DKL DEG	DKLPST DEG	OELOR KP/CH2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
303	2612.	-1.85	1.54	25.6	13.1	5.0	76.8	28.1	737.6	AUS	30605.	AUS	.550	.745
304	2802.	-3.47	3.90	1.1	.1	5.0	77.4	20.2	737.6	AUS	27456.	AUS	.550	.745
305	2803.	-1.86	1.37	25.5	13.1	5.0	78.3	20.2	737.6	AUS	32452.	AUS	.550	.745
306	3003.	-3.62	4.31	.9	.2	5.0	78.8	20.0	737.6	AUS	25894.	AUS	.550	.745
307	3005.	-2.02	1.48	25.3	12.8	5.0	79.6	19.8	737.6	AUS	32471.	AUS	.550	.745
308	3207.	-3.93	4.95	1.2	.1	5.1	88.5	20.2	737.6	AUS	27762.	AUS	.550	.745
309	3208.	-1.96	1.42	26.7	14.4	5.0	81.3	19.9	737.6	AUS	33279.	AUS	.550	.745
310	3408.	-4.16	5.23	1.8	.1	5.1	82.9	20.1	737.6	AUS	28278.	AUS	.550	.745
311	3408.	-1.89	1.23	27.9	15.8	5.0	83.5	20.2	737.6	AUS	32972.	AUS	.550	.745
312	3600.	-4.40	5.39	1.8	.1	5.1	84.7	20.0	737.6	AUS	28198.	AUS	.550	.745
313	3601.	-1.30	.93	28.8	16.2	5.0	84.8	20.1	737.6	AUS	35062.	AUS	.550	.745
314	3805.	-4.59	5.63	.9	.1	5.0	86.5	20.1	737.6	AUS	27076.	AUS	.550	.745
315	3806.	-1.85	.94	29.2	17.3	5.0	87.2	20.2	737.6	AUS	36584.	AUS	.550	.745
316	4002.	-4.80	5.05	1.1	.1	5.0	88.6	20.0	737.6	AUS	28772.	AUS	.550	.745
317	4002.	-3.90	1.76	25.2	12.7	5.0	89.9	20.3	737.6	AUS	31985.	AUS	.550	.745
318	4002.	-1.92	.68	30.1	18.5	5.0	90.2	20.1	737.6	AUS	37928.	AUS	.550	.745
319	4205.	-5.00	6.06	1.1	.1	5.0	91.5	20.2	737.6	AUS	30467.	AUS	.550	.745
320	4206.	-3.89	1.28	25.7	13.3	4.9	91.9	20.1	737.6	AUS	33371.	AUS	.550	.745
321	4207.	-2.00	.56	30.9	19.5	4.9	93.5	20.2	737.6	AUS	39595.	AUS	.550	.745
322	4402.	-5.19	6.45	.8	.2	4.9	93.9	20.2	737.6	AUS	27241.	AUS	.550	.745
323	4405.	-3.86	1.36	26.8	14.5	4.9	94.4	20.0	737.6	AUS	33616.	AUS	.550	.745
324	4405.	-2.05	.67	32.0	20.9	4.9	95.4	20.1	737.6	AUS	43042.	AUS	.550	.745
325	4599.	-5.42	6.05	.8	.2	4.9	96.0	20.0	737.6	AUS	26636.	AUS	.550	.745
326	4600.	-3.86	1.42	27.5	15.3	4.9	96.6	20.0	737.6	AUS	33702.	AUS	.550	.745
327	4600.	-1.33	.81	33.9	23.4	4.8	97.6	20.0	737.6	AUS	44774.	AUS	.550	.745
328	4796.	-5.74	7.39	1.0	.1	4.8	98.4	19.7	737.6	AUS	31051.	AUS	.550	.745
329	4814.	-3.98	1.91	28.5	16.5	4.8	98.7	20.0	737.6	AUS	39747.	AUS	.550	.745
330	4814.	-1.97	1.10	38.5	29.8	4.8	99.6	20.0	737.6	AUS	50373.	AUS	.550	.745
331	5019.	-6.11	8.23	1.2	.1	4.8	100.5	20.0	737.6	AUS	27178.	AUS	.550	.745
332	5019.	-3.87	1.37	30.8	19.3	4.8	100.8	20.2	737.6	AUS	43782.	AUS	.550	.745
333	4991.	-1.92	1.00	39.8	31.6	4.8	101.4	20.0	737.6	AUS	52742.	AUS	.550	.745
334	5202.	-6.31	8.32	1.2	.1	4.8	101.4	20.1	737.6	AUS	27679.	AUS	.550	.745
335	5205.	-3.94	1.44	32.1	21.0	4.7	101.7	20.1	737.6	AUS	41493.	AUS	.550	.745
336	5205.	-1.89	.85	41.4	34.0	4.7	102.8	20.2	737.6	AUS	59067.	AUS	.550	.745
337	5428.	-6.75	8.47	1.1	.1	4.7	103.8	20.1	737.6	AUS	30188.	AUS	.550	.745
338	5394.	-5.93	4.20	26.7	14.4	4.7	103.8	20.3	737.6	AUS	36900.	AUS	.550	.745
339	5424.	-3.91	1.21	37.9	28.9	4.7	104.4	20.2	737.6	AUS	48372.	AUS	.550	.745
340	5406.	-1.77	.74	42.7	35.8	4.6	105.6	20.5	737.6	AUS	64777.	AUS	.550	.745
341	5601.	-6.89	5.26	.9	.2	4.6	105.3	20.3	737.6	AUS	27383.	AUS	.550	.745
342	5601.	-5.97	3.84	27.6	15.4	4.6	105.4	20.3	737.6	AUS	39170.	AUS	.550	.745
343	5601.	-3.99	.98	38.9	30.3	4.6	105.7	20.0	737.6	AUS	55857.	AUS	.550	.745
344	5600.	-1.96	.68	43.7	37.3	4.6	106.9	20.4	737.6	AUS	65281.	AUS	.550	.745
345	5815.	-7.22	3.02	1.8	.1	4.5	107.0	20.2	737.6	AUS	24402.	AUS	.550	.745
346	5807.	-5.93	2.41	31.0	19.6	4.5	107.7	20.3	737.6	AUS	41940.	AUS	.550	.745
347	5809.	-3.96	.65	40.8	33.8	4.5	108.8	20.2	737.6	AUS	57728.	AUS	.550	.745

	DRZ 1/MIN	BRL KP	O2 PROZ	DKL DEG	OKLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH KG/L	DICHTE KG/L
348	5807.	-1.89	.43	65.6	40.1	4.5	109.1	20.2	737.6	AUS	71833.	AUS	.550	.745
349	6002.	-7.56	2.02	.9	.1	4.5	109.6	20.5	737.6	AUS	23560.	AUS	.550	.745
350	6003.	-6.07	1.67	37.8	27.6	4.4	110.1	20.0	737.6	AUS	50018.	AUS	.550	.745
351	6001.	-3.84	.54	42.7	35.8	4.4	111.2	20.2	737.6	AUS	62084.	AUS	.550	.745
352	5998.	-1.95	.30	46.9	42.0	4.4	111.7	20.2	737.6	AUS	76493.	AUS	.550	.745

DRZ 1/1MIN	BRL KP	SCO G/KWH	SC02 G/KWH	SCH2 G/KWH	3NOX G/KWH	SO2 G/KWH	HCO G/H	HPCO G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
1	1006.	AUS	AUS	AUS	AUS	AUS	AUS	172.6	AUS	4628.8	AUS	51.53	AUS
2	998.	AUS	AUS	AUS	AUS	AUS	AUS	164.7	AUS	5527.7	AUS	15.31	AUS
3	999.	AUS	AUS	AUS	AUS	AUS	AUS	169.1	AUS	5969.3	AUS	14.79	AUS
4	999.	AUS	AUS	AUS	AUS	AUS	AUS	186.5	AUS	6865.9	AUS	16.05	AUS
5	1007.	AUS	AUS	AUS	AUS	AUS	AUS	218.5	AUS	8041.6	AUS	21.89	AUS
6	999.	AUS	AUS	AUS	AUS	AUS	AUS	217.8	AUS	8048.1	AUS	24.88	AUS
7	1000.	AUS	AUS	AUS	AUS	AUS	AUS	252.7	AUS	9090.5	AUS	27.58	AUS
8	1008.	AUS	AUS	AUS	AUS	AUS	AUS	265.1	AUS	9427.2	AUS	30.56	AUS
9	1000.	AUS	AUS	AUS	AUS	AUS	AUS	255.0	AUS	11200.6	AUS	40.14	AUS
10	999.	AUS	AUS	AUS	AUS	AUS	AUS	1551.7	AUS	10711.5	AUS	60.46	AUS
11	999.	AUS	AUS	AUS	AUS	AUS	AUS	1539.9	AUS	10400.0	AUS	89.08	AUS
12	1195.	AUS	AUS	AUS	AUS	AUS	AUS	250.7	AUS	5995.3	AUS	89.12	AUS
13	1203.	AUS	AUS	AUS	AUS	AUS	AUS	209.2	AUS	7151.0	AUS	20.82	AUS
14	1195.	AUS	AUS	AUS	AUS	AUS	AUS	232.4	AUS	8767.4	AUS	20.84	AUS
15	1195.	AUS	AUS	AUS	AUS	AUS	AUS	218.5	AUS	8841.0	AUS	20.41	AUS
16	1196.	AUS	AUS	AUS	AUS	AUS	AUS	240.0	AUS	9640.5	AUS	24.26	AUS
17	1196.	AUS	AUS	AUS	AUS	AUS	AUS	246.1	AUS	10238.4	AUS	27.71	AUS
18	1195.	AUS	AUS	AUS	AUS	AUS	AUS	249.8	AUS	9839.3	AUS	27.21	AUS
19	1203.	AUS	AUS	AUS	AUS	AUS	AUS	309.0	AUS	11765.4	AUS	34.64	AUS
20	1204.	AUS	AUS	AUS	AUS	AUS	AUS	319.0	AUS	11720.4	AUS	36.63	AUS
21	1204.	AUS	AUS	AUS	AUS	AUS	AUS	1770.8	AUS	12052.7	AUS	59.80	AUS
22	1204.	AUS	AUS	AUS	AUS	AUS	AUS	2144.2	AUS	12344.5	AUS	66.93	AUS
23	1399.	AUS	AUS	AUS	AUS	AUS	AUS	187.4	AUS	6180.0	AUS	26.96	AUS
24	1399.	AUS	AUS	AUS	AUS	AUS	AUS	229.6	AUS	7818.7	AUS	17.62	AUS
25	1399.	AUS	AUS	AUS	AUS	AUS	AUS	243.5	AUS	8472.3	AUS	22.10	AUS
26	1399.	AUS	AUS	AUS	AUS	AUS	AUS	228.2	AUS	8144.1	AUS	26.39	AUS
27	1399.	AUS	AUS	AUS	AUS	AUS	AUS	285.8	AUS	10809.0	AUS	24.43	AUS
28	1400.	AUS	AUS	AUS	AUS	AUS	AUS	316.7	AUS	11047.4	AUS	29.11	AUS
29	1400.	AUS	AUS	AUS	AUS	AUS	AUS	366.8	AUS	12266.0	AUS	30.31	AUS
30	1394.	AUS	AUS	AUS	AUS	AUS	AUS	397.1	AUS	13855.8	AUS	38.34	AUS
31	1408.	AUS	AUS	AUS	AUS	AUS	AUS	390.3	AUS	14161.7	AUS	43.64	AUS
32	1408.	AUS	AUS	AUS	AUS	AUS	AUS	1759.5	AUS	15803.2	AUS	71.82	AUS

MOTOR31901401M1Z22

SEITE 4/1

	URZ 1/1MIN	BRL KP	SC0 G/KMH	SC02 G/KMH	SCH2 G/KMH	SNOX G/KMH	S02 G/KMH	HCO G/H	HPCO G/H	HCO2 G/H	HPCO2 G/H	HCH2 G/H	HPCCH2 G/H	HNOX G/H
32	1400.	19.01	AUS	AUS	AUS	AUS	AUS	AUS	2630.3	AUS	19173.6	AUS	95.91	AUS
33	1604.	-0.03	AUS	AUS	AUS	AUS	AUS	AUS	243.4	AUS	7317.5	AUS	42.16	AUS
34	1595.	1.06	AUS	AUS	AUS	AUS	AUS	AUS	259.0	AUS	8124.7	AUS	31.12	AUS
35														
36	1604.	4.01	AUS	AUS	AUS	AUS	AUS	AUS	243.0	AUS	8327.0	AUS	25.19	AUS
37	1604.	6.07	AUS	AUS	AUS	AUS	AUS	AUS	260.0	AUS	9649.7	AUS	20.26	AUS
38	1596.	7.61	AUS	AUS	AUS	AUS	AUS	AUS	314.4	AUS	11716.9	AUS	28.35	AUS
39	1597.	11.29	AUS	AUS	AUS	AUS	AUS	AUS	354.6	AUS	13999.7	AUS	34.79	AUS
40	1603.	11.94	AUS	AUS	AUS	AUS	AUS	AUS	404.4	AUS	13890.7	AUS	34.72	AUS
41	1604.	14.07	AUS	AUS	AUS	AUS	AUS	AUS	428.4	AUS	14933.0	AUS	40.06	AUS
42	1597.	16.04	AUS	AUS	AUS	AUS	AUS	AUS	466.1	AUS	17447.3	AUS	51.49	AUS
43	1604.	17.99	AUS	AUS	AUS	AUS	AUS	AUS	1019.9	AUS	17348.7	AUS	75.66	AUS
44	1596.	19.07	AUS	AUS	AUS	AUS	AUS	AUS	2979.0	AUS	17094.4	AUS	89.79	AUS
45	1799.	-0.18	AUS	AUS	AUS	AUS	AUS	AUS	233.7	AUS	6071.7	AUS	46.16	AUS
46	1800.	1.79	AUS	AUS	AUS	AUS	AUS	AUS	259.7	AUS	8602.3	AUS	30.47	AUS
47	1801.	4.03	AUS	AUS	AUS	AUS	AUS	AUS	247.0	AUS	9014.0	AUS	30.24	AUS
48	1800.	6.01	AUS	AUS	AUS	AUS	AUS	AUS	270.0	AUS	10970.4	AUS	32.77	AUS
49	1800.	8.10	AUS	AUS	AUS	AUS	AUS	AUS	320.6	AUS	13703.4	AUS	35.62	AUS
50	1802.	10.82	AUS	AUS	AUS	AUS	AUS	AUS	340.3	AUS	14532.6	AUS	36.71	AUS
51	1800.	12.05	AUS	AUS	AUS	AUS	AUS	AUS	388.6	AUS	15588.7	AUS	39.46	AUS
52	1801.	14.00	AUS	AUS	AUS	AUS	AUS	AUS	408.3	AUS	17526.7	AUS	46.19	AUS
53	1801.	16.06	AUS	AUS	AUS	AUS	AUS	AUS	440.0	AUS	19168.0	AUS	52.02	AUS
54	1801.	18.05	AUS	AUS	AUS	AUS	AUS	AUS	2497.0	AUS	19275.7	AUS	77.75	AUS
55	1793.	18.53	AUS	AUS	AUS	AUS	AUS	AUS	3169.1	AUS	17996.8	AUS	80.33	AUS
56	1996.	-0.10	AUS	AUS	AUS	AUS	AUS	AUS	227.8	AUS	7320.7	AUS	45.55	AUS
57	2003.	1.98	AUS	AUS	AUS	AUS	AUS	AUS	219.7	AUS	8151.1	AUS	27.03	AUS
58	2004.	4.01	AUS	AUS	AUS	AUS	AUS	AUS	263.7	AUS	10214.3	AUS	30.69	AUS
59	1996.	6.23	AUS	AUS	AUS	AUS	AUS	AUS	317.3	AUS	12557.2	AUS	37.43	AUS
60	1996.	7.90	AUS	AUS	AUS	AUS	AUS	AUS	287.2	AUS	12225.5	AUS	37.27	AUS
61	2006.	10.64	AUS	AUS	AUS	AUS	AUS	AUS	373.8	AUS	16243.6	AUS	43.05	AUS
62	2005.	11.98	AUS	AUS	AUS	AUS	AUS	AUS	430.6	AUS	17410.0	AUS	45.91	AUS
63	2005.	14.01	AUS	AUS	AUS	AUS	AUS	AUS	464.5	AUS	18143.1	AUS	49.10	AUS
64	1997.	16.03	AUS	AUS	AUS	AUS	AUS	AUS	591.1	AUS	20303.4	AUS	58.89	AUS
65	2005.	18.08	AUS	AUS	AUS	AUS	AUS	AUS	1605.7	AUS	21846.7	AUS	74.80	AUS
66	2005.	19.12	AUS	AUS	AUS	AUS	AUS	AUS	3376.8	AUS	20638.2	AUS	86.82	AUS
67	2199.	0.02	AUS	AUS	AUS	AUS	AUS	AUS	231.7	AUS	8082.3	AUS	34.88	AUS
68	2200.	2.10	AUS	AUS	AUS	AUS	AUS	AUS	262.5	AUS	10534.8	AUS	25.53	AUS
69	2193.	4.13	AUS	AUS	AUS	AUS	AUS	AUS	277.6	AUS	11481.5	AUS	29.76	AUS
70	2200.	6.11	AUS	AUS	AUS	AUS	AUS	AUS	309.2	AUS	12632.3	AUS	37.07	AUS
71	2200.	7.99	AUS	AUS	AUS	AUS	AUS	AUS	357.3	AUS	14575.9	AUS	45.27	AUS
72	2202.	10.74	AUS	AUS	AUS	AUS	AUS	AUS	391.5	AUS	16539.1	AUS	43.65	AUS
73	2193.	12.16	AUS	AUS	AUS	AUS	AUS	AUS	445.4	AUS	17020.0	AUS	46.23	AUS
74	2201.	14.04	AUS	AUS	AUS	AUS	AUS	AUS	554.9	AUS	20644.6	AUS	53.63	AUS
75	2201.	15.99	AUS	AUS	AUS	AUS	AUS	AUS	651.4	AUS	22766.2	AUS	59.10	AUS
76	2201.	17.97	AUS	AUS	AUS	AUS	AUS	AUS	1078.8	AUS	24093.9	AUS	60.98	AUS
77	2201.	19.84	AUS	AUS	AUS	AUS	AUS	AUS	4286.6	AUS	24033.2	AUS	103.66	AUS

	DRZ 1/MIN	BRL KP	SCO G/KMH	SCO2 G/KMH	SCH2 G/KMH	SNOX G/KMH	SO2 G/KMH	HCO G/H	HPCO G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
78	2404.	.06	AUS	AUS	AUS	AUS	AUS	AUS	251.1	AUS	0457.2	AUS	45.10	AUS
79	2396.	2.15	AUS	AUS	AUS	AUS	AUS	AUS	289.3	AUS	11107.5	AUS	27.11	AUS
80	2404.	3.76	AUS	AUS	AUS	AUS	AUS	AUS	310.0	AUS	11074.7	AUS	30.07	AUS
81	2397.	6.16	AUS	AUS	AUS	AUS	AUS	AUS	369.5	AUS	13937.3	AUS	41.02	AUS
82	2397.	8.16	AUS	AUS	AUS	AUS	AUS	AUS	417.7	AUS	15540.6	AUS	40.12	AUS
83	2397.	10.41	AUS	AUS	AUS	AUS	AUS	AUS	450.7	AUS	17047.7	AUS	49.02	AUS
84	2405.	12.11	AUS	AUS	AUS	AUS	AUS	AUS	600.5	AUS	19682.2	AUS	49.72	AUS
85	2390.	14.04	AUS	AUS	AUS	AUS	AUS	AUS	690.3	AUS	21938.5	AUS	52.67	AUS
86	2397.	15.99	AUS	AUS	AUS	AUS	AUS	AUS	823.7	AUS	24657.5	AUS	59.37	AUS
87	2397.	16.01	AUS	AUS	AUS	AUS	AUS	AUS	1126.9	AUS	26431.1	AUS	69.33	AUS
88	2405.	20.00	AUS	AUS	AUS	AUS	AUS	AUS	4420.3	AUS	25693.5	AUS	105.24	AUS
89	2600.	.04	AUS	AUS	AUS	AUS	AUS	AUS	277.1	AUS	9296.5	AUS	33.36	AUS
90	2601.	2.06	AUS	AUS	AUS	AUS	AUS	AUS	209.7	AUS	10596.5	AUS	25.25	AUS
91	2600.	3.92	AUS	AUS	AUS	AUS	AUS	AUS	398.0	AUS	13707.8	AUS	33.01	AUS
92	2601.	6.05	AUS	AUS	AUS	AUS	AUS	AUS	407.5	AUS	14254.4	AUS	40.67	AUS
93	2601.	8.04	AUS	AUS	AUS	AUS	AUS	AUS	407.1	AUS	16970.7	AUS	50.15	AUS
94	2602.	10.40	AUS	AUS	AUS	AUS	AUS	AUS	501.0	AUS	10793.8	AUS	52.56	AUS
95	2601.	12.04	AUS	AUS	AUS	AUS	AUS	AUS	710.0	AUS	21137.1	AUS	40.64	AUS
96	2601.	13.93	AUS	AUS	AUS	AUS	AUS	AUS	704.0	AUS	23785.8	AUS	54.60	AUS
97	2594.	16.06	AUS	AUS	AUS	AUS	AUS	AUS	901.5	AUS	26002.3	AUS	61.06	AUS
98	2601.	17.96	AUS	AUS	AUS	AUS	AUS	AUS	1133.7	AUS	29192.4	AUS	75.38	AUS
99	2601.	20.00	AUS	AUS	AUS	AUS	AUS	AUS	4525.5	AUS	20843.2	AUS	112.97	AUS
100	2796.	.03	AUS	AUS	AUS	AUS	AUS	AUS	271.7	AUS	9653.5	AUS	36.10	AUS
101	2796.	2.03	AUS	AUS	AUS	AUS	AUS	AUS	296.9	AUS	10875.9	AUS	20.41	AUS
102	2000.	3.96	AUS	AUS	AUS	AUS	AUS	AUS	423.6	AUS	14570.6	AUS	37.92	AUS
103	2797.	5.98	AUS	AUS	AUS	AUS	AUS	AUS	467.9	AUS	15000.0	AUS	43.00	AUS
104	2797.	8.05	AUS	AUS	AUS	AUS	AUS	AUS	529.3	AUS	17591.5	AUS	51.21	AUS
105	2805.	10.28	AUS	AUS	AUS	AUS	AUS	AUS	662.7	AUS	20506.2	AUS	55.04	AUS
106	2797.	12.02	AUS	AUS	AUS	AUS	AUS	AUS	763.3	AUS	22770.0	AUS	55.24	AUS
107	2797.	14.07	AUS	AUS	AUS	AUS	AUS	AUS	839.8	AUS	25430.6	AUS	60.62	AUS
108	2797.	15.99	AUS	AUS	AUS	AUS	AUS	AUS	927.0	AUS	28673.4	AUS	67.04	AUS
109	2797.	18.03	AUS	AUS	AUS	AUS	AUS	AUS	1282.6	AUS	30775.1	AUS	80.92	AUS
110	2797.	19.99	AUS	AUS	AUS	AUS	AUS	AUS	4620.8	AUS	29924.6	AUS	113.49	AUS
111	3000.	.01	AUS	AUS	AUS	AUS	AUS	AUS	201.7	AUS	9603.9	AUS	33.33	AUS
112	3001.	1.83	AUS	AUS	AUS	AUS	AUS	AUS	415.7	AUS	14572.3	AUS	44.39	AUS
113	2993.	4.51	AUS	AUS	AUS	AUS	AUS	AUS	462.5	AUS	15925.3	AUS	44.10	AUS
114	2999.	6.05	36.34	1202.40	3.71	3.07	44.44	405.8	501.7	17142.6	17702.4	49.64	51.27	41.08
115	2999.	8.01	AUS	AUS	AUS	AUS	AUS	AUS	572.9	AUS	19579.3	AUS	54.99	AUS
116	3000.	10.23	AUS	AUS	AUS	AUS	AUS	AUS	663.2	AUS	21670.7	AUS	56.37	AUS
117	3000.	12.03	AUS	AUS	AUS	AUS	AUS	AUS	826.9	AUS	25520.3	AUS	65.75	AUS
118	2999.	13.95	AUS	AUS	AUS	AUS	AUS	AUS	831.6	AUS	27260.9	AUS	63.92	AUS
119	2999.	16.05	AUS	AUS	AUS	AUS	AUS	AUS	995.4	AUS	30492.0	AUS	69.39	AUS
120	3000.	17.99	AUS	AUS	AUS	AUS	AUS	AUS	1193.6	AUS	33240.3	AUS	85.05	AUS
121	3000.	20.03	AUS	AUS	AUS	AUS	AUS	AUS	3886.4	AUS	33004.3	AUS	115.72	AUS
122	3000.	20.70	AUS	AUS	AUS	AUS	AUS	AUS	5001.4	AUS	32513.7	AUS	120.98	AUS

URZ 1/1MEN	BRL KP	SGO G/KMH	SGO2 G/KMH	SCH2 G/KMH	SNQX G/KMH	SO2 G/KMH	HCO G/H	HPCO G/H	HCO2 G/H	HPCO2 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
123													
124													
125													
126													
127													
128													
129													
130													
131													
132													
133													
134													
135													
136													
137													
138													
139													
140													
141													
142													
143													
144													
145													
146													
147													
148													
149													
150													
151													
152													
153													
154													
155													
156													
157													
158													
159													
160													
161													
162													
163													
164													
165													
166													
167													

DRZ 1/MI	BRL K/P	SCO G/KMH	SCO2 G/KMH	SCH2 G/KMH	SNOX G/KMH	SO2 G/KMH	HCO G/H	HPCO G/H	HCO2 G/H	HPCO2 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
168	17.67	AUS	AUS	AUS	AUS	AUS	AUS	1698.2	AUS	42177.6	AUS	98.36	AUS
169	20.04	AUS	AUS	AUS	AUS	AUS	AUS	2843.5	AUS	44803.1	AUS	116.37	AUS
170	21.07	AUS	AUS	AUS	AUS	AUS	AUS	6746.5	AUS	44108.2	AUS	139.30	AUS
171	10	AUS	AUS	AUS	AUS	AUS	AUS	445.9	AUS	13330.2	AUS	30.68	AUS
172	2.02	AUS	AUS	AUS	AUS	AUS	AUS	556.4	AUS	16511.2	AUS	37.92	AUS
173	4.81	AUS	AUS	AUS	AUS	AUS	AUS	676.4	AUS	18925.3	AUS	45.53	AUS
174	6.81	AUS	AUS	AUS	AUS	AUS	AUS	816.8	AUS	22453.5	AUS	56.60	AUS
175	8.12	AUS	AUS	AUS	AUS	AUS	AUS	869.5	AUS	25856.7	AUS	62.63	AUS
176	18.01	AUS	AUS	AUS	AUS	AUS	AUS	934.6	AUS	29567.4	AUS	61.06	AUS
177	12.00	AUS	AUS	AUS	AUS	AUS	AUS	1873.4	AUS	33682.6	AUS	72.48	AUS
178	14.01	AUS	AUS	AUS	AUS	AUS	AUS	1220.4	AUS	37390.9	AUS	76.47	AUS
179	15.73	AUS	AUS	AUS	AUS	AUS	AUS	1684.8	AUS	41347.0	AUS	93.20	AUS
180	18.05	AUS	AUS	AUS	AUS	AUS	AUS	1875.4	AUS	45582.3	AUS	102.60	AUS
181	19.96	AUS	AUS	AUS	AUS	AUS	AUS	2538.1	AUS	49107.8	AUS	115.40	AUS
182	21.43	AUS	AUS	AUS	AUS	AUS	AUS	7654.4	AUS	48012.3	AUS	158.05	AUS
183	2.01	AUS	AUS	AUS	AUS	AUS	AUS	497.9	AUS	15458.3	AUS	31.66	AUS
184	2.10	AUS	AUS	AUS	AUS	AUS	AUS	507.0	AUS	17786.7	AUS	36.65	AUS
185	4.05	AUS	AUS	AUS	AUS	AUS	AUS	703.4	AUS	28883.6	AUS	43.97	AUS
186	5.98	AUS	AUS	AUS	AUS	AUS	AUS	835.9	AUS	23415.8	AUS	54.16	AUS
187	8.06	AUS	AUS	AUS	AUS	AUS	AUS	853.4	AUS	27672.9	AUS	55.17	AUS
188	3.97	AUS	AUS	AUS	AUS	AUS	AUS	996.0	AUS	31855.4	AUS	62.88	AUS
189	12.03	AUS	AUS	AUS	AUS	AUS	AUS	1094.3	AUS	35637.5	AUS	75.29	AUS
190	13.99	AUS	AUS	AUS	AUS	AUS	AUS	1304.7	AUS	39941.2	AUS	81.99	AUS
191	16.17	AUS	AUS	AUS	AUS	AUS	AUS	1594.4	AUS	44611.4	AUS	94.54	AUS
192	18.04	AUS	AUS	AUS	AUS	AUS	AUS	1786.3	AUS	48286.4	AUS	101.82	AUS
193	20.88	AUS	AUS	AUS	AUS	AUS	AUS	2361.4	AUS	52036.5	AUS	116.79	AUS
194	21.59	AUS	AUS	AUS	AUS	AUS	AUS	7663.1	AUS	51212.2	AUS	158.68	AUS
195	2.01	AUS	AUS	AUS	AUS	AUS	AUS	498.8	AUS	15284.0	AUS	44.62	AUS
196	2.16	AUS	AUS	AUS	AUS	AUS	AUS	619.0	AUS	18846.0	AUS	38.70	AUS
197	3.96	AUS	AUS	AUS	AUS	AUS	AUS	749.6	AUS	21066.5	AUS	44.72	AUS
198	6.88	AUS	AUS	AUS	AUS	AUS	AUS	881.1	AUS	25480.1	AUS	53.48	AUS
199	8.89	AUS	AUS	AUS	AUS	AUS	AUS	838.5	AUS	28634.2	AUS	52.70	AUS
200	9.96	AUS	AUS	AUS	AUS	AUS	AUS	996.3	AUS	33552.6	AUS	63.83	AUS
201	12.03	AUS	AUS	AUS	AUS	AUS	AUS	1128.8	AUS	37597.8	AUS	75.62	AUS
202	14.03	AUS	AUS	AUS	AUS	AUS	AUS	1996.1	AUS	41547.6	AUS	100.76	AUS
203	16.95	AUS	AUS	AUS	AUS	AUS	AUS	1893.2	AUS	48583.9	AUS	100.88	AUS
204	18.02	AUS	AUS	AUS	AUS	AUS	AUS	2888.4	AUS	51016.8	AUS	167.89	AUS
205	19.98	AUS	AUS	AUS	AUS	AUS	AUS	3041.2	AUS	54524.3	AUS	119.38	AUS
206	21.31	AUS	AUS	AUS	AUS	AUS	AUS	7761.9	AUS	53194.2	AUS	148.89	AUS
207	2.17	AUS	AUS	AUS	AUS	AUS	AUS	597.6	AUS	16849.8	AUS	61.45	AUS
208	2.10	AUS	AUS	AUS	AUS	AUS	AUS	666.3	AUS	19130.9	AUS	35.96	AUS
209	4.07	AUS	AUS	AUS	AUS	AUS	AUS	763.7	AUS	22563.8	AUS	41.54	AUS
210	6.85	AUS	AUS	AUS	AUS	AUS	AUS	748.6	AUS	29558.1	AUS	43.37	AUS
211	8.07	AUS	AUS	AUS	AUS	AUS	AUS	841.1	AUS	38570.3	AUS	48.68	AUS
212	10.82	AUS	AUS	AUS	AUS	AUS	AUS	1001.0	AUS	34498.7	AUS	61.85	AUS

	DRZ 1/MIN	BRL KP	SCO G/KWH	SEO2 G/KWH	SCHE G/KWH	INOX G/KWH	302 G/KWH	HPCD G/H	HCO2 G/H	HPCO2 G/H	HCH2 G/H	HPCH2 G/H	HMOX G/H
213	4602.	11.93	AUS	AUS	AUS	AUS	AUS	AUS	AUS	39334.5	AUS	71.14	AUS
214	4602.	13.97	AUS	AUS	AUS	AUS	AUS	AUS	AUS	43789.2	AUS	99.96	AUS
215	4587.	15.66	AUS	AUS	AUS	AUS	AUS	AUS	AUS	46211.1	AUS	98.86	AUS
216	4595.	16.07	AUS	AUS	AUS	AUS	AUS	AUS	AUS	52902.7	AUS	110.42	AUS
217	4594.	20.02	AUS	AUS	AUS	AUS	AUS	AUS	AUS	55635.6	AUS	129.34	AUS
218	4603.	20.96	AUS	AUS	AUS	AUS	AUS	AUS	AUS	54121.9	AUS	152.85	AUS
219	4797.	-0.2	AUS	AUS	AUS	AUS	AUS	AUS	AUS	16644.2	AUS	76.66	AUS
220	4805.	1.96	AUS	AUS	AUS	AUS	AUS	AUS	AUS	19516.2	AUS	36.88	AUS
221	4797.	3.97	AUS	AUS	AUS	AUS	AUS	AUS	AUS	23647.4	AUS	39.48	AUS
222	4805.	5.93	AUS	AUS	AUS	AUS	AUS	AUS	AUS	27698.2	AUS	41.65	AUS
223	4797.	7.96	AUS	AUS	AUS	AUS	AUS	AUS	AUS	32761.7	AUS	49.67	AUS
224	4805.	9.92	AUS	AUS	AUS	AUS	AUS	AUS	AUS	37783.4	AUS	62.41	AUS
225	4805.	11.90	AUS	AUS	AUS	AUS	AUS	AUS	AUS	42940.4	AUS	70.30	AUS
226	4794.	13.71	AUS	AUS	AUS	AUS	AUS	AUS	AUS	46573.2	AUS	95.84	AUS
227	4821.	16.47	AUS	AUS	AUS	AUS	AUS	AUS	AUS	53910.4	AUS	102.03	AUS
228	4797.	17.96	AUS	AUS	AUS	AUS	AUS	AUS	AUS	56779.3	AUS	106.21	AUS
229	4813.	19.97	AUS	AUS	AUS	AUS	AUS	AUS	AUS	59580.4	AUS	132.91	AUS
230	5007.	-0.1	AUS	AUS	AUS	AUS	AUS	AUS	AUS	18036.3	AUS	36.73	AUS
231	4999.	1.93	AUS	AUS	AUS	AUS	AUS	AUS	AUS	21176.9	AUS	31.46	AUS
232	5008.	4.31	AUS	AUS	AUS	AUS	AUS	AUS	AUS	25562.2	AUS	36.89	AUS
233	5008.	5.99	AUS	AUS	AUS	AUS	AUS	AUS	AUS	29974.6	AUS	43.97	AUS
234	5008.	8.15	AUS	AUS	AUS	AUS	AUS	AUS	AUS	34967.0	AUS	56.94	AUS
235	5008.	10.80	AUS	AUS	AUS	AUS	AUS	AUS	AUS	39860.6	AUS	71.20	AUS
236	5008.	12.04	AUS	AUS	AUS	AUS	AUS	AUS	AUS	43777.4	AUS	111.74	AUS
237	5023.	14.33	AUS	AUS	AUS	AUS	AUS	AUS	AUS	51653.4	AUS	84.68	AUS
238	5008.	16.49	AUS	AUS	AUS	AUS	AUS	AUS	AUS	55416.7	AUS	115.28	AUS
239	5008.	18.03	AUS	AUS	AUS	AUS	AUS	AUS	AUS	60524.7	AUS	86.56	AUS
240	4999.	20.00	AUS	AUS	AUS	AUS	AUS	AUS	AUS	60914.2	AUS	137.90	AUS
241	5203.	0.04	AUS	AUS	AUS	AUS	AUS	AUS	AUS	19009.9	AUS	44.12	AUS
242	5195.	2.10	AUS	AUS	AUS	AUS	AUS	AUS	AUS	22450.9	AUS	33.74	AUS
243	5194.	4.09	AUS	AUS	AUS	AUS	AUS	AUS	AUS	27090.8	AUS	39.22	AUS
244	5203.	5.98	AUS	AUS	AUS	AUS	AUS	AUS	AUS	32101.9	AUS	48.20	AUS
245	5203.	8.01	AUS	AUS	AUS	AUS	AUS	AUS	AUS	37071.0	AUS	59.22	AUS
246	5203.	9.94	AUS	AUS	AUS	AUS	AUS	AUS	AUS	42332.2	AUS	68.88	AUS
247	5203.	11.05	AUS	AUS	AUS	AUS	AUS	AUS	AUS	46636.5	AUS	98.99	AUS
248	5227.	13.00	AUS	AUS	AUS	AUS	AUS	AUS	AUS	50238.4	AUS	99.53	AUS
249	5200.	16.62	AUS	AUS	AUS	AUS	AUS	AUS	AUS	59751.7	AUS	118.28	AUS
250	5195.	18.04	AUS	AUS	AUS	AUS	AUS	AUS	AUS	61602.2	AUS	124.59	AUS
251	5203.	19.70	AUS	AUS	AUS	AUS	AUS	AUS	AUS	59863.9	AUS	158.85	AUS
252	5389.	0.30	AUS	AUS	AUS	AUS	AUS	AUS	AUS	21367.0	AUS	27.69	AUS
253	5403.	2.24	AUS	AUS	AUS	AUS	AUS	AUS	AUS	24527.7	AUS	33.38	AUS
254	5390.	3.99	AUS	AUS	AUS	AUS	AUS	AUS	AUS	26842.5	AUS	38.03	AUS
255	5405.	5.88	AUS	AUS	AUS	AUS	AUS	AUS	AUS	34819.2	AUS	44.72	AUS
256	5486.	7.99	AUS	AUS	AUS	AUS	AUS	AUS	AUS	39506.5	AUS	54.85	AUS
257	5397.	9.97	AUS	AUS	AUS	AUS	AUS	AUS	AUS	45146.5	AUS	64.82	AUS

DRZ 1/MIN	BRL KP	SCQ G/KWH	SCQ2 G/KWH	SCHZ G/KWH	SNOK G/KWH	SO2 G/KWH	MCD G/H	HPCO G/H	MCQ2 G/H	HPCQ2 G/H	MCH2 G/H	HPGH2 G/H	HNQX G/H
1258													
259	12.77	AUS	AUS	AUS	AUS	AUS	AUS	2419.3	AUS	51095.7	AUS	99.54	AUS
260	15.54	AUS	AUS	AUS	AUS	AUS	AUS	2746.2	AUS	59702.1	AUS	100.01	AUS
	16.30	AUS	AUS	AUS	AUS	AUS	AUS	3303.3	AUS	61164.1	AUS	114.00	AUS
261													
262	10.83	AUS	AUS	AUS	AUS	AUS	AUS	5730.2	AUS	62641.0	AUS	142.13	AUS
263	19.86	AUS	AUS	AUS	AUS	AUS	AUS	10234.1	AUS	60301.1	AUS	163.95	AUS
	.02	AUS	AUS	AUS	AUS	AUS	AUS	080.6	AUS	20003.1	AUS	30.77	AUS
264													
265	2.16	AUS	AUS	AUS	AUS	AUS	AUS	575.4	AUS	26500.5	AUS	21.10	AUS
266	4.00	AUS	AUS	AUS	AUS	AUS	AUS	774.3	AUS	31500.7	AUS	20.74	AUS
	5.99	AUS	AUS	AUS	AUS	AUS	AUS	1010.2	AUS	36523.7	AUS	35.60	AUS
267													
268	0.02	AUS	AUS	AUS	AUS	AUS	AUS	1290.4	AUS	42264.9	AUS	47.64	AUS
269	9.99	AUS	AUS	AUS	AUS	AUS	AUS	3424.9	AUS	45913.4	AUS	100.23	AUS
	12.34	AUS	AUS	AUS	AUS	AUS	AUS	2115.1	AUS	55379.6	AUS	72.50	AUS
270													
271	15.72	AUS	AUS	AUS	AUS	AUS	AUS	2096.0	AUS	63341.6	AUS	95.99	AUS
272	16.23	AUS	AUS	AUS	AUS	AUS	AUS	3417.0	AUS	64116.2	AUS	102.46	AUS
	10.86	AUS	AUS	AUS	AUS	AUS	AUS	9175.9	AUS	62051.3	AUS	162.61	AUS
273													
274	.01	AUS	AUS	AUS	AUS	AUS	AUS	360.0	AUS	23043.0	AUS	7.99	AUS
275	2.11	AUS	AUS	AUS	AUS	AUS	AUS	546.3	AUS	20754.7	AUS	15.71	AUS
	4.00	AUS	AUS	AUS	AUS	AUS	AUS	804.9	AUS	33951.4	AUS	23.79	AUS
276													
277	6.01	AUS	AUS	AUS	AUS	AUS	AUS	1055.6	AUS	39361.3	AUS	33.10	AUS
	7.90	AUS	AUS	AUS	AUS	AUS	AUS	1421.7	AUS	45119.3	AUS	46.90	AUS
278	9.45	AUS	AUS	AUS	AUS	AUS	AUS	3036.0	AUS	47362.3	AUS	90.70	AUS
279													
280	13.72	AUS	AUS	AUS	AUS	AUS	AUS	2929.9	AUS	61004.1	AUS	100.56	AUS
281	13.00	AUS	AUS	AUS	AUS	AUS	AUS	3000.9	AUS	60120.9	AUS	90.52	AUS
	15.90	AUS	AUS	AUS	AUS	AUS	AUS	5041.0	AUS	63093.3	AUS	133.22	AUS
282													
283	17.30	AUS	AUS	AUS	AUS	AUS	AUS	12347.9	AUS	59030.6	AUS	170.85	AUS
284	.02	AUS	AUS	AUS	AUS	AUS	AUS	497.0	AUS	25022.2	AUS	9.00	AUS
	2.00	AUS	AUS	AUS	AUS	AUS	AUS	555.3	AUS	30022.0	AUS	12.00	AUS
285													
286	3.00	AUS	AUS	AUS	AUS	AUS	AUS	740.7	AUS	36653.1	AUS	19.05	AUS
287	6.03	AUS	AUS	AUS	AUS	AUS	AUS	1030.6	AUS	42560.0	AUS	20.44	AUS
	7.96	AUS	AUS	AUS	AUS	AUS	AUS	7939.7	AUS	41315.2	AUS	141.74	AUS
288													
289	10.63	AUS	AUS	AUS	AUS	AUS	AUS	2652.6	AUS	55522.2	AUS	74.60	AUS
290	13.59	AUS	AUS	AUS	AUS	AUS	AUS	3311.4	AUS	63111.1	AUS	97.34	AUS
	13.06	AUS	AUS	AUS	AUS	AUS	AUS	4935.3	AUS	64442.0	AUS	101.69	AUS
291													
292	16.80	AUS	AUS	AUS	AUS	AUS	AUS	11301.0	AUS	61036.9	AUS	172.50	AUS
293	-1.20	AUS	AUS	AUS	AUS	AUS	AUS	364.0	AUS	4255.9	AUS	143.09	AUS
	-2.15	AUS	AUS	AUS	AUS	AUS	AUS	354.0	AUS	4164.5	AUS	149.50	AUS
294													
295	-2.62	AUS	AUS	AUS	AUS	AUS	AUS	463.9	AUS	5110.1	AUS	195.49	AUS
	-2.62	AUS	AUS	AUS	AUS	AUS	AUS	400.3	AUS	4756.5	AUS	103.01	AUS
296	-2.77	AUS	AUS	AUS	AUS	AUS	AUS	472.2	AUS	5191.4	AUS	195.26	AUS
297													
298	-2.00	AUS	AUS	AUS	AUS	AUS	AUS	346.6	AUS	6607.0	AUS	115.29	AUS
299	-2.96	AUS	AUS	AUS	AUS	AUS	AUS	490.3	AUS	4019.0	AUS	211.90	AUS
	-2.00	AUS	AUS	AUS	AUS	AUS	AUS	324.3	AUS	6005.0	AUS	105.19	AUS
300													
301	-3.10	AUS	AUS	AUS	AUS	AUS	AUS	553.7	AUS	5027.4	AUS	256.70	AUS
302	-1.06	AUS	AUS	AUS	AUS	AUS	AUS	382.0	AUS	0332.2	AUS	111.97	AUS
303	-3.20	AUS	AUS	AUS	AUS	AUS	AUS	544.0	AUS	5947.8	AUS	242.92	AUS

	DRZ 1/MIN	ORL KP	SC0 G/KMH	SC02 G/KMH	SCH2 G/KMH	SHOX G/KMH	SO2 G/KMH	HCO G/H	HPCO G/H	HC02 G/H	HPCO2 G/H	NCH2 G/H	HPCH2 G/H	HNOX G/H
303	2612.	-1.85	AUS	AUS	AUS	AUS	AUS	AUS	337.9	AUS	8066.2	AUS	94.54	AUS
304	2802.	-3.47	AUS	AUS	AUS	AUS	AUS	AUS	685.0	AUS	5799.7	AUS	297.29	AUS
305	2803.	-1.86	AUS	AUS	AUS	AUS	AUS	AUS	324.8	AUS	8678.4	AUS	92.29	AUS
306	3003.	-3.62	AUS	AUS	AUS	AUS	AUS	AUS	694.5	AUS	5215.2	AUS	323.57	AUS
307	3005.	-2.02	AUS	AUS	AUS	AUS	AUS	AUS	361.0	AUS	8594.7	AUS	104.86	AUS
308	3207.	-3.93	AUS	AUS	AUS	AUS	AUS	AUS	863.4	AUS	5171.4	AUS	409.76	AUS
309	3208.	-1.96	AUS	AUS	AUS	AUS	AUS	AUS	372.3	AUS	8847.1	AUS	91.73	AUS
310	3408.	-4.16	AUS	AUS	AUS	AUS	AUS	AUS	955.8	AUS	5065.2	AUS	454.32	AUS
311	3408.	-1.89	AUS	AUS	AUS	AUS	AUS	AUS	346.0	AUS	8894.5	AUS	74.46	AUS
312	3600.	-4.40	AUS	AUS	AUS	AUS	AUS	AUS	956.7	AUS	4957.5	AUS	477.52	AUS
313	3601.	-1.90	AUS	AUS	AUS	AUS	AUS	AUS	323.0	AUS	9672.6	AUS	56.98	AUS
314	3805.	-4.59	AUS	AUS	AUS	AUS	AUS	AUS	932.0	AUS	4631.3	AUS	489.31	AUS
315	3806.	-1.85	AUS	AUS	AUS	AUS	AUS	AUS	325.6	AUS	18091.7	AUS	54.34	AUS
316	4002.	-4.80	AUS	AUS	AUS	AUS	AUS	AUS	1853.7	AUS	4749.9	AUS	532.14	AUS
317	4002.	-3.90	AUS	AUS	AUS	AUS	AUS	AUS	423.2	AUS	8246.1	AUS	124.05	AUS
318	4002.	-1.92	AUS	AUS	AUS	AUS	AUS	AUS	301.7	AUS	10644.1	AUS	30.31	AUS
319	4205.	-5.00	AUS	AUS	AUS	AUS	AUS	AUS	1162.6	AUS	4877.5	AUS	583.62	AUS
320	4206.	-3.89	AUS	AUS	AUS	AUS	AUS	AUS	353.1	AUS	8943.5	AUS	90.41	AUS
321	4207.	-2.00	AUS	AUS	AUS	AUS	AUS	AUS	288.4	AUS	11215.4	AUS	27.69	AUS
322	4402.	-5.19	AUS	AUS	AUS	AUS	AUS	AUS	1083.3	AUS	4125.2	AUS	563.35	AUS
323	4405.	-3.86	AUS	AUS	AUS	AUS	AUS	AUS	376.4	AUS	8967.2	AUS	84.11	AUS
324	4405.	-2.05	AUS	AUS	AUS	AUS	AUS	AUS	350.9	AUS	12060.2	AUS	47.17	AUS
325	4599.	-5.42	AUS	AUS	AUS	AUS	AUS	AUS	1129.3	AUS	3766.7	AUS	615.49	AUS
326	4600.	-3.86	AUS	AUS	AUS	AUS	AUS	AUS	431.5	AUS	8853.3	AUS	116.24	AUS
327	4600.	-1.93	AUS	AUS	AUS	AUS	AUS	AUS	484.8	AUS	12394.8	AUS	68.88	AUS
328	4796.	-5.74	AUS	AUS	AUS	AUS	AUS	AUS	1422.3	AUS	4082.6	AUS	786.33	AUS
329	4814.	-3.98	AUS	AUS	AUS	AUS	AUS	AUS	586.7	AUS	10098.1	AUS	181.34	AUS
330	4814.	-1.97	AUS	AUS	AUS	AUS	AUS	AUS	599.8	AUS	13546.3	AUS	134.92	AUS
331	5019.	-6.11	AUS	AUS	AUS	AUS	AUS	AUS	1345.2	AUS	3014.2	AUS	708.83	AUS
332	5019.	-3.87	AUS	AUS	AUS	AUS	AUS	AUS	559.6	AUS	11582.0	AUS	155.40	AUS
333	4991.	-1.92	AUS	AUS	AUS	AUS	AUS	AUS	559.9	AUS	14340.5	AUS	125.05	AUS
334	5282.	-6.31	AUS	AUS	AUS	AUS	AUS	AUS	1411.9	AUS	2979.0	AUS	815.10	AUS
335	5285.	-3.94	AUS	AUS	AUS	AUS	AUS	AUS	544.0	AUS	10938.6	AUS	140.10	AUS
336	5205.	-1.89	AUS	AUS	AUS	AUS	AUS	AUS	651.4	AUS	16225.1	AUS	111.36	AUS
337	5428.	-6.75	AUS	AUS	AUS	AUS	AUS	AUS	1696.9	AUS	2956.6	AUS	923.81	AUS
338	5394.	-5.93	AUS	AUS	AUS	AUS	AUS	AUS	1090.5	AUS	7431.1	AUS	429.78	AUS
339	5424.	-3.91	AUS	AUS	AUS	AUS	AUS	AUS	554.5	AUS	13004.0	AUS	141.65	AUS
340	5406.	-1.77	AUS	AUS	AUS	AUS	AUS	AUS	645.5	AUS	18008.8	AUS	97.62	AUS
341	5601.	-6.89	AUS	AUS	AUS	AUS	AUS	AUS	1643.3	AUS	3830.4	AUS	631.18	AUS
342	5601.	-5.97	AUS	AUS	AUS	AUS	AUS	AUS	1131.2	AUS	8111.3	AUS	429.79	AUS
343	5601.	-3.99	AUS	AUS	AUS	AUS	AUS	AUS	548.1	AUS	15324.0	AUS	135.55	AUS
344	5600.	-1.96	AUS	AUS	AUS	AUS	AUS	AUS	648.9	AUS	10238.4	AUS	98.63	AUS
345	5815.	-7.22	AUS	AUS	AUS	AUS	AUS	AUS	1789.4	AUS	4391.8	AUS	217.18	AUS
346	5807.	-5.93	AUS	AUS	AUS	AUS	AUS	AUS	834.8	AUS	10062.6	AUS	256.91	AUS
347	5809.	-3.96	AUS	AUS	AUS	AUS	AUS	AUS	462.8	AUS	16279.5	AUS	83.24	AUS

DRZ 1/HIM	BRL KP	SCO G/KMH	SCO2 G/KMH	SCH2 G/KMH	SNOX G/KMH	SO2 G/KMH	HCO G/H	HPCO G/H	HC02 G/H	HPCO2 G/H	HCCH2 G/H	HPCH2 G/H	HNOX G/H
5007.	-1.89	AUS	AUS	AUS	AUS	AUS	AUS	595.9	AUS	20435.2	AUS	80.68	AUS
6002.	-7.56	AUS	AUS	AUS	AUS	AUS	AUS	1661.1	AUS	4533.5	AUS	178.33	AUS
6003.	-5.07	AUS	AUS	AUS	AUS	AUS	AUS	771.4	AUS	12031.7	AUS	204.03	AUS
6001.	-3.84	AUS	AUS	AUS	AUS	AUS	AUS	466.1	AUS	17620.1	AUS	69.93	AUS
5998.	-1.95	AUS	AUS	AUS	AUS	AUS	AUS	530.0	AUS	22067.2	AUS	31.52	AUS

DRZ 1/MIN	BRL KP	HPNOX G/H	H02 G/H	HP02 G/H
1	1006.	-02	AUS	358.15
2	998.	2.19	AUS	206.04
3	999.	3.36	AUS	214.67
4	999.	5.17	AUS	232.50
5	1007.	7.67	AUS	260.06
6	999.	10.09	AUS	252.07
7	1000.	12.16	AUS	294.62
8	1008.	13.95	AUS	277.02
9	1000.	16.02	AUS	302.20
10	999.	18.06	AUS	10.15
11	999.	18.54	AUS	20.27
12	1195.	-23	AUS	519.92
13	1203.	1.97	AUS	254.21
14	1195.	4.16	AUS	277.09
15	1195.	6.14	AUS	242.27
16	1196.	8.15	AUS	261.32
17	1196.	10.01	AUS	204.31
18	1195.	12.03	AUS	269.60
19	1203.	14.01	AUS	323.44
20	1204.	15.37	AUS	323.32
21	1204.	18.03	AUS	1.25
22	1399.	18.59	AUS	-10.05
23	1399.	.33	AUS	247.01
24	1399.	1.97	AUS	253.59
25	1399.	4.06	AUS	277.12
26	1399.	6.02	AUS	256.67
27	1399.	7.02	AUS	290.99
28	1400.	10.31	AUS	336.60
29	1408.	12.01	AUS	358.23
30	1399.	13.99	AUS	376.15
31	1408.	16.01	AUS	371.42
32	1408.	18.00	AUS	21.09

MOTOR1001401M122

	ORZ 1/HIN	BRL KP	HPNOX G/H	HDZ G/H	HPDZ G/H
33	1400.	19.01	147.36	AUS	-2.04
34	1604.	-0.03	3.97	AUS	389.00
35	1595.	1.86	5.10	AUS	360.10
36	1604.	4.01	7.09	AUS	325.50
37	1604.	6.07	11.43	AUS	332.31
38	1598.	7.81	18.72	AUS	349.44
39	1597.	11.29	51.44	AUS	388.77
40	1603.	11.94	144.36	AUS	389.13
41	1604.	14.07	197.71	AUS	400.16
42	1597.	16.04	209.33	AUS	445.70
43	1604.	17.99	282.89	AUS	46.31
44	1596.	19.07	170.61	AUS	-4.36
45	1799.	-1.10	3.60	AUS	360.20
46	1800.	1.79	6.06	AUS	376.56
47	1801.	4.03	8.51	AUS	315.55
48	1808.	6.01	14.76	AUS	325.16
49	1800.	8.10	23.94	AUS	333.33
50	1802.	10.62	59.24	AUS	325.29
51	1800.	12.05	177.01	AUS	344.87
52	1801.	14.00	246.88	AUS	360.59
53	1801.	16.06	313.04	AUS	406.29
54	1801.	18.05	213.88	AUS	-15.59
55	1793.	18.53	171.01	AUS	-32.00
56	1996.	-1.10	4.07	AUS	353.93
57	2803.	1.98	6.23	AUS	291.31
58	2004.	4.01	10.61	AUS	325.85
59	1996.	6.23	19.07	AUS	343.47
60	1996.	7.90	27.34	AUS	314.40
61	2006.	10.64	79.95	AUS	374.41
62	2005.	11.98	238.98	AUS	391.26
63	2005.	14.01	209.48	AUS	400.46
64	1997.	16.03	358.30	AUS	438.23
65	2005.	18.00	339.11	AUS	87.01
66	2005.	19.12	236.44	AUS	-31.23
67	2199.	.02	5.36	AUS	310.22
68	2200.	2.10	8.75	AUS	306.37
69	2193.	4.13	12.88	AUS	324.66
70	2200.	6.11	20.81	AUS	334.31
71	2200.	7.99	36.52	AUS	367.45
72	2202.	10.74	73.96	AUS	360.37
73	2193.	12.16	272.91	AUS	368.05
74	2201.	14.84	351.01	AUS	452.71
75	2201.	15.99	423.85	AUS	489.65
76	2201.	17.97	439.88	AUS	273.49
77	2201.	19.84	292.99	AUS	-35.65

MOTOR31901401M1222

	DRZ L/MIN	BRL KG	HP/NOX G/H	H02 G/H	HP02 G/H
123	3202.	1.96	10.47	AUS	427.97
124	3202.	1.96	16.06	AUS	485.28
125	3203.	3.97	26.39	AUS	509.96
126	3203.	6.06	47.83	AUS	571.54
127	3203.	8.01	99.34	AUS	616.54
128	3203.	10.04	281.47	AUS	687.43
129	3195.	12.85	588.14	AUS	754.68
130	3194.	14.80	613.00	AUS	790.58
131	3194.	16.07	698.46	AUS	831.57
132	3202.	18.03	831.72	AUS	812.66
133	3202.	20.00	709.37	AUS	423.54
134	3202.	20.70	568.13	AUS	313.77
135	3397.	.05	11.46	AUS	398.09
136	3408.	2.04	17.08	AUS	514.71
137	3405.	3.69	28.55	AUS	548.68
138	3397.	6.02	58.00	AUS	566.47
139	3398.	7.97	119.11	AUS	608.46
140	3405.	10.08	439.93	AUS	723.22
141	3397.	12.80	859.06	AUS	754.37
142	3405.	13.97	694.38	AUS	802.86
143	3397.	16.02	792.23	AUS	880.38
144	3405.	18.04	924.00	AUS	883.15
145	3398.	20.81	830.30	AUS	488.93
146	3405.	20.79	583.00	AUS	298.26
147	3600.	-.00	11.15	AUS	358.45
148	3601.	2.12	20.48	AUS	499.88
149	3602.	4.16	35.57	AUS	536.38
150	3601.	6.02	74.10	AUS	594.77
151	3601.	8.05	159.80	AUS	672.23
152	3601.	10.08	572.57	AUS	762.21
153	3601.	12.83	712.75	AUS	817.14
154	3601.	14.81	774.67	AUS	851.03
155	3601.	16.86	826.54	AUS	881.61
156	3594.	18.05	966.45	AUS	951.83
157	3601.	20.04	1015.16	AUS	685.59
158	3601.	21.87	726.15	AUS	388.27
159	3796.	.01	11.78	AUS	420.29
160	3796.	2.04	22.79	AUS	589.76
161	3804.	3.88	39.96	AUS	518.40
162	3796.	6.06	93.96	AUS	622.51
163	3804.	8.05	199.39	AUS	684.64
164	3804.	9.96	625.25	AUS	762.51
165	3804.	12.81	786.66	AUS	902.35
166	3804.	14.00	850.12	AUS	959.15
167	3796.	16.01	848.25	AUS	724.58

MOTOR319)1401W1Z22

DRZ 1/MIN	BRL MP	HPNOX G/H	MOZ G/H	HPQZ G/H
78	.86	6.13	AUS	342.99
79	2.15	10.56	AUS	333.16
80	3.76	14.36	AUS	333.04
81	6.16	26.86	AUS	377.53
82	8.16	44.43	AUS	416.60
83	10.41	79.97	AUS	431.85
84	12.11	345.76	AUS	497.04
85	14.84	389.79	AUS	533.78
86	15.98	474.29	AUS	505.78
87	18.01	517.16	AUS	421.81
88	20.00	339.46	AUS	-19.07
89	.84	7.38	AUS	319.90
90	2.06	10.44	AUS	308.71
91	3.92	18.49	AUS	371.58
92	6.05	29.67	AUS	390.63
93	8.04	53.90	AUS	447.63
94	10.40	110.34	AUS	504.61
95	12.04	401.80	AUS	549.22
96	13.33	451.85	AUS	589.38
97	15.06	560.69	AUS	635.96
98	17.96	617.93	AUS	455.11
99	20.00	427.28	AUS	-15.72
100	.03	7.96	AUS	293.89
101	2.03	10.95	AUS	315.68
102	3.96	21.88	AUS	306.77
103	5.98	34.53	AUS	425.64
104	8.05	62.55	AUS	455.42
105	10.20	138.58	AUS	493.84
106	12.02	461.01	AUS	539.06
107	14.07	509.12	AUS	577.00
108	15.99	615.45	AUS	613.53
109	18.83	665.60	AUS	417.90
110	19.99	456.47	AUS	-17.70
111	.81	8.39	AUS	308.19
112	1.83	15.31	AUS	437.70
113	4.51	26.92	AUS	421.28
114	6.85	42.22	AUS	613.46
115	8.01	181.26	AUS	645.92
116	10.23	349.29	AUS	697.58
117	12.03	580.98	AUS	793.44
118	13.95	562.87	AUS	819.16
119	15.05	657.59	AUS	897.78
120	17.99	759.22	AUS	772.61
121	20.03	506.91	AUS	357.32
122	20.78	489.32	AUS	296.42

MOTOR31911401M122

DRZ 1/HZ	BRL KP	HPNOX G/H	HO2 G/H	HPO2 G/H
168	3795.	17.87	991.41	AUS
169	3804.	20.84	1052.91	AUS
170	3804.	21.87	808.05	AUS
171	3998.	.10	12.65	AUS
172	3999.	2.02	23.84	AUS
173	3999.	4.01	40.43	AUS
174	3999.	6.01	114.61	AUS
175	4000.	8.12	271.82	AUS
176	4000.	10.01	690.87	AUS
177	4000.	12.00	837.60	AUS
178	4000.	14.01	919.96	AUS
179	4007.	15.73	897.78	AUS
180	3999.	18.85	1081.30	AUS
181	3999.	19.96	1196.87	AUS
182	4000.	21.43	862.96	AUS
183	4203.	-01	15.14	AUS
184	4195.	2.10	27.48	AUS
185	4195.	4.05	59.29	AUS
186	4203.	5.98	133.11	AUS
187	4203.	8.06	429.68	AUS
188	4203.	9.97	725.62	AUS
189	4195.	12.83	866.62	AUS
190	4203.	13.99	977.60	AUS
191	4195.	16.17	967.23	AUS
192	4195.	18.84	1121.17	AUS
193	4195.	20.00	1249.90	AUS
194	4195.	21.59	933.61	AUS
195	4390.	-01	15.98	AUS
196	4390.	2.16	31.48	AUS
197	4406.	3.96	67.68	AUS
198	4390.	6.08	183.27	AUS
199	4390.	8.09	569.82	AUS
200	4390.	9.96	742.86	AUS
201	4390.	12.03	880.61	AUS
202	4390.	14.03	914.68	AUS
203	4399.	16.95	1858.44	AUS
204	4399.	18.82	1168.81	AUS
205	4399.	19.98	1278.69	AUS
206	4399.	21.31	991.18	AUS
207	4599.	.17	17.73	AUS
208	4601.	2.10	33.48	AUS
209	4602.	4.87	82.31	AUS
210	4602.	6.85	235.08	AUS
211	4602.	8.87	595.61	AUS
212	4601.	10.82	732.19	AUS

MOTOR31911401W4722

SEITE 2/5

DRZ 1/MIN	ORL KP	NPHQX G/H	H02 G/H	HP02 G/H
213	11.93	687.12	AUS	954.76
214	18.97	916.21	AUS	688.56
215	15.66	947.47	AUS	715.10
216	18.07	1187.43	AUS	787.12
217	20.02	1236.19	AUS	511.92
218	20.96	994.15	AUS	280.34
219	1.02	19.41	AUS	514.52
220	1.96	42.99	AUS	389.82
221	3.97	126.88	AUS	586.48
222	5.93	413.22	AUS	590.88
223	7.96	615.07	AUS	758.07
224	9.92	781.22	AUS	872.17
225	11.98	943.24	AUS	951.86
226	13.71	992.98	AUS	742.29
227	16.47	1146.21	AUS	831.49
228	17.96	1295.48	AUS	767.39
229	19.97	1344.43	AUS	500.99
230	1.01	24.88	AUS	370.18
231	1.93	71.43	AUS	388.87
232	4.31	206.47	AUS	507.37
233	5.99	477.32	AUS	619.11
234	8.15	643.99	AUS	768.25
235	10.00	801.73	AUS	845.47
236	12.04	859.54	AUS	583.22
237	14.33	993.98	AUS	853.30
238	16.49	1136.81	AUS	688.74
239	18.03	1432.31	AUS	918.34
240	20.88	1296.65	AUS	485.67
241	1.04	32.07	AUS	357.52
242	2.10	99.41	AUS	394.39
243	4.89	302.04	AUS	494.93
244	5.98	520.41	AUS	642.80
245	8.01	677.80	AUS	788.12
246	9.94	848.92	AUS	851.84
247	11.05	944.05	AUS	688.88
248	13.00	1002.28	AUS	625.89
249	16.62	1228.36	AUS	632.55
250	18.84	1319.48	AUS	495.80
251	19.78	1041.68	AUS	202.84
252	1.30	52.51	AUS	286.70
253	2.24	142.58	AUS	384.16
254	3.99	335.47	AUS	481.88
255	5.88	491.49	AUS	619.82
256	7.99	642.18	AUS	733.64
257	9.97	811.28	AUS	815.18

	URZ 1/NIM	BRL KP	HPNOX G/H	H02 G/H	HP02 G/H
250	5309.	12.77	929.21	AUS	501.51
259	5421.	15.54	1095.30	AUS	611.31
260	5390.	16.30	1174.02	AUS	521.57
261	5397.	10.03	1203.02	AUS	350.40
262	5397.	19.06	947.90	AUS	103.61
263	5590.	.02	56.20	AUS	200.45
264	5600.	2.16	150.63	AUS	311.73
265	5599.	4.00	209.90	AUS	421.07
266	5599.	5.09	419.13	AUS	516.06
267	5605.	0.02	501.59	AUS	640.32
268	5600.	9.99	609.67	AUS	471.00
269	5606.	12.34	050.13	AUS	590.15
270	5614.	15.72	1155.09	AUS	506.65
271	5590.	16.23	1207.30	AUS	529.50
272	5595.	10.06	999.46	AUS	252.04
273	5795.	.01	62.16	AUS	147.60
274	5709.	2.11	154.19	AUS	254.01
275	5803.	4.08	266.23	AUS	356.06
276	5804.	6.01	419.61	AUS	496.10
277	5800.	7.90	576.20	AUS	567.06
278	5801.	9.45	663.61	AUS	474.99
279	5811.	13.72	951.12	AUS	554.03
280	5797.	13.00	004.34	AUS	459.04
281	5801.	15.90	1007.41	AUS	301.15
282	5804.	17.30	709.30	AUS	173.22
283	6001.	.02	75.00	AUS	140.30
284	5996.	2.00	154.01	AUS	222.04
285	6009.	3.00	265.55	AUS	307.05
286	5994.	6.03	437.61	AUS	433.65
287	6003.	7.96	399.46	AUS	231.00
288	5990.	10.63	740.11	AUS	497.20
289	5991.	13.59	976.32	AUS	443.40
290	6005.	13.06	1009.03	AUS	370.34
291	5997.	16.00	005.04	AUS	163.24
292	1190.	-1.20	1.90	AUS	736.21
293	1400.	-2.15	1.50	AUS	735.26
294	1602.	-2.62	1.09	AUS	1004.77
295	1803.	-2.62	1.66	AUS	946.77
296	2003.	-2.77	1.00	AUS	1017.75
297	2004.	-2.00	2.00	AUS	735.91
298	2204.	-2.96	1.06	AUS	1001.00
299	2205.	-2.00	3.06	AUS	713.72
300	2410.	-3.10	2.24	AUS	1259.97
301	2412.	-1.06	4.20	AUS	732.20
302	2610.	-3.20	2.16	AUS	1246.04

MOTOR31931401WAZ22

	QAZ 1/MIN	QRL G/H	HP/NOX G/H	MOZ G/H	HPDZ G/H
1383	2812.	-1.85	4.16	AUS	672.81
1384	2802.	-3.47	3.20	AUS	1529.70
1385	2883.	-1.86	4.54	AUS	634.58
1386	3003.	-3.62	1.91	AUS	1592.67
1387	3005.	-2.82	4.53	AUS	683.51
1388	3287.	-3.93	1.96	AUS	1960.10
1389	3208.	-1.96	4.98	AUS	675.90
1390	3408.	-4.16	1.99	AUS	2110.89
1391	3408.	-1.89	5.31	AUS	578.13
1392	3600.	-4.40	1.94	AUS	2167.11
1393	3601.	-1.90	6.07	AUS	465.32
1394	3805.	-4.59	1.00	AUS	2175.77
1395	3806.	-1.85	6.78	AUS	491.71
1396	4002.	-4.80	1.95	AUS	2402.89
1397	4002.	-3.90	3.69	AUS	882.44
1398	4002.	-1.92	7.48	AUS	370.24
1399	4205.	-5.00	2.12	AUS	2635.73
1400	4206.	-3.89	4.28	AUS	611.77
1401	4207.	-2.80	8.46	AUS	314.38
1402	4402.	-5.19	1.97	AUS	2506.13
1403	4405.	-3.86	4.34	AUS	653.29
1404	4405.	-2.05	9.34	AUS	409.40
1405	4599.	-5.42	1.90	AUS	2602.94
1406	4600.	-3.86	4.69	AUS	684.72
1407	4600.	-1.93	18.45	AUS	515.33
1408	4796.	-5.74	2.16	AUS	3276.16
1409	4814.	-3.98	5.63	AUS	1084.38
1410	4814.	-1.97	11.50	AUS	793.11
1411	5019.	-6.11	1.91	AUS	3190.89
1412	5019.	-3.87	7.29	AUS	858.86
1413	4991.	-1.92	12.69	AUS	755.22
1414	5202.	-5.31	1.99	AUS	3284.52
1415	5205.	-3.94	7.19	AUS	855.60
1416	5205.	-1.89	15.85	AUS	719.61
1417	5428.	-6.75	2.24	AUS	3647.67
1418	5394.	-5.93	3.34	AUS	2210.27
1419	5424.	-3.91	8.83	AUS	835.22
1420	5406.	-1.77	18.13	AUS	688.07
1421	5601.	-6.89	2.41	AUS	2056.71
1422	5601.	-5.97	4.03	AUS	2148.48
1423	5601.	-3.99	10.51	AUS	782.13
1424	5600.	-1.36	18.54	AUS	635.21
1425	5815.	-7.22	2.72	AUS	1058.31
1426	5807.	-5.93	5.21	AUS	1445.14
1427	5809.	-3.96	11.61	AUS	538.54


MOTOR 3 1901401H1222

DRZ 1/MIN	BRL KP	HPNOK G/H	HQ2 G/H	HP02 G/H
5807.	-1.89	22.18	AUS	441.42
6002.	-7.56	2.92	AUS	678.18
6003.	-6.07	6.06	AUS	1191.31
6001.	-3.84	13.57	AUS	400.34
5990.	-1.35	25.89	AUS	324.40

APPENDIX G.10
MODIFICATION CODE 17


DKLPST -KENNFELD LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position
 LINIEN GLEICHER LEISTUNG IN PS curves of constant power output
 Mod. Code 17

DATUM / 00.11.77	MOTOR-TYP/GOLF	MOTOR-NR /EE 021 419	EA-NR. /
FST-NR. /20	CO/LL	BEMERKNG./1.6LTR A-JETR MIT	HAUBRAUM /1600
	VORZUEHNG/43/975	VERDICHTG/ 8.0	VERGASER /A-JET
	KRAFTST. /BLEI/FFE	SPEZ.GEW./ 747	OEL /SHELL 30



-KENNFELD LINIEN MIT KONST. WERTEN IN GPPSH
fuel consumption (fc) $\frac{g}{Hph}$


MOTOR-NR. / EE 021 419	EA-NR.
BEMERKUNG. / 1.6LITER K-JET. MIT	LAUBHAUM / 1600
VERDICHTIG. / 8.0	VERGASER / K-JET
SFEZ.GEW. / 747	OEL / 6HELL 30



-KENNFELD LINIEN MIT KONST. WERTEN IN GRWCH

DTOM 00011977 MOTOR-TYPE (00LF
 FST-NF. 1LE 00LL
 W0RZUENDG7-0/977
 KRAFTST. (BLE)F50

MOTOR-NR. / SEE 001 410	ER-NR. /
BEMERKUNG: 1/18LTR KUBETRNIT	KUBAUM / 1800
VERDICHTIG: 010	VERGROSSER / K-JET.
SPEZ.GEW. / 1.747	GEL / 8HELL 30




LEISTUNGSKURVEN FÜR LINIEN MIT KONST. WERTEN IN LPH

$$c_0 \left(\frac{1}{h} \right)$$

DATUM: 11.10.77 MOTOR-NR. 419
 BELEUCHTUNG: 1000 LUX
 FREIENDECK: 1000 LUX
 FREIENDECK: 1000 LUX

MOTOR-NR. 419
 BELEUCHTUNG: 1000 LUX
 FREIENDECK: 1000 LUX
 FREIENDECK: 1000 LUX

BELEUCHTUNG: 1000 LUX
 FREIENDECK: 1000 LUX
 FREIENDECK: 1000 LUX
 FREIENDECK: 1000 LUX




KRSTPLU -KENNFELD LINIEN MIT KONST. WERTEN IN KGPH

$$f_c \left(\frac{kg}{h} \right)$$

DATUM / 03/11/77 MOTOR-TYP/98LF
FST-NR. /20 CO/LL /
VORZUEHUNG/-3/975
KRAFTST. /BLEIFREI


MOTOR-NR /EE 021 418 EA-NR. /
BEMERKNG./1.6LTR K-JET. MIT LAUBRAUM /1800
VERDICHTG/ 8.0 VERGRABER /K-JET.
SPEZ.GEW./.747 OEL /SHELL 30



- NEUNFELD LINIEN MIT -DUST. NERTEN IN 3FM

$$\left(\frac{1}{5}\right)$$

11-11-67
 11-11-67
 11-11-67
 11-11-67




03H8

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM

DATUM 02/11/77 MOTOR-TYP GOLF
PST-NR. 702 CO/LL 7
VORZUEHEND/-3/976
KRAFTST. /BLEIFREI

MOTOR-NR. /EE 021 419
BEMERKUNG /1.6LITR K-VETR. MIT LUBBRAUM 1600
VERDICHTIG / 2.0
SPEZ. GEW. / 7.747
VERGASER /K-JET.
OEL /SHELL 30




4-30-62

ENNFELD LINIEN MIT KONST. WERTEN IN GPH

($\frac{g}{h}$)


DATUM: 11.11.77 MOTOR-TYP: GOLF
 BETRIEB: 20 20 LL
 KORENENDUNG: 1-3-1015
 KRAFTST. (ELEKTREI)

MOTOR-NR. 7EE 021 419 ER-NR.
 BEMERKUNG: 71.6LTR K-JET. MIT GRUBBRAUN 71600
 VERDICHTIG. 8.0 VERGASER 7K-JET.
 SPEZ. GEW. 7.747 OEL 7SHELL 20



DATUM: 10.11.77 MOTOR-TYP: GOLF
 MOTOR-NR.: 22 001 406
 VERDICHTER: 810
 SPEZ. GEW.: 1,247

GENERATOR: 11,5075 KW/STROM: 22,000 A
 VERDICHTER: 810
 OEL: SHELL 30




— EINWEGE LINIEN MIT KONST. WERTEN IN OPH

$$\left(\frac{p}{h} \right)$$

MOTOR-NR. 001 416
 BEWERTUNG: 11.6 LTR K-JET. MIT
 VERDICHTG. 8.0
 SPEED-GEN. 1.047


ER-NR. 1
 HUBRAUM 1600
 VERGASER 4-JET.
 OEL 1/8 SHELL 30



(%)

Datum: 1.03.11.77 MOTOR-TYP: 36LF
 PIST-NE: 20 CO/LL
 KÖRPERNOG: 40/958
 KRAFTST.: 78LE3FRE1

MOTOR-NR: JEE 021 419
 GENERNOG: 71.6LITR KINETR. MIT RAUBRAUM 71600
 VERDICHTG: 8.0 WERCHASER 7K-DET.
 SPEZ.GEW: 1.747 GEL 7SHELL 30




HP02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$$\left(\frac{G}{P} \right)$$

DATUM : 10. 11. 77	MOTOR-TYP. GOLF	MOTOR-NR. / EE 021 419	ER-NR. :
ABT-NR. : 12	CO/LL :	BEMERKUNG. / 1.6LTR K-JET. MIT	VERBRAUCH : 1600
	Werkzeug-/ 3/976	VERDICHTG. / 9.0	VERGÄSER / K-JET.
	KRAFTST. / BLEIFREI	SPEZ. GEW. / 747	GEL : / SHEL 30




002

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)

DATUM 22.01.77 MOTOR-TYP/GOLF
 PST-NR. 22 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /6LEIFREI

MOTOR-NR. /EE 021 419
 BEWEHRUNG-/1.6LTR K-JETZ-MIT HALBRUM /1600
 VERDICHTG/ 8.0 VERGASER /K-JET.
 SPEZ.GEW./1.747 DEL /6HELL 30



HP000


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$$\left(\frac{G}{h}\right)$$

DATUM: 1.10.77 MOTOR-TYP: GOLF
 FERTIGST.: 22
 VERZUEHENDG.: 3.976
 KRAFTST.: 98LEIFAS1

MOTOR-NR.: EE 001 418
 BEMERKUNG: 1/1.6LTR K-JETRI MIT
 VERDICHTG.: 8.0
 SPEZ.GEW.: 1.747
 VERGASER: /K-JET.
 GEL: /SHELL 30

EA-NR.: 1
 WAUERPAUM: 11500
 VERGASER: /K-JET.
 GEL: /SHELL 30



ZUEW


-KENNFELD LINIEN MIT KONST. WERTEN IN DEG REE

curves of constant spark advance

DATUM 03/11/57 MOTOR-TYP/GOLF
 PST-NR. 122 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR. /EE 021 419
 BEMERKUNG /1.6LTR K-JETRI MIT
 VERDICHIG/ 8.0
 SPEZ.GEW./7.47

ER-NR.
 HUBHÖHE /1600
 VERGASER /K-JET.
 ÖL /SHELL 30



ELDFELD-LINEN MIT KONST. WERTEN IN %


λ - Map

WERT
FREQUENCY 10000
WERT 10000

MOTOR-EPN 10000
WERT 10000
WERT 10000
WERT 10000

WERT 10000
WERT 10000
WERT 10000
WERT 10000

ARBEITSDRUCK IN MP/CM²



MOTOR-EPN 10000

WERT 10000

MESSPROTOKOLL PROGRAMM MOTOR
DATEINAME MOTOR319014012XC22
VERSUCHSNR 1
VERSUCHSART KENNFELD ABGAS
BEMERKUNGEN ZUR VERSUCHSREIHE

PRUEFSTAND NR 22
VERSUCHSREGINN 03/11/77
VERSUCHSENDE 04/11/77

SACHBEARBEITER DR.OETTING
09.15.30
10.10.50
EA-NR 31901

MOTOR-TYP SOLF
MOTOR-ART OTTO
MOTOR-NR EE 021 419
ZYLINDERZ. 4.
BEHARRUNGSZEIT

HUBRAUM 1500.
VERDICHTUNG 8.0.
VERGASER/EINSPR. K-JEF.
LEERL./ CO / VORZ. -3/975

KRAFTSTOFFSORTE BLEIFREI
OKTANZAHL (ROZ) 91
OELSORTE SHELL 30
EINSPIRITZBEGINN

BEMERKUNGEN ZUM VERSUCH 1,6LTR K. JETR. MIT LAMBDA-REGLUNG

Mod Code: 17

	DRZ 1/MIN	EKL K ²	GRL N	REQMDR 3AR	EFFLST KW	REDLST KW	REDLST PS	YOMT NM	YOMT KPM	SPZVERB G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H	
1 P	1002.	1.13	1.3	1.1	1.1	1.1	1.1	1.0	1.10	AJS	AJS	9461.9	6959.2	AUS	
2 P	1002.	1.98	13.4	1.1	1.5	1.5	2.0	14.3	1.45	AJS	AJS	1083.4	796.8	AUS	
3 P	1002.	3.91	38.4	2.2	2.9	3.0	4.0	26.1	2.87	AJS	AJS	594.6	437.4	AUS	
4 P	1002.	6.00	58.3	3.4	4.4	4.5	6.2	43.2	4.41	AJS	AJS	387.9	285.3	AUS	
5 P	994.	8.05	79.0	4.5	5.9	6.0	8.2	57.9	5.91	AJS	AJS	351.1	258.2	AUS	
6 P	1002.	9.96	97.6	5.6	7.3	7.5	10.2	71.7	7.31	AUS	AJS	302.4	222.4	AUS	
7 P	1002.	11.95	117.2	6.8	8.8	9.0	12.3	85.0	8.77	AUS	AJS	348.6	256.4	AUS	
8 P	1002.	11.81	115.8	6.7	8.7	9.9	12.1	85.0	8.67	AJS	AJS	411.8	302.9	AUS	V
9 P	1198.	10.3	3	10	10	10	10	10	10	AJS	AJS	998.9	864.5	AUS	
10 P	1206.	2.08	20.4	1.2	1.8	1.9	2.6	15.0	1.53	AUS	AJS	964.8	709.6	AUS	
11 P	1193.	4.11	40.3	2.3	3.6	3.7	5.0	29.6	3.02	AJS	AJS	612.4	450.4	AUS	
12 P	1206.	5.98	58.7	3.4	5.3	5.4	7.4	43.1	4.39	AJS	AJS	434.5	319.6	AUS	
13 P	1199.	8.01	78.5	4.5	7.1	7.2	9.8	57.7	5.88	AUS	AJS	389.0	286.1	AUS	
14 P	1199.	16.01	98.2	5.7	8.8	9.1	12.3	72.1	7.36	AUS	AJS	358.4	263.6	AUS	
15 P	1198.	11.96	117.3	6.8	10.5	10.8	14.7	96.2	8.79	AJS	AJS	339.9	250.0	AUS	
16 P	1198.	11.61	113.9	6.6	10.2	10.5	14.3	83.6	8.53	AUS	AJS	398.1	292.8	AUS	V
17 P	1394.	-0.01	-1	-0	-0	-0	-0	-1	-0.01	AUS	AJS	225.4	367.3	AUS	
18 P	1402.	2.21	21.7	1.3	2.3	2.3	3.2	15.9	1.62	AJS	AJS	853.9	628.1	AUS	
19 P	1395.	4.03	33.6	2.3	4.1	4.2	5.8	29.1	2.96	AJS	AJS	515.5	379.2	AUS	
20 P	1395.	6.00	53.8	3.4	6.2	6.3	8.6	43.2	4.41	AUS	AJS	417.0	306.7	AUS	
21 P	1403.	7.96	78.1	4.5	8.2	8.4	11.5	57.3	5.85	AUS	AJS	360.5	265.2	AUS	
22 P	1403.	10.03	98.3	5.7	10.3	10.6	14.4	72.2	7.36	AUS	AJS	334.7	246.2	AUS	
23 P	1395.	11.96	117.2	6.8	12.3	12.6	17.1	86.1	8.78	AUS	AJS	323.5	237.9	AUS	
24 P	1402.	11.98	117.5	6.8	12.4	12.7	17.2	86.3	8.80	AUS	AJS	399.1	293.6	AUS	V
25 P	1598.	-0.21	-2.1	-1	-3	-3	-4	-1.5	-0.16	AJS	AJS	092.4	480.9	AUS	
26 P	1599.	1.87	10.4	1.1	2.2	2.3	3.1	13.5	1.38	AJS	AJS	898.9	661.1	AUS	
27 P	1607.	3.94	38.6	2.2	4.7	4.8	6.5	28.4	2.89	AUS	AJS	502.8	369.8	AUS	
28 P	1599.	5.00	53.9	3.4	7.1	7.2	9.8	43.2	4.41	AUS	AJS	409.0	300.8	AUS	
29 P	1599.	8.03	73.7	4.5	9.5	9.7	13.2	57.8	5.90	AUS	AJS	367.3	270.2	AUS	
30 P	1599.	10.00	99.1	5.7	11.8	12.1	16.4	72.0	7.34	AUS	AJS	314.5	231.3	AUS	
31 P	1599.	11.92	116.9	6.7	14.0	14.4	19.5	85.8	8.75	AUS	AJS	294.2	216.4	AUS	
32 P	1599.	12.95	127.0	7.3	15.2	15.6	21.2	93.2	9.51	AUS	AJS	375.4	276.1	AUS	V

	DRZ 1/HIN	BRL KP	BRL N	REOMDR BAR	EFFLST KW	REDLST KW	REDLST PS	MONT NM	MONT KPH	SPZVERB G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H
78 P	2793.	2.01	13.7	1.1	4.1	4.2	5.8	14.5	1.48	AJS	AJS	694.0	510.5	AUS
79 P	2801.	4.03	33.5	2.3	8.3	8.5	11.6	29.0	2.96	AUS	AUS	429.0	315.6	AUS
80 P	2801.	5.95	59.4	3.4	12.3	12.6	17.1	42.8	4.37	AUS	AJS	360.9	265.5	AUS
81 P	2801.	7.39	71.3	4.5	16.5	16.9	22.3	57.5	5.86	AUS	AJS	327.2	240.6	AUS
82 P	2801.	9.37	97.8	5.6	20.6	21.0	29.6	71.7	7.31	AUS	AUS	304.2	223.7	AUS
83 P	2801.	12.00	117.7	6.8	24.7	25.3	34.4	86.3	8.80	AUS	AUS	281.8	207.3	AUS
84 P	2801.	14.02	137.5	7.9	28.3	29.6	40.2	100.9	10.29	AUS	AJS	273.9	201.4	AUS
85 P	2801.	15.05	147.6	3.5	31.0	31.8	43.2	108.3	11.04	AJS	AJS	315.1	231.7	AUS
86 P	3005.	.01	.1	.0	.0	.0	.0	.0	.00	AUS	AJS	*559.9	*529.8	AUS
87 P	3005.	1.39	13.5	1.1	4.4	4.5	6.1	14.3	1.46	AUS	AJS	669.2	492.2	AUS
88 P	3005.	4.00	33.2	2.3	8.8	9.1	12.3	28.8	2.93	AUS	AUS	457.2	336.3	AUS
89 P	3005.	5.93	53.2	3.3	13.1	13.4	18.3	42.7	4.35	AJS	AJS	358.6	263.8	AUS
90 P	3305.	7.93	77.8	4.5	17.5	18.0	24.4	57.1	5.82	AUS	AUS	334.5	246.0	AUS
91 P	2998.	10.07	98.8	5.7	22.2	22.8	30.9	72.5	7.39	AUS	AJS	298.3	219.4	AUS
92 P	2998.	12.02	117.9	6.8	26.5	27.2	36.9	86.5	8.82	AUS	AJS	291.4	214.4	AUS
93 P	3005.	13.95	136.8	7.9	30.8	31.6	43.0	100.4	10.23	AUS	AJS	282.3	207.6	AUS
94 P	3105.	15.36	151.8	8.7	34.0	34.9	47.4	110.7	11.29	AUS	AUS	314.1	231.0	AUS
95 P	3193.	-.01	-.1	-.0	-.0	-.0	-.0	-.0	-.00	AUS	AJS	*166.0	*892.0	AUS
96 P	3193.	2.03	19.9	1.1	4.8	4.9	6.7	14.6	1.49	AUS	AJS	731.5	538.0	AUS
97 P	3201.	3.94	33.7	2.2	9.3	9.5	12.9	28.4	2.90	AUS	AUS	442.2	325.2	AUS
98 P	3194.	6.04	53.3	3.4	14.2	14.6	19.8	43.5	4.44	AUS	AJS	360.8	265.4	AUS
99 P	3134.	8.07	73.1	4.6	19.0	19.4	26.4	58.1	5.92	AUS	AJS	324.7	238.8	AUS
100 P	3134.	16.02	98.3	5.6	23.6	24.1	32.7	71.9	7.33	AUS	AJS	303.9	223.5	AUS
101 P	3194.	12.03	113.0	6.8	28.3	28.9	39.3	86.3	8.80	AUS	AJS	286.1	210.4	AUS
102 P	3202.	14.03	137.6	7.9	33.1	33.8	45.9	100.6	10.26	AUS	AUS	275.2	202.4	AUS
103 P	3202.	15.47	151.7	8.7	36.5	37.2	51.6	110.9	11.31	AJS	AUS	310.3	228.2	AUS
104 P	3405.	.01	.1	.0	.0	.0	.0	.0	.00	AJS	AJS	*674.8	*781.5	AUS
105 P	3398.	2.02	19.9	1.1	5.0	5.1	7.0	14.5	1.47	AUS	AUS	721.7	530.0	AUS
106 P	3406.	3.99	39.1	2.2	10.0	10.2	13.9	28.6	2.92	AUS	AUS	453.1	333.3	AUS
107 P	3398.	6.03	53.1	3.4	15.1	15.4	20.9	43.2	4.41	AUS	AJS	350.8	258.0	AUS
108 P	3398.	7.98	78.3	4.5	20.0	20.4	27.7	57.2	5.83	AUS	AJS	324.0	238.9	AUS
109 P	3398.	10.00	98.1	5.6	25.0	25.5	34.7	71.6	7.31	AUS	AJS	307.1	225.9	AUS
110 P	3398.	11.96	117.3	6.7	29.9	30.5	41.5	95.7	8.74	AUS	AUS	290.5	213.7	AUS
111 P	3398.	14.02	137.5	7.9	35.1	35.8	48.6	100.5	10.24	AJS	AJS	274.4	201.8	AUS
112 P	3398.	15.48	151.8	8.7	38.7	39.5	53.7	110.9	11.31	AUS	AJS	301.6	221.9	AUS
113 P	3501.	.01	.1	.0	.0	.0	.0	.0	.00	AUS	AJS	*799.6	*738.5	AUS
114 P	3602.	2.02	19.8	1.1	5.3	5.5	7.4	14.5	1.47	AUS	AJS	680.0	500.2	AUS
115 P	3594.	4.10	40.2	2.3	10.8	11.1	15.0	29.4	3.00	AUS	AJS	458.9	337.5	AUS
116 P	3602.	6.01	59.0	3.4	15.9	16.2	22.1	43.1	4.39	AUS	AUS	381.3	280.4	AUS
117 P	3602.	7.92	77.7	4.5	21.0	21.4	29.2	56.8	5.79	AUS	AUS	337.3	248.1	AUS
118 P	3603.	10.03	98.4	5.6	26.6	27.1	36.9	71.9	7.33	AUS	AJS	305.3	224.5	AUS
119 P	3594.	12.02	117.9	6.8	31.8	32.4	44.1	86.2	8.79	AUS	AJS	288.2	212.0	AUS
120 P	3595.	14.02	137.5	7.9	37.1	37.8	51.4	100.5	10.25	AUS	AJS	285.6	218.1	AUS
121 P	3602.	15.29	149.9	8.6	40.5	41.4	56.2	109.6	11.18	AUS	AJS	306.3	225.3	AUS
122 P	3605.	.03	.1	.0	.1	.1	.1	.2	.02	AUS	AJS	*152.1	*912.2	AUS

DRZ 1/MIN	BRL K ²	BRL N	REOMR BAR	EFFLST KM	REDLST KM	R ₀ DLST PS	HCHT MM	HCHT KPM	SPZVERB G/KMH	SPZVERB G/PSH	SPZV8 G/KMH	SPZV8 G/PSH	LTRSTJ L/H
123 P	3798.	2.00	19.6	1.1	5.6	5.7	7.7	14.3	1.46	AJS	724.7	533.0	AUS
124 P	3806.	3.98	39.0	2.2	11.1	11.4	15.5	26.5	2.91	AJS	475.3	349.6	AUS
125 P	3798.	5.97	58.5	3.4	16.7	17.0	23.1	42.7	4.36	AJS	305.0	203.2	AUS
126 P	3798.	8.63	78.7	4.5	22.4	22.9	31.1	57.5	5.87	AJS	331.6	243.9	AUS
127 P	3798.	10.00	90.1	5.6	28.0	28.5	38.0	71.7	7.31	AJS	300.4	220.9	AUS
128 P	3798.	11.99	117.6	6.8	33.5	34.2	46.5	55.9	8.76	AJS	290.3	213.5	AUS
129 P	3799.	13.98	137.1	7.9	39.1	39.9	54.2	100.2	10.22	AUS	272.6	200.5	AUS
130 P	3798.	15.17	148.8	8.5	42.4	43.2	58.8	108.7	11.08	AJS	300.4	220.9	AUS
131 P	4002.	.01	.1	.0	.0	.0	.0	.0	.00	AUS	*712.5	*783.6	AUS
132 P	4002.	1.96	19.4	1.1	5.8	6.0	8.1	14.2	1.45	AJS	775.7	570.5	AUS
133 P	3995.	4.04	39.6	2.3	11.9	12.1	16.5	29.0	2.95	AJS	450.5	331.4	AUS
134 P	4002.	5.97	53.5	3.4	17.6	17.9	24.4	42.8	4.36	AJS	371.0	272.9	AUS
135 P	3995.	8.04	78.9	4.5	23.6	24.1	32.8	57.6	5.88	AJS	325.6	239.5	AUS
136 P	3995.	10.01	98.1	5.6	29.4	30.0	40.8	71.7	7.31	AUS	298.6	219.6	AUS
137 P	3995.	12.04	118.0	6.8	35.4	36.1	49.1	56.3	8.80	AUS	282.0	207.4	AUS
138 P	4002.	13.99	137.2	7.9	41.2	42.0	57.1	100.2	10.22	AJS	276.3	203.2	AUS
139 P	4002.	15.16	148.6	8.5	44.6	45.5	61.9	108.6	11.07	AJS	299.5	220.3	AUS
140 P	4198.	.00	.0	.0	.0	.0	.0	.0	.00	AJS	*604.6	*585.3	AUS
141 P	4198.	2.55	19.5	1.1	6.2	6.3	8.6	14.3	1.46	AJS	749.0	550.9	AUS
142 P	4198.	4.00	39.2	2.2	12.4	12.6	17.1	28.6	2.92	AJS	452.7	332.9	AUS
143 P	4198.	6.06	58.9	3.4	18.5	18.9	25.7	43.0	4.39	AJS	373.1	274.4	AUS
144 P	4198.	7.99	73.3	4.5	24.7	25.2	34.2	57.2	5.84	AJS	323.7	238.1	AUS
145 P	4198.	10.03	98.4	5.6	31.0	31.6	43.0	71.9	7.33	AJS	306.9	225.8	AUS
146 P	4199.	12.10	113.7	6.8	37.4	38.1	51.8	86.7	8.84	AJS	291.3	214.3	AUS
147 P	4199.	13.99	137.2	7.9	43.2	44.1	60.0	100.3	10.23	AJS	277.1	203.8	AUS
148 P	4198.	15.02	147.3	8.5	46.4	47.3	64.4	107.7	10.98	AJS	296.2	217.9	AUS
149 P	4402.	.01	.1	.0	.0	.0	.0	.0	.00	AJS	*985.8	*836.1	AUS
150 P	4394.	2.01	13.7	1.1	6.5	6.6	9.0	14.4	1.47	AJS	742.7	546.3	AUS
151 P	4402.	4.02	39.2	2.3	13.0	13.2	18.0	28.7	2.92	AJS	469.3	345.2	AUS
152 P	4394.	5.99	53.3	3.4	19.4	19.8	26.9	43.0	4.38	AJS	379.9	279.4	AUS
153 P	4402.	7.98	78.2	4.5	25.8	26.4	35.8	57.2	5.83	AJS	333.1	245.0	AUS
154 P	4402.	10.00	98.1	5.6	32.4	33.1	45.0	71.7	7.31	AUS	307.3	226.0	AUS
155 P	4402.	12.02	117.9	6.8	39.0	39.7	54.0	86.2	8.79	AUS	296.1	217.8	AUS
156 P	4394.	14.01	137.4	7.9	45.3	46.2	62.8	100.4	10.24	AJS	282.1	207.5	AUS
157 P	4402.	14.96	145.7	8.4	48.1	49.1	66.8	106.5	10.86	AJS	305.0	224.3	AUS
158 P	4597.	.07	.7	.0	.2	.3	.3	.5	.05	AJS	*645.1	*242.4	AUS
159 P	4598.	2.04	21.5	1.2	7.1	7.2	9.8	15.0	1.53	AJS	744.6	547.7	AUS
160 P	4598.	4.00	34.3	2.3	13.6	13.8	18.8	28.7	2.93	AJS	472.9	347.8	AUS
161 P	4602.	6.02	53.0	3.4	20.4	20.7	28.2	43.0	4.39	AJS	376.4	276.9	AUS
162 P	4594.	8.05	78.9	4.5	27.2	27.7	37.6	57.5	5.86	AUS	335.0	246.4	AUS
163 P	4594.	10.02	98.3	5.6	33.3	34.5	46.9	71.6	7.30	AJS	302.3	222.3	AUS
164 P	4601.	12.03	113.0	6.8	40.7	41.4	56.3	86.0	8.77	AJS	294.4	216.6	AUS
165 P	4601.	14.02	137.5	7.9	47.5	48.3	65.7	100.3	10.22	AJS	284.7	209.4	AUS
166 P	4601.	14.70	144.1	8.2	49.8	50.6	68.8	105.0	10.71	AUS	311.4	229.1	AUS
167 P	4795.	.05	.5	.0	.2	.2	.2	.3	.03	AUS	*935.6	*340.1	AUS

	ORZ 1/MIN	UKL KP	BRL N	REOMDR BAR	EFFLST KM	REDLST KM	REDLST PS	YOMT NH	MOHT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H
6														
8	168 P 4803	2.00	13.7	1.1	7.1	7.2	9.8	14.3	1.46	AJS	AJS	759.6	558.7	AUS
10	169 P 4795	3.35	38.7	2.2	13.9	14.2	19.3	28.2	2.88	AJS	AJS	471.8	347.0	AUS
12	170 P 4795	6.07	53.5	3.4	21.4	21.8	29.6	43.4	4.42	AUS	AJS	375.5	276.2	AUS
14														
16	171 P 4803	7.98	78.2	4.5	28.2	28.7	33.0	57.0	5.82	AUS	AUS	347.8	255.8	AUS
18	172 P 4803	13.00	93.1	5.6	35.4	36.0	43.0	71.6	7.30	AUS	AUS	319.3	234.9	AUS
20	173 P 4795	12.01	117.8	6.7	42.4	43.1	58.7	85.9	8.76	AUS	AUS	297.8	219.8	AUS
22														
24	174 P 4803	13.98	137.1	7.8	49.4	50.3	68.4	99.9	10.19	AUS	AJS	289.9	213.2	AUS
26	175 P 4803	14.48	142.0	8.1	51.2	52.1	70.8	103.5	10.56	AUS	AJS	316.1	232.5	AUS
28	176 P 4998	.81	.1	.0	.0	.0	.0	.1	.01	AUS	AUS	*284.7	*359.9	AUS
30														V
32	177 P 5005	2.05	20.1	1.1	7.5	7.7	10.4	14.6	1.49	AUS	AJS	803.7	591.1	AUS
34	178 P 4998	3.95	33.7	2.2	14.5	14.8	20.1	28.2	2.88	AJS	AJS	499.7	367.5	AUS
36	179 P 4997	5.37	58.5	3.4	21.9	22.3	30.4	42.7	4.35	AUS	AJS	382.2	281.1	AUS
38														
40	180 P 4998	8.06	79.5	4.5	29.4	30.0	40.7	57.2	5.84	AUS	AUS	340.9	250.7	AUS
42	181 P 4997	10.03	93.4	5.6	36.9	37.5	51.0	71.7	7.31	AUS	AUS	321.4	236.4	AUS
44	182 P 4998	12.02	117.9	6.8	44.2	45.0	61.2	86.0	8.77	AUS	AJS	300.4	221.8	AUS
46														
48	183 P 4997	13.97	137.0	7.9	51.4	52.3	71.1	100.0	10.19	AUS	AJS	291.9	214.7	AUS
50	184 P 5005	14.25	138.8	8.0	52.5	53.5	72.7	102.0	10.40	AUS	AUS	319.2	234.7	AUS
52	185 P 5193	.03	.2	.0	.1	.1	.1	.2	.02	AUS	AJS	*957.3	*007.9	AUS
54														V
56	186 P 5193	1.93	19.9	1.1	7.4	7.5	10.2	13.8	1.41	AUS	AUS	826.2	607.7	AUS
58	187 P 5202	3.77	37.3	2.1	14.4	14.7	20.0	27.0	2.75	AUS	AJS	523.1	384.7	AUS
60	188 P 5199	5.95	59.4	3.3	22.8	23.2	31.6	42.6	4.34	AUS	AJS	388.1	285.4	AUS
62														
64	189 P 5200	8.01	79.5	4.5	30.6	31.2	42.4	57.3	5.84	AJS	AJS	347.6	255.6	AUS
66	190 P 5200	9.96	97.6	5.6	38.1	38.8	52.8	71.3	7.27	AUS	AJS	322.1	236.9	AUS
68	191 P 5200	12.02	117.3	6.8	46.0	46.9	63.8	86.1	8.78	AUS	AJS	303.7	223.3	AUS
70														
72	192 P 5200	13.95	136.8	7.8	53.4	54.4	74.0	99.9	10.18	AUS	AJS	296.2	217.9	AUS
74	193 P 5200	14.10	138.3	7.9	54.0	55.0	74.8	101.0	10.30	AUS	AJS	318.9	234.6	AUS
76	194 P 5402	.01	.1	0.0	.0	.0	.1	0.0	0.00	AJS	AUS	*313.6	*638.7	AUS
78														V
80	195 P 5403	1.33	13.0	1.1	7.7	7.8	10.6	13.8	1.41	AUS	AJS	824.9	606.7	AUS
82	196 P 5402	3.32	38.5	2.2	15.6	15.9	21.6	28.1	2.87	AUS	AJS	504.0	370.7	AUS
84	197 P 5403	5.11	63.3	3.4	24.3	24.8	33.7	43.8	4.46	AUS	AUS	392.9	289.8	AUS
86														
88	198 P 5395	7.37	79.1	4.5	31.6	32.3	43.9	57.1	5.82	AUS	AUS	356.2	262.0	AUS
90	199 P 5395	9.96	97.7	5.6	39.6	40.4	54.9	71.4	7.28	AUS	AUS	329.4	242.3	AUS
92	200 P 5402	12.00	117.5	6.7	47.7	48.6	66.1	85.9	8.76	AUS	AJS	311.0	228.8	AUS
94														
96	202 P 5402	13.78	135.1	7.7	54.8	55.0	75.9	98.6	10.06	AUS	AJS	323.9	238.2	AUS
98	203 P 5097	.02	.2	.0	.1	.1	.1	.2	.02	AJS	AUS	*963.8	*483.7	AUS
100	204 P 5096	1.35	13.1	1.1	8.1	8.2	11.2	14.0	1.42	AJS	AJS	811.5	596.8	AUS
102														V
104	205 P 5606	3.94	38.7	2.2	16.3	16.6	22.5	28.2	2.88	AUS	AUS	508.8	388.3	AUS
106	206 P 5605	5.96	58.4	3.3	24.6	25.0	34.1	42.7	4.35	AJS	AUS	408.7	308.6	AUS
108	207 P 5598	7.98	78.3	4.5	32.9	33.5	45.6	57.2	5.83	AUS	AUS	362.7	266.8	AUS
110														
112	208 P 5585	9.94	96.5	5.6	40.6	41.4	56.2	78.4	7.18	AJS	AJS	337.8	247.9	AUS
114	209 P 5598	12.03	118.0	6.8	49.6	50.5	68.7	86.2	8.79	AUS	AUS	315.6	232.1	AUS
116	210 P 5598	13.33	131.7	7.5	54.9	56.0	76.1	95.4	9.73	AUS	AJS	331.0	243.5	AUS
118														V
120	211 P 5800	.02	.2	.8	.1	.1	.1	.2	.02	AUS	AJS	*389.8	*945.8	AUS
122	212 P 5800	2.00	19.6	1.1	8.5	8.7	11.8	14.3	1.46	AUS	AJS	840.5	618.2	AUS
124	213 P 5800	3.97	39.0	2.2	17.0	17.3	23.5	28.5	2.90	AUS	AUS	505.2	371.5	AUS

	ORZ 1/MIN	BRL KP	BRL N	REQMDR BAR	EFFLST KM	REDLST KM	REDLST PS	MOHT NM	MOHT KPM	SPZVERB G/KMH	SPZV=RB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H
214 P	5801.	6.02	59.0	3.4	25.7	26.2	35.6	43.1	4.40	AJS	AJS	408.8	300.7	AUS
215 P	5801.	7.98	78.2	4.5	34.1	34.7	47.2	57.1	5.83	AJS	AJS	366.5	269.5	AUS
216 P	5801.	10.03	98.4	5.6	42.8	43.6	59.3	71.8	7.32	AJS	AJS	340.4	250.4	AUS
217 P	5801.	11.94	117.1	6.7	51.0	52.0	70.6	85.5	8.72	AUS	AJS	323.1	237.6	AUS
218 P	5800.	12.86	126.1	7.2	54.9	56.0	76.1	92.1	9.39	AUS	AJS	341.1	250.9	AUS
219 P	5803.	.00	.0	.0	.0	.0	.0	.0	.00	AJS	AUS	*313.4	*712.3	AUS
220 P	5803.	1.09	10.7	.6	4.8	4.9	6.7	7.8	.80	AJS	AUS	1455.6	1070.6	AUS
221 P	5995.	4.15	40.7	2.3	18.3	18.7	25.4	29.8	3.03	AUS	AJS	505.4	371.7	AUS
222 P	5995.	6.04	53.3	3.4	26.7	27.2	37.0	43.3	4.41	AUS	AJS	418.3	307.6	AUS
223 P	6004.	8.33	81.7	4.7	36.8	37.5	51.0	59.7	6.08	AJS	AJS	370.7	272.7	AUS
224 P	5996.	9.96	97.6	5.6	43.9	44.8	60.9	71.3	7.27	AUS	AUS	353.8	260.2	AUS
225 P	5996.	12.02	117.9	6.8	53.1	54.0	73.5	86.0	8.77	AUS	AJS	328.0	241.3	AUS
227 P	5996.	12.33	120.9	6.9	54.4	55.4	75.3	88.2	9.00	AUS	AJS	353.4	259.9	AUS
228 H	1210.	-1.19	-11.7	-7	-1.1	-1.1	-1.5	-8.6	-8.6	AJS	AUS	*054.0	-775.2	AUS
229 H	1407.	-1.60	-15.7	-9	-1.7	-1.7	-2.3	-11.5	-1.17	AJS	AUS	-737.4	-542.3	AUS
230 H	1605.	-1.90	-18.7	-1.1	-2.2	-2.3	-3.1	-13.6	-1.39	AUS	AJS	-537.6	-395.4	AUS
231 H	1804.	-2.23	-21.9	-1.3	-3.5	-3.0	-4.1	-16.0	-1.63	AUS	AJS	-407.5	-299.7	AUS
232 H	2000.	-2.52	-24.7	-1.4	-3.7	-3.8	-5.1	-18.0	-1.84	AUS	AJS	-307.0	-225.8	AUS
233 H	2000.	-1.92	-18.8	-1.1	-2.8	-2.9	-3.9	-13.7	-1.40	AUS	AUS	-510.6	-375.5	AUS
234 H	2200.	-2.71	-26.5	-1.5	-4.4	-4.5	-6.1	-19.4	-1.98	AUS	AJS	-260.9	-191.9	AUS
235 H	2200.	-1.97	-19.3	-1.1	-3.2	-3.3	-4.4	-14.1	-1.44	AUS	AJS	-462.4	-340.1	AUS
236 H	2405.	-2.84	-27.9	-1.6	-5.0	-5.1	-7.0	-20.3	-2.07	AUS	AUS	-262.4	-193.0	AUS
237 H	2405.	-1.92	-13.8	-1.1	-3.4	-3.5	-4.7	-13.7	-1.40	AUS	AJS	-486.0	-357.5	AUS
238 H	2605.	-3.00	-23.4	-1.7	-5.7	-5.9	-8.0	-21.5	-2.19	AJS	AJS	-230.7	-169.7	AUS
239 H	2606.	-1.98	-19.4	-1.1	-3.8	-3.9	-5.3	-14.2	-1.44	AUS	AUS	-445.9	-327.9	AUS
240 H	2815.	-3.06	-30.0	-1.7	-6.3	-6.5	-8.8	-21.9	-2.23	AUS	AUS	-207.7	-152.8	AUS
241 H	2814.	-1.35	-13.2	-1.1	-4.5	-4.1	-5.6	-14.0	-1.43	AUS	AJS	-488.2	-359.0	AUS
242 H	3000.	-3.10	-31.0	-1.8	-7.0	-7.1	-9.7	-22.7	-2.31	AJS	AJS	-205.2	-151.0	AUS
243 H	3001.	-1.85	-18.1	-1.0	-4.1	-4.2	-5.7	-13.2	-1.35	AJS	AJS	-487.0	-358.2	AUS
244 H	3208.	-3.28	-32.2	-1.8	-7.8	-7.9	-10.7	-23.5	-2.40	AUS	AJS	-192.4	-141.5	AUS
245 H	3208.	-2.03	-20.0	-1.1	-4.8	-4.9	-6.7	-14.6	-1.49	AUS	AUS	-393.6	-289.5	AUS
246 H	3402.	-3.43	-33.6	-1.9	-8.6	-8.7	-11.9	-24.5	-2.50	AUS	AJS	-153.8	-113.1	AUS
247 H	3402.	-1.89	-18.5	-1.1	-4.7	-4.8	-6.5	-13.5	-1.38	AUS	AUS	-472.7	-347.7	AUS
248 H	3598.	-3.55	-34.8	-2.0	-9.4	-9.6	-13.0	-25.4	-2.59	AUS	AUS	-158.3	-116.4	AUS
249 H	3598.	-1.76	-17.4	-1.0	-4.7	-4.8	-5.5	-12.7	-1.30	AJS	AJS	-460.3	-338.6	AUS
250 H	3808.	-3.67	-36.0	-2.1	-10.3	-10.5	-14.2	-26.3	-2.68	AJS	AUS	-143.4	-105.5	AUS
251 H	3803.	-1.90	-19.7	-1.1	-5.3	-5.4	-7.4	-13.6	-1.39	AUS	AUS	-391.1	-287.7	AUS
252 H	4005.	-3.84	-37.7	-2.2	-11.3	-11.5	-15.7	-27.5	-2.80	AUS	AUS	-143.1	-105.2	AUS
253 H	4305.	-1.89	-19.6	-1.1	-5.6	-5.7	-7.7	-13.5	-1.38	AJS	AUS	-404.9	-297.8	AUS
254 H	4208.	-4.00	-33.2	-2.2	-12.4	-12.6	-17.1	-28.6	-2.92	AJS	AUS	-122.8	-90.3	AUS
255 H	4209.	-1.97	-13.4	-1.1	-6.1	-6.2	-8.5	-14.1	-1.44	AUS	AUS	-386.3	-284.1	AUS
256 H	4406.	-4.10	-43.2	-2.3	-13.3	-13.5	-18.4	-29.3	-2.99	AUS	AUS	-114.6	-84.3	AUS
257 H	4406.	-1.87	-18.3	-1.1	-6.1	-6.2	-8.4	-13.4	-1.36	AJS	AUS	-424.1	-311.9	AUS
258 H	4599.	-4.26	-41.8	-2.4	-14.4	-14.7	-20.0	-30.5	-3.11	AUS	AUS	-122.6	-90.2	AUS
259 H	4600.	-1.96	-13.2	-1.1	-6.6	-6.7	-9.2	-14.0	-1.43	AUS	AUS	-394.7	-290.3	AUS

	DRZ 1/MIN	BRL KP	BRL M	REDHDK BAR	EFFLST KM	REDLST KM	REDLST PS	MONT NM	MONT KPM	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H
260 H	4834.	-4.46	-43.8	-2.5	-15.8	-16.1	-21.8	-31.9	-3.26	AUS	AUS	-82.5	-60.6	AUS
261 H	4804.	-1.99	-19.6	-1.1	-6.7	-6.8	-9.3	-13.6	-1.38	AJS	AJS	-408.6	-300.5	AUS
262 H	5605.	-4.62	-45.3	-2.6	-17.0	-17.3	-23.5	-33.0	-3.37	AUS	AJS	-100.0	-79.4	AUS
263 H	5003.	-2.00	-13.0	-1.1	-7.4	-7.5	-10.2	-14.3	-1.46	AUS	AJS	-407.9	-300.0	AUS
264 H	5205.	-3.17	-50.7	-2.9	-19.8	-20.2	-27.5	-37.0	-3.78	AJS	AJS	-95.0	-69.9	AUS
265 H	5198.	-3.91	-38.3	-2.2	-14.9	-15.2	-20.7	-28.0	-2.85	AUS	AJS	-163.8	-120.5	AUS
266 H	5193.	-2.12	-23.8	-1.2	-8.1	-8.2	-11.2	-15.1	-1.54	AUS	AJS	-385.5	-283.5	AUS
267 H	5403.	-1.92	-58.1	-3.3	-23.6	-24.0	-32.6	-42.4	-4.32	AJS	AUS	-73.1	-53.0	AUS
268 H	5433.	-3.80	-37.3	-2.1	-15.1	-15.4	-20.9	-27.2	-2.77	AUS	AUS	-186.8	-137.4	AUS
269 H	5403.	-1.90	-13.7	-1.1	-7.3	-7.7	-10.5	-13.6	-1.39	AUS	AJS	-454.0	-333.9	AUS
270 H	5605.	-6.42	-63.0	-3.6	-26.5	-27.0	-35.7	-46.0	-4.69	AJS	AJS	-66.0	-48.6	AUS
271 H	5602.	-3.97	-38.9	-2.2	-16.4	-16.7	-22.6	-28.4	-2.89	AUS	AJS	-193.0	-142.0	AUS
272 H	5604.	-2.02	-13.8	-1.1	-8.3	-8.5	-11.5	-14.4	-1.47	AUS	AJS	-449.3	-330.5	AUS
273 H	5805.	-6.84	-67.1	-3.8	-29.2	-29.7	-40.4	-48.9	-4.99	AUS	AJS	-49.1	-36.1	AUS
274 H	5812.	-3.73	-55.2	-3.2	-24.5	-24.9	-33.9	-41.0	-4.18	AJS	AUS	-120.6	-88.7	AUS
275 H	5811.	-4.05	-33.7	-2.3	-17.3	-17.6	-24.0	-29.0	-2.95	AUS	AJS	-184.4	-135.6	AUS
276 H	5811.	-1.90	-13.2	-1.1	-8.4	-8.5	-11.6	-14.0	-1.43	AUS	AJS	-480.8	-353.6	AUS
277 H	6013.	-7.70	-75.5	-4.3	-34.1	-34.7	-47.2	-55.1	-5.62	AUS	AJS	-44.2	-32.5	AUS
278 H	6015.	-5.98	-58.6	-3.4	-26.5	-26.9	-36.6	-42.8	-4.36	AUS	AUS	-120.6	-88.7	AUS
279 H	6013.	-3.71	-36.4	-2.1	-16.4	-16.7	-22.7	-26.5	-2.71	AUS	AJS	-202.3	-148.8	AUS
280 H	5014.	-2.00	-13.6	-1.1	-8.3	-9.0	-12.2	-14.3	-1.46	AUS	AJS	-486.8	-358.0	AUS

	URZ 1/MIN	BKL KP	-TRPLU L/H	DURCHLZT S	KRSTHAS G	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
1	1002.	.13	1.25	AUS	50.00	AUS	.9	-4.5	.933	0.000	2.27	13.19	85.	617.
2	1002.	1.98	2.12	AUS	50.00	AUS	1.6	-3.9	.959	0.000	1.43	13.68	144.	492.
3	1002.	3.91	2.23	AUS	50.00	AUS	1.7	1.0	.960	0.000	1.35	13.71	225.	579.
4	1002.	6.00	2.30	AUS	50.00	AUS	1.7	3.7	.971	0.000	1.03	13.92	484.	577.
5	1002.	8.00	2.77	AUS	50.00	AUS	2.1	4.2	.976	.032	.94	13.98	902.	573.
6	1002.	9.90	2.97	AUS	50.00	AUS	2.2	4.2	.985	.036	.76	14.09	1413.	543.
7	1002.	11.95	4.11	AUS	50.00	AUS	3.1	4.2	.950	0.000	1.76	13.59	1370.	607.
8	1002.	11.81	4.80	AUS	50.00	AUS	3.6	4.5	.754	0.000	8.82	9.12	117.	903.
9	1193.	.03	2.19	AUS	50.00	AUS	1.6	-4.0	.956	0.000	1.56	13.57	98.	430.
10	1206.	2.08	2.38	AUS	50.00	AUS	1.8	-4	.975	.032	.98	13.91	154.	377.
11	1193.	4.11	2.97	AUS	50.00	AUS	2.2	3.6	.982	.034	.80	14.01	275.	426.
12	1206.	5.98	3.09	AUS	50.00	AUS	2.3	4.6	.992	.035	.60	14.11	526.	417.
13	1193.	8.01	3.68	AUS	50.00	AUS	2.7	4.4	1.002	.037	.45	14.18	960.	390.
14	1193.	10.01	4.23	AUS	50.00	AUS	3.2	4.4	1.003	.041	.50	14.17	1372.	379.
15	1198.	11.96	4.80	AUS	50.00	AUS	3.6	4.5	.898	0.000	3.54	12.56	635.	570.
16	1198.	11.61	5.45	AUS	50.00	AUS	4.1	4.5	.767	0.000	8.33	9.45	127.	784.
17	1394.	-0.01	1.64	AUS	50.00	AUS	1.2	-4	.969	.032	1.15	13.93	100.	389.
18	1402.	2.21	2.60	AUS	50.00	AUS	1.9	3.9	.988	.032	.64	14.22	173.	331.
19	1395.	4.03	2.86	AUS	50.00	AUS	2.1	9.5	.988	.034	.66	14.16	287.	420.
20	1395.	6.00	3.43	AUS	50.00	AUS	2.6	9.6	1.005	.035	.39	14.26	536.	367.
21	1403.	7.96	3.96	AUS	50.00	AUS	3.0	9.4	1.006	.040	.44	14.19	850.	368.
22	1403.	10.03	4.63	AUS	50.00	AUS	3.5	9.2	1.005	.044	.51	14.16	1207.	369.
23	1395.	11.96	5.31	AUS	50.00	AUS	4.0	7.9	.950	0.000	1.81	13.56	989.	498.
24	1402.	11.98	6.60	AUS	50.00	AUS	4.9	9.0	.762	0.000	8.55	9.33	118.	781.
25	1598.	-2.1	2.06	AUS	50.00	AUS	1.5	3.3	.970	.040	1.17	13.94	99.	431.
26	1593.	1.87	2.65	AUS	50.00	AUS	2.0	9.9	.983	.037	.70	14.22	189.	352.
27	1607.	3.94	3.13	AUS	50.00	AUS	2.3	17.7	.996	.042	.63	14.19	472.	446.
28	1593.	6.00	3.87	AUS	50.00	AUS	2.9	17.7	1.008	.047	.49	14.20	861.	416.
29	1593.	8.03	4.64	AUS	50.00	AUS	3.5	12.7	1.006	.051	.58	14.16	1023.	358.
30	1593.	10.00	4.95	AUS	50.00	AUS	3.7	12.8	1.006	.053	.61	14.15	1359.	363.
31	1593.	11.92	5.52	AUS	50.00	AUS	4.1	12.8	1.003	.055	.67	14.15	1687.	378.
32	1593.	12.95	7.65	AUS	50.00	AUS	5.7	12.8	.773	0.000	7.92	9.98	169.	719.

	URZ 1/MIN	BRL KP	-TRPLU L/H	DURCHLZT S	KRST4AS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
33	1803.	7.01	2.58	AUS	50.00	AUS	1.9	6.7	.986	.033	.71	14.32	117.	268.
34	1803.	1.92	2.83	AUS	50.00	AUS	2.1	18.1	.991	.037	.66	14.28	235.	382.
35	1803.	3.98	3.29	AUS	50.00	AUS	2.5	21.9	1.007	.041	.43	14.32	611.	393.
36	1795.	6.03	4.23	AUS	50.00	AUS	3.2	21.9	1.005	.047	.53	14.23	1049.	409.
37	1803.	7.92	4.96	AUS	50.00	AUS	3.7	17.6	1.007	.052	.59	14.20	1255.	376.
38	1795.	10.02	5.85	AUS	50.00	AUS	4.4	15.8	1.005	.054	.64	14.21	1536.	361.
39	1795.	11.99	6.47	AUS	50.00	AUS	4.8	15.7	1.005	.054	.65	14.26	1915.	366.
40	1803.	13.74	8.37	AUS	50.00	AUS	6.3	15.8	.825	0.000	6.21	11.14	358.	637.
41	1999.	7.01	2.25	AUS	50.00	AUS	1.7	11.2	.994	.033	.55	14.38	132.	214.
42	1999.	1.97	3.05	AUS	50.00	AUS	2.3	25.5	.996	.038	.58	14.24	340.	385.
43	1999.	3.95	3.23	AUS	50.00	AUS	2.4	25.3	1.007	.046	.50	14.23	772.	391.
44	1999.	5.03	4.40	AUS	50.00	AUS	3.3	25.3	1.010	.054	.55	14.16	1359.	413.
45	1999.	7.96	5.76	AUS	50.00	AUS	4.3	22.4	1.003	.056	.60	14.18	1716.	408.
46	1999.	10.08	6.01	AUS	50.00	AUS	4.5	19.2	1.035	.056	.65	14.22	1955.	386.
47	1999.	11.95	6.77	AUS	50.00	AUS	5.1	19.3	1.006	.051	.58	14.37	2349.	375.
48	2008.	13.35	7.61	AUS	50.00	AUS	5.7	19.2	1.004	.052	.63	14.41	2667.	390.
49	1999.	14.31	8.95	AUS	50.00	AUS	6.7	19.3	.848	0.000	5.38	11.73	590.	617.
50	2203.	7.03	2.71	AUS	50.00	AUS	2.0	26.2	.934	.039	.62	14.27	150.	268.
51	2204.	1.95	2.89	AUS	50.00	AUS	2.2	28.4	1.005	.043	.49	14.26	394.	326.
52	2204.	4.04	3.67	AUS	50.00	AUS	2.7	28.5	1.010	.055	.57	14.09	905.	374.
53	2204.	6.03	4.43	AUS	50.00	AUS	3.3	28.4	1.010	.059	.62	14.05	1534.	412.
54	2196.	8.01	5.66	AUS	50.00	AUS	4.2	25.4	1.008	.059	.66	14.05	1946.	411.
55	2204.	9.99	6.51	AUS	50.00	AUS	4.9	22.4	1.007	.056	.64	14.14	2172.	388.
56	2196.	12.01	7.78	AUS	50.00	AUS	5.8	22.4	1.005	.054	.63	14.22	2536.	392.
57	2196.	13.93	8.11	AUS	50.00	AUS	6.1	22.3	1.005	.054	.64	14.28	2865.	417.
58	2204.	14.41	9.69	AUS	50.00	AUS	7.2	22.4	.853	0.000	4.98	11.89	754.	608.
59	2399.	7.01	2.84	AUS	50.00	AUS	2.1	25.3	1.003	.041	.55	14.13	163.	249.
60	2400.	1.97	3.29	AUS	50.00	AUS	2.5	30.1	1.008	.048	.50	14.08	441.	303.
61	2401.	4.00	4.36	AUS	50.00	AUS	3.3	30.1	1.012	.058	.57	13.97	991.	359.
62	2400.	6.02	4.80	AUS	50.00	AUS	3.6	30.1	1.011	.060	.62	13.94	1684.	427.
63	2401.	8.00	6.21	AUS	50.00	AUS	4.6	29.5	1.003	.062	.67	13.96	2304.	432.
64	2400.	9.99	7.03	AUS	50.00	AUS	5.3	24.0	1.008	.054	.59	14.13	2416.	384.
65	2400.	12.00	8.29	AUS	50.00	AUS	6.2	23.9	1.007	.054	.60	14.20	2773.	395.
66	2403.	14.00	3.00	AUS	50.00	AUS	6.8	24.2	1.003	.052	.55	14.33	3129.	417.
67	2400.	14.46	10.42	AUS	50.00	AUS	7.8	24.2	.858	0.000	4.66	12.08	906.	598.
68	2596.	7.01	2.91	AUS	50.00	AUS	2.2	29.9	1.003	.037	.45	14.19	182.	221.
69	2596.	2.08	3.46	AUS	50.00	AUS	2.6	31.2	1.008	.048	.51	14.09	460.	293.
70	2597.	3.98	4.28	AUS	50.00	AUS	3.2	31.1	1.011	.056	.57	14.01	997.	355.
71	2605.	6.01	5.42	AUS	50.00	AUS	4.0	31.1	1.010	.060	.63	14.00	1660.	425.
72	2597.	8.00	6.85	AUS	50.00	AUS	5.1	31.1	1.011	.059	.60	14.13	2418.	416.
73	2597.	10.04	7.44	AUS	50.00	AUS	5.6	25.4	1.008	.056	.61	14.29	2411.	375.
74	2597.	11.99	8.51	AUS	50.00	AUS	6.4	25.3	1.003	.055	.60	14.42	2731.	406.
75	2597.	14.01	9.81	AUS	50.00	AUS	7.3	25.3	1.008	.054	.58	14.54	3136.	454.
76	2597.	14.75	11.51	AUS	50.00	AUS	8.6	25.4	.860	0.000	4.95	12.12	886.	633.
77	2801.	7.04	3.15	AUS	50.00	AUS	2.4	32.3	1.004	.040	.46	14.34	219.	266.

	DRZ 1/MIN	URL KP	TRPLU -/H	DURCHLZT S	KRSTPLU KG/H	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	SO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
78	2793.	2.01	3.04	AUS	2.9	AUS	50.00	32.5	1.003	.054	.56	14.16	549.	312.
79	2801.	4.03	4.77	AUS	3.6	AUS	50.00	32.5	1.003	.059	.64	14.09	1132.	367.
80	2801.	5.95	5.92	AUS	4.4	AUS	50.00	32.4	1.011	.063	.65	14.09	1614.	423.
81	2801.	7.39	7.21	AUS	5.4	AUS	50.00	32.3	1.011	.059	.60	14.22	2514.	412.
82	2801.	9.97	9.35	AUS	6.2	AUS	50.00	26.4	1.008	.053	.57	14.43	2474.	396.
83	2801.	12.06	9.32	AUS	7.0	AUS	50.00	26.4	1.065	.052	.59	14.52	2857.	435.
84	2801.	14.02	10.53	AUS	7.9	AUS	50.00	25.8	1.007	.053	.59	14.62	3206.	448.
85	2801.	15.05	13.07	AUS	9.8	AUS	50.00	25.2	.847	0.000	5.45	11.83	809.	647.
86	3005.	.01	2.95	AUS	2.2	AUS	50.00	31.5	1.003	.043	.53	14.23	246.	282.
87	3005.	1.99	3.93	AUS	2.9	AUS	50.00	31.6	1.011	.057	.58	14.11	653.	321.
88	3005.	4.00	5.40	AUS	4.0	AUS	50.00	33.5	1.003	.059	.64	14.07	1275.	371.
89	3005.	5.93	6.23	AUS	4.7	AUS	50.00	33.4	1.003	.062	.69	14.09	1978.	412.
90	3005.	7.93	7.85	AUS	5.9	AUS	50.00	33.5	1.003	.050	.66	14.24	2593.	405.
91	2998.	10.07	8.86	AUS	6.6	AUS	50.00	27.5	1.005	.054	.65	14.44	2564.	424.
92	2998.	12.02	10.34	AUS	7.7	AUS	50.00	27.5	1.005	.055	.65	14.56	2944.	445.
93	3035.	13.95	11.65	AUS	8.7	AUS	50.00	27.4	1.007	.053	.60	14.72	3390.	413.
94	3035.	15.38	14.29	AUS	10.7	AUS	50.00	27.4	.848	0.000	5.33	11.97	900.	599.
95	3193.	.01	3.09	AUS	2.3	AUS	50.00	33.9	1.004	.045	.53	14.28	254.	299.
96	3193.	2.03	4.67	AUS	3.5	AUS	50.00	33.6	1.007	.058	.65	14.15	758.	330.
97	3201.	3.94	5.50	AUS	4.1	AUS	50.00	33.5	1.008	.061	.68	14.12	1378.	381.
98	3194.	6.04	6.80	AUS	5.1	AUS	50.00	33.4	1.009	.059	.65	14.20	2170.	404.
99	3194.	8.07	8.24	AUS	6.2	AUS	50.00	33.7	1.007	.058	.64	14.35	2772.	425.
100	3194.	10.02	9.58	AUS	7.2	AUS	50.00	27.8	.993	.047	.64	14.07	2639.	424.
101	3194.	12.03	10.82	AUS	8.1	AUS	50.00	29.2	1.001	.047	.61	14.19	3078.	416.
102	3202.	14.03	12.17	AUS	9.1	AUS	50.00	28.0	1.002	.046	.59	14.27	3471.	386.
103	3202.	15.47	15.13	AUS	11.3	AUS	50.00	27.9	.858	0.000	5.01	11.83	1036.	562.
104	3405.	.01	3.41	AUS	2.5	AUS	50.00	35.0	.999	.041	.57	13.84	294.	280.
105	3398.	2.02	4.87	AUS	3.6	AUS	50.00	35.1	1.000	.050	.67	13.72	790.	322.
106	3405.	3.99	6.06	AUS	4.5	AUS	50.00	34.9	1.000	.052	.70	13.70	1458.	389.
107	3399.	6.03	7.08	AUS	5.3	AUS	50.00	34.7	1.002	.050	.64	13.78	2235.	406.
108	3398.	7.98	8.67	AUS	6.5	AUS	50.00	35.0	1.002	.048	.61	13.91	2822.	427.
109	3398.	10.00	10.28	AUS	7.7	AUS	50.00	29.0	1.000	.047	.63	14.07	2784.	416.
110	3399.	11.96	11.63	AUS	8.7	AUS	50.00	28.8	1.001	.046	.59	14.21	3181.	395.
111	3398.	14.02	12.87	AUS	9.6	AUS	50.00	28.6	1.001	.047	.62	14.25	3518.	369.
112	3399.	15.46	15.62	AUS	11.7	AUS	50.00	28.8	.876	0.000	4.39	12.19	1305.	516.
113	3501.	.01	3.85	AUS	2.9	AUS	50.00	35.8	1.000	.043	.58	13.82	298.	230.
114	3602.	2.02	4.86	AUS	3.6	AUS	50.00	35.7	1.000	.050	.67	13.72	806.	299.
115	3534.	4.10	6.65	AUS	5.0	AUS	50.00	35.8	1.000	.052	.71	13.71	1548.	369.
116	3602.	6.01	8.13	AUS	6.1	AUS	50.00	35.9	1.001	.053	.69	13.79	2323.	391.
117	3682.	7.92	9.48	AUS	7.1	AUS	50.00	35.5	1.002	.049	.63	13.98	2903.	418.
118	3601.	10.03	10.86	AUS	8.1	AUS	50.00	30.8	1.000	.048	.64	14.15	2988.	402.
119	3534.	12.02	12.20	AUS	9.2	AUS	50.00	29.7	1.002	.046	.59	14.27	3330.	377.
120	3595.	14.02	14.17	AUS	10.6	AUS	50.00	29.6	1.000	.046	.62	14.31	3637.	353.
121	3602.	15.29	16.60	AUS	12.4	AUS	50.00	29.6	.872	0.000	4.54	12.14	1284.	501.
122	3606.	.03	3.91	AUS	2.9	AUS	50.00	36.4	.999	.040	.56	13.91	319.	191.

	DRZ 1/NIN	BRL KP	LYRPLU 2/H	DURCHLZT S	KRSTMS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
123	3798.	2.00	5.41	AUS	50.00	AUS	4.0	36.2	1.000	.048	.64	13.82	851.	273.
124	3806.	3.98	7.08	AUS	50.00	AUS	5.3	36.1	1.002	.049	.64	13.83	1680.	351.
125	3798.	5.97	8.59	AUS	50.00	AUS	6.4	36.0	1.002	.050	.64	13.94	2451.	384.
126	3798.	8.03	9.95	AUS	50.00	AUS	7.4	36.3	1.002	.049	.63	14.07	3053.	403.
127	3798.	10.00	11.23	AUS	50.00	AUS	8.4	32.5	1.001	.047	.61	14.21	3279.	395.
128	3798.	11.99	13.01	AUS	50.00	AUS	9.7	29.8	1.001	.045	.60	14.29	3470.	360.
129	3799.	13.98	14.25	AUS	50.00	AUS	10.6	30.3	1.000	.045	.61	14.33	3750.	350.
130	3798.	15.17	17.04	AUS	50.00	AUS	12.7	30.5	.885	0.000	4.05	12.41	1521.	477.
131	4002.	.01	4.76	AUS	50.00	AUS	3.6	36.5	.998	.039	.56	13.90	350.	193.
132	4002.	1.98	6.06	AUS	50.00	AUS	4.5	36.5	1.000	.046	.61	13.86	992.	262.
133	3995.	4.04	7.16	AUS	50.00	AUS	5.3	36.4	1.002	.048	.62	13.89	1915.	350.
134	4002.	5.97	8.72	AUS	50.00	AUS	6.5	36.4	1.002	.049	.62	13.99	2663.	384.
135	3995.	8.04	10.30	AUS	50.00	AUS	7.7	36.4	1.003	.049	.62	14.12	3261.	396.
136	3995.	10.01	11.75	AUS	50.00	AUS	8.8	33.3	1.003	.046	.56	14.26	3471.	385.
137	3995.	12.04	13.35	AUS	50.00	AUS	10.0	30.7	1.003	.044	.55	14.35	3631.	362.
138	4002.	13.99	15.23	AUS	50.00	AUS	11.4	30.8	1.003	.043	.51	14.38	3954.	348.
139	4002.	15.16	17.88	AUS	50.00	AUS	13.4	30.8	.895	0.000	3.76	12.60	1707.	469.
140	4198.	.00	5.02	AUS	50.00	AUS	3.7	38.0	.999	.038	.53	13.95	413.	184.
141	4198.	2.00	6.19	AUS	50.00	AUS	4.6	38.0	.993	.047	.65	13.86	1181.	273.
142	4198.	4.00	7.48	AUS	50.00	AUS	5.6	37.9	1.000	.050	.67	13.90	2084.	355.
143	4198.	6.00	9.25	AUS	50.00	AUS	6.9	37.8	1.000	.050	.67	14.02	2860.	395.
144	4198.	7.99	10.69	AUS	50.00	AUS	8.0	37.6	1.001	.049	.64	14.15	3445.	397.
145	4198.	10.03	12.72	AUS	50.00	AUS	9.5	34.4	1.000	.048	.64	14.25	3565.	392.
146	4193.	12.10	14.57	AUS	50.00	AUS	10.9	31.7	1.001	.045	.59	14.31	3744.	364.
147	4199.	13.99	16.02	AUS	50.00	AUS	12.0	31.5	1.001	.045	.58	14.33	4044.	345.
148	4198.	15.02	18.30	AUS	50.00	AUS	13.7	31.7	.922	0.000	2.84	13.07	2295.	440.
149	4402.	.01	4.94	AUS	50.00	AUS	3.7	38.8	.998	.039	.56	13.91	514.	193.
150	4394.	2.01	6.45	AUS	50.00	AUS	4.8	38.5	.998	.049	.70	13.81	1346.	297.
151	4402.	4.00	8.13	AUS	50.00	AUS	6.1	38.8	.998	.051	.71	13.88	2309.	377.
152	4394.	5.99	9.85	AUS	50.00	AUS	7.4	38.7	1.003	.051	.64	14.00	3125.	386.
153	4402.	7.98	11.51	AUS	50.00	AUS	8.6	38.5	1.002	.049	.62	14.13	3664.	395.
154	4402.	10.00	13.32	AUS	50.00	AUS	9.9	34.3	1.002	.046	.59	14.24	3714.	389.
155	4402.	12.02	15.43	AUS	50.00	AUS	11.5	32.6	1.002	.045	.57	14.28	3949.	362.
156	4394.	14.01	17.10	AUS	50.00	AUS	12.8	32.6	1.001	.045	.59	14.30	4224.	338.
157	4402.	15.86	19.64	AUS	50.00	AUS	14.7	32.5	.898	0.000	3.65	12.56	1901.	456.
158	4597.	.07	5.52	AUS	50.00	AUS	4.1	39.3	.935	.042	.64	13.84	652.	231.
159	4598.	2.09	7.04	AUS	50.00	AUS	5.3	39.5	.998	.050	.69	13.81	1677.	324.
160	4598.	4.06	8.57	AUS	50.00	AUS	6.4	39.4	.999	.053	.73	13.87	2606.	380.
161	4602.	6.02	10.27	AUS	50.00	AUS	7.7	38.9	1.005	.054	.64	14.26	3488.	370.
162	4594.	8.05	12.13	AUS	50.00	AUS	9.1	39.0	1.005	.051	.58	14.39	4054.	390.
163	4594.	10.02	13.73	AUS	50.00	AUS	10.2	32.9	1.005	.048	.55	14.50	3891.	375.
164	4001.	12.03	16.04	AUS	50.00	AUS	12.0	32.6	1.005	.048	.55	14.52	4191.	351.
165	4001.	14.02	18.08	AUS	50.00	AUS	13.5	32.7	1.005	.047	.55	14.55	4502.	327.
166	4601.	14.70	20.73	AUS	50.00	AUS	15.5	32.6	.893	0.000	3.86	12.72	1933.	443.
167	4795.	.05	5.65	AUS	50.00	AUS	4.2	40.0	1.000	.043	.58	14.20	907.	224.

	DKZ 1/MIN	BRL KP	TRPLU L/H	DURCHLZT S	KRSTHMAS G	KRSTDS KG/H	CRSTPLU KG/H	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	COZ PROZ	NO PPH	G3H8 PPH
168	4803.	2.00	7.20	AUS	50.00	AUS	5.4	39.9	1.003	.052	.64	14.16	1848.	307.
169	4795.	3.95	8.79	AUS	50.00	AUS	6.6	39.7	1.005	.055	.65	14.21	2900.	386.
170	4795.	6.07	10.75	AUS	50.00	AUS	8.0	39.4	1.008	.052	.58	14.39	3707.	376.
171	4303.	7.98	13.12	AUS	50.00	AUS	9.8	33.4	1.005	.054	.63	14.45	4126.	392.
172	4603.	10.00	15.10	AUS	50.00	AUS	11.3	33.5	1.005	.051	.57	14.56	4059.	377.
173	4795.	12.01	16.87	AUS	50.00	AUS	12.6	33.1	1.005	.049	.57	14.57	4335.	351.
174	4803.	13.96	13.15	AJS	50.00	AUS	14.3	33.1	1.007	.046	.49	14.62	4736.	324.
175	4803.	14.48	21.64	AUS	50.00	AUS	16.2	32.6	.833	0.000	3.67	12.84	2087.	435.
176	4993.	.61	6.30	AUS	50.00	AUS	4.7	39.8	.998	.044	.64	14.10	914.	224.
177	5000.	2.05	8.11	AUS	50.00	AUS	6.1	40.0	1.003	.050	.62	14.22	2135.	324.
178	4998.	3.95	9.71	AUS	50.00	AUS	7.3	40.0	1.005	.054	.62	14.26	3023.	365.
179	4997.	5.97	11.22	AUS	50.00	AUS	8.4	39.8	1.007	.052	.58	14.39	3917.	377.
180	4998.	8.00	13.42	AUS	50.00	AUS	10.0	40.1	1.003	.051	.54	14.49	4429.	389.
181	4997.	10.03	15.86	AUS	50.00	AUS	11.8	33.5	1.008	.047	.50	14.55	4264.	367.
182	4998.	12.02	17.76	AUS	50.00	AUS	13.3	33.7	1.006	.048	.53	14.56	4420.	337.
183	4997.	13.97	20.07	AUS	50.00	AUS	15.0	33.6	1.027	.046	.49	14.59	4819.	310.
184	5005.	14.25	22.41	AUS	50.00	AUS	16.7	33.7	.903	0.000	3.53	12.96	2228.	426.
185	5199.	.03	6.37	AJS	50.00	AUS	4.8	39.5	.994	.044	.70	14.21	759.	225.
186	5199.	1.33	8.16	AUS	50.00	AUS	6.1	39.7	.933	.054	.73	14.20	1936.	320.
187	5202.	3.77	10.10	AUS	50.00	AUS	7.5	39.5	1.004	.054	.65	14.35	2988.	347.
188	5199.	5.95	11.82	AUS	50.00	AUS	8.8	39.3	1.003	.052	.55	14.49	3909.	366.
189	5203.	8.01	14.24	AUS	50.00	AUS	10.6	39.6	1.009	.052	.55	14.54	4453.	373.
190	5200.	9.96	16.41	AUS	50.00	AUS	12.3	33.1	1.007	.049	.53	14.56	4187.	352.
191	5200.	12.02	18.69	AUS	50.00	AUS	14.0	33.2	1.007	.048	.52	14.61	4478.	325.
192	5200.	13.95	21.15	AUS	50.00	AUS	15.8	33.4	1.008	.047	.49	14.63	4808.	303.
193	5200.	14.10	23.02	AUS	50.00	AUS	17.2	32.9	.908	0.000	3.34	13.07	2341.	421.
194	5402.	.01	6.77	AUS	50.00	AUS	5.1	39.9	.937	.039	.58	14.38	701.	181.
195	5403.	1.33	8.48	AUS	50.00	AUS	6.3	39.8	1.003	.046	.57	14.40	1819.	260.
196	5402.	3.92	10.52	AUS	50.00	AUS	7.9	40.0	1.006	.053	.62	14.40	2993.	328.
197	5403.	6.11	12.78	AUS	50.00	AUS	9.5	39.9	1.008	.053	.56	14.54	3963.	363.
198	5395.	7.37	15.07	AUS	50.00	AUS	11.3	39.8	1.009	.050	.52	14.59	4447.	378.
199	5395.	9.96	17.43	AJS	50.00	AUS	13.0	32.6	1.007	.047	.51	14.57	4163.	345.
200	5402.	12.00	19.84	AUS	50.00	AUS	14.8	33.0	1.007	.045	.48	14.63	4460.	324.
202	5402.	13.78	23.74	AUS	50.00	AUS	17.7	34.1	.910	0.000	3.24	13.11	2483.	436.
203	5597.	.02	6.67	AJS	50.00	AUS	5.0	39.9	.997	.036	.53	14.46	687.	182.
204	5606.	1.35	8.74	AUS	50.00	AUS	6.5	39.7	1.001	.045	.58	14.50	1821.	249.
205	5606.	3.94	10.90	AUS	50.00	AUS	8.1	40.0	1.004	.051	.61	14.48	3081.	316.
206	5605.	5.96	13.43	AUS	50.00	AUS	10.0	40.0	1.005	.052	.59	14.54	3943.	352.
207	5598.	7.98	15.95	AUS	50.00	AUS	11.9	38.8	1.007	.052	.58	14.57	4275.	369.
208	5606.	9.04	18.30	AUS	50.00	AUS	13.7	33.6	1.005	.046	.52	14.59	4160.	351.
209	5598.	12.03	20.91	AUS	50.00	AUS	15.6	33.7	1.005	.046	.53	14.64	4366.	314.
210	5606.	13.33	24.31	AUS	50.00	AUS	18.2	33.6	.911	0.000	3.20	13.16	2478.	459.
211	5600.	.02	7.64	AUS	50.00	AUS	5.7	39.9	.938	.030	.45	14.63	613.	115.
212	5600.	2.00	9.59	AUS	50.00	AUS	7.2	40.1	1.001	.043	.56	14.55	1736.	223.
213	5600.	3.37	11.46	AUS	50.00	AUS	8.6	40.0	1.004	.049	.60	14.53	3089.	288.

WOTR1914012X022

	DRZ 1/MIN	BRL KP	LTRPLU -/H	DURCHLZT S	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
214	5800.	6.02	14.05	AUS	50.00	AUS	10.5	1.007	.050	.55	14.57	3976.	352.
215	5801.	7.98	16.69	AUS	50.00	AUS	12.5	1.007	.050	.56	14.59	4142.	361.
216	5801.	10.03	19.50	AUS	50.00	AUS	14.6	1.008	.048	.50	14.65	4247.	334.
217	5801.	11.94	22.03	AUS	50.00	AUS	16.5	1.009	.049	.51	14.66	4532.	317.
218	5800.	12.86	25.05	AUS	50.00	AUS	18.7	.910	0.000	3.32	13.11	2423.	460.
219	6003.	.00	8.19	AUS	50.00	AUS	6.1	1.001	.033	.44	14.73	625.	107.
220	6003.	1.09	9.41	AUS	50.00	AUS	7.0	1.006	.042	.46	14.71	1108.	155.
221	5995.	4.15	12.39	AUS	50.00	AUS	9.3	1.012	.059	.59	14.63	3044.	268.
222	5996.	6.04	14.92	AUS	50.00	AUS	11.1	1.015	.062	.57	14.64	3769.	326.
223	6004.	8.33	18.25	AUS	50.00	AUS	13.6	1.015	.058	.53	14.70	3702.	318.
224	5996.	9.96	20.79	AUS	50.00	AUS	15.5	1.014	.056	.51	14.71	4041.	303.
225	5996.	12.02	23.28	AUS	50.00	AUS	17.4	1.013	.056	.52	14.72	4435.	294.
227	5996.	12.33	25.71	AUS	50.00	AUS	19.2	.912	.105	3.44	13.09	2224.	460.
228	1210.	-1.19	1.50	AUS	50.00	AUS	1.1	.950	.051	1.87	13.13	55.	1017.
229	1407.	-1.60	1.64	AUS	50.00	AUS	1.2	.967	.091	1.80	12.67	42.	2289.
230	1605.	-1.90	1.62	AUS	50.00	AUS	1.2	.983	.136	2.07	11.71	30.	4150.
231	1804.	-2.23	1.61	AUS	50.00	AUS	1.2	.993	.180	2.33	10.54	21.	6341.
232	2000.	-2.52	1.52	AUS	50.00	AUS	1.1	1.005	.214	2.59	9.94	18.	7521.
233	2000.	-1.92	1.93	AUS	50.00	AUS	1.4	.990	.080	1.24	12.71	43.	3468.
234	2203.	-2.71	1.53	AUS	50.00	AUS	1.1	1.023	.269	2.93	9.07	16.	8521.
235	2200.	-1.97	1.93	AUS	50.00	AUS	1.5	.983	.077	1.22	12.70	46.	3414.
236	2403.	-2.84	1.76	AUS	50.00	AUS	1.3	.963	0.030	3.35	7.98	15.	10815.
237	2405.	-1.32	2.21	AUS	50.00	AUS	1.7	1.000	.065	.87	13.16	53.	2482.
238	2605.	-3.00	1.77	AUS	50.00	AUS	1.3	.935	0.090	3.87	6.91	15.	13767.
239	2606.	-1.98	2.26	AUS	50.00	AUS	1.7	.975	.025	.93	12.96	50.	4273.
240	2816.	-3.06	1.76	AUS	50.00	AUS	1.3	.947	0.030	3.90	6.42	15.	14553.
241	2814.	-1.95	2.64	AUS	50.00	AUS	2.0	.957	0.000	.89	13.15	55.	5110.
242	3000.	-3.16	1.92	AUS	50.00	AUS	1.4	.948	0.030	3.98	6.05	15.	15254.
243	3001.	-1.85	2.66	AUS	50.00	AUS	2.0	.967	0.030	.86	13.15	60.	4736.
244	3208.	-3.28	2.00	AUS	50.00	AUS	1.5	.953	0.000	4.07	5.54	15.	16205.
245	3208.	-2.03	2.53	AUS	50.00	AUS	1.9	.978	.048	1.05	12.70	54.	5565.
246	3402.	-3.43	1.77	AUS	50.00	AUS	1.3	.952	0.000	4.22	5.20	16.	16741.
247	3402.	-1.89	2.93	AUS	50.00	AUS	2.2	.954	6.000	.82	13.31	69.	5450.
248	3598.	-3.55	1.93	AUS	50.00	AUS	1.5	.942	0.000	4.46	4.40	16.	16615.
249	3598.	-1.78	2.90	AUS	50.00	AUS	2.2	.918	0.000	.72	13.58	79.	7292.
250	3809.	-3.67	1.97	AUS	50.00	AUS	1.5	.949	0.000	4.48	4.56	16.	17836.
251	3809.	-1.90	2.79	AUS	50.00	AUS	2.1	.935	0.000	.70	13.58	76.	5616.
252	4005.	-3.84	2.17	AUS	50.00	AUS	1.6	.975	0.000	4.67	3.18	17.	20000.
253	4005.	-1.89	3.02	AUS	50.00	AUS	2.3	.910	0.030	.66	13.74	82.	6901.
254	4209.	-4.00	2.03	AUS	50.00	AUS	1.5	1.009	0.000	4.56	2.82	17.	20000.
255	4203.	-1.97	3.15	AUS	50.00	AUS	2.4	.915	0.030	.62	13.83	85.	6243.
256	4406.	-1.10	2.64	AUS	50.00	AUS	1.5	1.030	0.000	4.40	4.11	17.	17092.
257	4406.	-1.87	3.44	AUS	50.00	AUS	2.6	.925	0.000	.60	13.88	105.	5426.
258	4599.	-4.26	2.37	AUS	50.00	AUS	1.8	.992	0.000	4.61	3.66	17.	18056.
259	4600.	-1.36	3.50	AUS	50.00	AUS	2.6	.920	0.000	.65	13.80	112.	5804.

	DRZ 1/MIN	BRL Kp	TRPLU -/H	JUNCHLZT S	KRSTMAS G	KRSTDS KG/H	KRSIPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
260	4804.	-4.46	1.74	AUS	50.00	AUS	1.3	25.1	.960	0.000	4.99	4.26	18.	16495.
261	4804.	-1.89	3.66	AUS	50.00	AUS	2.7	40.0	.919	0.000	.51	14.11	142.	5517.
262	5005.	-4.62	2.46	AUS	50.00	AUS	1.8	25.0	.926	0.000	5.61	5.36	21.	12831.
263	5005.	-2.00	4.02	AUS	50.00	AUS	3.0	39.8	.949	0.000	.53	14.09	150.	3451.
264	5206.	-5.17	2.52	AUS	50.00	AUS	1.9	24.7	.834	0.000	6.82	4.00	20.	17666.
265	5193.	-3.91	3.27	AUS	50.00	AUS	2.4	39.4	1.233	.485	2.12	10.80	34.	5119.
266	5198.	-2.12	4.17	AUS	50.00	AUS	3.1	39.6	1.003	.047	.48	14.29	161.	950.
267	5403.	-5.92	2.30	AUS	50.00	AUS	1.7	24.4	.810	0.000	7.82	4.73	23.	13751.
268	5403.	-3.99	3.77	AUS	50.00	AUS	2.8	40.1	1.011	.053	.52	14.09	110.	2024.
269	5403.	-1.96	4.60	AUS	50.00	AUS	3.4	39.7	1.000	.035	.47	14.36	211.	1154.
270	5606.	-6.42	2.34	AUS	50.00	AUS	1.7	24.0	.821	0.000	7.67	4.34	24.	14672.
271	5602.	-3.97	4.23	AUS	50.00	AUS	3.2	40.6	.997	.037	.55	14.02	107.	3450.
272	5604.	-2.02	5.01	AUS	50.00	AUS	3.7	39.4	.983	.028	.59	14.29	202.	1699.
273	5805.	-6.84	1.92	AUS	50.00	AUS	1.4	25.9	.854	0.000	6.74	6.80	43.	8845.
274	5812.	-5.73	3.95	AUS	50.00	AUS	3.0	40.5	1.138	.246	1.07	12.95	63.	4196.
275	5811.	-4.05	4.27	AUS	50.00	AUS	3.2	38.2	.994	.025	.44	14.32	121.	1804.
276	5811.	-1.96	5.39	AUS	50.00	AUS	4.0	40.0	.989	.028	.58	14.43	237.	1153.
277	6013.	-7.70	2.01	AUS	50.00	AUS	1.5	25.2	.841	0.000	7.27	5.60	39.	11255.
278	6015.	-5.98	4.27	AUS	50.00	AUS	3.2	40.1	1.037	.094	.65	13.75	86.	4003.
279	6013.	-3.71	4.44	AUS	50.00	AUS	3.3	39.8	.985	0.000	.48	14.31	135.	1714.
280	6014.	-2.00	5.75	AUS	50.00	AUS	4.3	38.0	.984	0.000	.55	14.52	233.	1191.

	DKZ 1/MIN	SKL KP	O2 PROZ	DKL DEG	DKLPST DEG	OE-DR KP/CM2	DELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFIPLU L/H	LFGR 1	LFTEUCH 1	DICHTE KG/L
1	1002.	.13	.24	14.1	3.0	3.0	68.6	19.3	741.6	AUS	9864.	AUS	.600	.747
2	1002.	1.98	.23	20.7	8.1	3.1	67.2	19.7	741.6	AUS	17091.	AUS	.600	.747
3	1002.	3.91	.26	20.3	7.8	3.2	66.5	19.6	741.6	AUS	18558.	AUS	.600	.747
4	1002.	6.00	.28	23.8	11.2	3.2	66.5	19.5	741.6	AUS	18801.	AUS	.600	.747
5	994.	8.05	.32	26.8	14.5	3.2	67.3	19.4	741.6	AUS	22757.	AUS	.600	.747
6	1002.	9.36	.36	32.0	21.9	3.2	66.7	19.7	741.6	AUS	24641.	AUS	.600	.747
7	1002.	11.95	.26	47.6	43.1	3.1	67.4	19.8	741.6	AUS	32915.	AUS	.600	.747
8	1002.	11.81	.18	85.1	84.8	3.1	67.8	20.0	741.6	AUS	30480.	AUS	.600	.747
9	1198.	.03	.22	18.5	5.2	3.8	68.4	20.2	741.6	AUS	17639.	AUS	.600	.747
10	1206.	2.08	.26	22.0	9.3	3.8	68.0	20.0	741.6	AUS	19565.	AUS	.600	.747
11	1198.	4.11	.32	24.3	11.3	3.8	68.0	19.9	741.6	AUS	24554.	AUS	.600	.747
12	1206.	5.98	.40	26.5	14.1	3.8	68.1	20.1	741.6	AUS	25805.	AUS	.600	.747
13	1199.	8.01	.49	30.4	19.3	3.7	69.0	20.2	741.6	AUS	31043.	AUS	.600	.747
14	1199.	10.01	.51	37.6	29.3	3.7	69.0	20.3	741.6	AUS	35794.	AUS	.600	.747
15	1199.	11.96	.19	63.8	60.7	3.6	69.1	20.2	741.6	AUS	36278.	AUS	.600	.747
16	1198.	11.61	.16	85.1	84.8	3.5	69.5	20.2	741.6	AUS	35259.	AUS	.600	.747
17	1394.	-0.1	.25	20.4	7.8	4.2	68.9	20.2	741.6	AUS	13385.	AUS	.600	.747
18	1402.	2.21	.31	23.2	10.6	4.3	70.2	20.5	741.6	AUS	21677.	AUS	.600	.747
19	1395.	4.03	.37	24.3	11.7	4.2	67.3	20.2	741.6	AUS	23778.	AUS	.600	.747
20	1395.	6.00	.52	27.9	15.7	4.2	69.3	20.3	741.6	AUS	29087.	AUS	.600	.747
21	1403.	7.36	.56	31.6	20.4	4.2	68.3	20.2	741.6	AUS	33587.	AUS	.600	.747
22	1403.	10.03	.56	38.5	24.8	4.2	69.6	20.2	741.6	AUS	39218.	AUS	.600	.747
23	1395.	11.96	.24	59.9	60.8	4.1	71.0	20.4	741.6	AUS	42487.	AUS	.600	.747
24	1402.	11.98	.17	85.0	84.7	4.0	68.8	20.1	741.6	AUS	42387.	AUS	.600	.747
25	1598.	-2.1	.31	22.8	10.2	4.7	68.9	20.0	741.6	AUS	16812.	AUS	.600	.747
26	1599.	1.87	.37	24.8	12.3	4.8	67.9	20.5	741.6	AUS	22060.	AUS	.600	.747
27	1607.	3.94	.53	25.1	12.6	4.8	68.2	20.1	741.6	AUS	26294.	AUS	.600	.747
28	1599.	6.00	.56	28.1	16.0	4.8	69.0	20.1	741.6	AUS	32842.	AUS	.600	.747
29	1599.	8.03	.54	31.9	20.8	4.7	68.4	20.0	741.6	AUS	39357.	AUS	.600	.747
30	1599.	10.00	.63	37.0	27.7	4.6	70.3	20.0	741.6	AUS	41956.	AUS	.600	.747
31	1599.	11.92	.62	50.6	47.6	4.5	69.6	20.0	741.6	AUS	46667.	AUS	.600	.747
32	1599.	12.95	.17	84.2	84.4	4.4	71.2	20.0	741.6	AUS	50210.	AUS	.600	.747

DRZ 1/MIN	BRL KP	O2 PROZ	OKL DEG	OKLPGST DEG	QELOR KP/CM2	QELTEMP CEL	QELTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH KG/L	DICHTE KG/L
33	1803.	01	23.5	10.9	5.2	69.8	19.8	741.6	AUS	21462.	AUS	.600	.747
34	1803.	1.92	24.3	11.8	5.2	68.8	19.5	741.6	AUS	23635.	AUS	.600	.747
35	1803.	3.98	26.7	14.6	5.2	68.7	19.9	741.6	AUS	27891.	AUS	.600	.747
36	1795.	6.03	29.4	17.6	5.2	69.8	19.7	741.6	AUS	35845.	AUS	.600	.747
37	1803.	7.32	32.2	21.3	5.1	72.2	19.6	741.6	AUS	42000.	AUS	.600	.747
38	1795.	10.02	37.3	27.9	5.0	70.4	19.8	741.6	AUS	49572.	AUS	.600	.747
39	1795.	11.99	46.7	42.0	4.9	72.5	19.7	741.6	AUS	54730.	AUS	.600	.747
40	1803.	13.74	81.2	82.9	4.7	71.8	19.6	741.6	AUS	58148.	AUS	.600	.747
41	1999.	-01	24.4	11.8	5.7	72.1	19.8	741.6	AUS	18865.	AUS	.600	.747
42	1999.	1.97	24.6	12.0	5.6	70.4	19.3	741.6	AUS	25608.	AUS	.600	.747
43	1999.	3.95	27.6	15.5	5.6	71.8	19.5	741.6	AUS	27401.	AUS	.600	.747
44	1999.	5.03	30.2	18.6	5.6	71.7	19.5	741.6	AUS	37459.	AUS	.600	.747
45	1999.	7.90	33.0	22.3	5.5	71.5	19.5	741.6	AUS	48919.	AUS	.600	.747
46	1999.	10.08	37.5	28.4	5.4	73.3	19.8	741.6	AUS	50923.	AUS	.600	.747
47	1999.	11.95	44.5	38.6	5.2	73.5	20.0	741.6	AUS	57360.	AUS	.600	.747
48	2008.	13.95	66.6	63.5	5.1	73.5	20.0	741.6	AUS	64332.	AUS	.600	.747
49	1999.	14.31	84.6	84.6	5.0	74.7	20.0	741.6	AUS	63935.	AUS	.600	.747
50	2203.	03	24.3	11.7	6.1	75.1	20.0	741.6	AUS	22742.	AUS	.600	.747
51	2204.	1.95	25.9	13.5	6.1	73.3	19.9	741.6	AUS	24441.	AUS	.600	.747
52	2204.	4.04	29.3	17.5	6.0	72.4	19.7	741.6	AUS	31250.	AUS	.600	.747
53	2204.	6.03	31.1	13.8	6.0	72.9	20.0	741.6	AUS	37736.	AUS	.600	.747
54	2196.	8.01	34.0	23.5	5.8	74.4	19.6	741.6	AUS	48074.	AUS	.600	.747
55	2204.	9.99	39.0	30.5	5.7	74.6	19.7	741.6	AUS	55171.	AUS	.600	.747
56	2196.	12.01	46.5	41.5	5.6	74.7	19.7	741.6	AUS	65908.	AUS	.600	.747
57	2196.	13.93	64.1	66.5	5.4	75.2	19.7	741.6	AUS	68636.	AUS	.600	.747
58	2204.	14.41	84.0	84.3	5.4	75.9	19.5	741.6	AUS	70126.	AUS	.600	.747
59	2399.	01	24.7	11.9	6.2	74.8	19.8	741.6	AUS	23342.	AUS	.600	.747
60	2400.	1.97	27.5	15.3	6.2	73.4	19.8	741.6	AUS	27988.	AUS	.600	.747
61	2400.	4.00	30.2	18.5	6.2	73.0	19.9	741.6	AUS	37179.	AUS	.600	.747
62	2400.	6.02	32.1	21.2	6.2	76.0	19.6	741.6	AUS	40929.	AUS	.600	.747
63	2400.	8.00	35.2	24.9	6.1	75.5	19.6	741.6	AUS	52767.	AUS	.600	.747
64	2400.	9.99	40.1	32.0	6.1	77.1	19.6	741.6	AUS	59709.	AUS	.600	.747
65	2400.	12.00	47.6	43.7	6.0	77.6	19.6	741.6	AUS	70375.	AUS	.600	.747
66	2403.	14.00	63.3	65.1	5.8	76.8	19.9	741.6	AUS	76901.	AUS	.600	.747
67	2400.	14.48	84.5	84.5	5.6	77.9	19.5	741.6	AUS	76209.	AUS	.600	.747
68	2496.	01	24.8	12.3	6.3	76.7	19.6	741.6	AUS	24637.	AUS	.600	.747
69	2496.	2.08	28.1	16.1	6.3	76.2	19.6	741.6	AUS	29368.	AUS	.600	.747
70	2497.	3.98	30.3	18.7	6.3	76.0	19.6	741.6	AUS	36455.	AUS	.600	.747
71	2605.	6.01	33.1	22.3	6.3	75.8	19.8	741.6	AUS	46096.	AUS	.600	.747
72	2497.	8.05	36.3	26.7	6.3	76.5	20.0	741.6	AUS	58434.	AUS	.600	.747
73	2497.	10.04	41.5	34.1	6.2	77.6	19.8	741.6	AUS	63249.	AUS	.600	.747
74	2497.	11.99	48.9	43.0	6.2	77.6	20.0	741.6	AUS	72227.	AUS	.600	.747
75	2497.	14.01	62.5	64.4	6.1	78.5	19.6	741.6	AUS	83383.	AUS	.600	.747
76	2497.	14.75	84.4	84.5	6.0	78.8	20.0	741.6	AUS	83454.	AUS	.600	.747
77	2601.	04	25.5	13.1	6.4	79.1	19.8	741.6	AUS	26688.	AUS	.600	.747

00100519.14.11/1997

	JRZ 1/MIN	BRL KP	O2 PROZ	OKL DEG	DKLPST DEG	OELOR KP/CH2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
78	2793.	2.01	.70	28.5	16.5	6.5	75.0	19.5	741.6	AUS	32675.	AUS	.600	.747
79	2801.	4.03	.74	31.1	13.7	6.5	75.7	19.8	741.6	AUS	40568.	AUS	.600	.747
80	2801.	5.95	.79	33.8	23.3	6.4	76.3	19.7	741.6	AUS	50481.	AUS	.600	.747
81	2801.	7.33	.72	37.0	27.7	6.4	77.1	19.4	741.6	AUS	61419.	AUS	.600	.747
82	2801.	9.97	.52	42.1	35.0	6.4	78.0	19.2	741.6	AUS	71035.	AUS	.600	.747
83	2801.	12.06	.59	49.7	45.2	6.3	80.5	19.3	741.6	AUS	79034.	AUS	.600	.747
84	2801.	14.02	.60	51.4	62.9	6.2	81.0	19.4	741.6	AUS	89854.	AUS	.600	.747
85	2801.	15.05	.21	83.2	84.0	6.2	80.7	19.5	741.6	AUS	93250.	AUS	.600	.747
86	3005.	.01	.34	26.1	13.7	6.5	80.9	19.6	741.6	AUS	24971.	AUS	.600	.747
87	3105.	1.39	.74	29.1	17.2	6.5	79.1	19.5	741.6	AUS	33519.	AUS	.600	.747
88	3205.	4.00	.73	31.8	20.6	6.5	79.1	19.8	741.6	AUS	45943.	AUS	.600	.747
89	3005.	5.93	.74	34.5	24.2	6.4	78.6	19.2	741.6	AUS	53475.	AUS	.600	.747
90	3005.	7.33	.69	38.1	23.2	6.3	79.5	19.3	741.6	AUS	66724.	AUS	.600	.747
91	2998.	10.07	.61	43.4	36.9	6.4	81.4	19.6	741.6	AUS	75036.	AUS	.600	.747
92	2998.	12.02	.61	51.1	43.3	6.3	82.3	19.9	741.6	AUS	87550.	AUS	.600	.747
93	3105.	13.35	.57	60.9	62.2	6.3	83.0	19.6	741.6	AUS	98783.	AUS	.600	.747
94	3005.	15.38	.19	81.3	83.0	6.2	83.8	19.9	741.6	AUS	102153.	AUS	.600	.747
95	3193.	.01	.58	26.5	14.1	6.5	83.4	19.5	741.6	AUS	26178.	AUS	.600	.747
96	3193.	2.03	.71	29.7	18.0	6.5	81.8	19.7	741.6	AUS	39667.	AUS	.600	.747
97	3201.	3.94	.73	32.3	21.2	6.6	81.0	19.7	741.6	AUS	46668.	AUS	.600	.747
98	3194.	6.04	.70	35.5	25.5	6.5	81.0	20.0	741.6	AUS	58264.	AUS	.600	.747
99	3194.	8.17	.55	39.4	30.9	6.5	81.5	19.8	741.6	AUS	69312.	AUS	.600	.747
100	3194.	10.02	.48	44.1	37.8	6.3	84.5	20.2	744.6	AUS	80603.	AUS	.600	.747
101	3194.	12.03	.47	52.3	50.1	6.3	84.4	20.0	744.6	AUS	91256.	AUS	.600	.747
102	3202.	14.03	.44	61.2	62.7	6.3	85.4	20.1	744.6	AUS	102689.	AUS	.600	.747
103	3202.	15.47	.17	80.8	82.7	6.2	86.9	20.0	744.6	AUS	109435.	AUS	.600	.747
104	3405.	.01	.47	27.1	14.8	6.5	85.2	19.8	744.6	AUS	28679.	AUS	.600	.747
105	3398.	2.02	.37	30.2	18.6	6.5	83.9	19.8	744.6	AUS	41018.	AUS	.600	.747
106	3406.	3.99	.38	32.8	22.0	6.6	83.1	19.8	744.6	AUS	51056.	AUS	.600	.747
107	3398.	5.03	.55	36.0	25.2	6.5	83.3	19.6	744.6	AUS	59724.	AUS	.600	.747
108	3398.	7.98	.52	39.9	31.8	6.4	83.7	19.3	744.6	AUS	73222.	AUS	.600	.747
109	3398.	10.00	.48	45.6	40.1	6.2	84.3	19.3	744.6	AUS	86577.	AUS	.600	.747
110	3398.	11.56	.45	53.7	52.2	6.4	85.4	19.5	744.6	AUS	98078.	AUS	.600	.747
111	3393.	14.02	.43	61.8	63.4	6.3	86.6	19.5	744.6	AUS	108466.	AUS	.600	.747
112	3398.	15.48	.17	80.8	82.7	6.3	88.2	19.4	744.6	AUS	115309.	AUS	.600	.747
113	3601.	.01	.47	27.9	16.1	6.6	87.0	19.4	744.6	AUS	32409.	AUS	.600	.747
114	3602.	2.02	.55	31.0	13.6	6.8	86.6	19.7	744.6	AUS	40985.	AUS	.600	.747
115	3594.	4.10	.56	33.8	23.2	6.8	85.1	19.9	744.6	AUS	56040.	AUS	.600	.747
116	3602.	6.01	.56	36.8	27.8	6.7	85.6	19.2	744.6	AUS	68588.	AUS	.600	.747
117	3602.	7.92	.51	41.8	33.1	6.6	87.1	19.8	744.6	AUS	79982.	AUS	.600	.747
118	3603.	10.03	.48	47.0	41.7	6.4	87.5	19.8	744.6	AUS	91518.	AUS	.600	.747
119	3594.	12.02	.44	56.3	55.8	6.3	87.6	19.7	744.6	AUS	103450.	AUS	.600	.747
120	3595.	14.02	.40	62.6	64.6	6.3	88.5	19.7	744.6	AUS	119394.	AUS	.600	.747
121	3602.	15.29	.16	83.2	84.0	6.3	91.3	19.8	744.6	AUS	122026.	AUS	.600	.747
122	3606.	.03	.43	28.4	16.4	6.5	89.2	19.8	744.6	AUS	32919.	AUS	.600	.747

DRZ 1/MIN	BRL KP	O2 PROZ	OKL DEG	OKLPST DEG	DELTMP KPMCH2 CEL	RAUMTEMP CEL	LFTDR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH KG/L	GICHT KG/L
123	3798.	2.00	31.3	20.0	6.6	67.9	19.3	744.6	AUS	45584.	AUS	.600
124	3806.	3.96	34.4	24.0	6.8	86.8	19.7	744.6	AUS	59781.	AUS	.600
125	3798.	5.97	37.8	28.8	6.7	86.9	19.2	744.6	AUS	72526.	AUS	.600
126	3798.	8.03	42.3	35.3	6.6	88.2	19.6	744.6	AUS	83995.	AUS	.600
127	3798.	10.00	46.1	43.9	6.4	89.3	19.5	744.6	AUS	94778.	AUS	.600
128	3798.	11.39	57.1	57.0	6.2	90.5	19.0	744.6	AUS	109722.	AUS	.600
129	3793.	13.98	63.3	65.3	6.3	91.3	19.7	744.6	AUS	120108.	AUS	.600
130	3798.	15.17	83.4	84.1	6.3	93.7	19.4	744.6	AUS	127249.	AUS	.600
131	4002.	.01	29.0	17.1	6.4	91.4	19.3	744.6	AUS	40007.	AUS	.600
132	4002.	1.98	32.2	21.1	6.7	89.5	19.6	744.6	AUS	51026.	AUS	.600
133	3995.	4.04	35.3	25.3	6.8	88.9	19.6	744.6	AUS	60405.	AUS	.600
134	4002.	5.97	38.8	30.3	6.7	88.7	19.6	744.6	AUS	73670.	AUS	.600
135	3995.	8.04	43.4	36.9	6.6	89.8	19.5	744.6	AUS	86985.	AUS	.600
136	3995.	10.01	49.4	45.8	6.5	90.5	19.7	744.6	AUS	99314.	AUS	.600
137	3995.	12.04	57.9	58.1	6.3	91.9	19.5	744.6	AUS	112768.	AUS	.600
138	4002.	13.99	53.5	65.7	6.2	93.9	19.5	744.6	AUS	128657.	AUS	.600
139	4002.	15.16	83.4	84.1	6.2	94.8	19.4	744.6	AUS	134797.	AUS	.600
140	4198.	.00	29.6	17.8	6.4	92.9	19.4	744.6	AUS	42209.	AUS	.600
141	4198.	2.00	32.8	22.0	6.5	91.0	19.2	744.6	AUS	52070.	AUS	.600
142	4198.	4.00	36.0	26.3	6.5	90.8	19.3	744.6	AUS	63017.	AUS	.600
143	4198.	6.00	39.8	31.6	6.4	91.5	19.6	744.6	AUS	78016.	AUS	.600
144	4198.	7.99	44.3	38.3	6.5	92.9	19.6	744.6	AUS	90148.	AUS	.600
145	4198.	10.03	50.8	47.9	6.4	93.2	19.5	744.6	AUS	107212.	AUS	.600
146	4199.	12.16	58.5	58.9	6.3	95.0	19.4	744.6	AUS	122865.	AUS	.600
147	4199.	13.99	64.0	66.4	6.4	97.1	19.8	744.6	AUS	135177.	AUS	.600
148	4198.	15.02	83.9	84.3	6.3	98.2	19.8	744.6	AUS	142854.	AUS	.600
149	4402.	.01	30.1	18.5	6.4	96.2	19.5	744.6	AUS	41534.	AUS	.600
150	4394.	2.01	33.4	22.8	6.5	94.7	19.6	744.6	AUS	54221.	AUS	.600
151	4402.	4.00	36.7	27.3	6.5	94.0	19.7	744.6	AUS	68431.	AUS	.600
152	4394.	5.99	40.8	33.1	6.5	94.7	19.8	744.6	AUS	83232.	AUS	.600
153	4402.	7.98	45.8	40.4	6.4	95.2	19.6	744.6	AUS	97233.	AUS	.600
154	4402.	10.00	52.5	50.4	6.4	96.2	19.7	744.6	AUS	112472.	AUS	.600
155	4402.	12.02	59.2	60.0	6.3	98.1	19.7	744.6	AUS	130289.	AUS	.600
156	4394.	14.01	65.0	67.6	6.4	98.4	19.4	744.6	AUS	144187.	AUS	.600
157	4402.	14.96	84.2	84.4	6.3	99.7	19.5	744.6	AUS	148655.	AUS	.600
158	4597.	.07	31.0	13.5	6.4	99.4	19.8	744.6	AUS	46326.	AUS	.600
159	4598.	2.09	33.9	23.4	6.5	97.9	19.6	744.6	AUS	59218.	AUS	.600
160	4598.	4.00	37.4	28.2	6.5	98.2	19.9	744.6	AUS	72145.	AUS	.600
161	4602.	6.02	41.6	34.2	6.4	96.9	18.9	745.6	AUS	86945.	AUS	.600
162	4594.	8.05	46.9	42.1	6.4	96.1	18.7	745.6	AUS	103388.	AUS	.600
163	4594.	10.02	54.2	52.8	6.4	96.7	18.9	745.6	AUS	116012.	AUS	.600
164	4601.	12.03	59.3	60.0	6.4	96.7	18.6	745.6	AUS	135868.	AUS	.600
165	4601.	14.02	65.5	68.1	6.4	97.6	19.0	745.6	AUS	153030.	AUS	.600
166	4601.	14.70	85.0	84.7	6.3	98.0	18.8	745.6	AUS	156005.	AUS	.600
167	4795.	.05	32.1	21.0	6.2	99.0	19.0	745.6	AUS	47594.	AUS	.600

	DRZ 1/MIN	BRL KP	OZ PROZ	DKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
168	4803.	2.00	.55	34.6	24.4	6.5	96.7	19.0	745.6	AUS	60834.	AUS	.600	.747
169	4795.	3.95	.58	38.1	23.4	6.5	96.5	19.1	745.6	AUS	74472.	AUS	.600	.747
170	4795.	6.07	.54	43.0	36.3	6.5	96.3	19.2	745.6	AUS	91266.	AUS	.600	.747
171	4803.	7.98	.52	48.7	44.7	6.5	97.9	19.0	745.6	AUS	111190.	AUS	.600	.747
172	4803.	10.00	.50	56.8	56.6	6.4	98.7	19.4	745.6	AUS	128099.	AUS	.600	.747
173	4795.	12.01	.45	60.5	61.7	6.4	101.0	19.2	745.6	AUS	142943.	AUS	.600	.747
174	4803.	13.96	.40	66.5	69.4	6.4	101.4	19.1	745.6	AUS	162543.	AUS	.600	.747
175	4803.	14.48	.17	85.0	84.8	6.3	102.5	18.8	745.6	AUS	163962.	AUS	.600	.747
176	4998.	.61	.43	32.5	21.6	6.0	101.8	18.3	745.6	AUS	52910.	AUS	.600	.747
177	5005.	2.05	.53	36.0	26.3	6.2	100.8	18.9	745.6	AUS	68532.	AUS	.600	.747
178	4998.	3.95	.57	39.2	30.7	6.5	100.0	19.1	745.6	AUS	82312.	AUS	.600	.747
179	4997.	5.97	.53	44.1	38.0	6.5	99.5	19.3	745.6	AUS	95204.	AUS	.600	.747
180	4993.	8.00	.51	50.4	47.2	6.5	100.5	19.2	745.6	AUS	114065.	AUS	.600	.747
181	4997.	10.03	.47	57.5	57.6	6.4	101.0	19.1	745.6	AUS	134682.	AUS	.600	.747
182	4998.	12.02	.43	61.3	62.8	6.4	102.7	19.4	745.6	AUS	150633.	AUS	.600	.747
183	4997.	13.97	.39	68.2	71.4	6.4	103.6	19.3	745.6	AUS	170292.	AUS	.600	.747
184	5005.	14.25	.16	85.1	84.8	6.3	105.1	19.5	745.6	AUS	170443.	AUS	.600	.747
185	5193.	.33	.39	33.2	22.5	6.6	102.0	19.4	745.6	AUS	53318.	AUS	.600	.747
186	5193.	1.33	.52	36.5	26.9	6.4	101.3	19.3	745.6	AUS	68682.	AUS	.600	.747
187	5202.	3.77	.54	40.7	32.9	6.2	102.1	19.5	745.6	AUS	85486.	AUS	.600	.747
188	5193.	5.95	.54	45.2	33.5	6.5	102.2	19.7	745.6	AUS	100494.	AUS	.600	.747
189	5203.	8.01	.51	52.1	49.7	6.5	102.9	19.7	745.6	AUS	121036.	AUS	.600	.747
190	5200.	9.96	.47	58.1	58.4	6.5	103.5	19.8	745.6	AUS	139304.	AUS	.600	.747
191	5200.	12.02	.43	62.1	63.8	6.4	104.7	19.9	745.6	AUS	158614.	AUS	.600	.747
192	5200.	13.95	.40	70.9	74.4	6.4	106.8	19.8	745.6	AUS	179598.	AUS	.600	.747
193	5200.	14.10	.16	85.1	84.8	6.4	106.5	19.3	745.6	AUS	176134.	AUS	.600	.747
194	5402.	.51	.36	34.1	23.7	6.6	103.8	20.0	745.6	AUS	56869.	AUS	.600	.747
195	5403.	1.33	.48	37.3	28.1	6.7	102.1	19.8	745.6	AUS	71660.	AUS	.600	.747
196	5402.	3.92	.54	41.4	34.0	6.6	102.5	20.0	745.6	AUS	89119.	AUS	.600	.747
197	5403.	6.11	.53	47.3	42.7	6.6	102.9	19.9	745.6	AUS	108537.	AUS	.600	.747
198	5395.	7.37	.50	54.0	52.5	6.5	104.7	20.1	745.6	AUS	128104.	AUS	.600	.747
199	5395.	9.96	.45	59.2	53.9	6.5	106.3	20.5	745.6	AUS	147883.	AUS	.600	.747
200	5402.	12.00	.41	63.3	65.4	6.4	107.6	20.0	745.6	AUS	168391.	AUS	.600	.747
202	5402.	13.78	.15	85.2	84.8	6.3	108.5	19.7	745.6	AUS	182060.	AUS	.600	.747
203	5597.	.02	.34	35.2	25.1	6.6	106.3	19.3	745.6	AUS	56038.	AUS	.600	.747
204	5606.	1.95	.44	38.5	23.7	6.6	104.2	19.9	745.6	AUS	73725.	AUS	.600	.747
205	5606.	3.34	.50	42.7	35.9	6.6	104.7	20.8	745.6	AUS	92227.	AUS	.600	.747
206	5605.	5.96	.50	48.3	44.1	6.6	105.9	19.9	745.6	AUS	113904.	AUS	.600	.747
207	5598.	7.98	.49	56.8	56.6	6.4	107.0	20.1	745.6	AUS	135299.	AUS	.600	.747
208	5685.	9.94	.43	59.8	60.7	6.4	107.2	19.7	745.6	AUS	155062.	AUS	.600	.747
209	5598.	12.03	.39	64.6	67.0	6.4	108.4	19.8	745.6	AUS	177218.	AUS	.600	.747
210	5598.	13.33	.15	84.2	84.4	6.4	110.1	19.8	745.6	AUS	186655.	AUS	.600	.747
211	5800.	.62	.27	36.4	26.8	6.6	107.4	20.0	745.6	AUS	64214.	AUS	.600	.747
212	5800.	2.00	.41	39.8	31.6	6.7	106.1	19.4	745.6	AUS	80877.	AUS	.600	.747
213	5800.	3.97	.46	44.1	37.9	6.6	105.7	19.3	745.6	AUS	96922.	AUS	.600	.747

LFIFEUCH
KG/L

LFGR
1

LFPLU
L/H

LFIDSL
L/H

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

LFIDR
TORR

	ORZ 1/MIN	BRL KP	O2 PROZ	DKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/M	LFTPLU L/M	LFGR 1	LFTFEUCH 1	DICHTE KG/L
260	4804.	-4.46	15.38	0.0	.4	6.7	92.0	19.1	745.6	AUS	14084.	AUS	.600	.747
261	4804.	-1.99	1.15	25.9	13.6	6.7	93.4	19.5	745.6	AUS	28334.	AUS	.600	.747
262	5005.	-4.62	11.24	0.0	.4	6.7	94.4	19.3	745.6	AUS	19159.	AUS	.600	.747
263	5001.	-2.00	.99	26.7	14.5	6.7	95.5	19.3	745.6	AUS	32161.	AUS	.600	.747
264	5206.	-5.17	14.35	.6	.2	6.4	97.7	19.4	745.5	AUS	17714.	AUS	.600	.747
265	5199.	-3.91	8.02	23.7	11.1	6.8	94.8	19.5	745.6	AUS	34188.	AUS	.600	.747
266	5198.	-2.12	.37	27.5	15.3	6.7	96.7	19.7	745.6	AUS	35470.	AUS	.600	.747
267	5403.	-5.92	15.43	.4	.3	5.7	102.7	19.5	745.5	AUS	15718.	AUS	.600	.747
268	5403.	-3.80	1.58	28.3	14.0	5.0	107.4	19.5	745.6	AUS	32158.	AUS	.600	.747
269	5403.	-1.90	.98	28.3	16.3	6.5	105.5	19.8	745.6	AUS	38758.	AUS	.600	.747
270	5806.	-6.42	17.88	.7	.2	4.8	109.1	19.5	745.6	AUS	16178.	AUS	.600	.747
271	5602.	-3.97	2.02	27.0	14.8	4.8	111.3	19.1	745.6	AUS	35501.	AUS	.600	.747
272	5604.	-2.02	.97	29.0	17.2	6.4	109.3	19.3	745.6	AUS	41715.	AUS	.600	.747
273	5805.	-6.84	12.35	1.1	.1	4.5	113.4	19.1	745.6	AUS	13805.	AUS	.600	.747
274	5812.	-5.73	5.38	26.1	13.7	3.5	118.3	19.1	745.6	AUS	37894.	AUS	.600	.747
275	5811.	-4.05	1.35	27.6	15.4	4.3	118.9	19.2	745.6	AUS	35783.	AUS	.600	.747
276	5311.	-1.96	.89	30.1	18.5	6.3	115.0	19.0	745.6	AUS	44897.	AUS	.600	.747
277	6013.	-7.70	16.10	.3	.3	3.3	121.7	19.3	745.6	AUS	14267.	AUS	.600	.747
278	6015.	-5.98	3.18	26.8	14.6	3.2	125.7	19.3	745.6	AUS	37280.	AUS	.600	.747
279	6013.	-3.71	.32	27.1	14.9	6.1	123.4	19.1	745.6	AUS	36868.	AUS	.600	.747
280	6014.	-2.00	.58	30.7	19.2	6.3	120.3	18.8	745.6	AUS	47719.	AUS	.600	.747

	DRZ 1/MIN	BRL KP	SC0 G/KMH	SC02 G/KMH	SC348 G/KMH	SN0X G/KMH	SO2 G/KMH	HC3 G/H	HPCO G/H	HC02 G/H	HPCO2 G/H	HCH2 G/H	MPCH2 G/H	HNOX G/H
1	1102.	.13	AUS	AUS	AUS	AUS	AUS	AUS	267.5	AUS	2443.0	AUS	10.92	AUS
2	1002.	1.98	AUS	AUS	AUS	AUS	AUS	AUS	290.9	AUS	4360.5	AUS	15.00	AUS
3	1112.	3.31	AUS	AUS	AUS	AUS	AUS	AUS	296.3	AUS	4743.2	AUS	19.16	AUS
4	1002.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	228.8	AUS	4867.5	AUS	19.29	AUS
5	1399.	8.05	AUS	AUS	AUS	AUS	AUS	AUS	252.3	AUS	5913.2	AUS	23.17	AUS
6	1002.	9.96	AUS	AUS	AUS	AUS	AUS	AUS	221.7	AUS	6447.7	AUS	23.75	AUS
7	1002.	11.95	AUS	AUS	AUS	AUS	AUS	AUS	691.4	AUS	8366.5	AUS	35.73	AUS
8	1002.	11.81	AUS	AUS	AUS	AUS	AUS	AUS	3434.7	AUS	5575.7	AUS	52.81	AUS
9	1198.	.03	AUS	AUS	AUS	AUS	AUS	AUS	326.3	AUS	4467.2	AUS	13.53	AUS
10	1206.	2.08	AUS	AUS	AUS	AUS	AUS	AUS	227.1	AUS	5056.1	AUS	13.11	AUS
11	1198.	4.11	AUS	AUS	AUS	AUS	AUS	AUS	231.9	AUS	6386.2	AUS	18.56	AUS
12	1206.	5.90	AUS	AUS	AUS	AUS	AUS	AUS	182.1	AUS	6750.2	AUS	19.05	AUS
13	1199.	8.01	AUS	AUS	AUS	AUS	AUS	AUS	156.3	AUS	8152.2	AUS	21.44	AUS
14	1199.	10.01	AUS	AUS	AUS	AUS	AUS	AUS	211.9	AUS	9396.8	AUS	24.06	AUS
15	1193.	11.96	AUS	AUS	AUS	AUS	AUS	AUS	1550.3	AUS	8641.1	AUS	38.02	AUS
16	1193.	11.61	AUS	AUS	AUS	AUS	AUS	AUS	3728.2	AUS	6646.1	AUS	52.68	AUS
17	1394.	-.01	AUS	AUS	AUS	AUS	AUS	AUS	181.8	AUS	3468.5	AUS	9.26	AUS
18	1402.	2.21	AUS	AUS	AUS	AUS	AUS	AUS	164.7	AUS	5712.8	AUS	12.72	AUS
19	1395.	4.03	AUS	AUS	AUS	AUS	AUS	AUS	185.5	AUS	6242.9	AUS	17.71	AUS
20	1395.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	132.6	AUS	7581.1	AUS	18.89	AUS
21	1403.	7.96	AUS	AUS	AUS	AUS	AUS	AUS	174.9	AUS	8828.5	AUS	21.00	AUS
22	1403.	10.03	AUS	AUS	AUS	AUS	AUS	AUS	234.9	AUS	10296.4	AUS	25.66	AUS
23	1395.	11.96	AUS	AUS	AUS	AUS	AUS	AUS	917.9	AUS	10772.5	AUS	37.85	AUS
24	1402.	11.98	AUS	AUS	AUS	AUS	AUS	AUS	4612.0	AUS	7907.3	AUS	63.29	AUS
25	1598.	-.21	AUS	AUS	AUS	AUS	AUS	AUS	233.3	AUS	4360.5	AUS	12.91	AUS
26	1599.	1.87	AUS	AUS	AUS	AUS	AUS	AUS	183.6	AUS	5817.5	AUS	13.78	AUS
27	1607.	3.34	AUS	AUS	AUS	AUS	AUS	AUS	196.7	AUS	6920.5	AUS	20.82	AUS
28	1599.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	190.1	AUS	8649.2	AUS	24.22	AUS
29	1599.	8.03	AUS	AUS	AUS	AUS	AUS	AUS	271.6	AUS	10337.6	AUS	24.98	AUS
30	1599.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	304.0	AUS	11017.3	AUS	27.83	AUS
31	1599.	11.92	AUS	AUS	AUS	AUS	AUS	AUS	371.9	AUS	12261.7	AUS	31.29	AUS
32	1599.	12.95	AUS	AUS	AUS	AUS	AUS	AUS	5027.3	AUS	9860.5	AUS	60.54	AUS

	OKZ 1/MIN	BRL Kp	SCO G/KWH	SC02 G/KWH	SC3H8 G/KWH	SNOX G/KWH	SO2 G/KWH	HCO G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	MCH2 G/H	HPCH2 G/H	HNOX G/H
33	1803.	7.01	AUS	AUS	AUS	AUS	AUS	AUS	179.2	AUS	5699.4	AUS	10.22	AUS
34	1803.	1.92	AUS	AUS	AUS	AUS	AUS	AUS	183.4	AUS	6259.8	AUS	15.99	AUS
35	1803.	3.98	AUS	AUS	AUS	AUS	AUS	AUS	142.7	AUS	7402.2	AUS	19.40	AUS
36	1795.	6.03	AUS	AUS	AUS	AUS	AUS	AUS	224.5	AUS	9459.6	AUS	26.00	AUS
37	1803.	7.92	AUS	AUS	AUS	AUS	AUS	AUS	291.3	AUS	11086.3	AUS	28.05	AUS
38	1795.	10.02	AUS	AUS	AUS	AUS	AUS	AUS	373.3	AUS	13079.1	AUS	31.79	AUS
39	1795.	11.99	AUS	AUS	AUS	AUS	AUS	AUS	421.1	AUS	14486.3	AUS	35.56	AUS
40	1803.	13.74	AUS	AUS	AUS	AUS	AUS	AUS	4478.2	AUS	12608.8	AUS	68.95	AUS
41	1999.	-0.01	AUS	AUS	AUS	AUS	AUS	AUS	122.0	AUS	5025.2	AUS	7.15	AUS
42	1999.	1.97	AUS	AUS	AUS	AUS	AUS	AUS	175.5	AUS	6764.3	AUS	17.50	AUS
43	1999.	3.95	AUS	AUS	AUS	AUS	AUS	AUS	160.9	AUS	7229.4	AUS	18.99	AUS
44	1999.	6.03	AUS	AUS	AUS	AUS	AUS	AUS	245.6	AUS	9842.2	AUS	27.45	AUS
45	1999.	7.96	AUS	AUS	AUS	AUS	AUS	AUS	344.6	AUS	12877.1	AUS	35.46	AUS
46	1999.	10.08	AUS	AUS	AUS	AUS	AUS	AUS	393.3	AUS	13447.1	AUS	34.91	AUS
47	1999.	11.95	AUS	AUS	AUS	AUS	AUS	AUS	392.7	AUS	15287.8	AUS	38.13	AUS
48	2008.	13.95	AUS	AUS	AUS	AUS	AUS	AUS	477.2	AUS	17206.8	AUS	44.55	AUS
49	1999.	14.31	AUS	AUS	AUS	AUS	AUS	AUS	4227.6	AUS	14483.4	AUS	72.81	AUS
50	2203.	.03	AUS	AUS	AUS	AUS	AUS	AUS	167.6	AUS	6016.3	AUS	10.79	AUS
51	2204.	1.35	AUS	AUS	AUS	AUS	AUS	AUS	142.7	AUS	6459.9	AUS	14.14	AUS
52	2204.	4.04	AUS	AUS	AUS	AUS	AUS	AUS	211.1	AUS	8172.0	AUS	20.76	AUS
53	2204.	6.03	AUS	AUS	AUS	AUS	AUS	AUS	277.6	AUS	9847.1	AUS	27.63	AUS
54	2196.	8.01	AUS	AUS	AUS	AUS	AUS	AUS	373.0	AUS	12549.1	AUS	35.11	AUS
55	2204.	9.99	AUS	AUS	AUS	AUS	AUS	AUS	417.1	AUS	14482.0	AUS	37.96	AUS
56	2196.	12.01	AUS	AUS	AUS	AUS	AUS	AUS	491.8	AUS	17400.3	AUS	45.92	AUS
57	2196.	13.93	AUS	AUS	AUS	AUS	AUS	AUS	515.8	AUS	18201.3	AUS	50.80	AUS
58	2204.	14.41	AUS	AUS	AUS	AUS	AUS	AUS	4277.8	AUS	16045.2	AUS	78.36	AUS
59	2339.	.01	AUS	AUS	AUS	AUS	AUS	AUS	154.4	AUS	6267.6	AUS	10.56	AUS
60	2400.	1.97	AUS	AUS	AUS	AUS	AUS	AUS	166.1	AUS	7303.3	AUS	15.04	AUS
61	2400.	4.00	AUS	AUS	AUS	AUS	AUS	AUS	249.2	AUS	9642.8	AUS	23.68	AUS
62	2400.	6.02	AUS	AUS	AUS	AUS	AUS	AUS	300.0	AUS	10597.4	AUS	31.03	AUS
63	2400.	8.00	AUS	AUS	AUS	AUS	AUS	AUS	416.4	AUS	13682.1	AUS	40.51	AUS
64	2400.	9.99	AUS	AUS	AUS	AUS	AUS	AUS	418.4	AUS	15664.3	AUS	40.69	AUS
65	2400.	12.00	AUS	AUS	AUS	AUS	AUS	AUS	501.5	AUS	18557.2	AUS	49.38	AUS
66	2400.	14.00	AUS	AUS	AUS	AUS	AUS	AUS	504.0	AUS	20445.5	AUS	56.86	AUS
67	2400.	14.48	AUS	AUS	AUS	AUS	AUS	AUS	4337.9	AUS	17648.4	AUS	83.61	AUS
68	2596.	.01	AUS	AUS	AUS	AUS	AUS	AUS	129.9	AUS	6475.8	AUS	9.65	AUS
69	2596.	2.08	AUS	AUS	AUS	AUS	AUS	AUS	177.8	AUS	7671.0	AUS	15.24	AUS
70	2597.	3.98	AUS	AUS	AUS	AUS	AUS	AUS	245.7	AUS	9481.9	AUS	22.98	AUS
71	2605.	6.01	AUS	AUS	AUS	AUS	AUS	AUS	341.7	AUS	11988.7	AUS	34.82	AUS
72	2597.	8.05	AUS	AUS	AUS	AUS	AUS	AUS	412.3	AUS	15326.2	AUS	43.18	AUS
73	2597.	10.04	AUS	AUS	AUS	AUS	AUS	AUS	453.4	AUS	16783.4	AUS	42.09	AUS
74	2597.	11.99	AUS	AUS	AUS	AUS	AUS	AUS	512.0	AUS	19331.0	AUS	52.10	AUS
75	2597.	14.01	AUS	AUS	AUS	AUS	AUS	AUS	568.7	AUS	22501.5	AUS	67.26	AUS
76	2597.	14.75	AUS	AUS	AUS	AUS	AUS	AUS	5056.6	AUS	19446.9	AUS	97.18	AUS
77	2601.	.04	AUS	AUS	AUS	AUS	AUS	AUS	145.9	AUS	7087.4	AUS	12.56	AUS

	DRZ 1/MIN	URL KP	SCO G/KMH	SC02 G/KM4	SC318 G/KMH	5NOX G/KMH	S02 G/KMH	HCO G/H	HPC0 G/H	HCO2 G/H	HPC02 G/H	HCH2 G/H	HPCCH2 G/H	HNOX G/H
78	2793.	2.01	AJS	AUS	AUS	AUS	AUS	AUS	214.6	AUS	8586.7	AUS	18.06	AUS
79	2801.	4.03	AUS	AUS	AUS	AUS	AUS	AUS	305.2	AUS	10616.0	AUS	26.43	AUS
80	2801.	5.95	AJS	AUS	AUS	AUS	AUS	AUS	385.7	AUS	13217.1	AUS	37.97	AUS
81	2801.	7.99	AJS	AUS	AJS	AUS	AUS	AUS	435.1	AUS	16220.5	AUS	44.93	AUS
82	2801.	9.97	AJS	AUS	AUS	AUS	AUS	AUS	482.5	AUS	19024.2	AUS	49.90	AUS
83	2801.	12.00	AJS	AUS	AUS	AUS	AUS	AUS	553.1	AUS	21307.8	AUS	60.97	AUS
84	2811.	14.02	AJS	AUS	AUS	AUS	AUS	AUS	629.7	AUS	24390.1	AUS	71.41	AUS
85	2801.	15.05	AJS	AUS	AUS	AUS	AUS	AUS	6252.2	AUS	21319.7	AUS	111.41	AUS
86	3005.	.01	AJS	AUS	AUS	AUS	AUS	AUS	156.8	AUS	6580.3	AUS	12.50	AUS
87	3005.	1.99	AJS	AUS	AUS	AUS	AUS	AUS	229.2	AUS	8776.2	AUS	19.08	AUS
88	3005.	4.00	AUS	AUS	AUS	AUS	AUS	AUS	347.3	AUS	12006.5	AJS	30.30	AUS
89	3005.	5.93	AJS	AUS	AUS	AUS	AUS	AUS	435.9	AUS	14005.3	AUS	39.17	AUS
90	3005.	7.93	AJS	AUS	AUS	AUS	AUS	AUS	518.7	AUS	17650.1	AUS	48.03	AUS
91	2993.	10.07	AJS	AUS	AUS	AUS	AUS	AUS	574.0	AUS	20120.3	AUS	56.43	AUS
92	2953.	12.02	AJS	AUS	AUS	AUS	AUS	AUS	671.1	AUS	23673.1	AUS	69.13	AUS
93	3005.	13.95	AJS	AUS	AUS	AUS	AUS	AUS	699.9	AUS	26991.2	AUS	72.50	AUS
94	3005.	15.38	AJS	AUS	AUS	AUS	AUS	AUS	8768.0	AUS	23607.3	AUS	113.04	AUS
95	3193.	.01	AJS	AUS	AUS	AUS	AUS	AUS	153.9	AUS	6932.5	AUS	13.86	AUS
96	3193.	2.03	AUS	AUS	AUS	AUS	AUS	AUS	304.7	AUS	10421.1	AJS	23.25	AUS
97	3201.	3.94	AJS	AUS	AUS	AUS	AUS	AUS	376.3	AUS	12243.0	AUS	31.57	AUS
98	3194.	5.04	AJS	AUS	AUS	AUS	AUS	AUS	447.0	AUS	15369.3	AUS	41.81	AUS
99	3194.	6.07	AJS	AUS	AUS	AUS	AUS	AUS	533.2	AUS	18626.1	AUS	52.79	AUS
100	3194.	10.02	AUS	AUS	AUS	AUS	AUS	AUS	613.1	AUS	21049.1	AUS	60.59	AUS
101	3194.	12.03	AJS	AUS	AUS	AUS	AUS	AUS	661.7	AUS	24019.1	AUS	67.39	AUS
102	3202.	14.03	AJS	AUS	AUS	AUS	AUS	AUS	721.5	AUS	27178.2	AUS	70.35	AUS
103	3202.	15.47	AUS	AUS	AUS	AUS	AUS	AUS	6713.4	AUS	24901.3	AUS	113.01	AUS
104	3405.	.01	AUS	AUS	AUS	AUS	AUS	AUS	193.4	AUS	7358.2	AJS	14.22	AUS
105	3398.	2.02	AUS	AUS	AUS	AUS	AUS	AUS	324.2	AUS	10443.3	AUS	23.46	AUS
106	3406.	3.99	AUS	AUS	AUS	AUS	AUS	AUS	422.8	AUS	12985.1	AUS	35.31	AUS
107	3398.	6.03	AJS	AUS	AUS	AUS	AUS	AUS	453.7	AUS	15275.8	AUS	43.02	AUS
108	3399.	7.98	AJS	AUS	AUS	AUS	AUS	AUS	530.5	AUS	18908.2	AUS	55.43	AUS
109	3399.	10.03	AUS	AUS	AUS	AUS	AUS	AUS	646.3	AUS	22612.3	AUS	63.87	AUS
110	3398.	11.96	AJS	AUS	AUS	AUS	AUS	AUS	685.4	AUS	25852.1	AUS	68.77	AUS
111	3398.	14.02	AUS	AUS	AUS	AUS	AUS	AUS	800.3	AUS	28680.1	AUS	71.03	AUS
112	3398.	15.48	AJS	AUS	AUS	AUS	AUS	AUS	6164.6	AUS	26883.9	AUS	108.72	AUS
113	3611.	.01	AJS	AUS	AUS	AUS	AUS	AUS	222.4	AUS	8307.1	AUS	13.24	AUS
114	3602.	2.02	AUS	AUS	AUS	AUS	AUS	AUS	325.8	AUS	10437.3	AUS	21.73	AUS
115	3694.	4.10	AUS	AUS	AUS	AUS	AUS	AUS	470.5	AUS	14268.2	AUS	36.72	AUS
116	3602.	6.01	AUS	AUS	AUS	AUS	AUS	AUS	558.7	AUS	17573.4	AUS	47.68	AUS
117	3602.	7.92	AUS	AUS	AUS	AUS	AUS	AUS	599.9	AUS	20752.9	AUS	59.32	AUS
118	3603.	10.03	AUS	AUS	AUS	AUS	AUS	AUS	688.3	AUS	24040.7	AUS	65.26	AUS
119	3594.	12.02	AJS	AUS	AUS	AUS	AUS	AUS	723.0	AUS	27379.4	AUS	69.13	AUS
120	3595.	14.02	AUS	AUS	AUS	AUS	AUS	AUS	872.5	AUS	31700.4	AUS	74.68	AUS
121	3602.	15.29	AUS	AUS	AUS	AUS	AUS	AUS	6754.6	AUS	28369.0	AUS	111.06	AUS
122	3806.	.03	AUS	AUS	AUS	AUS	AUS	AUS	216.0	AUS	8486.5	AUS	11.15	AUS

	UNZ 1/HIN	BRL KP	SC0 G/KWH	SC02 G/KWH	SC3H8 G/KWH	SNOX G/KWH	S02 G/KWH	HC0 G/H	HPG0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
123	3798.	2.00	AUS	AUS	AJS	AUS	AUS	AUS	345.0	AUS	11692.7	AUS	22.10	AUS
124	3806.	3.98	AUS	AUS	AJS	AUS	AUS	AUS	449.6	AUS	15342.1	AUS	37.24	AUS
125	3798.	5.97	AUS	AUS	AUS	AUS	AUS	AUS	544.9	AUS	18766.2	AUS	49.49	AUS
126	3798.	8.03	AUS	AUS	AUS	AUS	AUS	AUS	624.4	AUS	21933.6	AUS	60.06	AUS
127	3798.	10.00	AUS	AUS	AJS	AUS	AUS	AUS	684.3	AUS	24999.0	AUS	66.41	AUS
128	3798.	11.99	AUS	AUS	AUS	AUS	AUS	AUS	776.5	AUS	29091.3	AUS	71.61	AUS
129	3793.	13.98	AJS	AUS	AUS	AUS	AUS	AUS	858.7	AUS	31926.8	AUS	74.55	AUS
130	3798.	15.17	AUS	AUS	AUS	AUS	AUS	AUS	6260.5	AUS	30114.8	AUS	110.55	AUS
131	4002.	.01	AUS	AUS	AUS	AUS	AUS	AUS	262.9	AUS	10307.8	AUS	13.65	AUS
132	4002.	1.98	AUS	AUS	AJS	AUS	AUS	AUS	370.0	AUS	13118.2	AUS	23.70	AUS
133	3995.	4.04	AJS	AUS	AUS	AUS	AUS	AUS	439.5	AUS	15265.8	AUS	37.54	AUS
134	4002.	5.97	AJS	AUS	AUS	AUS	AUS	AUS	537.7	AUS	19129.7	AUS	50.23	AUS
135	3995.	8.04	AJS	AUS	AUS	AUS	AUS	AUS	632.5	AUS	22798.9	AUS	61.08	AUS
136	3995.	10.01	AUS	AUS	AUS	AUS	AUS	AUS	659.9	AUS	26278.5	AUS	67.76	AUS
137	3995.	12.04	AJS	AUS	AUS	AUS	AUS	AUS	732.7	AUS	30018.2	AUS	72.31	AUS
138	4002.	13.99	AJS	AUS	AUS	AUS	AUS	AUS	816.6	AUS	34319.0	AUS	79.35	AUS
139	4002.	15.16	AJS	AUS	AJS	AUS	AUS	AUS	6145.4	AUS	32302.8	AUS	115.04	AUS
140	4193.	.00	AJS	AUS	AUS	AUS	AUS	AUS	263.8	AUS	10909.2	AUS	13.76	AUS
141	4198.	2.00	AUS	AUS	AUS	AUS	AUS	AUS	398.6	AUS	13393.4	AUS	25.26	AUS
142	4198.	4.00	AUS	AUS	AJS	AUS	AUS	AUS	501.6	AUS	16265.8	AUS	39.67	AUS
143	4198.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	614.6	AUS	20313.7	AUS	54.65	AUS
144	4198.	7.39	AJS	AUS	AUS	AUS	AUS	AUS	680.8	AUS	23681.4	AUS	63.48	AUS
145	4198.	10.03	AJS	AUS	AUS	AUS	AUS	AUS	807.5	AUS	28362.0	AUS	74.65	AUS
146	4199.	12.12	AUS	AUS	AUS	AUS	AUS	AUS	852.4	AUS	32625.2	AUS	79.34	AUS
147	4199.	13.99	AUS	AUS	AUS	AUS	AUS	AUS	933.8	AUS	35923.1	AJS	82.76	AUS
148	4198.	15.02	AUS	AUS	AUS	AUS	AUS	AUS	4869.2	AUS	35229.7	AUS	113.43	AUS
149	4402.	.01	AUS	AUS	AUS	AUS	AUS	AUS	276.4	AUS	10703.6	AUS	14.23	AUS
150	4394.	2.01	AJS	AUS	AUS	AUS	AUS	AUS	450.2	AUS	13899.0	AUS	28.62	AUS
151	4402.	4.00	AJS	AUS	AUS	AUS	AUS	AUS	578.4	AUS	17632.3	AUS	45.76	AUS
152	4394.	5.39	AJS	AUS	AUS	AUS	AUS	AUS	627.0	AUS	21530.8	AUS	57.00	AUS
153	4402.	7.38	AJS	AUS	AJS	AUS	AUS	AUS	709.0	AUS	25493.9	AUS	68.20	AUS
154	4402.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	777.8	AUS	29712.8	AUS	77.68	AUS
155	4402.	12.02	AUS	AUS	AUS	AUS	AUS	AUS	877.9	AUS	34519.1	AUS	83.72	AUS
156	4394.	14.01	AJS	AUS	AUS	AUS	AUS	AUS	1009.9	AUS	38247.5	AUS	86.45	AUS
157	4402.	14.36	AJS	AUS	AJS	AUS	AUS	AUS	6567.6	AUS	35476.5	AUS	123.02	AUS
158	4597.	.07	AUS	AUS	AUS	AUS	AUS	AUS	350.8	AUS	11890.2	AUS	19.01	AUS
159	4598.	2.09	AJS	AUS	AUS	AUS	AUS	AUS	486.5	AUS	15177.2	AUS	34.07	AUS
160	4598.	4.00	AJS	AUS	AUS	AUS	AUS	AUS	619.4	AUS	18580.0	AUS	48.74	AUS
161	4602.	6.02	AUS	AUS	AUS	AUS	AUS	AUS	655.8	AUS	23023.0	AUS	57.18	AUS
162	4594.	8.00	AJS	AUS	AJS	AUS	AUS	AUS	708.4	AUS	27627.2	AUS	71.64	AUS
163	4594.	10.02	AJS	AUS	AUS	AUS	AUS	AUS	754.2	AUS	31212.1	AUS	77.24	AUS
164	4601.	12.03	AJS	AUS	AUS	AUS	AUS	AUS	890.8	AUS	36621.4	AUS	84.58	AUS
165	4601.	14.02	AJS	AUS	AUS	AUS	AUS	AUS	1001.9	AUS	41307.6	AUS	88.88	AUS
166	4601.	14.70	AUS	AUS	AUS	AUS	AUS	AUS	7307.6	AUS	37791.8	AUS	125.79	AUS
167	4795.	.05	AUS	AUS	AUS	AUS	AUS	AUS	327.3	AUS	12532.6	AUS	18.94	AUS

	DRZ 1/MIN	BRL KP	SC0 G/KWH	SC02 G/KWH	SC3H8 G/KWH	SN0X G/KWH	SO2 G/KWH	HCO G/H	HPCO G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
168	4803.	2.60	AUS	AUS	AUS	AUS	AUS	AUS	461.5	AUS	15999.1	AUS	33.17	AUS
169	4796.	3.95	AUS	AUS	AUS	AUS	AUS	AUS	576.6	AUS	19654.0	AUS	51.08	AUS
170	4795.	6.07	AUS	AUS	AUS	AUS	AUS	AUS	621.3	AUS	24377.1	AUS	60.99	AUS
171	4803.	7.38	AUS	AUS	AUS	AUS	AUS	AUS	823.0	AUS	29930.7	AUS	77.48	AUS
172	4803.	11.00	AUS	AUS	AUS	AUS	AUS	AUS	859.1	AUS	34609.5	AUS	85.78	AUS
173	4795.	12.01	AUS	AUS	AUS	AUS	AUS	AUS	970.0	AUS	38640.9	AUS	89.01	AUS
174	4803.	13.98	AUS	AUS	AUS	AUS	AUS	AUS	946.3	AUS	44075.0	AUS	93.28	AUS
175	4803.	14.48	AUS	AUS	AUS	AUS	AUS	AUS	7276.1	AUS	40026.5	AUS	129.52	AUS
176	4998.	.01	AUS	AUS	AUS	AUS	AUS	AUS	399.5	AUS	13324.5	AUS	21.01	AUS
177	5006.	2.05	AUS	AUS	AUS	AUS	AUS	AUS	506.4	AUS	18092.3	AUS	39.47	AUS
178	4998.	3.95	AUS	AUS	AUS	AUS	AUS	AUS	607.9	AUS	21797.0	AUS	53.39	AUS
179	4997.	5.97	AUS	AUS	AUS	AUS	AUS	AUS	648.3	AUS	25437.2	AUS	63.76	AUS
180	4993.	8.00	AUS	AUS	AUS	AUS	AUS	AUS	724.2	AUS	30664.1	AUS	78.78	AUS
181	4997.	10.03	AUS	AUS	AUS	AUS	AUS	AUS	800.6	AUS	36347.1	AUS	87.68	AUS
182	4998.	12.02	AUS	AUS	AUS	AUS	AUS	AUS	943.6	AUS	40694.5	AUS	90.04	AUS
183	4997.	13.97	AUS	AUS	AUS	AUS	AUS	AUS	994.3	AUS	46059.7	AUS	93.61	AUS
184	5005.	14.21	AUS	AUS	AUS	AUS	AUS	AUS	7283.2	AUS	41912.5	AUS	131.79	AUS
185	5199.	.03	AUS	AUS	AUS	AUS	AUS	AUS	438.9	AUS	14061.5	AUS	21.27	AUS
186	5199.	1.93	AUS	AUS	AUS	AUS	AUS	AUS	596.7	AUS	18117.8	AUS	39.05	AUS
187	5202.	3.77	AUS	AUS	AUS	AUS	AUS	AUS	661.3	AUS	22783.5	AUS	52.61	AUS
188	5199.	5.95	AUS	AUS	AUS	AUS	AUS	AUS	651.8	AUS	27009.3	AUS	65.22	AUS
189	5200.	8.01	AUS	AUS	AUS	AUS	AUS	AUS	786.4	AUS	32657.5	AUS	80.89	AUS
190	5200.	9.96	AUS	AUS	AUS	AUS	AUS	AUS	869.1	AUS	37628.3	AUS	87.02	AUS
191	5201.	12.02	AUS	AUS	AUS	AUS	AUS	AUS	969.1	AUS	42972.2	AUS	91.26	AUS
192	5200.	13.95	AUS	AUS	AUS	AUS	AUS	AUS	1047.8	AUS	48706.3	AUS	96.46	AUS
193	5200.	14.10	AUS	AUS	AUS	AUS	AUS	AUS	7102.6	AUS	43611.5	AUS	134.45	AUS
194	5402.	.01	AUS	AUS	AUS	AUS	AUS	AUS	386.0	AUS	15149.7	AUS	18.26	AUS
195	5403.	1.33	AUS	AUS	AUS	AUS	AUS	AUS	478.7	AUS	19133.4	AUS	33.00	AUS
196	5402.	3.92	AUS	AUS	AUS	AUS	AUS	AUS	654.5	AUS	23816.1	AUS	51.83	AUS
197	5403.	6.11	AUS	AUS	AUS	AUS	AUS	AUS	723.6	AUS	29276.1	AUS	69.97	AUS
198	5395.	7.97	AUS	AUS	AUS	AUS	AUS	AUS	793.1	AUS	34653.2	AUS	85.67	AUS
199	5395.	9.96	AUS	AUS	AUS	AUS	AUS	AUS	889.5	AUS	39925.9	AUS	90.36	AUS
200	5402.	12.00	AUS	AUS	AUS	AUS	AUS	AUS	959.9	AUS	45676.2	AUS	96.69	AUS
202	5402.	13.78	AUS	AUS	AUS	AUS	AUS	AUS	7117.4	AUS	45168.5	AUS	143.56	AUS
203	5597.	-02	AUS	AUS	AUS	AUS	AUS	AUS	352.2	AUS	15008.6	AUS	-18.06	AUS
204	5606.	1.95	AUS	AUS	AUS	AUS	AUS	AUS	502.8	AUS	19824.6	AUS	32.52	AUS
205	5606.	3.94	AUS	AUS	AUS	AUS	AUS	AUS	665.2	AUS	24780.8	AUS	52.08	AUS
206	5605.	5.96	AUS	AUS	AUS	AUS	AUS	AUS	791.9	AUS	30738.4	AUS	71.17	AUS
207	5598.	7.98	AUS	AUS	AUS	AUS	AUS	AUS	928.9	AUS	36568.7	AUS	88.64	AUS
208	5606.	9.94	AUS	AUS	AUS	AUS	AUS	AUS	961.3	AUS	41949.3	AUS	96.48	AUS
209	5598.	12.03	AUS	AUS	AUS	AUS	AUS	AUS	1106.3	AUS	48118.1	AUS	98.75	AUS
210	5598.	13.33	AUS	AUS	AUS	AUS	AUS	AUS	7191.0	AUS	46492.3	AUS	155.10	AUS
211	5800	.02	AUS	AUS	AUS	AUS	AUS	AUS	339.7	AUS	17385.1	AUS	13.10	AUS
212	5800.	2.00	AUS	AUS	AUS	AUS	AUS	AUS	536.3	AUS	21812.9	AUS	31.97	AUS
213	5800.	3.97	AUS	AUS	AUS	AUS	AUS	AUS	686.9	AUS	26126.7	AUS	49.53	AUS

	URZ 1/Min	BKL Kp	SGO G/KWH	SC02 G/KWH	SC3H8 G/KWH	SNOX G/KWH	S02 G/KWH	HC0 G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPC2 G/H	HNOX G/H
214	5800.	6.02	AUS	AUS	AUS	AUS	AUS	AUS	772.0	AUS	32240.9	AUS	74.43	AUS
215	5801.	7.98	AUS	AUS	AUS	AUS	AUS	AUS	931.0	AUS	38327.3	AUS	90.67	AUS
216	5801.	10.03	AUS	AUS	AUS	AUS	AUS	AUS	986.0	AUS	44988.1	AUS	97.98	AUS
217	5801.	11.94	AUS	AUS	AUS	AUS	AUS	AUS	1119.3	AUS	50898.2	AUS	105.15	AUS
218	5800.	12.86	AUS	AUS	AUS	AUS	AUS	AUS	7678.7	AUS	47667.1	AUS	162.66	AUS
219	6003.	.00	AUS	AUS	AUS	AUS	AUS	AUS	354.0	AUS	18817.6	AUS	13.11	AUS
220	6003.	1.09	AJS	AUS	AUS	AUS	AUS	AUS	432.6	AUS	21748.7	AUS	21.87	AUS
221	5995.	4.15	AUS	AUS	AUS	AUS	AUS	AUS	733.3	AUS	28688.8	AUS	50.21	AUS
222	5996.	5.04	AJS	AUS	AUS	AUS	AUS	AUS	857.4	AUS	34699.5	AUS	73.79	AUS
223	6004.	8.33	AJS	AUS	AUS	AUS	AUS	AUS	976.2	AUS	42572.3	AUS	88.16	AUS
224	5995.	9.96	AJS	AUS	AUS	AUS	AUS	AUS	1065.7	AUS	48473.7	AUS	95.38	AUS
225	5996.	12.02	AUS	AUS	AUS	AUS	AUS	AUS	1222.0	AUS	54292.2	AUS	103.62	AUS
227	5996.	12.33	AUS	AUS	AUS	AUS	AUS	AUS	8216.6	AUS	49053.3	AUS	165.03	AUS
228	1210.	-1.19	AUS	AUS	AUS	AUS	AUS	AUS	267.9	AUS	2954.4	AUS	21.89	AUS
229	1407.	-1.50	AUS	AUS	AUS	AUS	AUS	AUS	288.3	AUS	3186.2	AUS	55.05	AUS
230	1605.	-1.90	AUS	AUS	AUS	AUS	AUS	AUS	336.1	AUS	2380.0	AUS	101.01	AUS
231	1804.	-2.23	AJS	AUS	AUS	AUS	AUS	AUS	387.5	AUS	2753.4	AUS	158.32	AUS
232	2100.	-2.52	AJS	AUS	AUS	AUS	AUS	AUS	413.1	AUS	2488.2	AUS	180.01	AUS
233	2000.	-1.92	AJS	AUS	AUS	AUS	AUS	AUS	238.7	AUS	3851.0	AUS	100.49	AUS
234	2200.	-2.71	AUS	AUS	AUS	AUS	AUS	AUS	488.2	AUS	2335.5	AUS	209.76	AUS
235	2200.	-1.97	AJS	AUS	AUS	AUS	AUS	AUS	240.9	AUS	3936.1	AUS	101.16	AUS
236	2405.	-2.84	AUS	AUS	AUS	AUS	AUS	AUS	606.1	AUS	2264.9	AUS	293.45	AUS
237	2405.	-1.92	AUS	AUS	AUS	AUS	AUS	AUS	193.6	AUS	4586.3	AUS	82.67	AUS
238	2605.	-3.00	AJS	AUS	AUS	AUS	AUS	AUS	687.2	AUS	1328.0	AUS	367.10	AUS
239	2606.	-1.98	AJS	AUS	AUS	AUS	AUS	AUS	206.7	AUS	4528.5	AUS	142.78	AUS
240	2816.	-3.06	AUS	AUS	AUS	AUS	AUS	AUS	698.3	AUS	1804.8	AUS	391.28	AUS
241	2814.	-1.35	AUS	AUS	AUS	AUS	AUS	AUS	226.2	AUS	5268.3	AUS	195.71	AUS
242	3001.	-3.16	AUS	AUS	AUS	AUS	AUS	AUS	781.0	AUS	1961.1	AUS	448.87	AUS
243	3001.	-1.85	AJS	AUS	AUS	AUS	AUS	AUS	221.7	AUS	5352.4	AUS	184.29	AUS
244	3208.	-3.28	AJS	AUS	AUS	AUS	AUS	AUS	838.7	AUS	1791.7	AUS	500.89	AUS
245	3208.	-2.03	AUS	AUS	AUS	AUS	AUS	AUS	263.2	AUS	5001.7	AUS	209.51	AUS
246	3402.	-3.43	AUS	AUS	AUS	AUS	AUS	AUS	769.7	AUS	1491.0	AUS	458.84	AUS
247	3402.	-1.89	AUS	AUS	AUS	AUS	AUS	AUS	236.5	AUS	6014.7	AUS	235.58	AUS
248	3598.	-3.55	AUS	AUS	AJS	AUS	AUS	AUS	921.0	AUS	1418.3	AUS	574.50	AUS
249	3598.	-1.78	AUS	AUS	AUS	AUS	AUS	AUS	194.4	AUS	5735.7	AUS	294.43	AUS
250	3808.	-3.67	AJS	AUS	AUS	AUS	AUS	AUS	918.3	AUS	1465.7	AUS	548.68	AUS
251	3809.	-1.90	AJS	AUS	AUS	AUS	AUS	AUS	185.0	AUS	5609.5	AUS	221.79	AUS
252	4005.	-3.84	AJS	AUS	AUS	AUS	AUS	AUS	1091.0	AUS	1168.5	AUS	701.86	AUS
253	4005.	-1.89	AJS	AUS	AUS	AUS	AUS	AUS	182.6	AUS	5980.8	AUS	287.29	AUS
254	4208.	-4.00	AJS	AUS	AUS	AUS	AUS	AUS	1034.9	AUS	1005.3	AUS	681.64	AUS
255	4203.	-1.97	AJS	AUS	AUS	AUS	AUS	AUS	180.0	AUS	6321.5	AUS	272.84	AUS
256	4406.	-4.10	AUS	AUS	AJS	AUS	AUS	AUS	983.0	AUS	1442.2	AUS	572.82	AUS
257	4406.	-1.87	AUS	AUS	AUS	AUS	AUS	AUS	190.8	AUS	6967.2	AUS	260.41	AUS
258	4599.	-4.26	AUS	AUS	AUS	AUS	AUS	AUS	1191.6	AUS	1485.3	AUS	700.32	AUS
259	4600.	-1.96	AUS	AUS	AUS	AUS	AUS	AUS	209.2	AUS	7015.6	AUS	282.03	AUS

	URZ L/MIN	BRL Kp	SCO G/KMH	SCO2 G/KM4	SC3H8 G/KMH	SNOX G/KMH	SO2 G/KM4	4CO G/H	HPCO G/H	HCO2 G/H	HPCO2 G/H	HCH2 G/H	HPCN2 G/H	HNOX G/H
260	4804.	-4.40	AJS	AUS	AUS	AUS	AUS	AUS	913.6	AUS	1224.4	AUS	453.70	AUS
261	4804.	-1.89	AUS	AUS	AUS	AUS	AUS	AUS	171.3	AUS	7472.4	AUS	279.48	AUS
262	5005.	-4.62	AJS	AUS	AJS	AUS	AUS	AUS	1386.1	AUS	2087.7	AUS	476.00	AUS
263	5003.	-2.00	AJS	AUS	AUS	AUS	AUS	AUS	203.5	AUS	8443.7	AUS	197.00	AUS
264	5206.	-2.17	AJS	AUS	AUS	AUS	AUS	AUS	1589.6	AUS	1464.4	AUS	618.53	AUS
265	5193.	-3.91	AUS	AUS	AJS	AUS	AUS	AUS	895.0	AUS	7174.2	AUS	325.19	AUS
266	5194.	-2.12	AJS	AUS	AUS	AUS	AUS	AUS	201.9	AUS	9414.4	AUS	59.83	AUS
267	5403.	-5.92	AJS	AUS	AUS	AUS	AUS	AUS	1609.7	AUS	1530.4	AJS	425.11	AUS
268	5403.	-3.80	AUS	AUS	AUS	AUS	AUS	AUS	197.6	AUS	8447.4	AUS	116.04	AUS
269	5403.	-1.90	AUS	AUS	AUS	AUS	AUS	AUS	215.9	AUS	10336.2	AUS	79.40	AUS
270	5606.	-5.42	AJS	AUS	AUS	AUS	AUS	AUS	1629.4	AUS	1449.5	AUS	468.15	AUS
271	5602.	-3.97	AJS	AUS	AUS	AUS	AUS	AUS	233.3	AUS	9316.5	AUS	219.75	AUS
272	5604.	-2.02	AUS	AUS	AUS	AUS	AUS	AUS	289.4	AUS	11097.3	AUS	126.14	AUS
273	5805.	-6.84	AUS	AUS	AUS	AUS	AUS	AUS	1191.1	AUS	1886.4	AUS	234.58	AUS
274	5812.	-5.73	AUS	AUS	AUS	AUS	AUS	AUS	490.3	AUS	9347.1	AUS	289.62	AUS
275	5811.	-4.05	AJS	AUS	AUS	AUS	AUS	AUS	186.7	AUS	9529.8	AUS	114.80	AUS
276	5811.	-1.96	AUS	AUS	AJS	AUS	AUS	AUS	310.7	AUS	12042.2	AUS	91.95	AUS
277	6013.	-7.78	AJS	AUS	AUS	AUS	AUS	AUS	1343.2	AUS	1626.3	AUS	312.35	AUS
278	6015.	-5.98	AUS	AUS	AUS	AUS	AUS	AUS	289.4	AUS	9652.8	AUS	268.64	AUS
279	6013.	-3.71	AUS	AUS	AUS	AUS	AUS	AUS	209.3	AUS	9806.1	AUS	112.34	AUS
280	5014.	-2.30	AJS	AUS	AUS	AUS	AUS	AUS	308.6	AUS	12871.7	AUS	100.97	AUS

	URZ 1/MIN	GRZ KP	HP10X G/H	H02 G/H	HP02 G/H
1	1002.	.13	1.65	AJS	32.72
2	1002.	1.98	4.81	AUS	54.41
3	1002.	3.31	3.14	AUS	64.30
4	1002.	6.00	17.68	AUS	72.04
5	994.	8.65	33.89	AUS	98.16
6	1002.	9.96	67.58	AUS	118.22
7	1002.	11.95	89.15	AUS	115.92
8	1002.	11.81	7.47	AUS	78.33
9	1198.	.03	3.37	AUS	52.36
10	1205.	2.08	3.85	AUS	67.71
11	1198.	4.11	13.10	AUS	106.62
12	1206.	5.98	25.29	AUS	140.58
13	1199.	8.01	57.71	AUS	205.39
14	1193.	10.01	95.12	AUS	248.52
15	1198.	11.96	45.70	AUS	97.29
16	1198.	11.61	3.32	AJS	83.25
17	1394.	-01	2.62	AUS	45.15
18	1402.	2.21	7.25	AUS	91.01
19	1395.	4.03	13.24	AUS	118.22
20	1395.	6.10	33.17	AUS	204.00
21	1403.	7.36	55.80	AUS	252.98
22	1403.	10.03	91.72	AUS	294.49
23	1395.	11.96	82.11	AUS	138.13
24	1402.	1.94	10.42	AUS	107.06
25	1598.	-21	3.25	AUS	70.72
26	1599.	1.87	8.10	AUS	110.73
27	1607.	3.94	24.05	AUS	186.39
28	1599.	6.00	54.81	AUS	293.50
29	1599.	8.03	73.11	AUS	339.25
30	1593.	10.20	112.58	AUS	359.35
31	1599.	11.92	152.82	AUS	390.51
32	1599.	12.95	17.64	AUS	121.63

4
8
10

	ORZ L/MIN	BRL KP	HPNOX G/H	H02 G/H	HP02 G/H
33	1803.	- .01	4.66	AUS	80.65
34	1803.	1.92	10.76	AUS	130.96
35	1803.	3.48	32.99	AUS	223.61
36	1795.	6.03	72.92	AUS	306.93
37	1803.	7.32	102.48	AUS	370.67
38	1795.	10.02	147.95	AUS	420.43
39	1795.	11.99	203.43	AUS	451.88
40	1803.	13.74	42.39	AUS	136.56
41	1999.	- .01	4.62	AUS	84.86
42	1999.	1.97	15.87	AUS	163.42
43	1999.	3.95	41.02	AUS	233.31
44	1999.	6.03	93.75	AUS	362.57
45	1999.	7.36	162.38	AUS	460.75
46	1999.	10.38	193.28	AUS	440.87
47	1999.	11.35	261.34	AUS	450.51
48	2003.	13.95	332.89	AUS	483.17
49	1999.	14.31	76.12	AUS	170.53
50	2203.	.03	6.59	AUS	123.67
51	2204.	1.35	18.68	AUS	190.30
52	2204.	4.04	54.89	AUS	307.42
53	2204.	6.03	112.39	AUS	382.16
54	2196.	8.01	181.71	AUS	462.68
55	2204.	9.39	232.59	AUS	479.88
56	2196.	12.01	324.42	AUS	536.02
57	2196.	13.93	381.66	AUS	541.55
58	2204.	14.41	106.34	AUS	200.86
59	2399.	.01	7.57	AUS	155.31
60	2400.	1.97	23.93	AUS	238.73
61	2400.	4.00	71.51	AUS	381.85
62	2400.	6.02	133.33	AUS	425.90
63	2400.	8.00	236.11	AUS	524.65
64	2400.	9.39	273.90	AUS	509.33
65	2400.	12.00	378.68	AUS	579.32
66	2400.	14.00	466.73	AUS	617.28
67	2400.	14.48	118.38	AUS	223.66
68	2596.	.01	8.67	AUS	153.98
69	2596.	2.08	26.20	AUS	248.81
70	2597.	3.36	70.50	AUS	361.84
71	2605.	6.01	148.56	AUS	472.14
72	2597.	8.05	274.28	AUS	569.58
73	2597.	10.04	295.87	AUS	550.11
74	2597.	11.99	383.30	AUS	611.16
75	2597.	14.01	507.44	AUS	705.84
76	2597.	14.75	148.64	AUS	256.29
77	2801.	.04	11.30	AUS	185.09

1010R119,14012R22

	JRZ 1/MIN	BRL KP	HP 10X G/H	H02 G/H	HP02 G/H
78	2733.	2.01	34.81	AUS	307.00
79	2801.	4.03	89.17	AUS	408.12
80	2801.	5.95	177.90	AUS	537.70
81	2301.	7.99	233.76	AUS	596.51
82	2801.	3.97	341.08	AUS	599.02
83	2801.	12.00	433.21	AUS	635.31
84	2301.	14.02	553.12	AUS	731.43
85	2801.	15.05	152.43	AUS	280.97
86	3805.	.01	11.32	AUS	182.91
87	3305.	1.39	42.45	AUS	335.59
88	3805.	4.00	113.69	AUS	455.14
89	3305.	5.93	205.52	AUS	535.75
90	3305.	7.33	335.11	AUS	622.91
91	2998.	10.07	373.45	AUS	618.39
92	2998.	12.02	500.31	AUS	725.33
93	3305.	13.35	643.30	AUS	764.44
94	3805.	15.36	193.62	AUS	276.47
95	3193.	-01	12.88	AUS	203.36
96	3193.	2.03	58.40	AUS	379.73
97	3201.	3.94	124.32	AUS	460.77
98	3194.	5.04	245.49	AUS	553.51
99	3194.	8.07	375.19	AUS	618.84
100	3194.	10.02	412.60	AUS	518.86
101	3194.	12.03	544.80	AUS	579.08
102	3202.	14.03	691.10	AUS	610.22
103	3202.	15.47	228.07	AUS	256.55
104	3405.	.01	16.33	AUS	180.61
105	3398.	2.02	62.91	AUS	313.63
106	3405.	3.99	144.49	AUS	339.80
107	3398.	6.03	259.03	AUS	441.83
108	3398.	7.98	401.51	AUS	512.12
109	3398.	10.00	467.66	AUS	557.40
110	3398.	11.36	605.07	AUS	596.07
111	3398.	14.02	740.18	AUS	623.41
112	3398.	15.48	300.82	AUS	267.52
113	3501.	.01	19.75	AUS	205.85
114	3502.	2.02	64.08	AUS	302.16
115	3594.	4.10	169.39	AUS	425.84
116	3502.	6.01	309.46	AUS	517.68
117	3602.	7.32	450.79	AUS	551.35
118	3603.	10.03	530.58	AUS	588.47
119	3594.	12.02	668.05	AUS	615.72
120	3595.	14.02	842.20	AUS	649.42
121	3602.	15.29	313.70	AUS	272.48
122	3806.	.03	20.35	AUS	189.99

	DRZ 1/MIN	BRL KP	HPROX G/H	HO2 G/H	HP02 G/H
123	3798.	2.00	75.23	AUS	317.24
124	3806.	3.98	194.88	AUS	436.97
125	3798.	5.97	345.02	AUS	511.59
126	3798.	8.03	497.57	AUS	563.15
127	3798.	10.00	602.88	AJS	589.41
128	3798.	11.99	730.41	AUS	615.59
129	3799.	13.98	873.36	AUS	621.38
130	3798.	15.17	385.84	AUS	283.37
131	4002.	.01	27.13	AUS	219.07
132	4002.	1.98	98.12	AUS	332.48
133	3995.	4.64	224.43	AUS	420.97
134	4002.	5.97	380.61	AUS	511.65
135	3995.	8.04	551.41	AUS	578.62
136	3995.	10.01	668.42	AUS	605.26
137	3995.	12.04	793.87	AUS	631.43
138	4002.	13.99	983.06	AUS	661.03
139	4002.	15.16	457.36	AUS	299.41
140	4198.	.00	33.77	AUS	220.31
141	4198.	2.00	119.27	AUS	335.76
142	4198.	4.00	254.89	AUS	431.63
143	4198.	6.00	433.06	AUS	524.24
144	4198.	7.99	602.02	AUS	568.19
145	4198.	10.03	741.57	AUS	630.82
146	4199.	12.10	892.27	AJS	651.87
147	4199.	13.99	1053.92	AUS	689.41
148	4198.	15.02	645.40	AUS	345.86
149	4402.	.01	41.33	AUS	220.63
150	4394.	2.01	141.68	AUS	358.25
151	4402.	4.00	305.75	AUS	465.71
152	4394.	5.99	504.74	AUS	573.77
153	4402.	7.98	631.22	AJS	609.31
154	4402.	10.00	810.15	AUS	665.83
155	4402.	12.02	997.54	AUS	705.83
156	4394.	14.01	1181.31	AUS	700.99
157	4402.	15.86	561.25	AUS	336.79
158	4597.	.07	53.34	AUS	248.70
159	4598.	2.09	132.75	AUS	396.58
160	4598.	4.00	364.95	AUS	499.06
161	4602.	6.02	591.83	AUS	630.45
162	4594.	8.00	813.02	AUS	706.84
163	4594.	10.02	875.58	AUS	731.25
164	4601.	12.03	1104.71	AUS	801.21
165	4601.	14.02	1336.16	AUS	819.74
166	4601.	14.70	600.40	AUS	369.11
167	4795.	.05	91.73	AUS	283.26

	DRZ 1/MIN	BRL KP	HP10X G/H	HO2 G/H	HP02 G/H
168	4803.	2.30	218.20	AUS	449.90
169	4796.	3.32	413.43	AUS	587.38
170	4795.	6.07	656.60	AUS	666.96
171	4803.	7.38	830.64	AUS	785.37
172	4803.	10.00	1003.79	AUS	858.24
173	4795.	12.01	1202.06	AUS	864.57
174	4803.	13.98	1432.55	AUS	879.35
175	4803.	14.48	679.86	AUS	386.98
176	4998.	.01	93.81	AUS	304.86
177	5006.	2.05	284.02	AUS	487.58
178	4998.	3.95	482.99	AUS	633.18
179	4997.	5.97	723.55	AUS	678.50
180	4998.	8.00	980.16	AUS	784.37
181	4997.	10.03	1113.67	AUS	852.24
182	4998.	12.02	1291.11	AUS	877.59
183	4997.	13.97	1590.30	AUS	902.19
184	5005.	14.25	753.41	AUS	376.05
185	5199.	.03	73.52	AUS	281.48
186	5199.	1.93	253.27	AUS	485.68
187	5202.	3.77	435.86	AUS	623.72
188	5199.	5.35	761.93	AUS	726.42
189	5200.	6.01	1045.55	AUS	830.19
190	5200.	9.90	1131.80	AUS	882.23
191	5200.	12.02	1375.84	AUS	923.47
192	5200.	13.95	1673.36	AUS	972.15
193	5200.	14.10	816.56	AUS	395.16
194	5402.	.01	77.26	AUS	277.94
195	5403.	1.93	252.67	AUS	460.85
196	5402.	3.92	517.46	AUS	648.22
197	5403.	6.11	834.38	AUS	777.23
198	5395.	7.37	1104.41	AUS	858.61
199	5395.	9.96	1192.80	AUS	891.59
200	5402.	12.00	1455.30	AUS	935.16
202	5402.	13.78	865.62	AUS	377.73
203	5597.	.02	74.56	AUS	259.35
204	5606.	1.95	260.24	AUS	439.14
205	5606.	3.94	551.22	AUS	623.05
206	5605.	5.90	871.29	AUS	769.95
207	5598.	7.98	1121.76	AUS	897.80
208	5606.	9.94	1250.59	AUS	898.99
209	5598.	12.03	1433.57	AUS	936.10
210	5598.	13.33	915.06	AUS	375.22
211	5800.	.02	75.12	AUS	229.55
212	5800.	2.00	272.20	AUS	451.60
213	5800.	3.97	589.62	AUS	605.25

	DRZ 1/HIN	GR KP	HPNOX G/H	MO2 G/H	HP02 G/H
214	5800.	6.02	919.73	AUS	788.73
215	5801.	7.98	1137.62	AUS	925.53
216	5801.	10.03	1363.64	AUS	1020.67
217	5801.	11.34	1644.62	AUS	1134.52
218	5800.	12.86	921.11	AUS	529.19
219	6003.	.00	83.40	AUS	302.59
220	6003.	1.09	171.19	AUS	490.75
221	5995.	4.15	624.11	AUS	893.43
222	5996.	6.04	933.70	AUS	1173.82
223	6004.	8.33	1121.67	AUS	1345.56
224	5996.	9.96	1392.53	AUS	1413.08
225	5996.	12.02	1709.91	AUS	1489.13
227	5996.	12.33	871.56	AUS	957.34
228	1210.	-1.19	1.20	AUS	98.33
229	1407.	-1.60	1.10	AUS	292.28
230	1605.	-1.90	.81	AUS	568.97
231	1804.	-2.23	.58	AUS	889.33
232	2000.	-2.52	.48	AUS	1020.39
233	2000.	-1.32	1.35	AUS	512.60
234	2200.	-2.71	.43	AUS	1250.94
235	2200.	-1.97	1.48	AUS	508.58
236	2405.	-2.84	.45	AUS	1743.34
237	2405.	-1.32	1.94	AUS	456.38
238	2605.	-3.00	.43	AUS	2029.34
239	2606.	-1.98	1.83	AUS	554.35
240	2816.	-3.00	.44	AUS	1879.95
241	2814.	-1.95	2.29	AUS	625.51
242	3000.	-3.16	.49	AUS	2854.61
243	3001.	-1.85	2.55	AUS	644.24
244	3208.	-3.28	.50	AUS	3231.67
245	3208.	-2.03	2.24	AUS	851.48
246	3402.	-3.43	.47	AUS	3016.76
247	3402.	-1.89	3.25	AUS	724.31
248	3598.	-3.55	.55	AUS	3699.69
249	3598.	-1.78	3.48	AUS	667.51
250	3808.	-3.57	.54	AUS	3676.15
251	3809.	-1.90	3.30	AUS	529.28
252	4005.	-3.94	.65	AUS	4761.44
253	4005.	-1.89	3.74	AUS	550.81
254	4208.	-4.00	.64	AUS	481.25
255	4209.	-1.97	4.06	AUS	500.86
256	4405.	-6.10	.63	AUS	4038.93
257	4406.	-1.87	5.51	AUS	483.94
258	4599.	-4.26	.73	AUS	5015.19
259	4600.	-1.96	5.98	AUS	531.26

40TOP19,1401Z022

	DRZ 1/MIN	ORL KP	HP/NOX G/H	H02 G/H	HP02 G/H
260	4804	-4.46	.54	AUS	3220.50
261	4804	-1.89	7.87	AUS	443.81
262	5005	-4.62	.84	AUS	3172.39
263	5000	-2.00	3.42	AUS	387.30
264	5206	-1.17	.75	AUS	3982.96
265	5198	-3.31	2.37	AUS	3870.70
266	5198	-2.12	11.07	AUS	462.80
267	5403	-5.32	.79	AUS	3629.13
268	5403	-3.90	6.30	AUS	689.62
269	5403	-1.90	15.83	AUS	460.44
270	5606	-6.42	.83	AUS	4341.13
271	5602	-3.97	7.43	AUS	976.43
272	5604	-2.02	15.38	AUS	549.76
273	5805	-6.84	1.24	AUS	2613.62
274	5812	-5.73	4.74	AUS	2827.76
275	5911	-4.05	9.40	AUS	510.50
276	5811	-1.96	20.69	AUS	419.66
277	6013	-7.70	1.17	AUS	3399.51
278	6015	-5.98	5.32	AUS	1623.96
279	6013	-3.71	3.65	AUS	407.14
280	6014	-2.06	21.62	AUS	376.88

APPENDIX G.11
MODIFICATION CODE 18

DKL

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position


LINIEN GLEICHER LEISTUNG IN PS curves of constant power output

Mod. Code 18

DATUM / 01/10/77 MOTOR-TYP / GOLF
 PST-NR. / 00 CO/LL /
 VORZUEHUNG / 2/976
 KRAFTST. / BLEIFREI

MOTOR-NR. EE 001 419
 BEMERKUNG. /
 VERDICHTG. / 8.0
 SPEZ. GEN. / 1.747

ER-NR. /
 HUBRAUM / 1000
 VERGASER / A-JET.
 OEL / SHELL 20



SPZ 13


-WENN FELD LINIEN MIT KONST. WERTEN IN GPPCH

fuel consumption (fc) $\frac{g}{Hph}$

DATUM: 1.1.1977
 MOTOR-TYP: 5015
 VERZUEHUNG: -1.005
 VERDICHUNG: 0.005

MOTOR-NR.: 021 419
 BEMERKUNG: 7
 VERDICHUNG: 0.0
 SPEZ. GEW.: 0.747

ER-NR.:
 HUBRAUM: 1401
 VERGASER: VR-107
 OEL: 100LL 10



SPZVB


-KENNFELD LINIEN MIT KONST. WERTEN IN GPKWH

$$f_c \left(\frac{g}{kWh} \right)$$

DATUM / 01/12/77 MOTOR-TYP/G6LF
 PST-NR. / 22 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR. /EE 021 419
 BEMERKUNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./1.147

EA-NR. /
 HUBRAUM /1600
 VERGASER /K-JET.
 OEL /SHELL 30



LTARLU


-WENN FELD LINIEN MIT KONST. WERTEN IN LPH

$f_c \left(\frac{1}{h} \right)$

Datum: 10.10.77 MOTOR-TYP: 30LF
 Pst-Nr.: 001111
 WERLENDG: 10.10.77
 KRAFTST.: 10.10.77

MOTOR-NR. / EE 001 419
 BEMERKUNG: /
 VERDICHTIG: 8.0
 SPEZ.GEW.: 1.747

ER-NR.: /
 HUBRAUM: 112
 VERGRÖßER: 1/10
 DEL: 1/10




KRSTFLU -KENNFELD LINIEN MIT KONST. WERTEN IN KGPH

$$f_c \left(\frac{kg}{h} \right)$$

DATUM / 01/12/77 MOTOR-TYP/00LF
 PST-NR. /20 CS-LL /
 VÖRZUENDG/-3/976
 KRAFTST. /ELEDFREI

MOTOR-NR. /EE 001 419
 BEMERKNG./
 VERDICHTG/ 6.0
 SPEZ.GEW./1.747

EA-NR. /
 HUBRAUM /1600
 VERGÄSER /AK-JET
 OEL /SHELL 20



00


-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)

DATUM: 1.11.1977
 FÄHRN: 111
 MOTOR-TYP: GOLF
 CO. LL
 VORZEICHEN: -1-976
 PRÄFST.: ELEISFEE

MOTOR-NR. / EE 001 419
 BEMERKUNG: /
 VERDICHTG: 8.0
 SPEZ. GER.: 747

EA-NR.
 HUERAUM: 1.1600
 VERGASER: 1.1600
 OEL: 1.1600



HPCO


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{g}{h}\right)$

DATUM / 01/12/77 MOTOR-TYP/90LF
 PST-NR. 722 CO-LL
 WERZUENDIG/-3/956
 KRAFTST. /ELEKTRISCH

MOTOR-NR. /EE 321 419
 BEMERKUNG:
 VERDICHTIG 3.0
 SPEZ.GEW. /1.047

ER-NR. /
 HUBRAUM /1600
 VERGASER /W-JET.
 OEL /SHELL 30




03H9

-KENNFELD LINIEN MIT KONST. WERTEN IN FPM

DATUM: 10.11.77
 MOTOR-TYP: VALE
 MOTOR-NO: 021 419
 VERDICHTG: 8.0
 SPEZ.GEW: 740

MOTOR-NR: 021 419
 BEMERKUNG:
 VERDICHTG: 8.0
 SPEZ.GEW: 740

EG-NR.:
 HUBRAUM: 18.0
 VERGASER: 4.2
 OEL: SHELL



HPCH2

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH


$\left(\frac{G}{h}\right)$

DATUM / 01/12/77
PST-NR. 122

MOTOR-TYP/GALF
CO-LL /
VORZUEHEND 1-3/976
KRÄFTIG. VELEIFABE1


MOTOR-NR. /EE 021 419
BEMERKUNG. /
VERDICHTIG. 8.0
SPEZ.GEW. /1.247

ER-NR. /
HUBRAUM /1600
VERGRÖßER. /K-3ET.
ÖEL /SHELL 20



-KENNFELD LINIEN MIT KONST. WERTEN IN PPM


DE-107.
 DE-108.
 DE-109.
 DE-110.



-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$$\left(\frac{g}{h}\right)$$


EA-NR.	/
HUERAUM	/1600
VERGASER	/K-JET.
OEL	/SHELL 30



DATUM / 01/12/77 MOTOR-TYP/GOLF
 PST-NR. /20 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /8LEIFREI

MOTOR-NR /EE 021 419
 BEMERKUNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./1.747

EA-NR. /
 HUBF. /
 VERGASER /
 GEL /



HF02


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{g}{h}\right)$

DATUM 7.01/12/77 MOTOR-TYP 60LF
 FST-NR. 722 CO/LL 7
 VORZUEHUNG 1-1/2" 955
 KRAFTST. (ELEKTR.)

MOTOR-NR. JEE 021 439
 BEMERKUNG:
 VERDICHTG. 8.0
 SPEC. GEN. 1.047

ER-NR. 7
 HUBRAUM 71636
 VERDRÄGER PK-JET
 OEL 76HELL 30



002


-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)

DATUM / 01.12.77 MOTOR-TYP/60LF
 PST-NR. / 002 CO/LL /
 VORZUGENGR/-3/976
 BEARBEITET. SLEIFREI

MOTOR-NR. /EE 021 419
 BEMERKUNG./
 VERDICHTG/ 8.0
 SPEZ.GEN. 1.747

BAUFORM /
 HUB-H. /
 EPIDALE /
 DEL /



HPC02


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{G}{h}\right)$

DATUM / 01/12/77 MOTOR-TYP/GOLF
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/975
 KRAFTST. /BLEIFREI

MOTOR-NR /EE 021 419
 BEMERKNG-/
 VERDICHTG/ 8.0
 SPEZ.GEW./ 747


EA-NR. /
 HUBRAUM /1600
 VERGASER /K-JET,
 DEL /8HELL 30



ZUEN

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG

curves of constant spark advance

DATUM 01/10/77
EST-NR. 22MOTOR-TYP/GOLF
CO/LL /
VORZUEHUNG/-3/975
KRAFTST. /BLEIFREIMOTOR-NR /EE 021 416
BEMERKNG./
VERDICHTG/ 8.0
SPEZ.GEW./7.77ER-NR.
HUBHÖHE /1600
VERGÄSER /K-JET
ÖL /SHELL

LAMA

-KENNFELD LINIEN MIT KONST. WERTEN IN 1


λ - Map

DATUM / 01/12/77
PST-NR. / 722

MOTOR-TYP / 66LF
CO/LL /
VORZUEHUNG / -3/975
KRAFTST. / BLEIFREI

MOTOR-NR. / EE 021 419
BEMERKUNG /
VERDICHTG. / 8.0
SPEZ.GEW. / .747

EA-NR. /
HUBRAUM / 1600
VERGASER / K-JET.
ÖL / SHELL 30



SACHBEARBEITER DR. OETTING
11.24.42
08.57.06
EA-NR 31901

PROBEFSTAND NR 22
VERSUCHSBEREICH 01/12/77
VERSUCHSENDE 05/12/77

MESSPROTOKOLL PROGRAM 1 MOTOR
DATEINAME MOTOR 31901401AZX22
VERSUCHS NR 1
VERSUCHSART KEHNFELD AUGAS
BEMERKUNGEN ZUR VERSUCHSREIHE

KRAFTSTOFFSORTE BLEIFREI
OKTANZAHL (ROZ) 91
OELSORTE SHELL 30
EINSPRITZBEGINN

MOD. Code: 18
HUBRAUM 1500.
VERGICHTUNG 8.0
VERGASER/EINSPR. K-JET.
LEERL./OO / VORZ. -3/975

MOTOR-TYP
MOTOR-ART
MOTOR-NR
ZYLINDERZ.
BEHÄLTNISSE

BEMERKUNGEN ZUR VERSUCHSREIHE										Mod. Code: 18									
DRZ	1/MIN	UEL	3RL	RECHOR	EFFLST	REDLST	REDLST	REDLST	MONT	MONT	SPZVER3	SPZVERB	SPZVB	SPZVB	LTRSTD				
		KP	N	BAR	KW	KW	PS	PS	NH	KPH	G/KWH	G/PSH	G/KWH	G/PSH	L/H.				
1 P	1031.	0.11	1.1	0.1	0.1	0.1	0.1	0.1	0.8	0.08	AJS	AJS	*921.6	*239.3	AUS				
2 P	1006.	2.03	23.0	1.1	1.5	1.5	2.1	2.1	14.3	1.46	AUS	AJS	880.4	647.5	AUS				
3 P	1005.	3.98	33.1	2.2	2.3	3.0	4.0	4.0	28.0	2.86	AUS	AJS	535.7	394.0	AUS				
4 P	999.	5.02	53.0	3.3	4.4	4.4	6.0	6.0	42.4	4.32	AJS	AJS	397.1	292.1	AUS				
5 P	993.	8.07	73.2	4.5	5.9	5.9	8.1	8.1	56.8	5.80	AUS	AJS	362.7	266.7	AUS				
5 P	999.	10.20	93.1	5.5	7.4	7.4	10.0	10.0	70.4	7.18	AUS	AJS	337.5	248.2	AUS				
7 P	993.	11.96	117.3	6.6	8.8	8.8	12.0	12.0	84.2	8.59	AJS	AJS	319.7	235.1	AUS				
8 P	993.	12.40	122.2	6.9	9.2	9.2	12.5	12.5	87.7	8.94	AJS	AJS	375.5	276.2	AUS				
9 P	1194.	0.01	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.01	AUS	AJS	*417.2	*993.2	AUS				
10 P	1203.	2.12	23.0	1.2	1.9	1.9	2.5	2.5	15.0	1.52	AJS	AJS	1018.7	749.3	AUS				
11 P	1203.	3.98	33.0	2.2	3.5	3.5	4.8	4.8	28.0	2.86	AJS	AJS	591.3	434.9	AUS				
12 P	1204.	5.96	53.7	3.3	5.3	5.3	7.2	7.2	42.1	4.30	AJS	AJS	457.5	336.5	AUS				
13 P	1195.	8.07	73.1	4.5	7.1	7.1	9.7	9.7	56.8	5.79	AUS	AJS	376.2	276.7	AUS				
14 P	1204.	10.09	93.0	5.6	8.9	8.9	12.2	12.2	71.0	7.24	AUS	AJS	345.8	254.4	AUS				
15 P	1204.	12.04	113.1	6.7	10.7	10.7	14.5	14.5	84.7	8.64	AJS	AJS	331.0	243.4	AUS				
16 P	1204.	12.24	123.0	6.8	10.8	10.8	14.8	14.8	86.1	8.78	AUS	AJS	391.0	287.6	AUS				
17 P	1393.	0.12	0.1	0.1	0.1	0.1	0.2	0.2	0.9	0.09	AUS	AJS	*454.7	*895.9	AUS				
18 P	1400.	2.04	20.0	1.1	2.1	2.1	2.9	2.9	14.4	1.47	AUS	AJS	969.3	712.9	AUS				
19 P	1393.	4.03	33.5	2.2	4.1	4.2	5.6	5.6	28.3	2.89	AUS	AJS	587.0	431.7	AUS				
20 P	1393.	6.02	53.1	3.3	6.2	6.2	8.4	8.4	42.4	4.32	AJS	AJS	438.7	322.7	AUS				
21 P	1400.	8.05	73.9	4.4	8.3	8.3	11.3	11.3	56.8	5.78	AUS	AJS	396.0	291.3	AUS				
22 P	1403.	10.12	93.3	5.6	10.4	10.4	14.2	14.2	71.2	7.26	AJS	AJS	323.7	238.1	AUS				
23 P	1400.	12.07	118.4	6.7	12.4	12.4	16.9	16.9	85.0	8.66	AUS	AJS	333.6	245.4	AUS				
24 P	1401.	12.26	123.2	6.8	12.6	12.7	17.2	17.2	86.3	8.80	AUS	AJS	389.3	286.3	AUS				
25 P	1604.	0.30	0.1	0.2	0.4	0.4	0.5	0.5	0.1	0.01	AUS	AJS	*864.1	*577.5	AUS				
26 P	1595.	1.99	13.5	1.1	2.3	2.3	3.2	3.2	14.0	1.43	AUS	AJS	880.1	653.2	AUS				
27 P	1597.	4.13	43.5	2.3	4.9	4.9	6.6	6.6	29.1	2.97	AUS	AJS	516.2	379.7	AUS				
28 P	1597.	6.04	58.3	3.3	7.0	7.0	9.5	9.5	41.8	4.27	AJS	AJS	448.9	330.2	AUS				
29 P	1597.	8.02	78.0	4.4	9.4	9.4	12.8	12.8	56.4	5.75	AJS	AJS	388.0	285.4	AUS				
30 P	1597.	10.20	100.0	5.6	12.0	12.0	16.3	16.3	71.8	7.32	AUS	AJS	332.1	244.3	AUS				
31 P	1605.	12.09	118.6	6.7	14.3	14.3	19.5	19.5	95.1	9.68	AUS	AJS	304.0	223.6	AUS				
32 P	1597.	13.18	123.2	7.3	15.5	15.5	21.1	21.1	92.8	9.46	AUS	AJS	361.4	265.8	AUS				

DRZ 1/MIN	BRL KP	BRL N	REOMDK BAR	EFFLST KW	REDLST KW	REDLST PS	HOMT NM	HOMT KPH	SPZVER3 G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H
33 P 1800.	2.26	20.6	2.1	2.7	2.7	2.5	14.9	1.13	AUS	AUS	*412.4	*980.8	AUS
34 P 1800.	2.05	20.1	1.1	2.7	2.7	3.7	14.5	1.47	AUS	AJS	821.3	604.1	AUS
35 P 1801.	4.02	39.4	2.2	5.3	5.3	7.3	28.3	2.88	AJS	AJS	534.8	393.4	AUS
36 P 1801.	6.14	60.2	3.4	8.1	8.2	11.1	43.2	4.41	AJS	AJS	447.9	329.4	AUS
37 P 1801.	7.33	77.8	4.4	10.5	10.5	14.3	55.8	5.63	AJS	AJS	384.3	282.6	AUS
38 P 1801.	10.25	100.5	5.7	13.6	13.6	18.5	72.1	7.35	AJS	AJS	324.3	238.5	AUS
39 P 1801.	12.13	119.0	6.7	16.1	16.1	21.9	95.4	8.71	AJS	AJS	299.9	220.6	AUS
40 P 1793.	13.68	134.2	7.6	18.1	18.1	24.6	96.3	9.82	AJS	AUS	329.9	242.6	AUS
41 P 2004.	.02	.2	.0	.0	.0	.0	.1	.01	AUS	AUS	*787.0	*650.6	AUS
42 P 2004.	1.98	13.4	1.1	2.9	2.9	4.0	13.9	1.42	AUS	AJS	817.5	601.3	AUS
43 P 2004.	3.97	38.9	2.2	5.3	5.9	8.0	27.9	2.85	AJS	AJS	505.4	371.7	AUS
44 P 2005.	5.94	58.3	3.3	8.8	8.8	11.9	41.8	4.27	AJS	AJS	437.7	321.9	AUS
45 P 1997.	8.23	80.7	4.6	12.1	12.1	15.5	58.0	5.91	AJS	AJS	361.1	265.6	AUS
46 P 2006.	10.20	100.1	5.6	15.1	15.1	20.5	71.8	7.33	AJS	AJS	302.8	222.7	AUS
47 P 2005.	12.17	113.3	6.7	18.0	18.0	24.5	95.7	8.73	AJS	AJS	286.0	210.4	AUS
48 P 2005.	14.00	137.3	7.7	20.7	20.7	28.2	98.6	10.06	AUS	AJS	309.6	227.7	AUS
49 P 1997.	14.19	133.1	7.8	20.3	20.9	28.4	99.9	10.13	AJS	AJS	307.9	226.5	AUS
50 P 2192.	.18	1.7	.1	.3	.3	.4	1.2	.13	AJS	AJS	7572.0	5569.1	AUS
51 P 2201.	1.98	13.4	1.1	3.2	3.2	4.4	13.9	1.42	AJS	AJS	845.7	622.0	AUS
52 P 2193.	4.09	40.2	2.3	6.6	6.6	9.0	28.8	2.94	AJS	AJS	509.4	374.6	AUS
53 P 2193.	5.99	53.8	3.3	9.7	9.7	13.2	42.2	4.30	AJS	AJS	438.6	322.6	AUS
54 P 2201.	8.01	73.5	4.4	13.0	13.0	17.7	56.4	5.75	AUS	AJS	351.5	258.5	AUS
55 P 2193.	10.10	93.0	5.6	16.4	16.4	22.3	71.5	7.29	AJS	AJS	311.1	228.8	AUS
56 P 2194.	12.13	113.0	6.7	19.0	19.6	25.7	85.4	8.71	AJS	AJS	284.4	209.2	AUS
57 P 2193.	13.97	137.0	7.7	22.5	22.6	30.7	98.3	10.02	AJS	AJS	306.1	225.1	AUS
58 P 2202.	14.27	133.9	7.9	23.1	23.2	31.5	100.4	10.24	AUS	AJS	306.5	225.4	AUS
59 P 2404.	-0.01	-1	-0	-0	-0	-0	-1	-01	AUS	AJS	*780.8	*859.4	AUS
60 P 2397.	2.11	23.7	1.2	3.7	3.7	5.1	14.8	1.51	AJS	AJS	759.6	558.7	AUS
61 P 2398.	3.99	39.1	2.2	7.0	7.1	9.6	28.1	2.86	AJS	AJS	495.6	364.5	AUS
62 P 2398.	6.21	60.9	3.4	11.0	11.0	14.9	43.7	4.46	AJS	AJS	399.8	294.0	AUS
63 P 2398.	8.11	73.5	4.5	14.3	14.3	19.5	57.1	5.82	AJS	AJS	339.6	249.8	AUS
64 P 2406.	10.11	93.1	5.6	17.9	17.9	24.4	71.1	7.25	AJS	AJS	297.2	218.6	AUS
65 P 2398.	12.08	118.5	6.7	21.3	21.3	29.0	85.0	8.67	AJS	AJS	280.8	206.5	AUS
66 P 2398.	14.04	137.7	7.8	24.8	24.8	33.7	98.8	10.07	AUS	AJS	275.2	202.4	AUS
67 P 2398.	14.59	143.1	8.1	25.7	25.8	35.1	102.6	10.47	AUS	AJS	297.1	218.5	AUS
68 P 2593.	.02	.2	.0	.0	.0	.1	.2	.02	AUS	AUS	*417.4	*817.3	AUS
69 P 2594.	2.05	23.1	1.1	3.9	3.9	5.3	14.4	1.47	AJS	AJS	808.1	594.4	AUS
70 P 2602.	3.99	39.1	2.2	7.6	7.6	10.4	28.1	2.86	AJS	AJS	527.4	387.9	AUS
71 P 2600.	6.17	60.5	3.4	11.8	11.7	15.0	43.1	4.39	AJS	AJS	419.0	308.1	AUS
72 P 2601.	8.11	79.6	4.5	15.5	15.4	21.0	56.7	5.78	AJS	AJS	339.9	250.0	AUS
73 P 2601.	10.14	93.4	5.6	19.4	19.3	26.2	70.8	7.22	AJS	AJS	305.4	224.6	AUS
74 P 2600.	12.14	113.1	6.7	23.2	23.1	31.4	94.8	8.65	AJS	AJS	281.5	207.1	AUS
75 P 2603.	14.13	133.6	7.8	27.0	26.9	36.6	98.7	10.07	AUS	AUS	273.8	201.4	AUS
76 P 2603.	14.76	144.8	8.1	28.2	28.1	38.2	103.1	10.51	AUS	AJS	303.5	223.2	AUS
77 P 2795.	.01	.1	.0	.0	.0	.0	.0	.00	AJS	AUS	*042.0	*195.1	AUS

DKZ 1/MIN	BRL KP	BRL N	REDMDK BAR	EFFLST KM	REDLST KM	REDLST PS	HOMT NM	HOMT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTO L/M
78 P	2803.	1.99	13.5	1.1	4.1	5.6	13.9	1.42	AJS	AJS	856.8	630.2	AUS
79 P	2802.	3.96	38.8	2.2	8.1	11.0	27.6	2.82	AUS	AJS	513.3	377.6	AUS
80 P	2803.	5.69	53.7	3.3	12.6	17.0	42.5	4.33	AJS	AJS	408.1	300.2	AUS
81 P	2803.	8.11	73.5	4.4	16.7	22.6	56.6	5.77	AUS	AJS	338.8	249.2	AUS
82 P	2803.	10.12	93.3	5.6	20.9	28.2	76.7	7.21	AJS	AUS	302.5	222.5	AUS
83 P	2803.	12.10	113.7	6.6	25.0	33.7	84.5	8.61	AUS	AJS	283.6	208.6	AUS
84 P	2795.	14.12	133.5	7.7	29.1	33.2	98.6	10.05	AJS	AJS	271.1	199.4	AUS
85 P	2795.	15.08	147.9	8.3	31.0	41.9	105.3	10.74	AJS	AJS	298.4	219.5	AUS
86 P	2793.	-0.06	-0.6	-0.0	-0.1	-0.2	-0.5	-0.05	AUS	AJS	*849.0	*805.4	AUS
87 P	2933.	2.03	13.9	1.1	4.5	6.1	14.2	1.45	AUS	AJS	868.3	638.6	AUS
88 P	2933.	4.01	39.3	2.2	8.8	11.9	28.0	2.85	AJS	AJS	529.4	389.4	AUS
89 P	2938.	5.15	60.4	3.4	13.0	18.4	43.0	4.38	AJS	AJS	380.6	279.9	AUS
90 P	3006.	8.03	73.7	4.4	17.9	24.0	56.1	5.72	AUS	AJS	332.6	244.6	AUS
91 P	3005.	10.13	93.4	5.6	22.4	31.3	70.8	7.22	AJS	AJS	290.5	213.6	AUS
92 P	2998.	12.06	113.4	6.6	26.5	36.0	84.4	8.61	AUS	AJS	275.8	202.9	AUS
93 P	2998.	14.12	139.5	7.7	31.2	42.1	98.6	10.06	AUS	AUS	265.4	195.2	AUS
94 P	2998.	15.05	151.5	8.5	34.1	46.1	108.0	11.01	AUS	AJS	298.9	219.9	AUS
95 P	3201.	-0.02	-0.2	-0.0	-0.1	-0.1	-0.2	-0.02	AJS	AJS	*065.9	*913.8	AUS
96 P	3202.	2.09	20.5	1.1	4.9	5.7	14.6	1.49	AUS	AJS	874.7	643.3	AUS
97 P	3194.	4.08	40.0	2.2	9.6	12.9	28.5	2.90	AUS	AJS	512.5	377.0	AUS
98 P	3202.	6.06	59.4	3.3	14.3	19.3	42.3	4.32	AUS	AJS	395.5	290.9	AUS
99 P	3202.	7.98	73.3	4.4	18.3	25.4	55.7	5.68	AUS	AJS	330.3	242.9	AUS
100 P	3194.	10.16	93.6	5.6	23.9	32.3	70.9	7.23	AUS	AJS	292.1	214.8	AUS
101 P	3202.	12.07	113.4	6.6	28.4	38.4	94.3	8.60	AJS	AJS	279.1	205.3	AUS
102 P	3195.	14.10	138.3	7.7	33.2	44.8	98.4	10.04	AJS	AJS	264.5	194.5	AUS
103 P	3202.	15.32	150.2	8.4	36.1	48.8	107.0	10.91	AJS	AJS	301.4	221.7	AUS
104 P	3397.	-0.00	-0.0	-0.0	-0.0	-0.0	-0.0	-0.00	AUS	AJS	*363.6	*582.1	AUS
105 P	3393.	1.97	13.3	1.1	4.9	6.6	13.7	1.40	AUS	AJS	894.7	658.1	AUS
106 P	3406.	3.31	33.3	2.1	9.8	13.2	27.3	2.78	AUS	AJS	517.7	380.7	AUS
107 P	3393.	5.97	53.0	3.3	14.9	20.2	41.7	4.26	AUS	AJS	390.6	287.3	AUS
108 P	3398.	8.08	73.3	4.4	20.2	27.3	56.5	5.76	AUS	AJS	325.7	239.6	AUS
109 P	3399.	10.13	93.3	5.6	25.3	34.2	70.7	7.21	AJS	AUS	290.6	213.8	AUS
110 P	3399.	12.06	113.3	6.6	30.2	40.8	84.3	8.60	AUS	AJS	277.7	204.2	AUS
111 P	3393.	14.10	138.2	7.7	35.3	47.7	98.5	10.04	AUS	AUS	268.8	197.7	AUS
112 P	3393.	15.33	150.3	8.4	38.4	51.8	107.0	10.91	AUS	AJS	298.1	219.2	AUS
113 P	3593.	0.00	0.0	0.0	0.0	0.0	0.0	0.00	AUS	AJS	*982.9	*962.8	AUS
114 P	3595.	2.17	21.3	1.2	5.7	7.8	15.2	1.55	AJS	AJS	819.2	602.5	AUS
115 P	3596.	4.01	39.4	2.2	10.6	14.4	28.0	2.86	AUS	AJS	497.2	365.7	AUS
116 P	3603.	6.13	60.1	3.4	16.2	21.9	42.8	4.36	AUS	AJS	378.0	278.0	AUS
117 P	3603.	8.09	79.3	4.4	21.5	29.0	56.5	5.76	AUS	AJS	323.2	237.7	AUS
118 P	3595.	10.09	99.0	5.5	26.7	36.1	70.5	7.19	AUS	AJS	297.7	219.0	AUS
119 P	3603.	12.07	119.4	6.6	32.0	43.3	84.3	8.60	AUS	AJS	280.0	206.0	AUS
120 P	3603.	14.07	137.9	7.7	37.3	50.4	98.2	10.02	AUS	AJS	268.7	197.7	AUS
121 P	3595.	15.33	150.4	8.4	40.6	54.9	107.2	10.93	AJS	AJS	298.6	219.6	AUS
122 P	3606.	0.01	0.1	0.0	0.0	0.0	0.0	0.00	AUS	AJS	*883.6	*292.6	AUS

DRZ 1/MIN	BRL KP	BRL N	REDMDR BAR	EFFLST KW	REDLST KW	REDLST PS	MONT NH	MONT KPM	S>ZVER3 G/KWH	S>ZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H
123 P 3607.	2.04	20.0	1.1	5.7	5.7	7.7	14.3	1.45	AJS	AJS	852.8	627.2	AUS
124 P 3799.	4.03	33.5	2.2	11.3	11.2	15.2	28.1	2.87	AJS	AJS	494.0	363.3	AUS
125 P 3799.	6.17	60.5	3.4	17.3	17.2	23.3	43.1	4.40	AUS	AUS	367.6	270.3	AUS
126 P 3799.	8.09	73.3	4.4	22.6	22.5	30.6	56.5	5.76	AUS	AJS	326.6	240.2	AUS
127 P 3799.	10.12	99.3	5.6	28.3	28.2	38.3	70.8	7.21	AUS	AJS	299.0	219.9	AUS
128 P 3799.	12.07	118.4	6.6	33.8	33.6	45.6	84.4	8.60	AUS	AUS	283.2	208.3	AUS
129 P 3799.	14.05	137.8	7.7	39.3	39.1	53.1	98.2	10.01	AJS	AJS	273.5	201.1	AUS
130 P 3799.	15.33	150.4	8.4	42.9	42.6	58.0	107.1	10.92	AUS	AJS	294.3	216.4	AUS
131 P 4002.	.02	.2	.0	.1	.1	.1	.1	.01	AUS	AJS	*594.6	*541.6	AUS
132 P 3995.	2.03	19.3	1.1	6.0	5.9	8.1	14.2	1.45	AUS	AJS	855.5	629.2	AUS
133 P 4003.	4.02	39.4	2.2	11.8	11.8	15.0	28.0	2.86	AUS	AJS	488.2	359.0	AUS
134 P 4002.	6.06	59.4	3.3	17.8	17.8	24.1	42.3	4.32	AJS	AJS	370.3	272.3	AUS
135 P 3995.	8.11	73.5	4.4	23.8	23.7	32.2	56.6	5.78	AUS	AJS	325.8	239.6	AUS
136 P 4003.	10.08	98.8	5.5	29.7	29.5	40.1	70.4	7.18	AUS	AJS	300.5	221.0	AUS
137 P 4003.	12.08	118.5	6.6	35.6	35.4	48.1	94.4	8.60	AJS	AJS	282.8	208.0	AUS
138 P 3995.	14.04	137.7	7.7	41.3	41.1	55.8	98.1	10.00	AJS	AJS	275.3	202.5	AUS
139 P 4003.	15.37	150.7	8.4	45.3	45.0	61.2	107.3	10.94	AJS	AJS	293.2	215.7	AUS
140 P 4198.	.06	.6	.0	.2	.2	.2	.4	.04	AJS	AJS	*159.1	*769.0	AUS
141 P 4199.	2.15	21.1	1.2	6.6	6.6	9.0	15.0	1.53	AJS	AJS	800.4	588.7	AUS
142 P 4207.	4.00	39.2	2.2	12.4	12.3	16.7	27.9	2.85	AUS	AJS	488.4	359.3	AUS
143 P 4199.	6.07	59.5	3.3	18.3	18.7	25.4	42.4	4.32	AJS	AJS	371.2	273.0	AUS
144 P 4207.	8.04	78.3	4.4	24.9	24.8	33.7	55.2	5.73	AUS	AJS	328.3	241.5	AUS
145 P 4199.	10.10	99.3	5.5	31.2	31.0	42.2	70.6	7.20	AJS	AJS	299.8	220.5	AUS
146 P 4200.	12.03	113.5	6.6	37.4	37.2	50.5	94.5	8.62	AUS	AJS	285.7	210.2	AUS
147 P 4200.	14.06	137.3	7.7	43.5	43.2	58.8	98.2	10.02	AUS	AJS	275.1	202.3	AUS
148 P 4200.	15.22	143.2	8.4	47.0	46.8	63.6	106.3	10.84	AJS	AJS	290.4	213.6	AUS
149 P 4403.	.02	.2	.0	.1	.1	.1	.1	.01	AJS	AJS	*829.6	*333.8	AUS
150 P 4403.	2.02	13.8	1.1	6.5	6.4	8.7	13.9	1.42	AJS	AJS	841.7	619.1	AUS
151 P 4403.	4.02	33.4	2.2	13.0	13.0	17.6	28.1	2.87	AUS	AJS	483.8	355.9	AUS
152 P 4403.	6.11	59.3	3.4	19.3	19.7	25.8	42.7	4.35	AUS	AJS	370.3	272.3	AUS
153 P 4395.	8.00	73.0	4.4	26.1	25.9	35.3	56.4	5.75	AUS	AJS	330.3	242.9	AUS
154 P 4395.	10.13	99.4	5.6	32.8	32.6	44.4	70.8	7.22	AUS	AJS	305.0	224.3	AUS
155 P 4403.	12.04	118.0	6.6	39.3	38.8	52.8	84.2	8.58	AUS	AJS	291.3	214.3	AUS
156 P 4395.	14.09	133.1	7.7	45.6	45.3	61.6	98.5	10.04	AJS	AJS	281.3	206.9	AUS
157 P 4395.	15.37	137.0	7.7	45.2	44.9	61.1	97.6	9.95	AUS	AJS	301.2	221.5	AUS
158 P 4598.	.10	1.0	.1	.7	.4	.5	.7	.07	AJS	AJS	*670.1	*054.3	AUS
159 P 4598.	1.98	13.4	1.1	6.7	6.6	9.0	13.8	1.41	AJS	AJS	832.1	612.0	AUS
160 P 4506.	4.04	33.6	2.2	13.7	13.6	18.5	28.2	2.88	AJS	AJS	471.2	346.5	AUS
161 P 4598.	6.10	53.8	3.3	20.6	20.5	27.9	42.6	4.34	AUS	AJS	370.1	272.2	AUS
162 P 4599.	8.05	73.1	4.4	27.3	27.1	35.9	56.3	5.74	AUS	AJS	331.9	244.1	AUS
163 P 4599.	10.08	93.3	5.5	34.1	33.9	46.1	70.4	7.18	AUS	AJS	308.6	227.0	AUS
164 P 4599.	12.07	113.4	6.6	40.8	40.6	55.2	84.4	8.60	AUS	AJS	293.4	215.8	AUS
165 P 4599.	14.05	137.9	7.7	47.6	47.3	64.3	98.2	10.02	AUS	AJS	284.7	209.4	AUS
166 P 4599.	15.84	145.5	8.1	50.2	49.9	67.9	103.6	10.57	AUS	AJS	302.0	222.1	AUS
167 P 4794.	.31	.1	.0	.0	.0	.0	.0	.00	AJS	AJS	*129.4	*317.4	AUS

URZ 1/MIN	ERL KP	9RL N	REDMOR BAR	EFFLST KM	REDLST KM	REDLST PS	HOMT VM	HOMT KPH	SPZVERB G/KWH	SPZVLVB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTKSTD L/H
168 P	4302.	2.10	21.2	1.2	7.0	7.6	13.1	1.54	AJS	AJS	781.7	574.9	AUS
169 P	4301.	3.99	39.2	2.2	14.1	14.6	27.9	2.84	AJS	AJS	475.5	349.8	AUS
170 P	4302.	5.03	53.1	3.3	21.3	21.2	42.1	4.29	AJS	AJS	378.9	278.6	AUS
171 P	4302.	8.00	73.0	4.4	29.0	28.3	55.3	5.74	AUS	AUS	334.4	246.0	AUS
172 P	4302.	10.02	93.3	5.5	35.4	35.2	70.0	7.14	AJS	AJS	308.5	226.9	AUS
173 P	4302.	12.05	118.1	6.6	42.5	42.3	94.2	8.59	AJS	AJS	297.7	218.9	AUS
174 P	4302.	14.04	137.7	7.7	49.5	49.3	104.0	10.00	AUS	AJS	288.6	212.3	AUS
175 P	4302.	14.30	140.1	8.2	52.0	52.3	104.0	10.60	AUS	AJS	303.2	223.0	AUS
176 P	4397.	-0.31	-0.1	-0.0	-0.0	-0.1	-0.1	-0.01	AUS	AJS	*380.5	*952.4	AUS
177 P	4397.	1.84	13.0	1.0	6.8	6.7	12.8	1.31	AUS	AUS	898.6	660.9	AUS
178 P	4397.	3.68	33.0	2.0	13.5	13.4	25.7	2.62	AJS	AJS	503.8	370.5	AUS
179 P	5005.	5.99	53.8	3.3	22.1	21.9	41.9	4.27	AUS	AUS	367.9	270.6	AUS
180 P	4397.	8.00	73.0	4.4	29.6	29.5	56.3	5.74	AJS	AUS	340.4	250.4	AUS
181 P	4398.	10.04	98.4	5.5	36.9	36.7	70.1	7.15	AUS	AUS	313.4	230.5	AUS
182 P	4397.	12.00	117.7	6.6	44.1	43.9	93.9	8.55	AJS	AJS	299.7	220.5	AUS
183 P	4398.	14.07	139.0	7.7	51.8	51.5	98.3	10.02	AJS	AJS	292.0	214.8	AUS
184 P	4397.	14.74	144.5	8.1	54.2	53.9	103.0	10.51	AUS	AJS	305.7	224.9	AUS
185 P	5200.	.04	.4	.0	.1	.2	.3	.03	AUS	AJS	*690.2	*192.0	AUS
186 P	5201.	2.12	20.3	1.2	8.1	8.1	14.8	1.51	AJS	AJS	779.1	573.0	AUS
187 P	5200.	3.35	33.7	2.2	15.1	15.0	27.6	2.81	AJS	AJS	488.9	359.6	AUS
188 P	5200.	5.07	53.5	3.3	23.2	23.1	42.4	4.32	AJS	AJS	380.0	279.5	AUS
189 P	5201.	8.00	73.1	4.4	30.3	30.7	56.3	5.74	AJS	AJS	344.9	253.6	AUS
190 P	5231.	10.03	98.9	5.5	38.6	38.4	70.5	7.18	AJS	AUS	316.5	232.8	AUS
191 P	5233.	12.02	117.8	6.6	46.0	45.7	93.9	8.56	AJS	AJS	304.4	223.9	AUS
192 P	5201.	14.02	137.5	7.7	53.7	53.4	98.0	9.99	AUS	AUS	297.1	218.5	AUS
193 P	5201.	14.53	143.5	8.0	56.0	55.7	102.2	10.42	AJS	AJS	305.2	224.5	AUS
194 P	5396.	.05	.5	.0	.2	.3	.4	.04	AJS	AJS	*992.1	*588.1	AUS
195 P	5403.	1.94	13.3	1.1	7.7	7.7	13.6	1.38	AUS	AJS	858.9	631.7	AUS
196 P	5396.	4.03	33.5	2.2	16.0	15.9	28.1	2.87	AJS	AJS	497.5	365.9	AUS
197 P	5396.	6.09	53.8	3.3	24.2	24.1	42.6	4.34	AJS	AJS	386.5	284.3	AUS
198 P	5404.	8.05	78.9	4.4	32.0	31.8	56.2	5.73	AJS	AUS	350.2	257.6	AUS
199 P	5396.	10.00	98.1	5.5	39.7	39.5	59.9	7.13	AUS	AUS	324.5	238.6	AUS
200 P	5404.	12.11	113.8	6.6	48.2	47.9	94.6	8.63	AUS	AUS	306.4	225.3	AUS
201 P	5404.	14.02	137.5	7.7	55.8	55.5	98.0	9.99	AJS	AJS	293.9	216.2	AUS
202 P	5396.	14.37	140.3	7.9	57.1	56.8	100.4	10.24	AUS	AJS	309.8	227.9	AUS
203 P	5593.	-0.01	-0.1	-0.0	-0.0	-0.1	-0.1	-0.01	AUS	AUS	*739.8	*423.2	AUS
204 P	5600.	2.00	13.7	1.1	8.3	8.2	14.0	1.43	AJS	AJS	847.2	623.1	AUS
205 P	5600.	4.05	33.7	2.2	16.7	16.6	28.3	2.89	AJS	AJS	493.6	363.1	AUS
206 P	5604.	6.02	53.0	3.3	24.8	24.7	42.0	4.28	AJS	AJS	389.6	286.5	AUS
207 P	5596.	8.10	73.4	4.4	33.4	33.1	56.5	5.76	AUS	AUS	357.5	262.9	AUS
208 P	5596.	10.11	93.1	5.5	41.5	41.4	70.5	7.19	AUS	AUS	326.9	240.5	AUS
209 P	5604.	12.05	113.2	6.6	49.7	49.4	94.1	8.58	AJS	AJS	314.5	231.3	AUS
210 P	5604.	13.85	135.9	7.6	57.1	56.8	96.7	9.86	AJS	AJS	316.7	233.0	AUS
211 P	5799.	.05	.5	.0	.2	.3	.4	.04	AUS	AUS	*677.6	*092.3	AUS
212 P	5797.	1.33	18.9	1.1	8.2	8.2	13.5	1.37	AJS	AJS	883.4	649.7	AUS

DRZ 1/MIN	BRL KP	BRL N	REOMDR BAR	EFFLST KW	REDLST KH	REDLST PS	MONT NH	MONT KPH	SPZVER3 G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H
213 P 5799.	4.03	39.5	2.2	17.2	17.1	23.2	28.1	2.87	AUS	AJS	505.8	372.0	AUS
214 P 5806.	6.04	59.2	3.3	25.8	25.7	34.9	42.2	4.30	AUS	AJS	399.4	293.8	AUS
215 P 5799.	8.16	73.4	4.4	34.6	34.4	46.7	56.6	5.77	AUS	AJS	356.9	262.5	AUS
216 P 5798.	10.07	98.3	5.5	43.0	42.7	59.1	70.3	7.17	AUS	AUS	329.8	242.6	AUS
217 P 5799.	12.07	118.3	6.6	51.5	51.2	69.6	84.2	8.59	AUS	AJS	315.3	231.9	AUS
218 P 5799.	13.48	132.2	7.4	57.5	57.2	77.8	94.1	9.60	AUS	AUS	323.2	237.7	AUS
219 P 5996.	.08	.8	.0	.4	.4	.5	.6	.06	AUS	AJS	*450.1	*570.0	AUS
220 P 5983.	2.00	13.6	1.1	8.8	8.8	11.9	14.0	1.42	AUS	AJS	890.4	654.9	AUS
221 P 6013.	4.07	33.9	2.2	18.0	17.9	24.4	28.4	2.90	AUS	AJS	517.6	380.7	AUS
222 P 6001.	6.02	59.1	3.3	26.6	26.5	36.0	42.1	4.29	AJS	AJS	416.2	306.1	AUS
223 P 6001.	8.05	78.9	4.4	35.6	35.4	48.1	56.3	5.74	AJS	AUS	362.3	266.5	AUS
224 P 6000.	9.97	97.7	5.5	44.0	43.8	59.5	59.7	7.10	AUS	AUS	336.8	247.7	AUS
225 P 6001.	12.19	119.5	6.7	53.8	53.5	72.7	85.1	8.68	AJS	AJS	316.6	232.9	AUS
226 P 5933.	12.98	127.3	7.1	57.2	56.9	77.4	90.7	9.24	AJS	AJS	332.9	244.8	AUS
227 H 1198.	-1.24	-12.2	-7	-1.1	-1.1	-1.5	-8.7	-8.9	AUS	AUS	*003.9	-738.4	AUS
228 H 1453.	-1.56	-15.2	-9	-1.7	-1.7	-2.3	-11.6	-1.18	AUS	AJS	-648.4	-476.9	AUS
229 H 1605.	-1.84	-18.3	-1.0	-2.2	-2.2	-2.9	-12.9	-1.31	AJS	AUS	-492.2	-362.0	AUS
230 H 1531.	-2.06	-20.2	-1.1	-2.7	-2.7	-3.7	-14.5	-1.47	AUS	AJS	-438.5	-322.5	AUS
231 H 2002.	-2.38	-23.3	-1.3	-3.5	-3.5	-4.7	-16.6	-1.70	AUS	AUS	-360.4	-265.1	AUS
232 H 2203.	-2.66	-26.1	-1.5	-4.3	-4.3	-5.8	-18.6	-1.90	AJS	AJS	-304.5	-223.9	AUS
233 H 2203.	-1.94	-19.0	-1.1	-3.1	-3.1	-4.3	-13.6	-1.39	AJS	AJS	-544.3	-400.3	AUS
234 H 2405.	-2.81	-27.6	-1.5	-5.0	-5.0	-6.7	-19.7	-2.01	AUS	AUS	-248.1	-182.5	AUS
235 H 2405.	-2.03	-19.9	-1.1	-3.6	-3.6	-4.9	-14.2	-1.45	AUS	AJS	-507.2	-373.1	AUS
236 H 2603.	-2.35	-23.3	-1.6	-5.7	-5.6	-7.7	-20.7	-2.11	AUS	AUS	-246.5	-181.3	AUS
237 H 2633.	-1.98	-19.4	-1.1	-3.8	-3.8	-5.1	-13.9	-1.41	AJS	AUS	-552.4	-406.3	AUS
238 H 2807.	-3.09	-33.3	-1.7	-6.4	-6.4	-8.7	-21.7	-2.21	AUS	AJS	-222.1	-163.4	AUS
239 H 2808.	-2.00	-19.6	-1.1	-4.1	-4.1	-5.6	-14.0	-1.43	AJS	AJS	-484.1	-356.1	AUS
240 H 3001.	-3.21	-31.3	-1.8	-7.1	-7.1	-9.6	-22.5	-2.29	AJS	AJS	-198.0	-145.6	AUS
241 H 3002.	-1.91	-19.7	-1.0	-4.2	-4.2	-5.7	-13.3	-1.36	AUS	AUS	-520.2	-382.6	AUS
242 H 3202.	-3.33	-32.7	-1.8	-7.9	-7.8	-10.6	-23.3	-2.38	AUS	AJS	-184.4	-135.6	AUS
243 H 3233.	-2.05	-20.1	-1.1	-4.8	-4.8	-6.5	-14.3	-1.46	AUS	AUS	-420.0	-308.9	AUS
244 H 3401.	-3.51	-34.4	-1.9	-8.8	-8.8	-11.9	-24.6	-2.51	AJS	AJS	-165.9	-122.0	AUS
245 H 3401.	-1.87	-18.3	-1.0	-4.7	-4.7	-6.3	-13.1	-1.33	AUS	AUS	-515.7	-379.3	AUS
246 H 3601.	-3.62	-36.5	-2.0	-9.9	-9.6	-13.0	-25.3	-2.58	AJS	AJS	-166.5	-122.5	AUS
247 H 3601.	-1.97	-19.4	-1.1	-5.2	-5.2	-7.1	-13.8	-1.41	AUS	AJS	-449.7	-330.7	AUS
248 H 3804.	-3.73	-38.5	-2.0	-10.4	-10.4	-14.1	-26.1	-2.66	AUS	AJS	-141.6	-104.2	AUS
249 H 3804.	-1.96	-19.3	-1.1	-5.5	-5.5	-7.4	-13.7	-1.40	AUS	AJS	-447.5	-329.2	AUS
250 H 4003.	-3.87	-37.9	-2.1	-11.4	-11.4	-15.4	-27.1	-2.76	AJS	AJS	-134.6	-99.0	AUS
251 H 4003.	-1.98	-19.4	-1.1	-5.9	-5.8	-7.9	-13.9	-1.42	AJS	AJS	-458.7	-337.3	AUS
252 H 4207.	-3.97	-39.9	-2.2	-12.3	-12.2	-16.6	-27.8	-2.83	AUS	AJS	-123.7	-91.0	AUS
253 H 4205.	-1.90	-19.6	-1.0	-5.9	-5.8	-8.0	-13.3	-1.35	AUS	AUS	-496.9	-365.5	AUS
254 H 4401.	-4.13	-41.5	-2.3	-13.4	-13.3	-18.1	-28.9	-2.95	AJS	AJS	-116.3	-85.5	AUS
255 H 4401.	-1.89	-18.6	-1.0	-6.1	-6.1	-8.3	-13.3	-1.35	AUS	AUS	-512.1	-376.7	AUS
256 H 4603.	-4.27	-41.8	-2.3	-14.4	-14.4	-19.6	-29.8	-3.04	AJS	AJS	-113.3	-83.3	AUS
257 H 4604.	-1.90	-18.7	-1.0	-6.5	-6.4	-8.7	-13.3	-1.36	AUS	AUS	-511.0	-376.4	AUS

	DRZ 1/MIN	DRL KP	BRL N	REOMON BAR	EFFLST KM	REDLST KM	REDLST PS	MONY NM	MONY KPM	SPZVERJ G/KMH	SPZVERJ G/PSH	SPZVERB G/KMH	SPZVERB G/PSH	LTHSTO L/H
258 H	4803.	-4.43	-43.4	-2.4	-15.7	-15.6	-21.2	-31.0	-3.16	AUS	AJS	-92.1	-67.7	AUS
259 H	4803.	-1.95	-13.1	-1.1	-6.9	-6.9	-9.3	-13.6	-1.39	AUS	AJS	-525.8	-386.8	AUS
260 H	5011.	-4.58	-45.9	-2.5	-16.9	-16.8	-22.9	-32.1	-3.27	AUS	AJS	-92.8	-68.2	AUS
261 H	5011.	-3.97	-39.9	-2.2	-14.7	-14.6	-19.8	-27.8	-2.83	AUS	AJS	-162.5	-119.5	AUS
262 H	5112.	-1.97	-19.3	-1.1	-7.3	-7.2	-9.8	-13.8	-1.41	AUS	AJS	-528.7	-388.9	AUS
263 H	5203.	-4.79	-49.1	-2.6	-18.9	-17.9	-24.4	-32.9	-3.35	AUS	AJS	-79.6	-58.6	AUS
264 H	5203.	-4.67	-39.9	-2.2	-15.6	-15.5	-21.1	-28.5	-2.90	AJS	AJS	-155.6	-114.4	AUS
265 H	5204.	-1.95	-19.1	-1.1	-7.5	-7.4	-10.1	-13.6	-1.39	AUS	AJS	-560.7	-412.4	AUS
266 H	5-03.	-4.85	-47.0	-2.7	-19.3	-19.2	-26.1	-33.9	-3.46	AUS	AJS	-82.8	-60.9	AUS
267 H	5403.	-4.61	-39.3	-2.2	-15.9	-15.9	-21.6	-28.0	-2.86	AUS	AJS	-174.8	-128.6	AUS
268 H	5404.	-1.87	-18.3	-1.0	-7.4	-7.4	-10.1	-13.1	-1.34	AUS	AJS	-622.9	-458.1	AUS
269 H	5405.	-5.61	-43.1	-2.7	-20.7	-20.6	-28.0	-35.0	-3.57	AUS	AJS	-79.4	-58.4	AUS
270 H	5603.	-4.63	-39.5	-2.2	-16.5	-16.5	-22.5	-28.2	-2.87	AJS	AJS	-177.9	-130.8	AUS
271 H	5605.	-1.92	-18.8	-1.1	-7.9	-7.9	-10.7	-13.4	-1.37	AJS	AJS	-621.9	-457.4	AUS
272 H	5311.	-5.16	-50.6	-2.8	-22.1	-22.0	-29.9	-36.1	-3.68	AUS	AJS	-70.8	-52.0	AUS
273 H	5812.	-4.63	-39.5	-2.2	-17.2	-17.2	-23.3	-28.2	-2.87	AUS	AJS	-190.8	-140.4	AUS
274 H	5813.	-1.97	-13.4	-1.1	-8.4	-8.4	-11.4	-13.8	-1.41	AUS	AJS	-597.5	-439.5	AUS
275 H	6003.	-5.37	-52.7	-3.0	-23.8	-23.7	-32.2	-37.6	-3.83	AJS	AJS	-65.7	-48.3	AUS
276 H	6003.	-4.61	-39.3	-2.2	-17.7	-17.6	-24.0	-28.0	-2.86	AUS	AJS	-205.8	-151.4	AUS
277 H	6003.	-1.95	-13.1	-1.1	-8.6	-8.6	-11.7	-13.0	-1.39	AUS	AJS	-639.0	-470.0	AUS

	DRZ 1/MIN	BRL KP	-TRPLU L/H	DURCHLIT S	KRSTMS G	KRSTDS KG/H	KRSTPLU KG/H	ZJEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
1	1001.	.11	1.51	AUS	50.00	AUS	1.1	-2.7	.923	0.000	2.17	13.66	70.	570.
2	1016.	2.03	1.77	AJS	50.00	AUS	1.3	-2.6	1.001	.038	.50	14.32	176.	244.
3	1036.	3.98	2.11	AUS	50.00	AUS	1.6	2.6	1.002	.033	.42	14.35	330.	342.
4	999.	5.02	2.35	AUS	50.00	AUS	1.8	5.0	1.001	.032	.42	14.35	591.	417.
5	999.	8.07	2.88	AUS	50.00	AUS	2.2	5.8	.998	.029	.42	14.37	695.	455.
6	999.	10.00	3.32	AUS	50.00	AUS	2.5	5.8	.998	.030	.44	14.35	1116.	462.
7	999.	11.96	3.76	AUS	50.00	AUS	2.8	5.6	.955	0.000	1.46	13.86	1187.	565.
8	999.	12.46	4.60	AUS	50.00	AUS	3.4	5.9	.775	0.000	7.94	9.74	156.	813.
9	1194.	.01	2.08	AUS	50.00	AUS	1.6	-2.5	.997	.028	.43	14.29	94.	334.
10	1203.	2.12	2.56	AUS	50.00	AUS	1.9	4.1	.993	.028	.39	14.30	118.	247.
11	1203.	3.38	2.79	AUS	50.00	AUS	2.1	6.8	1.000	.029	.40	14.29	161.	295.
12	1204.	5.98	3.24	AUS	50.00	AUS	2.4	5.9	.993	.028	.39	14.28	260.	334.
13	1196.	8.07	3.57	AUS	50.00	AUS	2.7	6.1	.993	.028	.40	14.31	496.	342.
14	1204.	10.09	4.13	AUS	50.00	AUS	3.1	5.9	.998	.024	.36	14.38	926.	370.
15	1204.	12.04	4.72	AUS	50.00	AUS	3.5	5.9	.927	0.000	2.41	13.25	889.	529.
16	1204.	12.24	5.67	AUS	50.00	AUS	4.2	5.9	.783	0.000	7.44	10.11	184.	723.
17	1399.	.12	2.27	AUS	50.00	AUS	1.7	1.9	.997	.031	.47	14.16	84.	675.
18	1400.	2.04	2.73	AUS	50.00	AUS	2.0	8.9	.993	.031	.44	14.32	106.	295.
19	1399.	4.03	3.26	AUS	50.00	AUS	2.4	10.7	1.001	.031	.43	14.30	144.	291.
20	1399.	5.02	3.64	AUS	50.00	AUS	2.7	11.1	.998	.030	.44	14.29	188.	309.
21	1400.	8.05	4.39	AUS	50.00	AUS	3.3	11.6	.997	.027	.43	14.36	307.	350.
22	1400.	10.12	4.52	AUS	50.00	AUS	3.4	11.0	.994	.020	.39	14.48	737.	380.
23	1400.	12.07	5.55	AUS	50.00	AUS	4.1	10.1	.913	0.000	2.64	13.20	693.	530.
24	1401.	12.26	6.58	AUS	50.00	AUS	4.9	10.5	.768	0.000	8.20	9.59	128.	744.
25	1604.	.30	2.32	AUS	50.00	AUS	1.7	5.4	.993	.033	.56	14.08	77.	943.
26	1596.	1.99	2.77	AUS	50.00	AUS	2.1	14.2	.998	.031	.46	14.37	111.	337.
27	1597.	4.13	3.35	AUS	50.00	AUS	2.5	17.4	.998	.030	.44	14.35	163.	375.
28	1597.	5.94	4.20	AUS	50.00	AUS	3.1	15.1	.997	.031	.47	14.34	191.	379.
29	1597.	8.02	4.89	AUS	50.00	AUS	3.7	15.1	.997	.027	.43	14.41	296.	376.
30	1597.	10.20	5.32	AUS	50.00	AUS	4.0	15.0	.997	.030	.45	14.40	770.	368.
31	1605.	12.09	5.61	AUS	50.00	AUS	4.3	15.1	.975	0.000	.88	14.26	1314.	442.
32	1597.	13.10	7.43	AUS	50.00	AUS	5.6	14.9	.785	0.000	7.55	10.08	193.	720.

	DRZ L/MIN	BRL KP	LTRPLU L/H	DURCHLZY S	KRSTMAS G	KRSTOS KG/H	KRSTPLU KG/H	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
33	1800.	2.26	2.54	AUS	50.00	AUS	1.9	11.1	.934	.029	.48	14.21	79.	644.
34	1800.	2.05	2.99	AUS	50.00	AUS	2.2	21.8	1.000	.033	.45	14.30	119.	374.
35	1801.	4.02	3.81	AUS	50.00	AUS	2.8	21.9	.993	.033	.47	14.28	160.	440.
36	1801.	6.14	4.88	AUS	50.00	AUS	3.6	18.2	.997	.034	.50	14.27	181.	462.
37	1801.	7.33	5.40	AUS	50.00	AUS	4.0	18.1	.997	.030	.46	14.39	299.	398.
38	1801.	10.25	5.83	AUS	50.00	AUS	4.4	18.3	.998	.032	.47	14.39	787.	384.
39	1801.	12.13	6.45	AUS	50.00	AUS	4.8	18.4	.997	.027	.41	14.50	1621.	398.
40	1793.	13.68	7.97	AUS	50.00	AUS	6.0	18.1	.826	0.000	6.03	11.18	378.	652.
41	2064.	.02	2.47	AJS	50.00	AUS	1.8	23.1	.996	.033	.51	14.15	88.	705.
42	2004.	1.98	3.13	AUS	50.00	AUS	2.4	27.3	1.000	.033	.45	14.28	132.	490.
43	2004.	3.97	3.96	AUS	50.00	AUS	3.0	27.3	.995	.033	.47	14.28	169.	565.
44	2005.	5.34	5.13	AUS	50.00	AUS	3.8	21.6	.995	.034	.51	14.31	185.	533.
45	1997.	8.23	5.84	AUS	50.00	AUS	4.4	21.7	.996	.029	.46	14.47	345.	431.
46	2006.	10.20	6.10	AUS	50.00	AUS	4.6	21.6	.997	.029	.45	14.49	897.	416.
47	2005.	12.17	6.87	AUS	50.00	AUS	5.1	21.6	.998	.029	.43	14.53	1881.	419.
48	2005.	14.00	8.56	AUS	50.00	AUS	6.4	21.7	.855	0.000	4.94	11.92	663.	616.
49	1997.	14.19	8.59	AUS	50.00	AUS	6.4	21.7	.858	0.000	4.83	11.98	704.	651.
50	2192.	.18	2.88	AUS	50.00	AUS	2.1	28.7	.934	.032	.53	14.23	105.	569.
51	2201.	1.90	3.62	AUS	50.00	AUS	2.7	30.5	.993	.036	.50	14.23	129.	525.
52	2193.	4.09	4.50	AUS	50.00	AUS	3.4	30.4	.998	.038	.56	14.16	161.	627.
53	2193.	5.99	5.68	AUS	50.00	AUS	4.2	24.4	.994	.036	.59	14.26	197.	542.
54	2201.	8.01	6.10	AUS	50.00	AUS	4.6	24.4	.935	.032	.53	14.40	381.	439.
55	2193.	10.16	6.82	AUS	50.00	AUS	5.1	24.4	.995	.030	.47	14.48	947.	430.
56	2194.	12.13	7.45	AJS	50.00	AUS	5.6	24.3	.937	.030	.44	14.53	1979.	426.
57	2193.	13.37	9.23	AUS	50.00	AUS	6.9	24.4	.867	0.000	4.54	12.17	829.	601.
58	2202.	14.27	9.48	AUS	50.00	AUS	7.1	24.3	.871	0.000	4.38	12.29	932.	629.
59	2404.	-.01	2.87	AUS	50.00	AUS	2.1	32.1	.935	.036	.58	14.09	99.	803.
60	2397.	2.11	3.77	AUS	50.00	AUS	2.8	32.1	.998	.037	.53	14.21	123.	587.
61	2398.	3.99	4.67	AUS	50.00	AUS	3.5	32.0	.995	.040	.63	14.12	161.	653.
62	2398.	6.21	5.85	AUS	50.00	AUS	4.4	25.8	.935	.031	.51	14.38	271.	482.
63	2398.	8.11	6.50	AUS	50.00	AUS	4.9	26.2	.995	.028	.45	14.52	779.	431.
64	2406.	10.11	7.11	AUS	50.00	AUS	5.3	26.3	.998	.030	.45	14.54	1796.	422.
65	2398.	12.08	8.01	AUS	50.00	AUS	6.0	26.3	.998	.034	.50	14.51	2722.	426.
66	2398.	14.04	9.12	AUS	50.00	AUS	6.8	26.3	.938	.035	.50	14.53	3380.	448.
67	2398.	14.59	10.23	AUS	50.00	AUS	7.6	26.3	.881	0.000	4.01	12.56	1183.	599.
68	2593.	.02	3.11	AUS	50.00	AUS	2.3	33.1	.934	.035	.53	14.09	104.	860.
69	2594.	2.05	4.23	AUS	50.00	AUS	3.2	33.1	.995	.038	.60	14.16	120.	680.
70	2602.	3.99	5.33	AUS	50.00	AUS	4.0	33.0	.994	.041	.66	14.11	148.	736.
71	2600.	6.17	6.61	AUS	50.00	AUS	4.9	27.2	.997	.038	.56	14.66	192.	480.
72	2601.	8.11	7.00	AUS	50.00	AUS	5.3	27.2	.998	.033	.49	14.82	505.	412.
73	2601.	11.14	7.93	AUS	50.00	AUS	5.9	27.2	.939	.032	.46	14.85	1323.	401.
74	2603.	12.14	8.75	AUS	50.00	AUS	6.5	27.0	1.000	.037	.50	14.82	2474.	412.
75	2603.	14.13	9.93	AUS	50.00	AUS	7.4	27.3	1.000	.038	.52	14.80	3325.	450.
76	2600.	14.76	11.47	AUS	50.00	AUS	8.6	27.3	.877	0.000	4.27	12.68	1184.	618.
77	2795.	.01	3.48	AUS	50.00	AUS	2.6	34.3	.994	.042	.65	14.10	104.	1228.

	URZ 1/MIN	QRL KP	-TRPLU -/H	DURCHLZT S	KRSTMAS G	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
78	2823.	1.39	4.71	AUS	50.00	AUS	3.5	34.2	.996	.048	.72	14.21	113.	840.
79	2802.	3.96	5.61	AUS	50.00	AUS	4.2	34.0	.996	.049	.73	14.24	144.	801.
80	2803.	6.09	6.85	AUS	50.00	AUS	5.1	28.4	.937	.036	.54	14.67	227.	464.
81	2803.	8.11	7.58	AUS	50.00	AUS	5.7	23.3	.938	.033	.49	14.77	530.	427.
82	2803.	13.12	8.45	AUS	50.00	AUS	6.3	28.3	.933	.034	.49	14.81	1245.	438.
83	2803.	12.10	9.47	AUS	50.00	AUS	7.1	28.3	1.000	.035	.48	14.81	2243.	456.
84	2795.	14.12	10.53	AUS	50.00	AUS	7.9	28.1	1.002	.036	.45	14.87	3233.	459.
85	2795.	15.08	12.38	AUS	50.00	AUS	9.2	28.3	.864	0.000	4.77	12.41	1069.	639.
86	2998.	-0.36	4.35	AUS	50.00	AUS	3.2	35.6	.994	.048	.74	13.99	95.	1379.
87	2939.	2.03	5.21	AUS	50.00	AUS	3.9	35.4	.996	.050	.74	14.16	108.	953.
88	2998.	4.01	6.26	AUS	50.00	AUS	4.7	35.3	.996	.048	.72	14.30	150.	777.
89	2938.	6.15	6.91	AUS	50.00	AUS	5.2	29.3	.993	.036	.52	14.68	397.	425.
90	3006.	8.03	7.90	AUS	50.00	AUS	5.9	29.3	1.000	.035	.47	14.78	961.	429.
91	3006.	10.13	8.71	AUS	50.00	AUS	6.5	29.4	1.001	.038	.49	14.80	1965.	444.
92	2998.	12.08	9.83	AUS	50.00	AUS	7.3	29.4	1.002	.039	.49	14.84	2943.	444.
93	2998.	14.12	11.06	AUS	50.00	AUS	8.3	29.3	1.002	.042	.53	14.84	3536.	426.
94	2998.	15.45	13.63	AUS	50.00	AUS	10.2	29.4	.861	0.000	4.89	12.37	1122.	588.
95	3201.	-0.02	4.57	AUS	50.00	AUS	3.4	36.1	.993	.050	.80	13.89	99.	1536.
96	3202.	2.09	5.77	AUS	50.00	AUS	4.3	35.9	.996	.052	.77	14.12	114.	1026.
97	3194.	4.06	6.57	AUS	50.00	AUS	4.9	35.6	.996	.047	.70	14.36	176.	719.
98	3202.	6.06	7.56	AUS	50.00	AUS	5.6	29.9	.997	.037	.55	14.70	314.	468.
99	3202.	7.38	8.31	AUS	50.00	AUS	6.2	29.9	.999	.035	.50	14.79	741.	463.
100	3194.	10.16	9.33	AUS	50.00	AUS	7.0	29.9	1.001	.037	.47	14.85	1644.	452.
101	3202.	12.37	10.62	AUS	50.00	AUS	7.9	29.9	1.002	.038	.47	14.88	2684.	442.
102	3195.	14.10	11.73	AUS	50.00	AUS	8.8	30.0	1.002	.040	.50	14.90	3488.	416.
103	3202.	15.32	14.56	AUS	50.00	AUS	10.9	30.0	.867	0.000	4.68	12.49	1231.	575.
104	3397.	-0.00	4.81	AUS	50.00	AUS	3.6	36.2	.994	.053	.81	13.85	100.	1523.
105	3398.	1.97	5.83	AUS	50.00	AUS	4.4	35.4	.995	.056	.82	14.01	115.	1137.
106	3406.	3.91	5.78	AUS	50.00	AUS	5.1	36.6	.996	.046	.69	14.36	190.	684.
107	3398.	5.97	7.80	AUS	50.00	AUS	5.8	30.9	.997	.038	.56	14.66	372.	472.
108	3398.	8.08	8.81	AUS	50.00	AUS	6.6	30.4	.993	.035	.50	14.79	895.	461.
109	3399.	10.13	9.85	AUS	50.00	AUS	7.4	30.7	1.001	.036	.47	14.85	1822.	450.
110	3399.	12.06	11.20	AUS	50.00	AUS	8.4	30.6	1.003	.038	.46	14.89	2854.	431.
111	3399.	14.10	12.68	AUS	50.00	AUS	9.5	30.5	1.001	.041	.53	14.87	3607.	405.
112	3399.	15.33	15.29	AUS	50.00	AUS	11.4	30.6	.891	0.000	3.81	13.01	1642.	532.
113	3595.	.00	5.16	AUS	50.00	AUS	3.9	37.5	.994	.050	.79	13.96	99.	1364.
114	3595.	2.17	6.30	AUS	50.00	AUS	4.7	37.7	.994	.055	.84	14.08	127.	1066.
115	3596.	4.01	7.06	AUS	50.00	AUS	5.3	37.4	.995	.044	.66	14.49	217.	622.
116	3603.	6.13	8.21	AUS	50.00	AUS	6.1	33.4	.997	.037	.54	14.74	480.	473.
117	3603.	8.09	9.27	AUS	50.00	AUS	6.9	31.5	.993	.036	.49	14.84	1034.	449.
118	3595.	10.09	10.63	AUS	50.00	AUS	7.9	31.7	1.001	.037	.48	14.91	1984.	423.
119	3603.	12.07	11.99	AUS	50.00	AUS	9.0	31.8	1.002	.039	.50	14.91	2990.	410.
120	3603.	14.07	13.41	AUS	50.00	AUS	10.0	31.6	1.002	.038	.48	14.95	3728.	383.
121	3595.	15.33	16.20	AUS	50.00	AUS	12.1	31.7	.890	0.000	3.87	13.04	1692.	517.
122	3806.	.01	5.24	AUS	50.00	AUS	3.9	38.6	.994	.053	.83	13.95	96.	1453.

G-540

DRZ 1/MIN	BRL KP	-TRPLU -/H	DURCHLZT S	KRSTMAS G	KRSTUS KG/H	KRSTPLU KG/H	ZUEM DEG	LAMA I	SIGMA I	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM
123	3407.	2.04	6.53	AUS	50.00	AUS	4.9	.994	.053	.81	14.23	133.	935.
124	3799.	4.03	7.44	AUS	50.00	AUS	5.6	.996	.040	.61	14.62	274.	557.
125	3799.	6.17	8.48	AUS	50.00	AUS	6.3	.998	.036	.52	14.84	642.	468.
126	3799.	8.09	9.88	AUS	50.00	AUS	7.4	1.000	.037	.49	14.90	1309.	423.
127	3799.	10.12	11.32	AUS	50.00	AUS	8.5	1.002	.038	.48	14.93	2306.	407.
128	3799.	12.07	12.78	AUS	50.00	AUS	9.5	1.003	.040	.49	14.95	3267.	388.
129	3799.	14.05	14.37	AUS	50.00	AUS	10.7	1.003	.039	.48	14.95	3939.	369.
130	3799.	15.33	16.87	AUS	50.00	AUS	12.6	.906	0.000	3.32	13.37	2081.	487.
131	4002.	.02	5.63	AUS	50.00	AUS	4.2	.993	.055	.86	13.92	99.	1506.
132	3495.	2.03	6.83	AUS	50.00	AUS	5.1	.995	.050	.77	14.34	146.	844.
133	4003.	4.02	7.72	AUS	50.00	AUS	5.8	.996	.041	.62	14.67	315.	519.
134	4002.	6.06	8.84	AUS	50.00	AUS	6.6	.993	.037	.52	14.83	797.	463.
135	3495.	8.11	10.39	AUS	50.00	AUS	7.8	1.000	.037	.50	14.92	1508.	422.
136	4003.	10.08	11.93	AUS	50.00	AUS	8.9	1.002	.038	.49	14.94	2558.	404.
137	4003.	12.08	13.46	AUS	50.00	AUS	10.1	1.003	.038	.47	14.97	3489.	382.
138	3495.	14.04	15.20	AUS	50.00	AUS	11.4	1.002	.039	.48	14.98	4053.	363.
139	4003.	15.37	17.75	AUS	50.00	AUS	13.3	.917	0.000	2.96	13.55	2348.	472.
140	4198.	.06	5.94	AUS	50.00	AUS	4.4	.992	.061	.95	13.89	100.	1488.
141	4199.	2.15	7.11	AUS	50.00	AUS	5.3	.995	.049	.75	14.38	168.	739.
142	4207.	4.06	8.09	AUS	50.00	AUS	5.0	.995	.041	.62	14.69	375.	494.
143	4199.	6.07	9.32	AUS	50.00	AUS	7.0	.998	.038	.54	14.82	896.	456.
144	4207.	8.04	10.94	AUS	50.00	AUS	8.2	.999	.040	.55	14.88	1674.	424.
145	4199.	10.10	12.52	AUS	50.00	AUS	9.3	1.000	.041	.54	14.92	2659.	412.
146	4200.	12.09	14.28	AUS	50.00	AUS	10.7	1.002	.039	.49	14.98	3574.	396.
147	4200.	14.06	15.99	AUS	50.00	AUS	11.9	1.003	.039	.47	14.99	4222.	377.
148	4200.	15.22	18.27	AUS	50.00	AUS	13.6	.936	0.000	2.33	13.96	2833.	456.
149	4403.	.62	6.26	AUS	50.00	AUS	4.7	.991	.059	.94	13.97	104.	1381.
150	4403.	2.00	7.28	AUS	50.00	AUS	5.4	.996	.049	.72	14.48	184.	646.
151	4403.	4.02	8.43	AUS	50.00	AUS	6.3	.998	.042	.61	14.74	437.	465.
152	4403.	6.11	9.80	AUS	50.00	AUS	7.3	1.000	.040	.54	14.85	1052.	437.
153	4395.	8.06	11.52	AUS	50.00	AUS	8.6	1.001	.041	.54	14.91	1821.	421.
154	4395.	10.13	13.37	AUS	50.00	AUS	10.0	1.001	.044	.58	14.87	2870.	409.
155	4403.	12.04	15.20	AUS	50.00	AUS	11.4	1.003	.040	.49	14.64	3761.	394.
156	4395.	14.09	17.14	AUS	50.00	AUS	12.8	1.003	.040	.48	14.68	4397.	359.
157	4395.	13.97	18.20	AUS	50.00	AUS	13.6	.923	0.000	2.73	13.46	2213.	574.
158	4598.	.10	6.50	AUS	50.00	AUS	4.9	.993	.056	.88	13.84	115.	1341.
159	4598.	1.98	7.44	AUS	50.00	AUS	5.6	.997	.049	.71	14.24	213.	733.
160	4606.	4.04	8.63	AUS	50.00	AUS	6.4	.997	.041	.60	14.50	518.	475.
161	4598.	6.10	10.22	AUS	50.00	AUS	7.6	.993	.040	.55	14.58	1237.	447.
162	4599.	8.06	12.11	AUS	50.00	AUS	9.0	1.000	.042	.57	14.62	2033.	426.
163	4599.	10.08	14.04	AUS	50.00	AUS	10.5	1.000	.044	.60	14.60	3037.	413.
164	4599.	12.07	15.83	AUS	50.00	AUS	12.0	1.000	.042	.56	14.63	3873.	395.
165	4599.	14.06	18.12	AUS	50.00	AUS	13.5	1.002	.042	.53	14.65	4456.	355.
166	4599.	14.54	20.24	AUS	50.00	AUS	15.2	.923	0.000	2.76	13.42	2643.	448.
167	4794.	.01	6.83	AUS	50.00	AUS	5.1	.992	.066	1.02	13.47	114.	2019.

	ORZ 1/MIN	BRL KP	LTRPLU -/H	DURCHLZT S	KRSTMAS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
168	4802.	2.16	7.98	AUS	50.00	AUS	6.0	41.6	.995	.044	.68	14.35	236.	685.
169	4801.	3.99	8.98	AUS	50.00	AUS	6.7	41.7	.998	.042	.60	14.51	557.	483.
170	4802.	6.03	10.80	AUS	50.00	AUS	8.1	41.3	1.000	.042	.56	14.61	1289.	451.
171	4802.	6.06	12.74	AUS	50.00	AUS	9.5	35.7	1.001	.045	.59	14.57	1974.	425.
172	4802.	10.02	14.61	AUS	50.00	AUS	10.9	35.5	1.001	.044	.58	14.59	2944.	407.
173	4802.	12.05	16.95	AUS	50.00	AUS	12.7	35.9	.999	.045	.62	14.56	3750.	390.
174	4802.	14.04	19.16	AUS	50.00	AUS	14.3	36.0	1.003	.041	.50	14.60	4562.	332.
175	4802.	14.90	21.35	AUS	50.00	AUS	15.9	36.0	.926	0.000	2.72	13.39	2791.	427.
176	4997.	.01	7.25	AUS	50.00	AUS	5.4	41.4	.994	.068	1.02	13.41	123.	2200.
177	4997.	1.84	8.13	AUS	50.00	AUS	6.1	41.5	.994	.042	.66	14.29	240.	799.
178	4997.	3.58	9.11	AUS	50.00	AUS	6.8	41.9	.997	.042	.61	14.48	552.	490.
179	5005.	5.99	10.87	AUS	50.00	AUS	8.1	41.7	1.000	.044	.59	14.57	1492.	452.
180	4997.	8.06	13.49	AUS	50.00	AUS	10.1	36.1	1.001	.048	.63	14.56	2254.	422.
181	4998.	10.04	15.47	AUS	50.00	AUS	11.6	35.3	1.000	.046	.62	14.58	3206.	404.
182	4997.	12.00	17.70	AUS	50.00	AUS	13.2	35.5	1.003	.045	.54	14.61	4404.	360.
183	4998.	14.07	20.22	AUS	50.00	AUS	15.1	35.3	1.005	.043	.49	14.67	4767.	324.
184	4997.	14.74	22.17	AUS	50.00	AUS	16.6	35.6	.930	0.000	2.58	13.47	2888.	430.
185	5203.	.04	7.45	AUS	50.00	AUS	5.6	41.6	.995	.061	.91	13.55	143.	1982.
186	5201.	2.12	8.46	AUS	50.00	AUS	6.3	41.6	.993	.047	.65	14.33	329.	741.
187	5200.	3.95	9.88	AUS	50.00	AUS	7.4	41.6	1.000	.044	.60	14.46	777.	490.
188	5200.	6.07	11.80	AUS	50.00	AUS	8.8	41.6	1.001	.044	.57	14.58	1686.	438.
189	5201.	8.06	14.23	AUS	50.00	AUS	10.6	35.7	1.000	.051	.69	14.49	2421.	409.
190	5201.	10.09	16.35	AUS	50.00	AUS	12.2	35.2	1.000	.047	.64	14.52	3376.	394.
191	5203.	12.02	18.72	AUS	50.00	AUS	14.0	35.3	1.002	.045	.57	14.58	4318.	356.
192	5201.	14.02	21.33	AUS	50.00	AUS	15.9	34.9	1.004	.042	.49	14.64	4735.	325.
193	5201.	14.63	22.86	AUS	50.00	AUS	17.1	34.8	.940	.053	2.23	13.66	3150.	419.
194	5396.	.05	7.97	AUS	50.00	AUS	6.0	41.4	.994	.065	.97	13.58	171.	1932.
195	5403.	1.34	8.86	AUS	50.00	AUS	6.6	41.6	.997	.050	.71	14.13	356.	882.
196	5396.	4.03	10.64	AUS	50.00	AUS	7.9	41.5	.998	.051	.72	14.27	1000.	454.
197	5396.	6.09	12.51	AUS	50.00	AUS	9.3	41.6	.999	.049	.68	14.39	1850.	421.
198	5404.	8.05	14.99	AUS	50.00	AUS	11.2	35.4	.999	.051	.70	14.42	2467.	396.
199	5396.	10.00	17.24	AUS	50.00	AUS	12.9	35.3	1.000	.044	.59	14.56	3682.	389.
200	5404.	12.11	19.73	AUS	50.00	AUS	14.7	35.4	1.003	.040	.50	14.67	4379.	341.
201	5404.	14.02	21.93	AUS	50.00	AUS	16.4	36.3	1.003	.038	.47	14.70	4757.	321.
202	5396.	14.37	23.64	AUS	50.00	AUS	17.7	36.6	.939	0.000	2.22	13.70	3192.	419.
203	5599.	.01	8.28	AUS	50.00	AUS	6.2	41.9	.973	.078	1.42	13.19	185.	2427.
204	5600.	2.00	9.36	AUS	50.00	AUS	7.0	42.0	.996	.048	.71	14.18	413.	1077.
205	5600.	4.05	11.02	AUS	50.00	AUS	8.2	42.0	.997	.044	.64	14.44	1017.	546.
206	5604.	6.02	12.93	AUS	50.00	AUS	9.7	41.7	.998	.041	.59	14.35	1872.	390.
207	5596.	8.10	15.95	AUS	50.00	AUS	11.9	35.7	.996	.046	.69	14.26	2431.	368.
208	5596.	10.11	18.20	AUS	50.00	AUS	13.6	35.3	.998	.042	.60	14.34	3722.	364.
209	5604.	12.05	20.91	AUS	50.00	AUS	15.6	35.9	1.001	.039	.51	14.41	4373.	329.
210	5604.	13.85	24.21	AUS	50.00	AUS	18.1	36.3	.940	0.000	2.19	13.45	3221.	418.
211	5798.	.05	8.64	AUS	50.00	AUS	6.5	41.5	.980	.057	1.12	13.24	215.	2020.
212	5797.	1.93	9.72	AUS	50.00	AUS	7.3	41.3	.990	.047	.81	13.91	490.	960.

	ORZ 1/MIN	BKL KP	LTRPLU L/H	DURCHLZT S	KRSTDS KG/H	KRSTMAS G	CRSTPLU KG/H	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
213	5799.	4.03	11.62	AUS	AUS	50.00	8.7	41.4	.994	.043	.68	14.24	1107.	489.
214	5806.	6.04	13.79	AUS	AUS	50.00	10.3	41.3	.997	.044	.64	14.33	2044.	406.
215	5799.	8.10	16.50	AUS	AUS	50.00	12.3	35.2	.997	.043	.63	14.37	2609.	398.
216	5798.	10.07	18.96	AUS	AUS	50.00	14.2	34.8	.999	.040	.55	14.46	3771.	358.
217	5799.	12.07	21.72	AUS	AUS	50.00	16.2	35.2	1.000	.038	.50	14.51	4362.	329.
218	5798.	13.48	24.86	AUS	AUS	50.00	18.6	36.1	.934	0.000	2.36	13.47	3097.	441.
219	5996.	.08	8.98	AUS	AUS	50.00	6.7	41.2	.981	.058	1.12	13.42	269.	1816.
220	5983.	2.00	10.49	AUS	AUS	50.00	7.8	41.2	.988	.049	.86	13.96	651.	861.
221	6019.	4.07	12.47	AUS	AUS	50.00	9.3	41.5	.993	.046	.73	14.32	1273.	392.
222	6001.	6.02	14.81	AUS	AUS	50.00	11.1	40.0	.997	.045	.66	14.37	2221.	402.
223	6001.	8.05	17.23	AUS	AUS	50.00	12.9	34.6	.993	.039	.55	14.51	3088.	373.
224	6000.	9.97	19.83	AUS	AUS	50.00	14.8	34.4	.993	.039	.54	14.53	3681.	343.
225	6001.	12.19	22.79	AUS	AUS	50.00	17.0	34.4	1.001	.038	.50	14.57	4415.	314.
226	5993.	12.98	25.48	AUS	AUS	50.00	19.0	34.7	.928	0.000	2.55	13.40	2959.	459.
227	1198.	-1.24	1.47	AUS	AUS	50.00	1.1	-2.2	1.012	.060	.60	13.79	53.	1415.
228	1403.	-1.66	1.48	AUS	AUS	50.00	1.1	1.8	.995	.086	1.23	12.40	32.	3506.
229	1505.	-1.84	1.43	AUS	AUS	50.00	1.1	5.8	.982	.095	1.58	11.79	24.	4573.
230	1801.	-2.06	1.61	AUS	AUS	50.00	1.2	9.1	.971	.104	1.89	11.06	18.	5924.
231	2002.	-2.38	1.69	AUS	AUS	50.00	1.3	12.7	.956	.111	2.26	10.21	14.	7384.
232	2203.	-2.66	1.76	AUS	AUS	50.00	1.3	15.6	.941	.117	2.67	9.31	11.	8893.
233	2203.	-1.94	2.29	AUS	AUS	50.00	1.7	15.6	.984	.060	1.07	12.90	37.	3577.
234	2405.	-2.81	1.65	AUS	AUS	50.00	1.2	17.2	.934	.133	3.00	8.42	10.	10139.
235	2405.	-2.03	2.44	AUS	AUS	50.00	1.8	17.1	.972	.041	1.13	12.73	34.	4662.
236	2603.	-2.95	1.87	AUS	AUS	50.00	1.4	18.2	.915	.115	3.31	7.51	10.	12051.
237	2603.	-1.98	2.80	AUS	AUS	50.00	2.1	18.0	.976	.035	.95	12.93	38.	4328.
238	2607.	-3.09	1.90	AUS	AUS	50.00	1.4	18.8	.914	.132	3.48	6.91	10.	12980.
239	2608.	-2.00	2.68	AUS	AUS	50.00	2.0	21.3	.977	.047	1.05	12.85	39.	4154.
240	3001.	-3.21	1.88	AUS	AUS	50.00	1.4	19.7	.985	0.000	3.63	6.51	10.	13429.
241	3002.	-1.91	2.93	AUS	AUS	50.00	2.2	23.3	.962	0.000	1.04	12.89	41.	4933.
242	3202.	-3.33	1.94	AUS	AUS	50.00	1.4	20.8	.975	0.000	3.80	5.86	11.	15146.
243	3203.	-2.05	2.71	AUS	AUS	50.00	2.0	28.2	.943	0.000	1.32	12.17	34.	6546.
244	3401.	-3.51	1.95	AUS	AUS	50.00	1.5	21.7	.995	0.000	3.85	5.61	11.	14855.
245	3401.	-1.87	3.23	AUS	AUS	50.00	2.4	31.2	.940	0.000	1.21	12.44	41.	6534.
246	3601.	-3.52	2.14	AUS	AUS	50.00	1.6	22.3	.996	0.000	3.98	5.05	11.	15988.
247	3601.	-1.97	3.15	AUS	AUS	50.00	2.4	36.5	.943	0.000	1.17	12.50	44.	6295.
248	3804.	-3.73	1.93	AUS	AUS	50.00	1.5	22.9	1.005	0.000	4.00	4.98	11.	15748.
249	3804.	-1.90	3.23	AUS	AUS	50.00	2.5	38.7	.935	0.000	1.20	12.61	46.	6424.
250	4008.	-3.87	2.05	AUS	AUS	50.00	1.5	23.8	.998	0.000	4.17	4.78	12.	16012.
251	4104.	-1.94	3.59	AUS	AUS	50.00	2.7	39.0	.926	0.000	1.28	12.52	46.	7100.
252	4207.	-3.97	2.03	AUS	AUS	50.00	1.5	24.8	1.005	0.000	4.27	4.23	12.	16996.
253	4205.	-1.90	3.30	AUS	AUS	50.00	2.9	40.2	.930	0.000	1.26	12.69	53.	6435.
254	4401.	-4.13	2.08	AUS	AUS	50.00	1.6	25.4	.974	0.000	4.52	3.47	12.	19710.
255	4401.	-1.89	4.21	AUS	AUS	50.00	3.1	40.8	.915	0.000	1.31	12.51	53.	7297.
256	4603.	-4.27	2.13	AUS	AUS	50.00	1.6	26.4	.985	0.000	4.60	4.15	13.	17009.
257	4604.	-1.90	4.42	AUS	AUS	50.00	3.3	41.7	.914	0.000	1.35	12.53	54.	7545.

4019-319,14,14/4/2

DRZ 1/11H	BRL Kp	-TRPLU -/H	DURCHLZT S	KRSTMAS G	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
258	4808.	-4.43	1.93	AUS	50.00	AUS	1.4	.951	0.000	5.06	4.49	14.	16017.
259	4808.	-1.35	4.84	AUS	50.00	AUS	3.6	.913	0.000	1.43	12.43	56.	7564.
260	5011.	-4.58	2.10	AUS	50.00	AUS	1.6	.932	0.000	5.43	4.11	15.	16751.
261	5011.	-3.97	3.18	AUS	50.00	AUS	2.4	.886	0.000	3.20	8.15	15.	12573.
262	5012.	-1.97	5.14	AUS	50.00	AUS	3.8	.913	0.000	1.54	12.26	56.	7567.
263	5203.	-4.70	1.92	AUS	50.00	AUS	1.4	.889	0.000	6.13	5.01	18.	13996.
264	5203.	-4.07	3.24	AUS	50.00	AUS	2.4	.890	0.000	3.19	8.32	16.	11996.
265	5204.	-1.35	5.59	AUS	50.00	AUS	4.2	.922	0.000	1.52	12.39	63.	6754.
266	5403.	-4.95	2.14	AUS	50.00	AUS	1.6	.855	0.000	6.81	4.87	18.	14039.
267	5404.	-4.01	3.72	AUS	50.00	AUS	2.8	.893	0.000	2.74	9.59	23.	10200.
268	5404.	-1.87	5.20	AUS	50.00	AUS	4.6	.923	0.000	1.62	12.36	66.	6513.
269	5605.	-5.01	2.19	AUS	50.00	AUS	1.6	.846	0.000	7.08	5.25	21.	12581.
270	5606.	-4.03	3.95	AUS	50.00	AUS	3.0	.907	0.000	2.53	10.31	26.	8915.
271	5606.	-1.92	6.58	AUS	50.00	AUS	4.9	.923	0.000	1.80	12.19	71.	6289.
272	5811.	-5.16	2.03	AUS	50.00	AUS	1.6	.767	0.000	7.36	5.83	25.	11028.
273	5812.	-4.33	4.40	AUS	50.00	AUS	3.3	.915	0.000	2.32	10.71	33.	8055.
274	5813.	-1.97	6.75	AUS	50.00	AUS	5.0	.935	0.000	1.65	12.45	81.	5769.
275	6009.	-5.37	2.09	AUS	50.00	AUS	1.6	.771	0.000	7.31	5.48	26.	11744.
276	6009.	-4.01	4.88	AUS	50.00	AUS	3.6	.909	0.000	2.28	10.18	37.	9484.
277	6008.	-1.95	7.36	AUS	50.00	AUS	5.5	.925	0.000	1.81	12.20	105.	6373.

	DRZ 1/MIN	BKL KP	O2 PROZ	DKL DEG	OKLPST DEG	OELDR KP/CH2	OELTE4P CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTEUCH 1	DICHTE KG/L
1	1001.	.11	.06	11.1	1.5	3.1	68.0	19.7	758.6	AUS	11291.	AUS	.600	.747
2	1066.	2.03	.45	15.2	3.7	3.4	66.8	20.4	758.6	AUS	14124.	AUS	.600	.747
3	1066.	3.98	.47	18.8	6.5	3.4	65.7	20.2	758.6	AUS	16846.	AUS	.600	.747
4	999.	5.02	.47	21.5	8.9	3.3	66.5	20.1	758.6	AUS	18712.	AUS	.600	.747
5	999.	8.07	.43	26.9	14.6	3.3	67.4	20.1	758.6	AUS	22870.	AUS	.600	.747
6	999.	10.00	.41	33.7	23.2	3.2	66.8	20.0	758.6	AUS	26355.	AUS	.600	.747
7	999.	11.96	.14	54.0	52.5	3.2	66.7	20.5	758.6	AUS	28744.	AUS	.600	.747
8	999.	12.46	.09	85.1	84.8	3.1	69.2	20.0	758.6	AUS	30389.	AUS	.600	.747
9	1194.	-.01	.37	17.4	5.3	3.8	69.1	20.2	758.6	AUS	16459.	AUS	.600	.747
10	1203.	2.12	.35	21.2	3.5	3.9	69.6	20.3	758.6	AUS	20345.	AUS	.600	.747
11	1203.	5.98	.39	24.2	11.5	3.9	68.9	20.1	758.6	AUS	22165.	AUS	.600	.747
12	1204.	5.98	.39	28.4	16.4	3.8	69.3	20.4	758.6	AUS	25763.	AUS	.600	.747
13	1195.	8.07	.39	34.3	23.9	3.8	69.3	20.0	758.6	AUS	28403.	AUS	.600	.747
14	1204.	10.09	.33	49.7	45.5	3.7	69.2	19.3	758.6	AUS	32815.	AUS	.600	.747
15	1204.	12.04	.11	66.8	63.6	3.7	69.1	19.8	758.6	AUS	35352.	AUS	.600	.747
16	1204.	12.24	.08	85.0	84.8	3.6	70.0	19.6	758.6	AUS	37925.	AUS	.600	.747
17	1399.	-.12	.58	18.5	5.3	4.3	69.3	20.0	758.6	AUS	18032.	AUS	.600	.747
18	1403.	2.04	.40	22.5	9.9	4.4	68.4	20.1	758.6	AUS	21679.	AUS	.600	.747
19	1393.	4.03	.41	26.2	13.9	4.4	67.1	20.1	758.6	AUS	25885.	AUS	.600	.747
20	1393.	6.02	.38	31.1	13.8	4.3	67.8	20.1	758.6	AUS	28874.	AUS	.600	.747
21	1400.	8.05	.36	40.2	32.1	4.3	69.0	20.1	758.6	AUS	34804.	AUS	.600	.747
22	1400.	10.12	.26	53.7	52.1	4.2	69.4	19.9	758.6	AUS	35676.	AUS	.600	.747
23	1403.	12.07	.07	65.0	67.5	4.2	70.7	20.1	758.6	AUS	41225.	AUS	.600	.747
24	1401.	12.26	.04	85.1	84.8	4.1	71.1	20.0	758.6	AUS	43201.	AUS	.600	.747
25	1404.	-.30	.69	19.8	7.3	4.9	67.5	19.7	758.6	AUS	18381.	AUS	.600	.747
26	1593.	1.99	.41	23.2	10.6	4.9	68.0	19.8	758.6	AUS	22025.	AUS	.600	.747
27	1597.	4.13	.42	26.2	13.8	4.9	69.3	20.0	758.6	AUS	26619.	AUS	.600	.747
28	1597.	5.94	.43	32.0	20.9	4.9	68.1	20.0	758.6	AUS	33306.	AUS	.600	.747
29	1597.	3.02	.38	39.9	31.8	4.8	68.0	20.0	758.6	AUS	38771.	AUS	.600	.747
30	1597.	10.20	.38	56.4	56.0	4.7	69.1	20.0	758.6	AUS	42241.	AUS	.600	.747
31	1605.	12.09	.16	63.2	65.3	4.7	70.5	20.1	758.6	AUS	45157.	AUS	.600	.747
32	1597.	13.18	.05	85.1	84.8	4.6	70.0	20.1	758.6	AUS	49871.	AUS	.600	.747

DRZ 1/MIN	BRL KP	O2 PROZ	OKL DEG	OKLPST DEG	OELDR KP/CH2	OELTEMP CEL	RAUNTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
33	1800.	.51	20.3	7.8	5.3	69.7	20.1	758.6	AUS	20087.	AUS	.600	.747
34	1800.	.47	23.0	10.3	5.4	69.0	20.1	758.6	AUS	23781.	AUS	.600	.747
35	1801.	.49	27.1	14.9	5.4	68.9	19.9	758.6	AUS	30303.	AUS	.600	.747
36	1801.	.49	33.5	22.8	5.4	70.6	19.9	758.6	AUS	38735.	AUS	.600	.747
37	1801.	.41	41.3	33.9	5.3	68.5	19.9	758.6	AUS	42837.	AUS	.600	.747
38	1801.	.41	52.8	50.8	5.2	69.8	19.8	758.6	AUS	46782.	AUS	.600	.747
39	1801.	.33	63.6	65.7	5.1	71.3	20.1	758.6	AUS	51180.	AUS	.600	.747
40	1793.	.06	85.1	84.8	4.9	72.3	20.1	758.6	AUS	54915.	AUS	.600	.747
41	2004.	.60	20.0	7.5	5.9	72.1	20.1	758.6	AUS	19617.	AUS	.600	.747
42	2004.	.32	23.8	11.2	5.9	70.8	20.2	758.6	AUS	25412.	AUS	.600	.747
43	2004.	.55	27.4	15.2	5.9	70.6	20.1	758.6	AUS	31479.	AUS	.600	.747
44	2005.	.51	34.2	23.8	5.8	70.7	20.1	758.6	AUS	40752.	AUS	.600	.747
45	1997.	.41	42.0	34.9	5.7	70.8	20.1	758.6	AUS	46325.	AUS	.600	.747
46	2006.	.38	47.5	43.0	5.6	71.4	20.1	758.6	AUS	48379.	AUS	.600	.747
47	2005.	.35	59.2	59.9	5.5	72.4	20.1	758.6	AUS	54540.	AUS	.600	.747
48	2005.	.37	80.2	82.3	5.3	72.6	20.3	758.6	AUS	60415.	AUS	.600	.747
49	1997.	.06	85.1	84.8	5.2	73.9	20.1	758.6	AUS	60749.	AUS	.600	.747
50	2192.	.49	20.6	8.0	6.2	74.2	20.1	758.6	AUS	22773.	AUS	.600	.747
51	2201.	.36	25.6	13.2	6.2	72.4	20.0	758.6	AUS	28839.	AUS	.600	.747
52	2193.	.61	29.0	17.2	6.2	70.8	20.0	758.6	AUS	35812.	AUS	.600	.747
53	2193.	.52	35.9	26.1	6.2	73.3	19.8	758.6	AUS	44999.	AUS	.600	.747
54	2201.	.42	41.9	34.8	6.1	73.0	20.0	758.6	AUS	48285.	AUS	.600	.747
55	2193.	.38	48.2	44.1	6.0	72.9	20.0	758.6	AUS	54101.	AUS	.600	.747
56	2194.	.34	60.0	61.1	5.8	73.2	20.0	758.6	AUS	59147.	AUS	.600	.747
57	2193.	.38	80.6	82.6	5.7	74.1	19.8	758.6	AUS	65855.	AUS	.600	.747
58	2202.	.08	85.1	84.8	5.6	76.3	19.9	758.6	AUS	67792.	AUS	.600	.747
59	2404.	.66	21.3	9.8	6.3	73.0	19.8	758.6	AUS	22796.	AUS	.600	.747
60	2397.	.59	26.8	14.6	6.3	72.3	19.9	758.6	AUS	30029.	AUS	.600	.747
61	2398.	.62	30.0	18.4	6.2	72.2	19.9	758.6	AUS	37028.	AUS	.600	.747
62	2398.	.45	35.4	25.5	6.2	72.4	20.0	758.6	AUS	46405.	AUS	.600	.747
63	2398.	.38	38.2	29.3	6.2	73.9	19.8	758.6	AUS	51554.	AUS	.600	.747
64	2406.	.36	42.8	36.0	6.2	75.5	19.8	758.6	AUS	56497.	AUS	.600	.747
65	2398.	.36	51.4	43.8	6.1	75.8	19.6	758.6	AUS	63645.	AUS	.600	.747
66	2398.	.34	66.6	69.4	6.1	78.0	19.8	758.6	AUS	72501.	AUS	.600	.747
67	2398.	.37	85.1	84.8	5.9	77.8	19.7	758.6	AUS	73904.	AUS	.600	.747
68	2593.	.56	23.0	10.3	6.3	76.6	19.2	758.6	AUS	24633.	AUS	.600	.747
69	2594.	.62	27.8	15.6	6.4	74.3	19.4	758.6	AUS	33619.	AUS	.600	.747
70	2602.	.66	32.0	20.9	6.3	74.0	19.7	758.6	AUS	42751.	AUS	.600	.747
71	2600.	.53	39.0	30.5	6.5	67.3	19.4	763.6	AUS	52551.	AUS	.600	.747
72	2601.	.44	41.2	33.7	6.4	69.2	19.5	763.6	AUS	56086.	AUS	.600	.747
73	2601.	.41	45.9	40.6	6.4	72.4	19.1	763.6	AUS	63068.	AUS	.600	.747
74	2600.	.40	54.1	52.8	6.3	74.2	19.4	763.6	AUS	69689.	AUS	.600	.747
75	2600.	.39	67.5	70.5	6.2	75.4	19.5	763.6	AUS	78889.	AUS	.600	.747
76	2600.	.16	84.9	84.7	6.2	75.9	19.2	763.6	AUS	82606.	AUS	.600	.747
77	2795.	.91	23.2	10.6	6.5	74.0	19.0	763.6	AUS	27675.	AUS	.600	.747

	QRZ 1/MIN	URL KP	O2 PROZ	OKL DEG	UKLPST DEG	OELE KP/CH2	OELE CEL	RAUMTEMP CEL	LFTOR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH KG/L	DICHTE KG/L
78	2803.	1.99	.79	28.7	16.8	6.5	73.5	18.7	763.6	AUS	37503.	AUS	.600	.747
79	2802.	3.96	.77	32.9	22.0	6.5	72.7	19.0	763.6	AUS	44620.	AUS	.600	.747
80	2803.	6.09	.51	39.2	30.7	6.5	73.8	19.0	763.6	AUS	54454.	AUS	.600	.747
81	2803.	8.11	.45	43.5	37.1	6.5	75.0	18.9	763.6	AUS	60230.	AUS	.600	.747
82	2803.	10.12	.44	49.9	40.5	6.4	75.5	19.3	763.6	AUS	67199.	AUS	.600	.747
83	2803.	12.10	.43	59.5	63.4	6.4	76.6	18.9	763.5	AUS	75463.	AUS	.600	.747
84	2795.	14.12	.40	68.6	71.8	6.4	77.4	18.9	763.6	AUS	84071.	AUS	.600	.747
85	2795.	15.08	.17	84.9	84.7	6.3	79.6	19.0	763.6	AUS	88283.	AUS	.600	.747
86	2795.	-0.06	1.34	24.2	11.6	6.5	76.9	19.1	763.5	AUS	34626.	AUS	.600	.747
87	2793.	2.03	.37	29.5	17.6	6.6	76.2	19.0	763.6	AUS	41507.	AUS	.600	.747
88	2998.	4.01	.76	33.7	23.2	6.6	75.8	19.1	763.6	AUS	49826.	AUS	.600	.747
89	2993.	6.15	.50	37.1	27.8	6.6	75.8	19.3	763.6	AUS	54982.	AUS	.600	.747
90	3606.	8.03	.48	40.7	32.9	6.5	76.6	19.7	763.6	AUS	62315.	AUS	.600	.747
91	3006.	10.13	.47	46.2	41.0	6.3	77.2	19.6	763.6	AUS	69484.	AUS	.600	.747
92	2398.	12.08	.44	54.7	53.6	6.4	78.2	19.6	763.6	AUS	78512.	AUS	.600	.747
93	2993.	14.12	.42	64.9	67.4	6.4	80.0	19.4	763.6	AUS	88309.	AUS	.600	.747
94	2993.	15.45	.15	84.9	84.7	6.3	81.4	19.7	763.6	AUS	96903.	AUS	.600	.747
95	3201.	-0.02	1.13	26.0	13.5	6.6	80.1	19.5	763.6	AUS	36353.	AUS	.600	.747
96	3202.	2.09	.32	30.7	13.3	6.7	77.9	19.5	763.6	AUS	45379.	AUS	.600	.747
97	3194.	4.08	.72	34.5	24.2	6.7	77.6	18.9	763.6	AUS	52307.	AUS	.600	.747
98	3202.	6.06	.51	39.5	31.2	6.7	77.9	19.1	763.6	AUS	60061.	AUS	.600	.747
99	3202.	7.98	.49	43.3	35.8	6.7	77.9	19.0	763.6	AUS	66109.	AUS	.600	.747
100	3194.	10.16	.48	50.3	47.1	6.6	79.1	19.1	763.6	AUS	74437.	AUS	.600	.747
101	3202.	12.07	.45	50.4	61.5	6.5	80.0	19.1	763.6	AUS	84831.	AUS	.600	.747
102	3195.	14.10	.40	67.2	70.2	6.5	81.1	19.1	763.6	AUS	93651.	AUS	.600	.747
103	3202.	15.32	.15	85.0	84.7	6.4	84.5	19.4	763.6	AUS	104010.	AUS	.600	.747
104	3397.	-0.00	1.15	27.8	15.7	6.7	83.2	19.2	763.6	AUS	38330.	AUS	.600	.747
105	3398.	1.97	1.00	32.0	23.9	6.8	81.4	19.3	763.6	AUS	46922.	AUS	.600	.747
106	3405.	3.91	.70	35.6	23.6	6.8	80.3	19.6	763.6	AUS	53918.	AUS	.600	.747
107	3393.	5.97	.52	40.2	32.3	6.7	80.9	19.7	763.6	AUS	62013.	AUS	.600	.747
108	3393.	8.08	.48	45.0	33.3	6.6	80.6	19.3	763.6	AUS	70096.	AUS	.600	.747
109	3393.	10.13	.47	51.6	43.1	6.5	81.4	19.0	763.6	AUS	78544.	AUS	.600	.747
110	3393.	12.06	.43	60.8	62.1	6.4	82.2	19.7	763.6	AUS	89470.	AUS	.600	.747
111	3393.	14.10	.39	67.0	70.0	6.2	83.7	19.3	763.6	AUS	101167.	AUS	.600	.747
112	3393.	15.33	.14	85.0	84.7	6.0	85.7	19.1	763.6	AUS	111435.	AUS	.600	.747
113	3595.	.00	1.05	28.7	16.8	6.9	84.0	19.5	763.6	AUS	41033.	AUS	.600	.747
114	3595.	2.17	.34	33.5	22.8	7.0	83.0	19.0	763.6	AUS	50121.	AUS	.600	.747
115	3595.	4.01	.34	36.4	26.8	7.0	82.2	19.2	763.6	AUS	56155.	AUS	.600	.747
116	3603.	6.13	.50	40.9	33.3	7.0	81.5	18.9	763.6	AUS	65298.	AUS	.600	.747
117	3603.	8.09	.48	45.9	40.5	6.9	81.9	19.2	763.6	AUS	73841.	AUS	.600	.747
118	3595.	10.09	.44	52.5	50.4	6.7	82.9	19.5	763.6	AUS	84761.	AUS	.600	.747
119	3603.	12.07	.42	61.3	62.9	6.6	83.5	19.2	763.6	AUS	95714.	AUS	.600	.747
120	3603.	14.07	.36	67.6	70.6	6.4	85.3	19.1	763.6	AUS	107068.	AUS	.600	.747
121	3595.	15.33	.14	85.0	84.7	6.2	87.3	19.7	763.6	AUS	117927.	AUS	.600	.747
122	3306.	.01	1.12	30.0	18.4	7.1	86.6	19.3	763.6	AUS	41711.	AUS	.600	.747

	DRZ 1/MIN	BRL KP	O2 PROZ	OKL DEG	OKLPST DEG	OELOP KP/CM2	OELEMP CEL	RAUMTEMP CEL	LFTDR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
123	3807.	2.04	.86	34.0	23.5	7.3	85.1	19.2	763.6	AUS	51904.	AUS	.600	.747
124	3799.	4.03	.58	37.1	27.8	7.3	84.5	19.3	763.6	AUS	59119.	AUS	.600	.747
125	3799.	6.17	.50	41.4	33.9	7.2	84.7	19.2	763.6	AUS	67510.	AUS	.600	.747
126	3799.	8.09	.47	46.7	41.8	7.1	84.3	19.4	763.6	AUS	78758.	AUS	.600	.747
127	3799.	10.12	.43	53.7	52.2	6.9	85.2	19.7	763.6	AUS	90282.	AUS	.600	.747
128	3799.	12.07	.41	61.7	63.3	6.7	87.3	19.5	763.6	AUS	102109.	AUS	.600	.747
129	3799.	14.05	.36	68.1	71.2	6.6	88.5	19.5	763.6	AUS	114768.	AUS	.600	.747
130	3799.	15.33	.13	85.0	84.8	6.4	89.3	19.4	763.6	AUS	124442.	AUS	.600	.747
131	4002.	.02	1.16	31.1	13.7	7.2	87.5	19.0	763.6	AUS	44845.	AUS	.600	.747
132	3995.	2.03	.30	34.0	24.5	7.4	86.0	19.0	763.6	AUS	54353.	AUS	.600	.747
133	4003.	4.02	.56	37.7	28.6	7.4	85.2	19.1	763.6	AUS	61387.	AUS	.600	.747
134	4002.	6.06	.50	41.6	34.2	7.3	86.2	19.6	763.6	AUS	70342.	AUS	.600	.747
135	3995.	8.11	.46	47.6	43.2	7.2	86.9	19.6	763.6	AUS	82735.	AUS	.600	.747
136	4003.	10.08	.42	54.2	52.8	7.1	86.7	19.3	763.6	AUS	95208.	AUS	.600	.747
137	4003.	12.08	.39	61.8	63.5	6.9	88.6	19.2	763.6	AUS	107576.	AUS	.600	.747
138	3995.	14.04	.34	67.7	70.8	6.7	89.4	19.4	763.6	AUS	121370.	AUS	.600	.747
139	4003.	15.37	.13	85.0	84.8	6.5	91.7	19.3	763.6	AUS	132100.	AUS	.600	.747
140	4198.	.00	1.19	32.4	21.4	7.3	89.4	19.4	763.6	AUS	47305.	AUS	.600	.747
141	4199.	2.15	.73	35.6	25.7	7.5	88.0	19.5	763.6	AUS	56537.	AUS	.600	.747
142	4207.	4.00	.54	38.4	29.6	7.6	87.8	19.3	763.6	AUS	64241.	AUS	.600	.747
143	4199.	6.07	.50	42.7	35.8	7.5	87.9	19.4	763.6	AUS	74111.	AUS	.600	.747
144	4207.	8.04	.47	48.5	44.4	7.4	88.0	19.5	763.6	AUS	87095.	AUS	.600	.747
145	4199.	10.10	.43	56.1	55.6	7.2	88.2	19.5	763.6	AUS	99790.	AUS	.600	.747
146	4200.	12.09	.38	62.7	64.6	7.0	90.4	19.7	763.6	AUS	113929.	AUS	.600	.747
147	4200.	14.06	.35	68.9	72.1	6.9	92.4	19.5	763.6	AUS	127749.	AUS	.600	.747
148	4200.	15.22	.15	85.0	84.8	6.7	92.9	19.5	763.6	AUS	138054.	AUS	.600	.747
149	4403.	.02	1.11	32.9	22.1	7.4	90.9	19.5	763.6	AUS	49729.	AUS	.600	.747
150	4403.	2.00	.70	36.0	26.2	7.7	89.0	19.5	763.6	AUS	57928.	AUS	.600	.747
151	4403.	4.02	.56	39.1	30.7	7.8	88.3	19.9	763.6	AUS	67075.	AUS	.600	.747
152	4403.	6.11	.52	43.8	37.6	7.7	88.2	19.9	763.6	AUS	78107.	AUS	.600	.747
153	4395.	8.06	.49	50.1	46.9	7.6	88.9	19.9	763.6	AUS	91840.	AUS	.600	.747
154	4395.	10.13	.45	59.1	53.7	7.4	90.0	19.8	763.6	AUS	106693.	AUS	.600	.747
155	4403.	12.04	.39	63.5	65.7	7.2	91.8	19.9	763.6	AUS	121404.	AUS	.600	.747
156	4395.	14.09	.35	70.1	73.5	7.0	93.7	19.8	763.6	AUS	136996.	AUS	.600	.747
157	4395.	13.97	.18	85.1	84.8	6.9	93.1	19.3	763.6	AUS	136091.	AUS	.600	.747
158	4598.	.10	1.08	33.3	22.6	7.6	92.1	19.3	763.6	AUS	51707.	AUS	.600	.747
159	4598.	1.98	.74	35.9	25.2	7.8	90.4	19.0	763.6	AUS	59252.	AUS	.600	.747
160	4606.	4.04	.55	39.7	31.5	7.9	90.4	19.8	763.6	AUS	68616.	AUS	.600	.747
161	4598.	6.10	.50	44.8	38.9	7.0	90.9	19.3	763.6	AUS	81393.	AUS	.600	.747
162	4593.	8.00	.48	51.3	48.6	6.9	91.1	19.3	763.6	AUS	90595.	AUS	.600	.747
163	4599.	10.08	.44	60.4	61.6	6.7	93.1	19.2	763.6	AUS	112296.	AUS	.600	.747
164	4599.	12.07	.38	64.4	66.9	6.6	94.9	19.7	763.6	AUS	127798.	AUS	.600	.747
165	4599.	14.06	.35	70.6	74.1	6.4	96.3	19.5	763.6	AUS	144723.	AUS	.600	.747
166	4599.	14.84	.14	85.1	84.8	6.5	96.2	19.3	763.6	AUS	151807.	AUS	.600	.747
167	4794.	.01	1.50	34.3	23.9	7.0	94.7	19.2	763.6	AUS	54646.	AUS	.600	.747

	URZ 1/MIN	BRL KP	02 PROZ	DKL DEG	OKLPSI DEG	OEOR KP/CM2	DELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTEUCH 1	DICHTE KG/L
168	4802.	2.16	.66	37.5	28.4	7.2	92.5	19.3	763.6	AUS	63370.	AUS	.600	.747
169	4801.	3.99	.55	40.6	33.0	6.9	91.9	19.2	763.6	AUS	71430.	AUS	.600	.747
170	4802.	5.03	.52	45.7	40.5	6.9	92.1	19.4	763.6	AUS	86062.	AUS	.600	.747
171	4802.	8.00	.51	53.5	51.8	6.8	93.5	19.4	763.6	AUS	101672.	AUS	.600	.747
172	4802.	10.02	.45	61.6	63.1	6.7	94.7	19.5	763.6	AUS	116617.	AUS	.600	.747
173	4802.	12.05	.40	66.1	69.0	6.6	96.0	19.7	763.6	AUS	135064.	AUS	.600	.747
174	4802.	14.04	.33	70.6	74.0	6.5	98.9	19.1	763.6	AUS	153158.	AUS	.600	.747
175	4802.	14.90	.15	85.0	84.8	6.4	100.0	19.0	763.6	AUS	160101.	AUS	.600	.747
176	4897.	-.01	1.52	35.0	25.0	7.0	95.7	18.3	763.6	AUS	50008.	AUS	.600	.747
177	4897.	1.04	.70	37.6	28.6	6.9	93.7	18.8	763.6	AUS	64569.	AUS	.600	.747
178	4897.	3.68	.55	40.9	33.2	6.9	93.3	19.2	763.6	AUS	72464.	AUS	.600	.747
179	5005.	5.99	.54	46.8	41.8	6.9	93.7	19.2	763.6	AUS	86693.	AUS	.600	.747
180	4897.	8.06	.53	54.6	53.4	6.9	94.3	19.7	763.6	AUS	107736.	AUS	.600	.747
181	4898.	10.04	.45	61.9	63.5	6.7	95.9	19.2	763.6	AUS	123489.	AUS	.600	.747
182	4897.	12.00	.39	64.8	67.3	6.6	97.7	19.5	763.6	AUS	141546.	AUS	.600	.747
183	4898.	14.07	.35	71.2	74.7	6.5	99.9	19.2	763.6	AUS	161892.	AUS	.600	.747
184	4897.	14.74	.15	85.1	84.8	6.7	101.1	19.7	763.6	AUS	166709.	AUS	.600	.747
185	5203.	.04	1.46	35.7	25.8	7.1	97.8	19.3	763.6	AUS	59538.	AUS	.600	.747
186	5201.	2.12	.75	38.7	30.1	6.9	95.3	19.3	763.6	AUS	67460.	AUS	.600	.747
187	5203.	3.95	.59	42.4	35.4	6.9	95.6	19.3	763.6	AUS	78816.	AUS	.600	.747
188	5203.	6.07	.53	48.4	44.3	6.9	95.2	19.3	763.6	AUS	94180.	AUS	.600	.747
189	5201.	8.00	.52	55.3	55.8	6.8	96.7	19.2	763.6	AUS	113583.	AUS	.600	.747
190	5201.	10.09	.44	62.7	64.6	6.7	98.0	19.2	763.6	AUS	130395.	AUS	.600	.747
191	5200.	12.02	.37	65.7	68.4	6.6	100.2	19.4	763.6	AUS	149564.	AUS	.600	.747
192	5201.	14.02	.33	72.3	75.8	6.5	101.5	19.4	763.6	AUS	170651.	AUS	.600	.747
193	5201.	14.53	.14	85.1	84.8	6.4	102.2	19.3	763.6	AUS	173329.	AUS	.600	.747
194	5396.	.05	1.46	37.0	27.6	6.8	100.4	19.7	763.6	AUS	63660.	AUS	.600	.747
195	5403.	1.94	.33	39.4	31.1	6.9	98.1	19.5	763.6	AUS	70634.	AUS	.600	.747
196	5396.	4.03	.50	43.7	37.4	6.9	98.5	19.5	763.6	AUS	84764.	AUS	.600	.747
197	5396.	6.09	.54	49.8	46.4	6.9	97.9	19.5	763.6	AUS	99772.	AUS	.600	.747
198	5404.	8.05	.51	59.0	59.7	6.9	99.3	19.3	763.6	AUS	119560.	AUS	.600	.747
199	5396.	10.00	.40	62.9	64.9	6.8	99.4	19.5	763.6	AUS	137503.	AUS	.600	.747
200	5404.	12.11	.33	66.8	63.7	6.8	101.9	19.7	763.6	AUS	157617.	AUS	.600	.747
201	5404.	14.02	.29	74.8	78.2	6.8	103.7	19.6	763.6	AUS	175127.	AUS	.600	.747
202	5396.	14.37	.10	85.1	84.8	6.6	104.5	19.7	763.6	AUS	178961.	AUS	.600	.747
203	5599.	-.01	1.57	37.5	28.3	6.8	102.1	19.9	763.6	AUS	65426.	AUS	.600	.747
204	5600.	2.00	.30	40.6	32.8	6.9	99.9	19.8	763.6	AUS	74571.	AUS	.600	.747
205	5603.	4.05	.58	45.0	39.2	6.9	100.1	20.0	763.6	AUS	87675.	AUS	.600	.747
206	5604.	6.02	.44	51.0	48.2	6.9	99.7	18.9	763.6	AUS	102875.	AUS	.600	.747
207	5596.	8.10	.42	61.0	62.4	6.8	100.1	18.5	763.6	AUS	126767.	AUS	.600	.747
208	5596.	10.11	.34	63.6	65.8	6.8	101.2	18.9	763.6	AUS	144847.	AUS	.600	.747
209	5604.	12.05	.29	67.8	70.9	6.8	102.1	18.3	763.6	AUS	166709.	AUS	.600	.747
210	5604.	13.05	.11	84.6	84.6	6.7	104.6	19.0	763.6	AUS	183506.	AUS	.600	.747
211	5798.	.05	1.29	38.5	29.8	6.9	102.6	19.1	763.6	AUS	60111.	AUS	.600	.747
212	5797.	1.33	.77	41.2	33.7	7.0	100.5	19.0	763.6	AUS	76972.	AUS	.600	.747

ORZ 1/MIN	BRL KP	OZ PROZ	DKL DEG	DKLPST DEG	QELDR KP/CM2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
213	5799.	4.03	46.3	41.1	7.0	100.3	19.2	763.6	AUS	92237.	AUS	.600	.747
214	5806.	5.04	52.8	50.8	6.9	100.7	19.3	763.6	AUS	109670.	AUS	.600	.747
215	5799.	8.10	61.7	63.3	6.8	102.3	19.0	763.6	AUS	131244.	AUS	.600	.747
216	5798.	10.07	64.3	65.7	6.7	103.2	19.2	763.6	AUS	151025.	AUS	.600	.747
217	5793.	12.07	58.9	72.2	6.5	104.4	19.0	763.6	AUS	173119.	AUS	.600	.747
218	5798.	13.48	85.2	84.8	6.7	105.9	19.3	763.6	AUS	187591.	AUS	.600	.747
219	5996.	.04	39.6	31.4	7.0	104.0	19.1	763.6	AUS	70835.	AUS	.600	.747
220	5983.	2.00	43.0	35.3	7.2	102.8	19.5	763.6	AUS	82901.	AUS	.600	.747
221	6019.	4.07	48.7	44.7	7.1	102.9	19.6	763.6	AUS	98877.	AUS	.600	.747
222	6001.	6.02	55.3	54.5	7.0	103.4	19.4	763.6	AUS	117812.	AUS	.600	.747
223	6001.	8.05	62.1	63.9	6.9	104.6	19.8	763.6	AUS	137130.	AUS	.600	.747
224	6000.	9.37	65.5	68.2	6.8	105.6	19.5	763.6	AUS	157798.	AUS	.600	.747
225	6001.	12.19	72.3	75.7	6.7	106.8	19.2	763.6	AUS	181743.	AUS	.600	.747
226	5993.	12.98	85.2	84.8	6.5	108.3	19.4	763.6	AUS	191346.	AUS	.600	.747
227	1198.	-1.24	.8	.2	2.6	78.2	19.0	761.6	AUS	11936.	AUS	.600	.747
228	1403.	-1.00	.7	.2	3.2	77.6	19.0	761.6	AUS	11943.	AUS	.600	.747
229	1605.	-1.84	2.31	.9	3.8	76.5	19.0	761.6	AUS	11448.	AUS	.600	.747
230	1801.	-2.00	3.36	.7	4.5	76.3	19.0	761.6	AUS	12781.	AUS	.600	.747
231	2002.	-2.33	4.21	.6	5.2	75.4	18.8	761.6	AUS	13342.	AUS	.600	.747
232	2203.	-2.60	4.89	.7	5.8	74.9	18.8	761.6	AUS	13756.	AUS	.600	.747
233	2203.	-1.34	17.6	5.5	5.8	74.9	19.3	761.6	AUS	16240.	AUS	.600	.747
234	2405.	-2.81	5.57	.6	6.2	73.7	19.0	761.6	AUS	12937.	AUS	.600	.747
235	2405.	-2.33	20.3	7.8	6.2	73.3	19.1	761.6	AUS	19203.	AUS	.600	.747
236	2603.	-2.35	6.31	.5	6.3	74.9	19.1	761.6	AUS	14438.	AUS	.600	.747
237	2603.	-1.98	21.5	8.9	6.3	74.4	19.1	761.6	AUS	22124.	AUS	.600	.747
238	2807.	-3.09	6.86	.5	6.4	75.8	19.2	761.6	AUS	14740.	AUS	.600	.747
239	2808.	-2.00	20.6	8.1	6.4	76.7	19.2	761.6	AUS	21173.	AUS	.600	.747
240	3001.	-3.21	7.15	.9	6.6	77.0	19.0	761.6	AUS	15875.	AUS	.600	.747
241	3002.	-1.91	21.9	9.2	6.4	78.3	19.1	761.6	AUS	22839.	AUS	.600	.747
242	3202.	-3.33	7.81	1.0	6.6	78.4	19.1	761.5	AUS	16309.	AUS	.600	.747
243	3203.	-2.05	21.4	8.8	6.5	79.4	19.1	761.6	AUS	20814.	AUS	.600	.747
244	3401.	-3.51	7.32	.9	6.9	80.3	19.1	761.6	AUS	16776.	AUS	.600	.747
245	3401.	-1.87	22.0	9.4	6.8	81.4	18.9	761.6	AUS	24663.	AUS	.600	.747
246	3601.	-3.52	8.46	.3	7.1	81.9	19.0	761.6	AUS	18504.	AUS	.600	.747
247	3601.	-1.97	22.6	13.0	7.0	82.8	19.0	761.6	AUS	24118.	AUS	.600	.747
248	3804.	-3.73	8.47	.9	6.7	83.4	19.1	761.6	AUS	17261.	AUS	.600	.747
249	3804.	-1.96	23.5	10.9	6.7	84.5	19.0	761.6	AUS	25046.	AUS	.600	.747
250	4008.	-3.87	8.57	1.0	6.9	84.9	18.9	761.6	AUS	17861.	AUS	.600	.747
251	4008.	-1.98	25.0	12.5	6.8	86.1	19.1	761.6	AUS	27077.	AUS	.600	.747
252	4207.	-3.97	9.30	.6	7.0	85.9	18.9	761.6	AUS	17878.	AUS	.600	.747
253	4205.	-1.90	25.6	13.2	6.9	87.3	19.0	761.6	AUS	29485.	AUS	.600	.747
254	4401.	-4.13	10.32	.5	7.1	88.1	19.5	761.6	AUS	17902.	AUS	.600	.747
255	4401.	-1.89	26.8	14.5	7.0	89.5	19.1	761.6	AUS	31323.	AUS	.600	.747
256	4603.	-4.27	8.75	.2	6.9	89.6	18.8	761.6	AUS	18913.	AUS	.600	.747
257	4604.	-1.90	27.8	15.6	6.9	90.5	19.0	761.6	AUS	32903.	AUS	.600	.747

	ORZ 1/MIN	BRL KP	O2 P/O2	DKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUMTEMP CEL	LFTDR TORR	LFTDSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
258	4008.	-4.43	8.33	1.0	.1	7.0	92.0	19.2	761.6	AUS	16085.	AUS	.600	.747
259	4008.	-1.95	2.66	28.5	16.4	6.9	92.7	19.0	761.6	AUS	36177.	AUS	.600	.747
260	5011.	-4.58	8.11	1.1	.1	6.8	92.5	19.0	761.6	AUS	17220.	AUS	.600	.747
261	5011.	-3.37	5.74	21.4	8.8	6.7	93.1	18.6	761.6	AUS	23803.	AUS	.600	.747
262	5012.	-1.37	2.75	29.5	17.7	6.7	93.7	19.1	761.6	AUS	38320.	AUS	.600	.747
263	5203.	-4.70	6.16	.9	.1	6.8	94.7	18.9	761.6	AUS	14926.	AUS	.600	.747
264	5203.	-4.07	5.54	22.3	3.6	6.8	95.2	18.3	761.6	AUS	24283.	AUS	.600	.747
265	5204.	-1.95	2.54	30.2	18.6	6.7	95.7	18.8	761.6	AUS	42020.	AUS	.600	.747
266	5403.	-4.85	6.24	.9	.1	6.7	96.4	18.7	761.6	AUS	16077.	AUS	.600	.747
267	5404.	-4.01	4.53	23.7	11.1	6.7	97.2	18.5	761.6	AUS	27891.	AUS	.600	.747
268	5404.	-1.87	2.53	31.4	20.1	6.7	97.8	18.9	761.6	AUS	46685.	AUS	.600	.747
269	5605.	-5.01	5.33	.5	.2	6.9	98.9	18.6	761.6	AUS	16271.	AUS	.600	.747
270	5606.	-4.03	3.34	25.3	12.8	6.9	99.2	18.7	761.6	AUS	29686.	AUS	.600	.747
271	5606.	-1.92	2.53	32.4	21.3	6.8	99.4	19.0	761.6	AUS	49606.	AUS	.600	.747
272	5811.	-5.16	4.68	.6	.2	7.1	99.7	18.5	761.6	AUS	14046.	AUS	.600	.747
273	5812.	-4.03	3.59	26.8	14.5	7.1	99.8	18.9	761.6	AUS	33215.	AUS	.600	.747
274	5813.	-1.37	2.45	33.1	22.3	6.9	101.2	18.8	761.6	AUS	51426.	AUS	.600	.747
275	6003.	-5.37	5.14	.5	.2	7.1	101.0	18.5	761.6	AUS	14131.	AUS	.600	.747
276	6009.	-4.01	4.13	27.3	15.1	7.2	101.1	18.6	761.6	AUS	36744.	AUS	.600	.747
277	6503.	-1.95	2.62	33.7	23.1	7.1	101.8	18.5	761.6	AUS	55650.	AUS	.600	.747

	QRZ 1/MIN	BRL KP	SCO G/KMH	SCO2 G/KMH	SCH2 G/KMH	NOX G/KMH	SO2 G/KMH	HCO G/H	HPCO G/H	HC02 G/H	HPCO2 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
1	101.	.11	AUS	AUS	AUS	AUS	AUS	AUS	305.4	AUS	3024.7	AUS	12.06	AUS
2	106.	2.03	AUS	AUS	AUS	AUS	AUS	AUS	87.9	AUS	3966.9	AUS	6.45	AUS
3	105.	3.98	AUS	AUS	AUS	AUS	AUS	AUS	87.5	AUS	4741.3	AUS	10.81	AUS
4	993.	6.02	AUS	AUS	AUS	AUS	AUS	AUS	98.5	AUS	5263.7	AUS	14.62	AUS
5	993.	8.07	AUS	AUS	AUS	AUS	AUS	AUS	119.4	AUS	6444.3	AUS	19.51	AUS
6	993.	11.06	AUS	AUS	AUS	AUS	AUS	AUS	143.3	AUS	7416.3	AUS	22.84	AUS
7	993.	11.96	AUS	AUS	AUS	AUS	AUS	AUS	524.1	AUS	7811.8	AUS	30.47	AUS
8	993.	12.46	AUS	AUS	AUS	AUS	AUS	AUS	3014.3	AUS	5805.1	AUS	46.31	AUS
9	1194.	.01	AUS	AUS	AUS	AUS	AUS	AUS	89.1	AUS	4611.5	AUS	10.30	AUS
10	1213.	2.12	AUS	AUS	AUS	AUS	AUS	AUS	100.4	AUS	5703.2	AUS	9.41	AUS
11	1203.	3.96	AUS	AUS	AUS	AUS	AUS	AUS	109.7	AUS	6209.5	AUS	12.25	AUS
12	1204.	5.98	AUS	AUS	AUS	AUS	AUS	AUS	126.5	AUS	7215.1	AUS	16.11	AUS
13	1196.	8.07	AUS	AUS	AUS	AUS	AUS	AUS	140.8	AUS	7971.1	AUS	18.23	AUS
14	1204.	10.09	AUS	AUS	AUS	AUS	AUS	AUS	147.6	AUS	9255.2	AUS	22.80	AUS
15	1204.	12.04	AUS	AUS	AUS	AUS	AUS	AUS	1065.2	AUS	9183.2	AUS	35.08	AUS
16	1204.	12.24	AUS	AUS	AUS	AUS	AUS	AUS	3523.2	AUS	7515.6	AUS	51.41	AUS
17	1393.	.12	AUS	AUS	AUS	AUS	AUS	AUS	106.2	AUS	5008.3	AUS	22.82	AUS
18	1400.	2.04	AUS	AUS	AUS	AUS	AUS	AUS	119.0	AUS	6086.3	AUS	11.97	AUS
19	1399.	4.03	AUS	AUS	AUS	AUS	AUS	AUS	137.9	AUS	7260.7	AUS	14.11	AUS
20	1399.	6.02	AUS	AUS	AUS	AUS	AUS	AUS	159.8	AUS	8088.6	AUS	16.74	AUS
21	1403.	8.05	AUS	AUS	AUS	AUS	AUS	AUS	184.9	AUS	9801.3	AUS	22.81	AUS
22	1400.	10.12	AUS	AUS	AUS	AUS	AUS	AUS	174.5	AUS	10129.7	AUS	25.40	AUS
23	1400.	12.07	AUS	AUS	AUS	AUS	AUS	AUS	1357.1	AUS	10671.1	AUS	40.96	AUS
24	1401.	12.26	AUS	AUS	AUS	AUS	AUS	AUS	4422.7	AUS	8120.3	AUS	60.30	AUS
25	1604.	.30	AUS	AUS	AUS	AUS	AUS	AUS	129.1	AUS	5074.3	AUS	32.52	AUS
26	1596.	1.99	AUS	AUS	AUS	AUS	AUS	AUS	127.6	AUS	6207.5	AUS	13.93	AUS
27	1597.	4.13	AUS	AUS	AUS	AUS	AUS	AUS	146.0	AUS	7488.3	AUS	18.71	AUS
28	1597.	5.34	AUS	AUS	AUS	AUS	AUS	AUS	194.5	AUS	9362.7	AUS	23.64	AUS
29	1597.	8.02	AUS	AUS	AUS	AUS	AUS	AUS	206.0	AUS	10954.3	AUS	27.33	AUS
30	1597.	10.26	AUS	AUS	AUS	AUS	AUS	AUS	239.5	AUS	11331.6	AUS	29.12	AUS
31	1605.	12.09	AUS	AUS	AUS	AUS	AUS	AUS	494.6	AUS	12629.4	AUS	37.40	AUS
32	1597.	13.18	AUS	AUS	AUS	AUS	AUS	AUS	4705.8	AUS	9862.2	AUS	67.35	AUS

	DRZ L/MTN	BRL Kp	SGO G/KWH	SCO2 G/KWH	SCHE2 G/KWH	SNOX G/KWH	S02 G/KWH	HCO G/H	HPCO G/H	4CO2 G/H	HPCO2 G/H	HCH2 G/H	HPCHE2 G/H	HNOX G/H
33	1800.	-0.26	AJS	AUS	AUS	AUS	AUS	AUS	121.5	AUS	5595.9	AUS	24.27	AUS
34	1800.	2.05	AUS	AUS	AUS	AUS	AUS	AUS	133.5	AUS	6669.3	AUS	16.69	AUS
35	1801.	4.02	AJS	AUS	AUS	AUS	AUS	AUS	179.2	AUS	8482.9	AUS	25.01	AUS
36	1801.	6.14	AJS	AUS	AUS	AUS	AUS	AUS	241.2	AUS	10837.3	AUS	33.55	AUS
37	1801.	7.93	AUS	AUS	AUS	AUS	AUS	AUS	245.9	AUS	12087.0	AUS	31.97	AUS
38	1801.	10.25	AJS	AUS	AUS	AUS	AUS	AUS	275.4	AUS	13203.9	AJS	33.66	AUS
39	1801.	12.13	AJS	AUS	AUS	AUS	AUS	AUS	262.0	AUS	14556.9	AUS	38.15	AUS
40	1793.	13.66	AJS	AUS	AUS	AUS	AUS	AUS	4137.8	AUS	12034.3	AUS	67.11	AUS
41	2004.	.02	AJS	AUS	AUS	AUS	AUS	AUS	125.7	AUS	5444.2	AUS	25.92	AUS
42	2004.	1.98	AUS	AUS	AUS	AUS	AUS	AUS	143.7	AUS	7117.3	AUS	23.34	AUS
43	2004.	3.97	AUS	AUS	AUS	AUS	AUS	AUS	186.5	AUS	8813.5	AUS	33.37	AUS
44	2005.	5.94	AUS	AUS	AUS	AUS	AUS	AUS	261.9	AUS	11434.9	AUS	40.71	AUS
45	1937.	8.23	AJS	AUS	AUS	AUS	AUS	AUS	264.3	AUS	13143.6	AJS	37.43	AUS
46	2006.	10.20	AJS	AUS	AUS	AUS	AUS	AUS	269.8	AUS	13750.1	AUS	37.72	AUS
47	2005.	12.17	AJS	AUS	AUS	AUS	AUS	AUS	293.4	AUS	15535.7	AUS	42.88	AUS
48	2005.	14.00	AUS	AUS	AUS	AUS	AUS	AUS	3728.0	AUS	14123.3	AUS	69.75	AUS
49	1997.	14.19	AUS	AUS	AUS	AUS	AUS	AUS	3661.6	AUS	14267.2	AUS	74.15	AUS
50	2192.	.18	AJS	AUS	AUS	AUS	AUS	AUS	150.8	AUS	6355.4	AUS	24.30	AUS
51	2201.	1.98	AUS	AUS	AUS	AUS	AUS	AUS	180.1	AUS	8045.9	AUS	28.41	AUS
52	2193.	4.09	AJS	AUS	AUS	AUS	AUS	AUS	248.4	AUS	9345.1	AUS	42.12	AUS
53	2193.	5.99	AJS	AUS	AUS	AUS	AUS	AUS	330.1	AUS	12580.0	AJS	45.74	AUS
54	2231.	8.01	AJS	AUS	AUS	AUS	AUS	AUS	318.7	AUS	13635.3	AUS	39.71	AUS
55	2193.	10.16	AUS	AUS	AUS	AUS	AUS	AUS	319.7	AUS	15363.5	AUS	43.62	AUS
56	2194.	12.13	AJS	AUS	AUS	AUS	AUS	AUS	328.7	AUS	16847.2	AUS	47.26	AUS
57	2193.	13.97	AJS	AUS	AUS	AUS	AUS	AUS	3731.3	AUS	15720.7	AUS	74.19	AUS
58	2202.	14.27	AUS	AUS	AUS	AUS	AUS	AUS	3712.0	AUS	16338.8	AUS	79.96	AUS
59	2404.	-0.01	AUS	AUS	AUS	AUS	AUS	AUS	164.3	AUS	6300.8	AUS	34.31	AUS
60	2397.	2.11	AJS	AUS	AUS	AUS	AUS	AUS	199.3	AUS	8367.3	AUS	33.05	AUS
61	2398.	3.99	AJS	AUS	AUS	AUS	AUS	AUS	292.7	AUS	10255.3	AUS	45.32	AUS
62	2393.	6.21	AJS	AUS	AUS	AUS	AUS	AUS	298.5	AUS	13086.4	AUS	41.97	AUS
63	2338.	8.11	AJS	AUS	AUS	AUS	AUS	AUS	289.7	AUS	14680.3	AUS	41.68	AUS
64	2406.	10.11	AUS	AUS	AUS	AUS	AUS	AUS	318.4	AUS	16108.5	AUS	44.73	AUS
65	2398.	12.08	AJS	AUS	AUS	AUS	AUS	AUS	397.5	AUS	18111.4	AUS	50.85	AUS
66	2398.	14.04	AJS	AUS	AUS	AUS	AUS	AUS	452.3	AUS	20560.5	AUS	60.97	AUS
67	2398.	14.59	AJS	AUS	AUS	AUS	AUS	AUS	3695.3	AUS	18180.6	AUS	82.87	AUS
68	2593.	.02	AJS	AUS	AUS	AUS	AUS	AUS	180.3	AUS	6304.3	AUS	39.74	AUS
69	2594.	2.05	AJS	AUS	AUS	AUS	AUS	AUS	251.7	AUS	9336.1	AUS	42.86	AUS
70	2602.	3.99	AJS	AUS	AUS	AUS	AUS	AUS	350.5	AUS	11828.2	AUS	58.97	AUS
71	2600.	5.17	AJS	AUS	AUS	AUS	AUS	AUS	369.4	AUS	15102.4	AUS	47.33	AUS
72	2601.	8.11	AJS	AUS	AUS	AUS	AUS	AUS	343.2	AUS	16298.0	AUS	43.37	AUS
73	2601.	10.14	AJS	AUS	AUS	AUS	AUS	AUS	360.8	AUS	18372.2	AUS	47.44	AUS
74	2600.	12.14	AJS	AUS	AUS	AUS	AUS	AUS	436.4	AUS	20255.0	AUS	53.87	AUS
75	2600.	14.13	AJS	AUS	AUS	AUS	AUS	AUS	508.7	AUS	22303.1	AJS	86.53	AUS
76	2600.	14.70	AJS	AUS	AUS	AUS	AUS	AUS	4407.5	AUS	20343.4	AUS	95.77	AUS
77	2745.	.01	AUS	AUS	AUS	AUS	AUS	AUS	228.4	AUS	7653.1	AUS	63.70	AUS

4019219.14 14/1/2

	ORZ 1/MIN	URL KP	SC0 G/KWH	SC02 G/KWH	SC012 G/KWH	SN0X G/KWH	S02 G/KWH	HC0 G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
78	2803.	1.99	AUS	AUS	AUS	AUS	AUS	AUS	335.2	AUS	10448.4	AUS	59.09	AUS
79	2802.	3.96	AUS	AUS	AUS	AUS	AUS	AUS	405.6	AUS	12461.4	AUS	66.99	AUS
80	2803.	5.09	AUS	AUS	AUS	AUS	AUS	AUS	370.2	AUS	15561.0	AUS	47.41	AUS
81	2803.	8.11	AJS	AUS	AUS	AUS	AUS	AUS	365.2	AUS	17447.4	AUS	48.22	AUS
82	2803.	10.12	AJS	AUS	AUS	AUS	AUS	AUS	408.0	AUS	19512.3	AUS	55.14	AUS
83	2803.	12.10	AUS	AUS	AUS	AUS	AUS	AUS	451.4	AUS	21323.0	AUS	64.51	AUS
84	2795.	14.12	AUS	AUS	AUS	AUS	AUS	AUS	474.9	AUS	24510.0	AUS	72.40	AUS
85	2795.	15.08	AJS	AUS	AUS	AUS	AUS	AUS	5240.8	AUS	21477.6	AUS	105.74	AUS
86	2998.	- .06	AJS	AUS	AUS	AUS	AUS	AUS	319.5	AUS	9501.3	AUS	89.56	AUS
87	2999.	2.03	AJS	AUS	AUS	AUS	AUS	AUS	385.5	AUS	11526.1	AUS	74.19	AUS
88	2993.	4.01	AJS	AUS	AUS	AUS	AUS	AUS	449.2	AUS	13373.7	AUS	72.56	AUS
89	2993.	6.15	AJS	AUS	AUS	AUS	AUS	AUS	357.2	AUS	15826.1	AUS	43.85	AUS
90	3006.	8.03	AJS	AUS	AUS	AUS	AUS	AUS	369.6	AUS	18232.3	AUS	50.59	AUS
91	3006.	10.13	AJS	AUS	AUS	AUS	AUS	AUS	423.4	AUS	20163.1	AUS	57.90	AUS
92	2998.	12.08	AJS	AUS	AUS	AUS	AUS	AUS	479.2	AUS	22849.3	AUS	65.33	AUS
93	2998.	14.12	AUS	AUS	AUS	AUS	AUS	AUS	584.3	AUS	25701.4	AUS	70.54	AUS
94	2998.	15.45	AJS	AUS	AUS	AUS	AUS	AUS	5922.7	AUS	23509.3	AUS	106.90	AUS
95	3201.	- .02	AUS	AUS	AUS	AUS	AUS	AUS	363.7	AUS	9903.5	AUS	104.67	AUS
96	3202.	2.09	AJS	AUS	AUS	AUS	AUS	AUS	444.8	AUS	12729.0	AUS	88.45	AUS
97	3194.	4.08	AJS	AUS	AUS	AUS	AUS	AUS	457.1	AUS	14728.9	AUS	70.49	AUS
98	3202.	6.06	AJS	AUS	AUS	AUS	AUS	AUS	414.6	AUS	17313.4	AUS	52.72	AUS
99	3202.	7.98	AJS	AUS	AUS	AUS	AUS	AUS	409.2	AUS	19176.5	AJS	57.36	AUS
100	3194.	10.16	AUS	AUS	AUS	AUS	AUS	AUS	441.5	AUS	21672.5	AUS	63.05	AUS
101	3202.	12.07	AUS	AUS	AUS	AUS	AUS	AUS	502.6	AUS	24759.4	AUS	70.38	AUS
102	3195.	14.10	AUS	AUS	AUS	AUS	AUS	AUS	587.6	AUS	27358.3	AUS	72.97	AUS
103	3202.	15.32	AUS	AUS	AUS	AUS	AUS	AUS	6073.7	AUS	25482.1	AJS	112.11	AUS
104	3337.	- .00	AJS	AUS	AUS	AUS	AUS	AUS	389.0	AUS	10410.7	AUS	109.43	AUS
105	3398.	1.97	AJS	AUS	AUS	AUS	AUS	AUS	482.8	AUS	12888.3	AUS	100.03	AUS
106	3406.	3.91	AJS	AUS	AUS	AUS	AUS	AUS	467.3	AUS	15187.3	AJS	69.13	AUS
107	3398.	5.97	AJS	AUS	AUS	AUS	AUS	AUS	432.9	AUS	17830.4	AUS	54.90	AUS
108	3398.	8.08	AJS	AUS	AUS	AUS	AUS	AUS	433.8	AUS	20332.6	AUS	60.54	AUS
109	3399.	10.13	AUS	AUS	AUS	AUS	AUS	AUS	465.0	AUS	22872.7	AUS	66.22	AUS
110	3393.	12.06	AUS	AUS	AUS	AUS	AUS	AUS	517.3	AUS	26124.0	AUS	72.27	AUS
111	3399.	14.10	AUS	AUS	AUS	AUS	AUS	AUS	665.1	AUS	29491.0	AUS	76.81	AUS
112	3393.	15.33	AUS	AUS	AUS	AUS	AUS	AUS	5309.3	AUS	28420.1	AUS	111.15	AUS
113	3195.	.00	AJS	AUS	AUS	AUS	AUS	AUS	402.6	AUS	11232.5	AUS	104.96	AUS
114	3595.	2.17	AUS	AUS	AUS	AUS	AUS	AUS	523.6	AUS	13840.1	AUS	100.15	AUS
115	3596.	4.01	AUS	AUS	AUS	AUS	AUS	AUS	460.4	AUS	15953.8	AUS	65.52	AUS
116	3603.	6.13	AUS	AUS	AUS	AUS	AUS	AUS	440.5	AUS	18869.4	AUS	57.88	AUS
117	3603.	8.09	AUS	AUS	AUS	AUS	AUS	AUS	453.8	AUS	21494.4	AUS	62.11	AUS
118	3595.	10.09	AUS	AUS	AUS	AUS	AUS	AUS	506.8	AUS	24776.3	AUS	67.25	AUS
119	3603.	12.07	AUS	AUS	AUS	AUS	AUS	AUS	593.8	AUS	27978.4	AUS	73.52	AUS
120	3603.	14.07	AUS	AUS	AUS	AUS	AUS	AUS	635.5	AUS	31395.3	AUS	76.82	AUS
121	3595.	15.33	AUS	AUS	AUS	AUS	AUS	AUS	5695.2	AUS	30157.3	AUS	114.23	AUS
122	3606.	.01	AJS	AUS	AUS	AUS	AUS	AUS	429.9	AUS	11411.8	AUS	113.61	AUS

	ORZ 1/HIN	6RL KP	SC0 G/KMH	SC02 G/KMH	SCH2 G/KMH	3NOX G/KMH	SO2 G/KMH	HC0 G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	HCN2 G/H	HPCN2 G/H	HNOX G/H
123	3807.	2.04	AUS	AUS	AUS	AUS	AUS	AUS	523.7	AUS	14405.1	AUS	90.98	AUS
124	3799.	4.03	AUS	AUS	AUS	AUS	AUS	AUS	453.7	AUS	16949.2	AUS	61.75	AUS
125	3799.	6.17	AUS	AUS	AUS	AUS	AUS	AUS	437.3	AUS	19641.0	AUS	59.22	AUS
126	3799.	8.09	AUS	AUS	AUS	AUS	AUS	AUS	485.6	AUS	23019.1	AUS	62.51	AUS
127	3799.	10.12	AUS	AUS	AUS	AUS	AUS	AUS	544.8	AUS	26429.8	AJS	68.82	AUS
128	3799.	12.07	AUS	AUS	AUS	AUS	AUS	AUS	621.3	AUS	29941.1	AUS	74.29	AUS
129	3799.	14.05	AUS	AUS	AUS	AUS	AUS	AUS	690.4	AUS	33656.5	AUS	79.47	AUS
130	3799.	15.33	AUS	AUS	AUS	AUS	AUS	AUS	5162.7	AUS	32615.0	AUS	113.66	AUS
131	4002.	.02	AUS	AUS	AUS	AUS	AUS	AUS	483.4	AUS	12245.0	AUS	126.60	AUS
132	3995.	2.03	AJS	AUS	AUS	AUS	AUS	AUS	523.2	AUS	15282.3	AUS	86.06	AUS
133	4003.	4.02	AUS	AUS	AUS	AUS	AUS	AUS	472.1	AUS	17659.7	AUS	59.79	AUS
134	4002.	6.06	AJS	AUS	AUS	AUS	AUS	AUS	456.7	AUS	20460.8	AUS	61.13	AUS
135	3995.	8.11	AJS	AUS	AUS	AUS	AUS	AUS	521.3	AUS	24201.2	AUS	65.43	AUS
136	4003.	10.08	AUS	AUS	AUS	AUS	AUS	AUS	576.9	AUS	27899.7	AUS	72.07	AUS
137	4003.	12.08	AJS	AUS	AUS	AUS	AUS	AUS	628.3	AUS	31574.2	AUS	77.08	AUS
138	3995.	14.04	AJS	AUS	AUS	AUS	AUS	AUS	734.1	AUS	35650.2	AUS	82.57	AUS
139	4003.	15.37	AJS	AUS	AUS	AUS	AUS	AUS	4883.8	AUS	35104.9	AUS	116.96	AUS
140	4198.	.06	AJS	AUS	AUS	AUS	AUS	AUS	559.4	AUS	12885.1	AUS	131.95	AUS
141	4199.	2.15	AJS	AUS	AUS	AUS	AUS	AUS	531.2	AUS	15341.5	AUS	78.38	AUS
142	4207.	4.00	AUS	AUS	AUS	AUS	AUS	AUS	497.4	AUS	18504.0	AJS	59.47	AUS
143	4199.	6.07	AUS	AUS	AUS	AUS	AUS	AUS	503.6	AUS	21534.4	AUS	63.32	AUS
144	4207.	8.04	AJS	AUS	AUS	AUS	AUS	AUS	599.0	AUS	25409.5	AUS	69.24	AUS
145	4193.	10.10	AUS	AUS	AUS	AUS	AUS	AUS	673.8	AUS	29194.6	AUS	77.03	AUS
146	4203.	12.09	AJS	AUS	AUS	AUS	AUS	AUS	700.3	AUS	33459.8	AJS	84.54	AUS
147	4200.	14.06	AUS	AUS	AUS	AUS	AUS	AUS	753.9	AUS	37550.1	AUS	90.25	AUS
148	4200.	15.22	AUS	AUS	AUS	AUS	AUS	AUS	4013.1	AUS	37797.1	AUS	118.06	AUS
149	4403.	.02	AUS	AUS	AUS	AUS	AUS	AUS	584.8	AUS	13623.5	AUS	128.74	AUS
150	4403.	2.00	AUS	AUS	AUS	AUS	AUS	AUS	520.1	AUS	16452.3	AUS	70.12	AUS
151	4403.	4.02	AJS	AUS	AUS	AUS	AUS	AUS	510.2	AUS	19391.4	AUS	58.54	AUS
152	4403.	6.11	AJS	AUS	AUS	AUS	AUS	AUS	531.6	AUS	22750.8	AUS	63.98	AUS
153	4395.	8.06	AJS	AUS	AUS	AUS	AUS	AUS	620.1	AUS	26845.8	AJS	72.44	AUS
154	4395.	10.13	AJS	AUS	AUS	AUS	AUS	AUS	770.9	AUS	31119.5	AUS	81.08	AUS
155	4403.	12.04	AUS	AUS	AUS	AUS	AUS	AUS	736.8	AUS	34864.7	AUS	89.73	AUS
156	4395.	14.09	AJS	AUS	AUS	AUS	AUS	AUS	828.8	AUS	39427.3	AUS	92.34	AUS
157	4395.	13.97	AUS	AUS	AUS	AUS	AUS	AUS	4637.6	AUS	35927.5	AUS	146.56	AUS
158	4593.	.10	AJS	AUS	AUS	AUS	AUS	AUS	565.7	AUS	14032.9	AUS	130.04	AUS
159	4593.	1.98	AUS	AUS	AUS	AUS	AUS	AUS	528.2	AUS	16551.2	AJS	81.47	AUS
160	4606.	4.04	AJS	AUS	AUS	AUS	AUS	AUS	516.7	AUS	19512.3	AUS	61.17	AUS
161	4598.	6.10	AUS	AUS	AUS	AUS	AUS	AUS	569.7	AUS	23267.6	AUS	68.17	AUS
162	4593.	8.06	AJS	AUS	AUS	AUS	AUS	AUS	686.3	AUS	27694.9	AUS	77.17	AUS
163	4593.	10.08	AJS	AUS	AUS	AUS	AUS	AUS	835.5	AUS	32147.8	AUS	86.93	AUS
164	4599.	12.07	AUS	AUS	AUS	AUS	AUS	AUS	901.9	AUS	36669.3	AJS	94.67	AUS
165	4599.	14.06	AUS	AUS	AUS	AUS	AUS	AUS	960.7	AUS	41588.5	AUS	96.20	AUS
166	4593.	14.84	AJS	AUS	AUS	AUS	AUS	AUS	5237.2	AUS	39336.0	AUS	127.43	AUS
167	4794.	.01	AJS	AUS	AUS	AUS	AUS	AUS	698.8	AUS	14429.7	AUS	206.86	AUS

	ORZ 1/MIN	BRL K/P	SCO G/KWH	SCO2 G/KWH	SCH2 G/KWH	3NOX G/KWH	SO2 G/KWH	HC0 G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
168	4802.	2.10	AJS	AUS	AUS	AUS	AUS	AUS	536.3	AUS	17031.7	AUS	81.44	AUS
169	4801.	3.99	AJS	AUS	AUS	AUS	AUS	AUS	538.3	AUS	20328.7	AUS	64.64	AUS
170	4802.	6.03	AUS	AUS	AUS	AUS	AUS	AUS	606.7	AUS	24654.6	AUS	72.70	AUS
171	4802.	6.56	AJS	AUS	AUS	AUS	AUS	AUS	749.7	AUS	29057.8	AUS	81.11	AUS
172	4802.	10.02	AJS	AUS	AUS	AUS	AUS	AUS	841.2	AUS	33368.7	AUS	89.06	AUS
173	4802.	12.05	AUS	AUS	AUS	AUS	AUS	AUS	1038.9	AUS	38552.3	AUS	98.88	AUS
174	4802.	14.04	AJS	AUS	AUS	AUS	AUS	AUS	955.8	AUS	43852.9	AUS	95.41	AUS
175	4802.	14.90	AUS	AUS	AUS	AUS	AUS	AUS	5436.6	AUS	42039.3	AUS	128.31	AUS
176	4997.	-0.01	AJS	AUS	AUS	AUS	AUS	AUS	742.1	AUS	15251.5	AUS	239.26	AUS
177	4997.	1.84	AJS	AUS	AUS	AUS	AUS	AUS	536.3	AUS	18092.7	AUS	96.68	AUS
178	4997.	3.68	AJS	AUS	AUS	AUS	AUS	AUS	552.1	AUS	20580.3	AUS	66.57	AUS
179	5005.	5.99	AJS	AUS	AUS	AUS	AUS	AUS	635.6	AUS	24773.6	AUS	73.49	AUS
180	4997.	8.06	AUS	AUS	AUS	AUS	AUS	AUS	846.9	AUS	30759.2	AUS	85.27	AUS
181	4998.	10.04	AJS	AUS	AUS	AUS	AUS	AUS	950.3	AUS	35302.8	AUS	93.44	AUS
182	4997.	12.00	AJS	AUS	AUS	AUS	AUS	AUS	962.2	AUS	40565.8	AUS	95.62	AUS
183	4998.	14.07	AJS	AUS	AUS	AUS	AUS	AUS	994.1	AUS	46581.4	AUS	98.24	AUS
184	4997.	14.74	AUS	AUS	AUS	AUS	AUS	AUS	5367.9	AUS	44025.5	AUS	134.42	AUS
185	5200.	0.04	AJS	AUS	AUS	AUS	AUS	AUS	673.2	AUS	15819.7	AUS	221.27	AUS
186	5201.	2.12	AUS	AUS	AUS	AUS	AUS	AUS	548.5	AUS	18952.5	AUS	93.75	AUS
187	5200.	3.95	AUS	AUS	AUS	AUS	AUS	AUS	587.0	AUS	22345.8	AUS	72.40	AUS
188	5200.	6.07	AJS	AUS	AUS	AUS	AUS	AUS	670.9	AUS	26928.8	AUS	77.29	AUS
189	5201.	8.06	AUS	AUS	AUS	AUS	AUS	AUS	975.3	AUS	32273.4	AUS	87.07	AUS
190	5201.	10.09	AUS	AUS	AUS	AUS	AUS	AUS	1050.1	AUS	37140.0	AUS	96.42	AUS
191	5200.	12.02	AJS	AUS	AUS	AUS	AUS	AUS	1059.4	AUS	42751.1	AUS	99.74	AUS
192	5201.	14.02	AJS	AUS	AUS	AUS	AUS	AUS	1038.3	AUS	48998.8	AUS	104.03	AUS
193	5201.	14.53	AUS	AUS	AUS	AUS	AUS	AUS	4831.2	AUS	46431.3	AUS	136.25	AUS
194	5396.	0.05	AUS	AUS	AUS	AUS	AUS	AUS	772.6	AUS	16949.5	AUS	230.65	AUS
195	5403.	1.94	AJS	AUS	AUS	AUS	AUS	AUS	628.7	AUS	19565.5	AUS	116.86	AJS
196	5396.	4.03	AJS	AUS	AUS	AUS	AUS	AUS	767.3	AUS	23727.8	AUS	72.09	AUS
197	5396.	6.09	AJS	AUS	AUS	AUS	AUS	AUS	843.2	AUS	28159.9	AUS	78.74	AUS
198	5404.	8.05	AJS	AUS	AUS	AUS	AUS	AUS	1044.2	AUS	33802.3	AUS	88.71	AUS
199	5396.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	1007.9	AUS	39271.1	AUS	100.36	AUS
200	5404.	12.11	AUS	AUS	AUS	AUS	AUS	AUS	977.4	AUS	45351.4	AUS	100.89	AUS
201	5404.	14.02	AUS	AUS	AUS	AUS	AUS	AUS	1024.2	AUS	50486.5	AUS	105.36	AUS
202	5396.	14.37	AUS	AUS	AUS	AUS	AUS	AUS	4959.1	AUS	48086.0	AUS	140.66	AUS
203	5599.	-0.01	AUS	AUS	AUS	AUS	AUS	AUS	1157.9	AUS	16926.3	AUS	297.76	AUS
204	5600.	2.00	AUS	AUS	AUS	AUS	AUS	AUS	664.9	AUS	20731.6	AUS	150.53	AUS
205	5600.	4.05	AUS	AUS	AUS	AUS	AUS	AUS	702.9	AUS	24826.5	AUS	89.81	AUS
206	5604.	6.02	AUS	AUS	AUS	AUS	AUS	AUS	763.1	AUS	28944.4	AUS	75.26	AUS
207	5596.	8.10	AUS	AUS	AUS	AUS	AUS	AUS	1092.1	AUS	35444.9	AUS	87.46	AUS
208	5596.	10.11	AJS	AUS	AUS	AUS	AUS	AUS	1076.9	AUS	40745.0	AUS	98.83	AUS
209	5604.	12.05	AJS	AUS	AUS	AUS	AUS	AUS	1070.2	AUS	47112.2	AUS	102.99	AUS
210	5604.	13.85	AUS	AUS	AUS	AUS	AUS	AUS	5016.0	AUS	48415.4	AUS	143.94	AUS
211	5798.	0.05	AUS	AUS	AUS	AUS	AUS	AUS	956.9	AUS	17679.5	AUS	257.91	AUS
212	5797.	1.93	AJS	AUS	AUS	AUS	AUS	AUS	779.1	AUS	20999.4	AUS	138.59	AUS

	URZ 1/HIN	BRL KP	SOO G/KWH	SCO2 G/KWH	SCH2 G/KWH	5NOX G/KWH	SO2 G/KWH	HCO G/H	HPCO G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
258	4808.	-4.43	AUS	AUS	AUS	AUS	AUS	AUS	1016.4	AUS	1415.3	AUS	483.06	AUS
259	4808.	-1.95	AUS	AUS	AUS	AUS	AUS	AUS	646.4	AUS	8795.2	AUS	511.69	AUS
260	5011.	-4.56	AUS	AUS	AUS	AUS	AUS	AUS	1169.4	AUS	1387.4	AUS	541.08	AUS
261	5011.	-3.97	AUS	AUS	AUS	AUS	AUS	AUS	952.1	AUS	3803.5	AUS	561.12	AUS
262	5012.	-1.97	AUS	AUS	AUS	AUS	AUS	AUS	736.3	AUS	9217.5	AUS	543.81	AUS
263	5203.	-4.70	AUS	AUS	AUS	AUS	AUS	AUS	1143.1	AUS	1467.3	AUS	391.70	AUS
264	5203.	-4.07	AUS	AUS	AUS	AUS	AUS	AUS	968.8	AUS	3960.5	AUS	546.17	AUS
265	5204.	-1.95	AUS	AUS	AUS	AUS	AUS	AUS	795.2	AUS	10213.0	AUS	532.15	AUS
266	5403.	-4.85	AUS	AUS	AUS	AUS	AUS	AUS	1367.3	AUS	1536.2	AUS	423.20	AUS
267	5404.	-4.01	AUS	AUS	AUS	AUS	AUS	AUS	954.2	AUS	5243.4	AUS	533.43	AUS
268	5404.	-1.87	AUS	AUS	AUS	AUS	AUS	AUS	946.0	AUS	11311.1	AUS	570.09	AUS
269	5605.	-5.01	AUS	AUS	AUS	AUS	AUS	AUS	1438.9	AUS	1675.0	AUS	383.84	AUS
270	5606.	-4.03	AUS	AUS	AUS	AUS	AUS	AUS	937.3	AUS	6004.7	AUS	496.22	AUS
271	5606.	-1.92	AUS	AUS	AUS	AUS	AUS	AUS	1116.8	AUS	11857.2	AUS	585.00	AUS
272	5811.	-5.16	AUS	AUS	AUS	AUS	AUS	AUS	1294.2	AUS	1607.1	AUS	290.46	AUS
273	5812.	-4.03	AUS	AUS	AUS	AUS	AUS	AUS	962.2	AUS	6975.5	AUS	501.64	AUS
274	5813.	-1.97	AUS	AUS	AUS	AUS	AUS	AUS	1058.0	AUS	12560.0	AUS	556.27	AUS
275	6003.	-5.37	AUS	AUS	AUS	AUS	AUS	AUS	1290.6	AUS	1519.4	AUS	311.15	AUS
276	6009.	-1.01	AUS	AUS	AUS	AUS	AUS	AUS	1046.7	AUS	7333.5	AUS	653.44	AUS
277	6008.	-1.35	AUS	AUS	AUS	AUS	AUS	AUS	1260.9	AUS	13315.9	AUS	664.95	AUS

	QRZ 1/MIN	ERL KP	HP 40X G/H	H02 G/H	HP02 G/H
1	1001.	.11	1.80	AUS	9.30
2	1006.	2.03	3.10	AUS	90.34
3	1005.	3.38	11.41	AUS	112.32
4	999.	5.02	22.67	AUS	125.16
5	999.	8.07	32.58	AUS	140.50
6	999.	10.00	60.31	AUS	154.52
7	999.	11.96	63.96	AUS	57.83
8	999.	12.46	3.70	AUS	37.94
9	1194.	-01	3.16	AUS	87.49
10	1203.	2.12	4.93	AUS	102.77
11	1203.	3.98	7.32	AUS	124.42
12	1204.	5.98	13.72	AUS	143.01
13	1196.	8.07	23.39	AUS	156.25
14	1204.	10.09	62.28	AUS	155.29
15	1204.	12.04	64.44	AUS	55.37
16	1204.	12.24	14.30	AUS	41.20
17	1399.	-12	3.11	AUS	148.15
18	1400.	2.04	4.73	AUS	123.28
19	1399.	4.03	7.66	AUS	149.74
20	1399.	6.02	11.11	AUS	157.91
21	1400.	8.02	21.92	AUS	179.17
22	1400.	10.12	53.90	AUS	134.21
23	1400.	12.07	51.57	AUS	39.64
24	1401.	12.26	11.37	AUS	23.89
25	1074.	-30	2.32	AUS	179.78
26	1590.	1.99	5.31	AUS	128.35
27	1597.	4.13	6.92	AUS	159.30
28	1597.	5.94	13.07	AUS	203.48
29	1597.	8.02	23.53	AUS	209.55
30	1597.	10.20	66.72	AUS	227.24
31	1605.	12.09	121.66	AUS	101.81
32	1597.	13.10	13.77	AUS	37.81

MOTORS 19-1401A/177

	URZ 1/MIN	BRL KP	HPNOX G/H	H02 G/H	HP02 G/H
33	1800.	7.26	3.24	AUS	145.83
34	1800.	2.05	5.83	AUS	160.34
35	1801.	4.02	3.95	AUS	212.31
36	1801.	6.14	14.39	AUS	270.71
37	1801.	7.93	22.94	AUS	250.32
38	1801.	10.25	75.48	AUS	273.96
39	1801.	12.13	170.08	AUS	237.91
40	1793.	13.68	42.57	AUS	50.25
41	2004.	.02	3.53	AUS	167.71
42	2004.	1.98	5.90	AUS	190.11
43	2004.	3.97	11.31	AUS	247.85
44	2005.	5.94	15.49	AUS	298.76
45	1937.	8.23	32.79	AUS	273.93
46	2006.	10.20	83.01	AUS	261.65
47	2005.	12.17	210.34	AUS	273.66
48	2005.	14.00	82.16	AUS	59.38
49	1997.	14.19	87.37	AUS	56.35
50	2192.	.18	4.92	AUS	160.45
51	2201.	1.98	7.64	AUS	232.50
52	2193.	4.09	11.82	AUS	314.29
53	2193.	5.99	18.16	AUS	334.72
54	2201.	8.01	37.76	AUS	291.28
55	2193.	10.16	105.07	AUS	297.13
56	2194.	12.13	233.94	AUS	291.08
57	2193.	13.97	111.88	AUS	79.66
58	2202.	14.27	123.54	AUS	77.15
59	2404.	-.01	4.65	AUS	214.65
60	2397.	2.11	7.59	AUS	253.50
61	2393.	3.39	12.24	AUS	325.35
62	2393.	6.21	25.79	AUS	295.09
63	2393.	8.11	82.33	AUS	281.95
64	2406.	10.11	207.37	AUS	293.66
65	2398.	12.08	355.18	AUS	324.69
66	2398.	14.04	502.32	AUS	350.47
67	2398.	14.59	173.06	AUS	70.69
68	2593.	.02	5.25	AUS	233.10
69	2594.	2.05	3.24	AUS	296.24
70	2602.	3.99	12.35	AUS	404.54
71	2600.	6.17	21.64	AUS	398.48
72	2601.	8.11	58.12	AUS	355.36
73	2601.	10.14	171.12	AUS	365.62
74	2600.	12.14	353.39	AUS	399.89
75	2600.	14.13	537.79	AUS	437.77
76	2600.	14.76	200.58	AUS	188.16
77	2795.	.01	5.89	AUS	359.67

MOTOR319-14C1A2X22

	DN 2 1/MIN	BRL KP	HP 104 G/H	H02 G/H	HP02 G/H
78	2803.	1.33	8.57	AUS	421.72
79	2802.	3.36	13.14	AUS	492.82
80	2803.	6.09	25.40	AUS	333.09
81	2803.	8.11	65.33	AUS	384.84
82	2803.	10.12	171.49	AUS	421.93
83	2803.	12.10	347.35	AUS	458.74
84	2795.	10.12	557.13	AUS	476.88
85	2795.	11.08	193.49	AUS	213.22
86	2798.	-0.00	3.70	AUS	515.05
87	2793.	2.03	3.19	AUS	514.34
88	2998.	4.01	15.37	AUS	537.17
89	2998.	6.15	44.73	AUS	388.47
90	3006.	8.03	123.90	AUS	427.31
91	3006.	10.13	279.88	AUS	467.31
92	2998.	12.08	473.57	AUS	494.22
93	2998.	14.12	640.23	AUS	528.64
94	2998.	11.45	222.94	AUS	214.34
95	3201.	-0.02	7.38	AUS	584.03
96	3202.	2.09	10.76	AUS	604.20
97	3194.	4.08	18.89	AUS	537.70
98	3202.	6.06	33.72	AUS	437.75
99	3202.	7.98	100.44	AUS	460.01
100	3194.	10.16	250.89	AUS	510.00
101	3202.	12.07	466.74	AUS	540.36
102	3195.	14.10	663.57	AUS	537.23
103	3202.	15.32	262.50	AUS	220.22
104	3397.	-0.00	7.88	AUS	630.04
105	3398.	1.97	11.09	AUS	671.07
106	3406.	3.91	21.00	AUS	536.09
107	3398.	2.97	47.24	AUS	462.16
108	3398.	8.08	128.64	AUS	483.50
109	3393.	10.13	293.31	AUS	521.46
110	3393.	12.06	523.51	AUS	548.52
111	3393.	14.10	749.04	AUS	563.20
112	3393.	11.33	373.10	AUS	223.82
113	3395.	.00	3.35	AUS	611.96
114	3595.	2.17	13.05	AUS	673.93
115	3596.	4.01	25.03	AUS	511.64
116	3603.	6.13	64.24	AUS	470.21
117	3603.	8.09	156.52	AUS	503.28
118	3595.	10.09	344.70	AUS	535.97
119	3603.	12.00	593.75	AUS	569.72
120	3603.	14.07	814.20	AUS	554.99
121	3595.	15.33	403.04	AUS	228.23
122	3406.	.01	3.20	AUS	665.30

49700119,14216777

	OKZ 1/MIN	BRL KP	HP10X G/H	HO2 G/H	HP02 G/H
123	3807.	2.04	14.15	AUS	635.22
124	3799.	4.03	33.24	AUS	486.88
125	3799.	6.17	88.32	AUS	403.01
126	3799.	8.09	211.14	AUS	529.48
127	3799.	10.12	425.83	AUS	559.77
128	3799.	12.07	687.99	AUS	590.67
129	3799.	14.05	926.83	AUS	593.27
130	3799.	15.33	533.94	AUS	227.52
131	4002.	.02	3.11	AUS	742.25
132	5935.	2.03	13.24	AUS	617.30
133	4003.	4.02	33.02	AUS	490.56
134	4002.	6.06	114.87	AUS	503.52
135	3935.	8.11	255.85	AUS	545.59
136	4003.	13.08	499.29	AUS	576.05
137	4003.	12.08	763.38	AUS	591.40
138	3995.	14.04	1033.39	AUS	586.26
139	4003.	15.37	633.92	AUS	252.83
140	4198.	.06	3.66	AUS	802.20
141	4199.	2.15	13.46	AUS	589.15
142	4207.	4.00	43.34	AUS	497.21
143	4199.	6.07	136.11	AUS	524.03
144	4207.	6.04	298.97	AUS	583.20
145	4199.	10.10	544.00	AUS	615.88
146	4200.	12.09	834.94	AUS	610.48
147	4200.	14.00	1103.75	AUS	637.81
148	4200.	15.22	801.73	AUS	286.15
149	4403.	.02	10.60	AUS	784.59
150	4403.	2.00	21.88	AUS	578.54
151	4403.	4.02	50.11	AUS	532.30
152	4403.	6.11	159.39	AUS	577.22
153	4395.	8.06	342.89	AUS	637.92
154	4395.	10.13	627.84	AUS	692.36
155	4403.	12.04	936.09	AUS	667.64
156	4395.	14.09	1234.37	AUS	684.23
157	4395.	13.97	617.40	AUS	351.50
158	4599.	.10	12.20	AUS	798.55
159	4599.	1.98	23.34	AUS	629.81
160	4006.	4.04	72.81	AUS	533.76
161	4598.	6.10	203.44	AUS	586.25
162	4599.	8.06	403.55	AUS	662.50
163	4599.	10.08	633.05	AUS	711.09
164	4599.	12.07	1014.64	AUS	687.53
165	4599.	14.06	1322.09	AUS	717.91
166	4599.	14.84	822.59	AUS	301.93
167	4794.	.01	12.80	AUS	1169.59

	DRZ 1/MIN	EXL KP	HPNOX G/H	MOZ G/H	HPDZ G/H
168	4302.	2.16	30.66	AUS	596.72
169	4301.	3.99	81.60	AUS	563.81
170	4302.	6.03	227.39	AUS	641.84
171	4302.	8.00	411.52	AUS	739.76
172	4302.	10.02	703.75	AUS	751.97
173	4302.	12.05	1038.27	AUS	765.16
174	4302.	14.04	1432.39	AUS	730.25
175	4302.	14.36	915.19	AUS	334.70
176	4302.	-0.01	14.60	AUS	1340.37
177	4302.	1.84	31.73	AUS	641.87
178	4302.	3.68	82.07	AUS	571.58
179	4302.	5.99	265.18	AUS	666.49
180	4302.	8.06	497.87	AUS	811.17
181	4302.	10.04	811.58	AUS	793.87
182	4302.	12.06	1277.87	AUS	784.21
183	4302.	14.07	1592.19	AUS	807.41
184	4302.	14.74	936.86	AUS	348.81
185	4302.	16.04	17.44	AUS	1238.95
186	4302.	2.12	45.48	AUS	720.54
187	4302.	3.35	125.48	AUS	660.58
188	4302.	5.07	325.54	AUS	707.76
189	4302.	8.06	563.53	AUS	847.49
190	4302.	10.09	902.47	AUS	820.59
191	4302.	12.02	1323.81	AUS	796.09
192	4302.	14.02	1656.47	AUS	815.18
193	4302.	14.63	1119.36	AUS	346.89
194	4302.	16.05	22.27	AUS	1329.71
195	4302.	1.94	51.62	AUS	835.34
196	4302.	4.03	171.85	AUS	728.47
197	4302.	6.09	373.39	AUS	775.23
198	4302.	8.05	604.78	AUS	867.99
199	4302.	10.06	1037.88	AUS	783.88
200	4302.	12.11	1414.84	AUS	747.58
201	4302.	14.02	1707.81	AUS	725.98
202	4302.	14.37	1170.91	AUS	251.87
203	4302.	-0.01	24.76	AUS	1554.95
204	4302.	2.00	61.12	AUS	957.44
205	4302.	4.05	182.77	AUS	722.99
206	4302.	6.02	394.85	AUS	641.71
207	4302.	8.10	631.75	AUS	762.71
208	4302.	10.11	1105.31	AUS	599.67
209	4302.	12.05	1494.36	AUS	697.32
210	4302.	14.05	1211.75	AUS	275.94
211	4302.	16.05	21.39	AUS	1258.19
212	4302.	18.05	77.40	AUS	840.54

HPDZ 19, 14, 1A, 7, 7, 7

	DRZ 1/MIN	BRL KP	HPNOX G/H	H02 G/H	HP02 G/H
213	5799.	4.03	203.30	AUS	666.34
214	5806.	6.04	459.54	AUS	716.57
215	5799.	8.10	702.09	AUS	763.65
216	5798.	10.07	1167.47	AUS	711.19
217	5799.	12.07	1548.05	AUS	702.52
218	5798.	13.48	1191.08	AUS	277.40
219	5996.	.08	33.04	AUS	1210.32
220	5983.	2.00	110.70	AUS	827.36
221	6019.	4.07	258.14	AUS	654.87
222	6001.	6.02	535.49	AUS	771.87
223	6001.	8.05	867.98	AUS	716.45
224	6000.	9.97	1193.80	AUS	713.81
225	6001.	12.19	1645.00	AUS	725.85
226	5993.	12.98	1163.60	AUS	279.54
227	1198.	-1.24	1.30	AUS	231.43
228	1403.	-1.66	.78	AUS	415.10
229	1605.	-1.84	.56	AUS	476.21
230	1801.	-2.06	.46	AUS	649.01
231	2002.	-2.38	.37	AUS	800.80
232	2203.	-2.66	.32	AUS	959.20
233	2203.	-1.34	1.37	AUS	557.98
234	2405.	-2.81	.27	AUS	1028.65
235	2405.	-2.03	1.34	AUS	668.02
236	2603.	-2.95	.31	AUS	1300.61
237	2603.	-1.98	1.70	AUS	711.92
238	2807.	-3.09	.32	AUS	1443.50
239	2808.	-2.06	1.67	AUS	681.61
240	3001.	-3.21	.34	AUS	1620.36
241	3002.	-1.91	1.94	AUS	747.56
242	3202.	-3.33	.35	AUS	1817.58
243	3203.	-2.65	1.47	AUS	839.65
244	3401.	-3.51	.37	AUS	1895.58
245	3401.	-1.87	2.66	AUS	937.90
246	3601.	-3.62	.41	AUS	2233.10
247	3601.	-1.97	2.18	AUS	894.71
248	3804.	-3.73	.39	AUS	2086.70
249	3804.	-1.96	2.37	AUS	898.86
250	4008.	-3.87	.44	AUS	2183.32
251	4008.	-1.98	2.56	AUS	1031.52
252	4207.	-3.37	.43	AUS	2297.14
253	4205.	-1.90	3.22	AUS	1609.79
254	4401.	-4.13	.44	AUS	2560.44
255	4401.	-1.99	3.43	AUS	1125.41
256	4603.	-4.27	.49	AUS	2360.34
257	4604.	-1.90	3.67	AUS	1228.53

MOTOR319.14E1A2A22

	DRZ 1/MIN	BRL KP	HP10X G/H	H02 G/H	HP02 G/H
258	4808.	-4.43	.47	AUS	1843.10
259	4808.	-1.95	1.12	AUS	1371.18
260	5011.	-4.58	.52	AUS	1993.58
261	5011.	-3.37	.72	AUS	1949.77
262	5012.	-1.97	1.38	AUS	1503.73
263	5203.	-4.70	.54	AUS	1312.56
264	5203.	-4.07	.79	AUS	1321.20
265	5204.	-1.95	3.47	AUS	1522.85
266	5403.	-4.95	.60	AUS	1432.52
267	5404.	-4.01	1.30	AUS	1803.05
268	5404.	-1.87	3.36	AUS	1682.36
269	5605.	-5.01	.71	AUS	1238.38
270	5606.	-4.03	1.70	AUS	1669.47
271	5606.	-1.92	7.24	AUS	1788.07
272	5611.	-5.16	.73	AUS	937.13
273	5812.	-4.03	2.22	AUS	1699.64
274	5813.	-1.97	3.50	AUS	1798.16
275	6009.	-5.37	.75	AUS	1036.45
276	6009.	-4.01	2.78	AUS	2163.89
277	6008.	-1.95	12.03	AUS	2084.07



APPENDIX G.12

MODIFICATION CODE 19 .

DKL

-KENNFELD


LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position
 LINIEN GLEICHER DROSSELKLAPPENSTELLUNG IN WINKEL-GRADEN
 LINIEN GLEICHER LEISTUNG IN PS curves of constant power output

Mod. Code 19

DATUM / 26/08/77 MOTOR-TYP/1.3
 PST-NR. /22 CO/LL /
 VORZUEHEND/-3/975
 KRAFTST. /BLEIFREI

MOTOR-NR /VN3742
 BEMERKUNG-/LAN80A-BEREGLTER
 VERDICHTG/ 8.0
 SPEZ.GEW-/1.747

EA-NR. /
 HUBRAUM /1300
 VERGASER /KA
 OEL /SHELL 30



SPZVB


-KENNFELD LINIEN MIT KONST. WERTEN IN GPPSH

fuel consumption (fc) $\frac{g}{Hph}$

DATUM / 26.08/77 MOTOR-TYP/1.3
 PST-NR. /22 CO/LL /
 VORZUEHNDG/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR. /VN3742
 BEMERKNG./LAMBOA-GEREGETER
 VERDICHTG/ 8.0
 SPEZ.GEW./1.747

EA-NR.
 HUBRAUM /1200
 VERGASER /KA
 OEL /SHELL 30




LTRPLU -KENNFELD LINIEN MIT KONST. WERTEN IN LPH

$$fc \left(\frac{1}{h} \right)$$

DATUM / 26/08/77 MOTOR-TYP/1.3
 PST-NR. /22 CO/LL /
 VORZUEHUNG/-3/975
 KRAFTST. /BLEIFREI

MOTOR-NR. /VM3742
 BEMERKUNG-/LANBDA-GEREGETER
 VERDICHTG/ 8.0
 SPEZ.GEW./.747

EA-NR. /
 HUBRAUM /1300
 VERGASER /KA
 OEL /SHELL 30




KRSTPLU -KENNFELD LINIEN MIT KONST. WERTEN IN KGPH

$$f_c \left(\frac{kg}{h} \right)$$

DATUM / 26/03/77 MOTOR-TYP/1.3
 PST-NR. /22 CO/LL /
 VORZUEHNDG/-3/975
 KRAFTST. /BLEIFREI


MOTOR-NR /VN3742
 BEMERKNG./LANBDA-GEREGLTER HUBRAUM /1300
 VERDICHTG/ 8.0 VERGASER /KA
 SPEZ.GEW./1.747 OEL /SHELL 30



-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

DATUM / 26/08/77 MOTOR-TYP/1.3
PST-NR. /22 CO/LL /
VORZUEHNDG/-3/975
KRAFTST. /BLEIFREI

MOTOR-NR. /VN3742	ER-NR. /
BEMERKUNG./LAMBDA-GEREGELTER	HUBRAUM /1300
VERDICHTG/ 8.0	VERGASER /KA
SPEZ.GEW./1.747	ÖL /SHELL 30




HPCO

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$$\left(\frac{G}{h} \right)$$

DATUM / 25.08.77 MOTOR-TYP/1.3
PST-NR. / 22 CO/LL /
VORZUEHUNG/-3/975.
KRAFTST. /BLEIFREI

MOTOR-NR. /VM3742 EA-NR. /
BEMERKNG./LAMBDA-GEREGLER HUBRAUM /1300
VERDICHTG/ 8.0 VERGASER /KA
SPEZ.GEW./.747 OEL /SHELL 30



C3H8

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM

DATUM / 26/08/77 MOTOR-TYP/1.3

PST-NR. /22

CO/LL /

VORZUEHEND/-3/976

KRAFTST. /BLEIFREI

MOTOR-NR. /VN3742

BEMERKNG./LAMBDA-BEREGETER

VERDICHTG/ 8.0


SPEZ.GEW./.747

ER-NR. /

HUBRAUM /1300

VERGASER /KA

OEL /SHELL 30




HPCH2

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

($\frac{g}{h}$)

DATE / 28/08/77 MOTOR-TYP/1.3
PSI-NR. /22 CO/LL /
VORZUEHUNG/-3/975
KRAFTST. /BLEIFREI

MOTOR-NR /VN3742
BEMERKNG./LAMBDA-GEREGETER HUBRAUM /1300
VERDICHTG/ 8.0
SPEZ.GEW./1.747
VERGASER /KA
OEL /SHELL 30




NO

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM

DATUM / 26/08/77 MOTOR-TYP/1.3
 PST-NR. /22 CO/LL /
 VORZUEHEND/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR. /VM3742
 BEMERKNG./LAMBDA-GEREGETER HUBRAUM /1300
 VERDICHTG/ 8.0 VERGASER /KA
 SPEZ.GEW./.747 OEL /SHELL 30



HPNOX


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

($\frac{G}{h}$)

DATUM / 26-06/77 MOTOR-TYP/1.3
PST-NR. /22 CO/LL /
VORZUEHNG/-3/975
KRAFTST. /BLEIFREI

MOTOR-NR. /VM3742
BEMERKNG./LAMBDA-GEREGETER
VERDICHTG/ 8.0
SPEZ.GEW./1.747

EA-NR. /
HUBRAUM /1300
VERGASER /KA
OEL /SHELL 30



02


-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)

DATUM / 26/08/77 MOTOR-TYP/1.3
 PST-NR. /22 CB/LL /
 VORZUEHUNG/-3/975
 KRAFTST. /BLEIFREI

MOTOR-NR /VN3742
 BEMERKUNG./LAMBDA-GEREGLER
 VERDICHTG/ 8.0
 SPEZ.GEW./747

EA-NR. /
 HUBRAUM /1300
 VERGASER /KA
 OEL /SHELL 30



HP02


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $(\frac{g}{h})$

DATUM / 26/08/77 MOTOR-TYP/1.3
 PST-NR. /22 CO/LL /
 VORZUEHUNG/-3/976
 KRAFTST. /BLEIFREI

MOTOR-NR. /VN3742
 BEMERKUNG-/LANBDA-GEREGLTER
 VERDICHTG/ 8.0
 SPEZ.-GEW./ .747

EA-NR. /
 HUBRAUM /1300
 VERGASER /KA
 OEL /SHELL 30



C02

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ


(%)

DATUM / 06/08/77
PST-NR. / 22

MOTOR-TYP / 1.3
CO/LL /
VORZUEHUNG / -3/975
KRAFTST. / BLEIFREI

MOTOR-NR. / VN3742
BEMERKUNG / LAMBDA-GEREGELTER
VERDICHTG / 3.0
SPEZ.GEW. / .747

EA-NR. /
HUBRAUM / 1300
VERGASER / KA
OEL / SHELL 30



H9000


-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{10^6}{n} \right)$

DATE: 04.08.77 MOTOR-TYP/1.3
 PART-NR. 11 CO/LL /
 VORZUEHUNG/-3/975
 KRAFTST. /BLEIFREI

MOTOR-NR. /VN3742
 BEMERKUNG-/LAMBDA-GEREGLER
 VERDICHTG/ 8.0
 SPEZ.GEW./1.747

EA-NR. /
 HUBRAUM /1300
 VERGASER /KA
 OEL /SHELL 30



ZUEW

-KENNFELD LINIEN MIT KONST. WERTEN IN DEG


curves of constant spark advance

DATUM / 26/08/77
PST-NR. / 22

MOTOR-TYP/1.3
CO/LL /
VORZUEHNG/-3/975
KRAFTST. /BLEIFREI

MOTOR-NR /VN3742
BEMERKNG./LAMBDA-GEREGLER
VERDICHTG/ 8.0
SPEZ.GEW./.747

EA-NR. /
HUBRAUM /1300
VERGASER /KA
OEL /SHELL 30



SPZVB

KENNFELD LINIEN MIT KONST. WERTEN IN GPKWH


$$f_c \left(\frac{g}{kWh} \right)$$

DATUM / 26/08/77
PST-NR. / 22

MOTOR-TYP/1.3
CO/LL /
VORZUEHENDG/-3/975
KRAFTST. /BLEIFREI

MOTOR-NR. /VN3742
BEMERKNG./LAMBDA-GEREGLER
VERDICHTG/ 8.0
SPEZ.GEW./747

EA-NR. /
HUBRAUM /1300
VERGASER /KA
OEL /SHELL 30



MESSPROTOKOLL 3. PROGRAMM MOTOR

DATUMNAME MOTOR 31901401VE022

VERSUCHSNR 1

VERSUCHSART KENNFEELD ABGAS
BEMERKUNGEN ZUR VERSUCHSREIHE

PRUEFSTAND NR 22
VERSUCHSBEGINN 26/08/77
VERSUCHSENDE 02/09/77

SACHBEARBEITER DR. OETTING
14.54.00
09.46.12
EA-NR 31901

MOTOR-TYP 1,3

MOTOR-ART OTTO

MOTOR-NR VH3742

ZYLINDERZ. 4.

BEHARRUNGSZEIT

HUBZAHL 1300.

VERDICHTUNG 8.0

VERDASER/EINSPR. KA

LEERL./ CO / VOZ. -3/975

KRAFTSTOFFSORTE BLEIFREI
OKTANZAHL (ROZ) 91
OELSORTE SHELL 30
EINSPRITZBEGINN

Mod. Code: 19

BEYERKUNGEN ZUM VERSUCH 1 LAMBDA-GEREGETER 1.3LTR. OHNE EGR (713/060)

PRZ 1/MIN	BPL KP	BRL N	REDNR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT NM	MONT KPM	SPZVERB G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H
1 P 996.	-1.4	-1.4	-1	-1	-1	-1	-1.0	-1.0	AUS	AUS	*305.1	*108.4	AUS
2 P 1004.	2.11	19.7	1.4	1.5	1.5	2.0	14.3	1.45	AUS	AUS	465.9	636.9	AUS
3 P 996.	3.38	39.0	2.7	2.3	2.3	4.0	28.3	2.88	AUS	AUS	502.8	369.8	AUS
4 P 996.	6.10	58.8	4.1	4.4	4.5	6.1	42.7	4.35	AUS	AUS	304.5	282.8	AUS
5 P 996.	7.99	78.3	5.5	5.9	5.9	8.1	56.8	5.79	AUS	AUS	334.8	246.3	AUS
6 P 1005.	9.19	97.0	6.8	7.3	7.4	10.1	70.3	7.17	AUS	AUS	316.8	233.8	AUS
7 P 997.	9.38	97.9	6.9	7.3	7.4	10.1	70.9	7.23	AUS	AUS	328.6	241.7	AUS
8 P 1200.	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	AUS	AUS	*846.1	*221.1	AUS
9 P 1193.	2.15	21.0	1.5	1.9	1.9	2.6	15.3	1.56	AUS	AUS	819.0	602.3	AUS
10 P 1201.	3.35	38.8	2.7	3.5	3.5	4.8	28.2	2.87	AUS	AUS	497.0	365.6	AUS
11 P 1200.	6.16	59.4	4.2	5.4	5.4	7.4	43.1	4.39	AUS	AUS	377.0	277.3	AUS
12 P 1193.	8.19	79.3	5.6	7.1	7.2	9.8	57.5	5.87	AUS	AUS	342.1	251.6	AUS
13 P 1201.	9.32	97.3	6.8	8.8	8.9	12.1	70.5	7.19	AUS	AUS	317.7	233.6	AUS
14 P 1201.	10.19	98.9	6.9	8.9	9.0	12.3	71.7	7.31	AUS	AUS	322.7	237.3	AUS
15 P 1405.	-1.3	-1.3	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	AUS	AUS	*034.6	*535.0	AUS
16 P 1397.	2.12	19.8	1.4	2.1	2.1	2.9	14.4	1.47	AUS	AUS	903.9	591.3	AUS
17 P 1397.	4.13	39.5	2.8	4.1	4.2	5.7	28.7	2.92	AUS	AUS	462.0	339.8	AUS
18 P 1405.	6.14	59.2	4.2	6.2	6.3	8.6	43.0	4.38	AUS	AUS	368.8	271.3	AUS
19 P 1405.	8.11	78.5	5.5	8.3	8.4	11.4	57.0	5.81	AUS	AUS	333.9	245.6	AUS
20 P 1397.	9.14	95.5	6.7	10.0	10.1	13.8	69.3	7.07	AUS	AUS	328.3	241.5	AUS
21 P 1600.	-1.5	-1.5	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	AUS	AUS	*178.1	*253.9	AUS
22 P 1600.	2.11	19.7	1.4	2.4	2.4	3.3	14.3	1.46	AUS	AUS	762.5	560.8	AUS
23 P 1600.	4.12	39.4	2.8	4.7	4.8	6.5	28.6	2.92	AUS	AUS	428.1	314.9	AUS
24 P 1600.	5.99	58.7	4.1	7.1	7.1	9.7	42.6	4.35	AUS	AUS	357.2	262.7	AUS
25 P 1593.	8.12	78.6	5.5	9.4	9.5	13.0	57.1	5.82	AUS	AUS	317.2	233.3	AUS
26 P 1600.	9.92	97.2	6.8	11.7	11.3	16.1	70.7	7.21	AUS	AUS	302.2	222.3	AUS
27 P 1600.	10.12	98.3	6.9	11.8	12.0	16.3	71.4	7.28	AUS	AUS	300.9	221.3	AUS
28 P 1795.	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	AUS	AUS	*530.0	*788.0	AUS
29 P 1803.	1.98	19.4	1.4	2.5	2.7	3.6	14.1	1.44	AUS	AUS	707.8	520.6	AUS
30 P 1796.	4.18	41.0	2.9	5.5	5.5	7.6	29.8	3.04	AUS	AUS	390.8	287.4	AUS
31 P 1804.	5.97	58.5	4.1	7.9	8.0	10.9	42.6	4.34	AUS	AUS	336.5	247.5	AUS
32 P 1796.	8.13	78.7	5.5	10.6	10.8	14.6	57.3	5.84	AUS	AUS	311.6	229.2	AUS

4010231931401VF022

SEITE 1/1

DRZ 17HIN	BR- KP	BRL N	REDHOR BAR	EFFLSTI KM	REDLST CM	REDLST PS	MOHT NM	MOHT KPH	SPZVERB G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/H	V
33 P	1796.	9.38	6.9	13.2	13.4	18.2	71.2	7.26	AUS	AUS	294.3	216.4	AUS	
34 P	1795.	10.32	7.5	14.4	14.7	19.9	77.9	7.95	AUS	AUS	299.7	220.4	AUS	
35 P	1999.	-0.00	-0.0	-0.0	-0.0	-0.0	-0.0	-0.00	AUS	AUS	*072.6	*358.2	AUS	V
36 P	1999.	1.99	1.4	2.3	3.0	4.0	14.2	1.45	AUS	AUS	648.3	506.3	AUS	
37 P	1999.	4.11	2.8	5.9	6.0	8.2	28.6	2.92	AUS	AUS	384.2	282.5	AUS	
38 P	2007.	5.99	4.1	8.8	9.0	12.2	42.7	4.36	AUS	AUS	328.5	241.6	AUS	
39 P	1999.	8.11	5.5	11.8	12.0	16.3	57.2	5.83	AUS	AUS	310.1	228.0	AUS	
40 P	1999.	10.12	6.9	14.7	15.0	20.4	71.5	7.30	AUS	AUS	291.6	214.5	AUS	
41 P	1999.	10.39	7.6	16.2	16.4	22.3	78.5	8.00	AUS	AUS	299.3	220.1	AUS	V
42 P	2195.	.13	.0	.1	.1	.1	.2	.02	AUS	AUS	*937.5	*225.4	AUS	
43 P	2195.	1.93	1.4	3.2	3.3	4.4	14.2	1.45	AUS	AUS	637.2	468.6	AUS	
44 P	2203.	3.37	2.7	6.4	6.5	8.9	28.4	2.89	AUS	AUS	380.5	279.8	AUS	
45 P	2203.	5.98	4.1	9.7	9.8	13.4	42.7	4.35	AUS	AUS	323.7	238.1	AUS	
46 P	2195.	8.12	5.5	13.0	13.2	17.9	57.3	5.84	AUS	AUS	304.5	223.9	AUS	
47 P	2195.	9.99	6.9	16.1	16.4	22.3	71.4	7.28	AUS	AUS	288.6	212.3	AUS	
48 P	2195.	11.18	7.6	17.9	18.2	24.7	79.1	8.06	AUS	AUS	294.1	209.0	AUS	V
49 P	2398.	-0.11	-0.0	-0.0	-0.0	-0.0	-0.1	-0.01	AUS	AUS	*122.6	*936.8	AUS	
50 P	2399.	2.11	1.4	3.5	3.6	4.9	14.4	1.46	AUS	AUS	600.9	441.9	AUS	
51 P	2407.	3.39	2.8	7.1	7.2	9.8	28.5	2.90	AUS	AUS	383.8	282.2	AUS	
52 P	2399.	6.11	4.2	10.6	10.8	14.7	43.0	4.38	AUS	AUS	326.8	240.3	AUS	
53 P	2399.	7.99	5.5	14.1	14.3	19.5	57.0	5.82	AUS	AUS	305.0	224.3	AUS	
54 P	2398.	10.11	6.9	17.7	17.8	24.2	71.0	7.24	AUS	AUS	288.1	211.9	AUS	
55 P	2398.	11.39	7.8	20.1	20.3	27.6	80.8	8.24	AUS	AUS	279.4	205.5	AUS	V
56 P	2602.	.11	0.0	.0	.0	.0	0.0	0.00	AUS	AUS	*018.2	*356.5	AUS	
57 P	2602.	2.00	1.4	3.8	3.9	5.2	14.2	1.44	AUS	AUS	585.7	430.8	AUS	
58 P	2594.	4.11	2.7	7.7	7.7	10.5	28.4	2.90	AUS	AUS	384.1	282.5	AUS	
59 P	2602.	6.30	4.1	11.5	11.5	15.8	42.5	4.34	AUS	AUS	327.2	240.7	AUS	
60 P	2602.	8.10	5.5	15.3	15.4	21.0	56.7	5.78	AUS	AUS	305.0	224.4	AUS	
61 P	2602.	10.30	6.8	19.1	19.3	26.2	70.8	7.22	AUS	AUS	288.7	212.3	AUS	
62 P	2602.	11.56	8.0	22.3	22.5	30.6	82.5	8.42	AUS	AUS	279.5	205.5	AUS	V
63 P	2798.	.11	.0	.0	.0	.0	.1	.01	AUS	AUS	*428.7	*923.0	AUS	
64 P	2798.	2.00	1.4	4.1	4.2	5.7	14.2	1.45	AUS	AUS	576.8	424.3	AUS	
65 P	2798.	4.33	2.8	8.3	8.4	11.4	28.6	2.91	AUS	AUS	393.4	289.3	AUS	
66 P	2798.	5.99	4.1	12.3	12.4	16.9	42.4	4.33	AUS	AUS	335.7	246.9	AUS	
67 P	2798.	7.99	5.5	16.5	16.6	22.5	56.6	5.77	AUS	AUS	305.6	224.8	AUS	
68 P	2806.	9.39	6.8	20.5	20.8	28.3	70.7	7.21	AUS	AUS	291.5	214.4	AUS	
69 P	2798.	11.39	8.1	24.5	24.7	33.5	84.2	8.58	AUS	AUS	279.6	205.6	AUS	V
70 P	3002.	-0.11	-0.0	-0.0	-0.0	-0.0	-0.1	-0.01	AUS	AUS	*595.3	*451.6	AUS	
71 P	3002.	2.00	1.4	4.4	4.5	6.1	14.2	1.45	AUS	AUS	582.3	428.3	AUS	
72 P	2994.	4.15	2.8	8.9	9.0	12.2	28.7	2.92	AUS	AUS	394.5	290.2	AUS	
73 P	3002.	5.10	4.0	13.0	13.1	17.9	41.8	4.26	AUS	AUS	339.9	250.0	AUS	
74 P	3002.	7.38	5.5	17.5	17.8	24.2	56.5	5.76	AUS	AUS	312.2	229.6	AUS	
75 P	3002.	9.36	6.8	22.3	22.2	30.1	70.5	7.18	AUS	AUS	294.9	216.9	AUS	
76 P	3003.	11.35	8.2	26.4	26.6	36.2	84.6	8.62	AUS	AUS	283.5	208.5	AUS	V
77 P	3002.	12.19	8.3	26.9	27.1	36.9	86.3	8.80	AUS	AUS	317.2	233.3	AUS	

DRZ L/MHIV	BR- KP	BRL N	REOMOR BAR	EFFLST KM	REDLST KM	REDLST PS	MMT NM	MMT KPH	SPZVERB G/KWH	SPZVERB G/PSH	SPZVB G/KWH	SPZVB G/PSH	LTRSTD L/M
78 P	3198.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	AUS	AUS	*491.8	*771.7	AUS
79 P	3198.	2.13	19.9	4.0	4.0	6.5	14.3	1.46	AUS	AUS	502.5	428.4	AUS
80 P	3198.	4.12	39.4	9.5	9.5	13.0	28.5	2.90	AUS	AUS	400.5	294.6	AUS
81 P	3199.	6.11	59.0	14.2	14.3	19.4	42.6	4.34	AUS	AUS	339.5	249.7	AUS
82 P	3199.	7.39	78.4	18.8	19.0	25.8	56.6	5.77	AUS	AUS	311.4	229.0	AUS
83 P	3199.	10.30	98.0	23.5	23.7	32.3	70.8	7.22	AUS	AUS	297.0	218.4	AUS
84 P	3199.	12.12	117.9	29.3	28.5	38.8	85.1	8.68	AUS	AUS	279.6	205.6	AUS
85 P	3198.	12.25	120.2	28.8	29.1	39.5	86.8	8.85	AUS	AUS	310.3	228.2	AUS
86 P	3402.	-0.12	-0.2	-0.1	-0.1	-0.1	-0.2	-0.02	AUS	AUS	*435.1	*533.4	AUS
87 P	3403.	1.98	19.4	4.3	5.3	6.8	14.0	1.43	AUS	AUS	599.9	441.2	AUS
88 P	3402.	3.35	38.8	9.9	10.0	13.6	29.0	2.86	AUS	AUS	406.1	298.7	AUS
89 P	3402.	6.11	59.0	15.1	15.2	20.6	42.6	4.34	AUS	AUS	341.0	250.8	AUS
90 P	3402.	7.37	78.1	20.0	20.1	27.3	56.4	5.75	AUS	AUS	315.0	231.7	AUS
91 P	3402.	10.11	98.2	25.1	25.3	34.3	70.9	7.23	AUS	AUS	298.9	219.9	AUS
92 P	3403.	11.38	117.5	30.3	30.2	41.1	84.8	8.65	AUS	AUS	283.5	208.5	AUS
93 P	3403.	12.27	120.3	30.7	31.3	42.1	86.9	8.86	AUS	AUS	312.7	230.8	AUS
94 P	3598.	-0.11	-0.1	-0.1	-0.1	-0.1	-0.1	-0.01	AUS	AUS	*442.9	*868.5	AUS
95 P	3598.	2.10	19.6	5.3	5.3	7.2	14.1	1.44	AUS	AUS	596.6	438.8	AUS
96 P	3598.	4.00	39.2	10.6	10.7	14.5	28.3	2.89	AUS	AUS	407.2	299.5	AUS
97 P	3599.	6.10	58.9	15.9	16.0	21.8	42.5	4.33	AUS	AUS	344.2	253.1	AUS
98 P	3599.	8.10	78.5	21.2	21.4	29.0	56.7	5.78	AUS	AUS	316.0	232.4	AUS
99 P	3607.	10.11	98.2	26.6	26.8	36.4	70.9	7.23	AUS	AUS	298.4	219.5	AUS
100 P	3599.	11.39	117.6	31.8	32.3	43.5	84.8	8.65	AUS	AUS	284.8	209.5	AUS
101 P	3599.	12.25	120.2	32.5	32.7	44.5	86.8	8.85	AUS	AUS	318.3	234.1	AUS
102 P	3602.	-0.11	-0.1	-0.0	-0.0	-0.0	-0.1	-0.01	AUS	AUS	*703.8	*415.4	AUS
103 P	3802.	2.19	20.5	5.8	5.9	8.0	14.8	1.50	AUS	AUS	582.0	428.1	AUS
104 P	3802.	3.33	38.6	11.0	11.1	15.1	27.8	2.84	AUS	AUS	412.3	303.3	AUS
105 P	3802.	6.10	58.9	16.8	16.9	23.0	42.5	4.33	AUS	AUS	346.0	254.5	AUS
106 P	3795.	8.11	78.6	22.4	22.5	30.6	56.7	5.78	AUS	AUS	317.6	233.6	AUS
107 P	3802.	9.99	98.0	28.0	28.2	38.3	70.7	7.21	AUS	AUS	302.2	222.3	AUS
108 P	3802.	12.12	117.8	33.6	33.9	46.1	85.1	8.68	AUS	AUS	286.6	210.8	AUS
109 P	3802.	12.24	120.1	34.3	34.5	47.0	86.7	8.84	AUS	AUS	310.7	228.5	AUS
110 P	3998.	0.12	0.2	0.1	0.1	0.1	0.2	0.02	AUS	AUS	*594.4	*179.5	AUS
111 P	3998.	1.39	19.5	5.8	5.9	8.0	14.1	1.43	AUS	AUS	613.6	451.3	AUS
112 P	3999.	3.35	38.7	11.6	11.7	15.9	27.9	2.85	AUS	AUS	413.8	304.4	AUS
113 P	4007.	6.11	59.0	17.7	17.9	24.3	42.6	4.34	AUS	AUS	347.8	255.8	AUS
114 P	3999.	8.00	78.4	23.5	23.7	32.2	56.6	5.77	AUS	AUS	319.7	235.1	AUS
115 P	3999.	9.36	97.6	29.3	29.5	40.2	70.5	7.19	AUS	AUS	302.9	222.8	AUS
116 P	3999.	11.88	116.5	35.0	35.2	47.9	84.1	8.57	AUS	AUS	290.3	213.5	AUS
117 P	4202.	-0.00	-0.0	-0.0	-0.0	-0.0	-0.0	-0.00	AUS	AUS	*019.3	*009.9	AUS
118 P	4203.	2.00	19.6	6.2	6.2	8.5	14.1	1.44	AUS	AUS	607.3	446.7	AUS
119 P	4203.	3.38	39.0	12.3	12.4	16.9	28.2	2.87	AUS	AUS	410.9	302.2	AUS
120 P	4202.	5.99	58.7	18.5	18.6	25.3	42.3	4.32	AUS	AUS	347.1	255.3	AUS
121 P	4195.	8.16	79.0	24.9	25.1	34.1	57.0	5.82	AUS	AUS	321.1	236.1	AUS
122 P	4202.	10.00	98.1	30.9	31.2	42.4	70.8	7.22	AUS	AUS	304.3	223.8	AUS

DRZ 1/HIN	BR- KP	BRL M	REDHOR BAR	EFFLST KW	REDLST KW	REDLST PS	MONT MM	MONT KPH	SPZVERB G/KMH	SPZVERB G/PSH	SPZVB G/KMH	SPZVB G/PSH	LTRSTD L/H	V
123 P	4202.	12.31	117.8	8.2	37.1	37.4	50.9	85.8	8.67	AUS	322.1	236.9	AUS	V
124 P	4405.	.31	.1	.0	.0	.0	.1	.1	.01	AUS	*641.0	*930.7	AUS	
125 P	4398.	2.32	19.8	1.4	6.5	6.5	14.3	1.46	1.46	AUS	614.7	452.1	AUS	
126 P	4398.	4.33	39.5	2.8	13.0	13.1	28.5	2.91	2.91	AUS	418.3	307.7	AUS	
127 P	4398.	6.33	59.2	4.1	19.5	19.7	42.7	4.36	4.36	AUS	347.5	255.6	AUS	
128 P	4398.	8.31	78.6	5.5	25.9	26.1	56.7	5.78	5.78	AUS	323.3	237.7	AUS	
129 P	4398.	10.31	98.2	6.8	32.4	32.6	70.9	7.23	7.23	AUS	304.2	223.7	AUS	
130 P	4406.	11.33	116.0	8.1	38.4	38.7	83.8	8.54	8.54	AUS	323.5	237.9	AUS	V
131 P	4594.	.31	.1	.0	.0	.0	.0	.00	.00	AUS	*155.1	*424.8	AUS	
132 P	4602.	1.36	19.2	1.3	6.6	6.7	13.9	1.42	1.42	AUS	530.0	463.4	AUS	
133 P	4602.	3.96	38.8	2.7	13.4	13.5	28.0	2.85	2.85	AUS	425.1	312.6	AUS	
134 P	4602.	5.99	58.7	4.1	20.3	20.4	42.4	4.32	4.32	AUS	352.9	259.6	AUS	
135 P	4594.	8.00	78.5	5.5	27.1	27.3	56.7	5.78	5.78	AUS	314.0	231.0	AUS	
136 P	4603.	10.00	98.1	6.8	33.9	34.1	70.8	7.22	7.22	AUS	294.6	216.7	AUS	
137 P	4602.	11.73	115.0	8.0	39.7	40.0	83.0	8.46	8.46	AUS	312.7	230.0	AUS	V
138 P	4797.	.32	.2	.0	.1	.1	.1	.01	.01	AUS	*378.1	*846.4	AUS	
139 P	4798.	2.34	20.0	1.4	7.2	7.3	14.5	1.47	1.47	AUS	639.9	470.7	AUS	
140 P	4798.	4.33	39.5	2.8	14.2	14.3	28.5	2.91	2.91	AUS	416.6	306.4	AUS	
141 P	4798.	6.31	59.0	4.1	21.2	21.4	42.5	4.34	4.34	AUS	346.4	254.8	AUS	
142 P	4806.	7.38	78.2	5.5	28.2	28.4	56.4	5.75	5.75	AUS	313.8	230.8	AUS	
143 P	4798.	10.00	98.1	6.8	35.3	35.5	70.8	7.22	7.22	AUS	297.9	219.1	AUS	
144 P	4798.	11.57	114.4	8.0	41.2	41.5	82.6	8.43	8.43	AUS	312.2	229.6	AUS	V
145 P	5001.	.30	.0	.0	.0	.0	.0	.00	.00	AUS	*393.4	*494.6	AUS	
146 P	5001.	2.33	19.9	1.4	7.5	7.5	14.4	1.46	1.46	AUS	646.6	475.6	AUS	
147 P	5002.	3.37	39.0	2.7	14.5	14.7	28.1	2.86	2.86	AUS	430.6	316.7	AUS	
148 P	4993.	6.33	59.1	4.1	22.1	22.3	42.6	4.35	4.35	AUS	349.9	257.3	AUS	
149 P	5001.	7.98	78.3	5.5	29.4	29.5	56.5	5.76	5.76	AUS	317.3	233.4	AUS	
150 P	4994.	10.32	98.2	6.9	36.8	37.1	70.9	7.23	7.23	AUS	299.0	219.9	AUS	V
151 P	5002.	11.52	113.0	7.9	42.4	42.7	81.6	8.32	8.32	AUS	309.0	227.3	AUS	
152 P	5197.	.31	.1	0.0	.0	.0	0.0	0.00	0.00	AUS	*408.9	*643.9	AUS	
153 P	5197.	2.12	20.8	1.4	8.1	8.2	15.0	1.53	1.53	AUS	641.4	471.8	AUS	
154 P	5197.	4.32	39.4	2.7	15.4	15.5	28.4	2.90	2.90	AUS	435.6	320.4	AUS	
155 P	5197.	6.32	59.0	4.1	23.0	23.2	42.6	4.34	4.34	AUS	361.8	266.1	AUS	
156 P	5197.	8.31	78.6	5.5	30.6	30.9	56.7	5.78	5.78	AUS	325.6	239.5	AUS	
157 P	5197.	10.32	98.3	6.9	38.3	38.6	70.9	7.23	7.23	AUS	310.0	228.0	AUS	V
158 P	5197.	11.37	111.5	7.8	43.5	43.9	80.6	8.22	8.22	AUS	311.3	228.9	AUS	
159 P	5399.	.30	.0	.0	.0	.0	.0	.00	.00	AUS	*342.2	*256.6	AUS	
160 P	5400.	1.38	19.4	1.4	7.9	7.3	14.0	1.43	1.43	AUS	685.1	503.9	AUS	
161 P	5400.	4.35	39.7	2.8	16.1	16.2	28.6	2.92	2.92	AUS	438.1	322.2	AUS	
162 P	5400.	5.35	58.4	4.1	23.7	23.8	42.1	4.30	4.30	AUS	369.0	271.4	AUS	
163 P	5400.	7.99	78.4	5.5	31.8	32.0	56.5	5.76	5.76	AUS	330.9	243.4	AUS	
164 P	5393.	10.37	98.8	6.9	40.0	40.3	71.3	7.27	7.27	AUS	314.5	231.3	AUS	
165 P	5400.	11.38	108.7	7.6	44.0	44.4	78.5	8.00	8.00	AUS	323.8	238.2	AUS	V
166 P	5603.	.30	.0	.0	.0	.0	.0	.00	.00	AUS	*719.0	*504.2	AUS	
167 P	5603.	1.35	19.1	1.3	8.0	8.1	13.8	1.41	1.41	AUS	701.1	515.7	AUS	

CRZ 1/1/1	BRZ Kp	BRZ N	REDNR BAR	EFFLST KM	REDLST KM	REDLST PS	MONH NM	MONH KPH	SPZVRB G/KWH	SPZVRB G/PSH	SPZVRB G/KWH	SPZVRB G/PSH	LTRSTO L/H
168 P	5603.	3.39	39.1	2.7	16.4	16.6	22.5	2.88	AUS	AUS	448.0	329.5	AUS
169 P	5596.	6.12	59.0	4.1	24.8	25.0	33.9	4.34	AUS	AUS	369.7	271.9	AUS
170 P	5604.	8.30	78.5	5.5	33.0	33.2	45.2	5.77	AUS	AUS	337.7	248.4	AUS
171 P	5604.	3.39	97.9	6.3	41.2	41.5	56.4	7.21	AUS	AUS	323.7	238.1	AUS
172 P	5603.	13.15	106.5	7.4	44.8	45.1	61.4	7.84	AUS	AUS	329.4	242.2	AUS
173 P	5798.	.33	.0	.0	.0	.0	.0	.00	AUS	AUS	*796.2	*615.1	AUS
174 P	5798.	2.12	19.8	1.4	8.5	8.7	11.8	1.46	AUS	AUS	609.3	507.8	AUS
175 P	5799.	3.39	39.1	2.7	17.0	17.2	23.3	2.88	AUS	AUS	455.6	335.1	AUS
176 P	5799.	5.35	58.5	4.1	25.4	25.6	34.8	4.30	AUS	AUS	375.1	275.9	AUS
177 P	5799.	9.11	79.5	5.5	34.6	34.9	47.4	5.85	AUS	AUS	342.1	251.6	AUS
178 P	5807.	9.37	97.8	6.8	42.6	43.1	58.4	7.20	AUS	AUS	333.9	245.6	AUS
179 P	5799.	10.55	103.5	7.2	45.0	45.4	61.7	7.62	AUS	AUS	339.7	249.9	AUS
180 P	5001.	.33	.1	.0	.0	.0	.1	.01	AUS	AUS	*112.6	*897.0	AUS
181 P	6002.	1.35	19.1	1.3	8.6	8.7	11.8	1.40	AUS	AUS	720.5	529.9	AUS
182 P	5994.	4.15	39.8	2.8	17.9	18.0	24.5	2.93	AUS	AUS	459.7	338.1	AUS
183 P	5002.	5.37	58.5	4.1	26.4	26.5	36.1	4.30	AUS	AUS	385.5	283.5	AUS
184 P	5002.	9.30	78.4	5.5	35.3	35.6	48.4	5.77	AUS	AUS	352.2	259.8	AUS
185 P	5002.	9.33	97.9	6.8	44.1	44.4	60.4	7.21	AUS	AUS	341.5	251.2	AUS
186 P	5994.	10.18	99.8	7.0	44.9	45.2	61.5	7.35	AUS	AUS	347.7	255.7	AUS
187 M	1000.	.33	-3.2	.2	.2	.2	.3	.24	AUS	AUS	*660.9	*692.6	AUS
188 M	1200.	-1.39	-10.7	-7	-1.0	-1.0	-1.3	-7.7	AUS	AUS	-969.9	-713.4	AUS
189 M	1400.	-1.47	-14.4	-1.0	-1.5	-1.5	-2.1	-1.06	AUS	AUS	-599.3	-440.8	AUS
190 M	1600.	-1.76	-17.3	-1.2	-2.1	-2.1	-2.8	-1.26	AUS	AUS	-435.2	-320.1	AUS
191 M	1800.	-1.32	-18.8	-1.3	-2.5	-2.5	-3.5	-1.38	AUS	AUS	-352.6	-259.3	AUS
192 M	2000.	-2.16	-20.2	-1.4	-3.0	-3.0	-4.1	-1.48	AUS	AUS	-300.8	-228.6	AUS
193 M	2200.	-2.27	-22.2	-1.5	-3.7	-3.7	-5.0	-1.63	AUS	AUS	-246.5	-181.3	AUS
194 M	2400.	-2.35	-23.1	-1.6	-4.2	-4.2	-5.7	-1.69	AUS	AUS	-222.1	-163.4	AUS
195 M	2600.	-2.56	-25.1	-1.7	-4.9	-4.9	-6.7	-1.84	AUS	AUS	-188.1	-138.4	AUS
196 M	2600.	-2.33	-19.9	-1.4	-3.9	-3.9	-5.3	-1.46	AUS	AUS	-327.4	-240.8	AUS
197 M	2800.	-2.59	-26.4	-1.8	-5.5	-5.5	-7.6	-1.94	AUS	AUS	-167.6	-123.2	AUS
198 M	2800.	-2.31	-19.7	-1.4	-4.1	-4.2	-5.7	-1.45	AUS	AUS	-344.4	-253.3	AUS
199 M	3000.	-2.91	-27.6	-1.9	-6.2	-6.2	-8.5	-2.02	AUS	AUS	-144.8	-106.5	AUS
200 M	3000.	-2.31	-19.8	-1.4	-4.4	-4.5	-6.1	-1.45	AUS	AUS	-339.5	-249.7	AUS
201 M	3200.	-2.37	-28.2	-2.0	-6.8	-6.8	-9.2	-2.06	AUS	AUS	-134.4	-98.9	AUS
202 M	3200.	-2.15	-20.1	-1.4	-4.8	-4.9	-6.6	-1.48	AUS	AUS	-340.6	-250.5	AUS
203 M	3400.	-2.35	-29.0	-2.0	-7.4	-7.4	-10.1	-2.12	AUS	AUS	-122.5	-90.1	AUS
204 M	3400.	-1.37	-19.3	-1.3	-4.9	-5.0	-6.7	-1.42	AUS	AUS	-366.1	-269.3	AUS
205 M	3600.	-3.14	-29.9	-2.1	-8.1	-8.1	-11.0	-2.19	AUS	AUS	-110.5	-81.3	AUS
206 M	3600.	-1.39	-19.5	-1.4	-5.3	-5.3	-7.2	-1.43	AUS	AUS	-365.8	-269.8	AUS
207 M	3800.	-3.12	-30.6	-2.1	-8.7	-8.7	-11.9	-2.24	AUS	AUS	-104.3	-76.7	AUS
208 M	3800.	-2.14	-20.4	-1.4	-5.8	-5.8	-7.9	-1.49	AUS	AUS	-330.3	-248.8	AUS
209 M	4000.	-3.18	-31.2	-2.2	-9.4	-9.4	-12.8	-2.28	AUS	AUS	-94.1	-69.2	AUS
210 M	4000.	-2.10	-20.6	-1.4	-6.2	-6.2	-8.4	-1.51	AUS	AUS	-321.6	-236.5	AUS
211 M	4200.	-3.15	-31.9	-2.2	-10.1	-10.1	-13.7	-2.33	AUS	AUS	-90.4	-66.5	AUS
212 M	4200.	-1.36	-19.2	-1.3	-6.1	-6.1	-8.3	-1.41	AUS	AUS	-335.8	-247.8	AUS

	DRZ 1/HIN	BR- KP	BR- N	REOMR BAR	EFFLST KM	REOLST KM	REDLST PS	MOHT NM	MOHT KPM	SP2VERB G/KWH	SP2VERB G/PSH	SP2VB G/KWH	SP2VB G/PSH	LYKSTD L/H
213 M	4400.	-3.33	-32.7	-2.3	-10.8	-10.8	-14.7	-23.5	-2.39	AUS	AUS	-82.3	-60.6	AUS
214 M	4400.	-1.88	-18.4	-1.3	-6.1	-6.1	-8.3	-13.2	-1.35	AUS	AUS	-339.7	-249.9	AUS
215 M	4600.	-3.39	-33.2	-2.3	-11.5	-11.5	-15.6	-23.8	-2.43	AUS	AUS	-75.2	-55.3	AUS
216 M	4600.	-2.00	-19.6	-1.4	-6.8	-6.8	-9.3	-14.1	-1.44	AUS	AUS	-304.4	-223.9	AUS
217 M	4800.	-3.50	-34.4	-2.4	-12.4	-12.4	-16.9	-24.7	-2.52	AUS	AUS	-68.5	-50.4	AUS
218 M	4800.	-1.98	-19.4	-1.3	-7.0	-7.0	-9.5	-14.0	-1.42	AUS	AUS	-306.5	-225.4	AUS
219 M	5000.	-3.52	-35.5	-2.5	-13.3	-13.3	-18.1	-25.5	-2.60	AUS	AUS	-68.6	-50.4	AUS
220 M	5000.	-1.37	-19.3	-1.3	-7.3	-7.3	-9.9	-13.9	-1.42	AUS	AUS	-303.1	-222.9	AUS
221 M	5200.	-3.73	-36.6	-2.5	-14.3	-14.3	-19.5	-26.3	-2.68	AUS	AUS	-63.3	-46.5	AUS
222 M	5200.	-2.11	-19.7	-1.4	-7.7	-7.7	-10.5	-14.2	-1.44	AUS	AUS	-294.1	-216.3	AUS
223 M	5400.	-3.88	-38.1	-2.6	-15.4	-15.4	-21.0	-27.3	-2.79	AUS	AUS	-56.4	-41.5	AUS
224 M	5400.	-1.33	-18.9	-1.3	-7.7	-7.7	-10.4	-13.5	-1.39	AUS	AUS	-307.6	-226.2	AUS
225 M	5600.	-4.00	-39.2	-2.7	-16.5	-16.5	-22.5	-28.2	-2.87	AUS	AUS	-55.2	-40.6	AUS
226 M	5600.	-2.00	-19.6	-1.4	-8.2	-8.3	-11.2	-14.1	-1.44	AUS	AUS	-309.8	-227.9	AUS
227 M	5800.	-4.10	-40.2	-2.8	-17.5	-17.5	-23.8	-28.9	-2.94	AUS	AUS	-52.8	-38.9	AUS
228 M	5800.	-2.13	-20.0	-1.4	-9.7	-8.7	-11.8	-14.3	-1.45	AUS	AUS	-308.4	-226.9	AUS
229 M	5000.	-4.17	-40.9	-2.8	-18.4	-18.5	-25.1	-29.4	-2.99	AUS	AUS	-50.9	-37.4	AUS
230 M	6000.	-1.33	-18.9	-1.3	-9.5	-8.5	-11.6	-13.6	-1.39	AUS	AUS	-338.1	-248.7	AUS

	DRZ 1/MIN	9RL KP	LTRPLU L/H	DURCHLZT S	KRSYHAS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEH DEG	LAYA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
1	996.	-0.14	1.17	AUS	50.00	AUS	.9	-3.0	1.013	.082	.07	12.98	68.	1435.
2	1004.	2.11	1.72	AUS	50.00	AUS	1.3	-1.9	1.013	.071	.72	13.51	198.	515.
3	996.	3.38	1.36	AUS	50.00	AUS	1.5	3.3	1.015	.070	.69	13.51	431.	590.
4	996.	5.10	2.26	AUS	50.00	AUS	1.7	5.0	1.012	.060	.70	13.52	984.	685.
5	996.	7.39	2.52	AUS	50.00	AUS	2.0	6.4	1.012	.069	.72	13.52	1752.	732.
6	1005.	9.39	3.10	AUS	50.00	AUS	2.3	6.9	1.011	.062	.64	13.63	2574.	866.
7	997.	9.38	3.22	AUS	50.00	AUS	2.4	6.9	.964	.077	1.70	13.14	1780.	951.
8	1200.	-0.00	1.59	AUS	50.00	AUS	1.3	-1.8	1.014	.088	.93	12.81	92.	896.
9	1193.	2.15	2.16	AUS	50.00	AUS	1.5	1.6	1.013	.072	.73	13.28	218.	412.
10	1201.	3.36	2.32	AUS	50.00	AUS	1.7	5.3	1.015	.072	.71	13.28	451.	513.
11	1200.	6.16	2.70	AUS	50.00	AUS	2.0	7.8	1.013	.069	.69	13.32	390.	587.
12	1193.	9.19	3.25	AUS	50.00	AUS	2.4	8.3	1.013	.066	.66	13.43	1778.	652.
13	1201.	9.32	3.73	AUS	50.00	AUS	2.8	8.7	1.012	.066	.66	13.45	2543.	740.
14	1201.	10.19	3.35	AUS	50.00	AUS	2.9	8.9	.978	.077	1.43	13.10	1941.	810.
15	1405.	-0.13	1.93	AUS	50.00	AUS	1.4	1.2	1.006	.080	.96	12.98	93.	952.
16	1397.	2.12	2.23	AUS	50.00	AUS	1.7	5.1	1.008	.060	.67	13.51	163.	435.
17	1397.	4.13	2.56	AUS	50.00	AUS	1.9	9.8	1.009	.056	.58	13.60	353.	531.
18	1405.	6.14	3.18	AUS	50.00	AUS	2.3	9.9	1.008	.052	.56	13.64	725.	557.
19	1405.	9.11	3.70	AUS	50.00	AUS	2.8	9.7	1.009	.052	.53	13.69	1200.	562.
20	1397.	9.74	4.39	AUS	50.00	AUS	3.3	9.3	.947	.081	2.18	12.80	917.	712.
21	1600.	-0.15	1.30	AUS	50.00	AUS	1.4	4.2	1.009	.070	.77	13.51	78.	768.
22	1600.	2.11	2.41	AUS	50.00	AUS	1.8	8.2	1.010	.059	.60	13.80	180.	426.
23	1600.	4.12	2.71	AUS	50.00	AUS	2.0	14.0	1.011	.050	.50	13.80	450.	550.
24	1600.	5.39	3.37	AUS	50.00	AUS	2.5	14.3	1.012	.059	.59	13.78	865.	560.
25	1593.	8.12	3.39	AUS	50.00	AUS	3.0	13.7	1.012	.059	.59	13.77	1341.	555.
26	1608.	9.32	4.72	AUS	50.00	AUS	3.5	13.4	1.011	.064	.66	13.72	1711.	540.
27	1600.	10.12	4.75	AUS	50.00	AUS	3.5	13.4	1.010	.062	.64	13.77	1712.	551.
28	1795.	-0.08	2.17	AUS	50.00	AUS	1.5	7.2	1.012	.064	.64	13.81	93.	485.
29	1803.	1.38	2.49	AUS	50.00	AUS	1.9	13.5	1.012	.050	.56	13.97	220.	361.
30	1796.	4.10	2.80	AUS	50.00	AUS	2.2	22.1	1.015	.064	.60	13.83	824.	613.
31	1804.	5.97	3.57	AUS	50.00	AUS	2.7	22.2	1.016	.065	.59	13.83	1517.	648.
32	1796.	8.33	4.42	AUS	50.00	AUS	3.3	17.1	1.014	.067	.65	13.78	1664.	684.

1070211901401V022

GRZ 1/1/11	BRLI KP	LTRPLU L/H	DURCHLZT S	KRSTHVS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEC	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPH
33	1796.	9.38	5.13	AUS	50.00	AUS	3.9	1.014	.065	.64	13.84	2891.	601.
34	1795.	10.32	5.78	AUS	50.00	AUS	4.3	.953	.090	2.09	13.09	1367.	717.
35	1999.	-.00	2.21	AUS	50.00	AUS	1.7	1.010	.065	.69	13.88	99.	388.
36	1999.	1.99	2.70	AUS	50.00	AUS	2.0	1.013	.060	.57	14.03	253.	340.
37	1999.	4.11	3.13	AUS	50.00	AUS	2.3	1.015	.067	.63	13.84	1114.	646.
38	2007.	5.99	3.39	AUS	50.00	AUS	2.9	1.018	.070	.63	13.84	1992.	681.
39	1999.	8.11	4.39	AUS	50.00	AUS	3.7	1.013	.070	.70	13.87	1999.	592.
40	1999.	10.12	5.75	AUS	50.00	AUS	4.3	1.013	.066	.66	13.95	2357.	616.
41	1999.	10.39	6.47	AUS	50.00	AUS	4.8	.968	.085	1.70	13.38	1792.	722.
42	2195.	.33	2.37	AUS	50.00	AUS	1.8	1.009	.067	.73	13.88	108.	345.
43	2195.	1.39	2.74	AUS	50.00	AUS	2.0	1.012	.062	.62	13.98	310.	417.
44	2203.	3.37	3.29	AUS	50.00	AUS	2.4	1.016	.066	.61	13.88	1557.	691.
45	2203.	5.98	4.23	AUS	50.00	AUS	3.1	1.017	.070	.64	13.86	2514.	721.
46	2195.	8.12	5.28	AUS	50.00	AUS	3.9	1.013	.068	.67	13.93	2154.	622.
47	2195.	9.99	6.23	AUS	50.00	AUS	4.7	1.014	.067	.66	14.01	2568.	631.
48	2195.	11.18	6.30	AUS	50.00	AUS	5.1	1.010	.070	.76	13.97	2658.	647.
49	2398.	-.11	2.49	AUS	50.00	AUS	1.9	1.009	.057	.62	14.08	111.	276.
50	2399.	2.11	2.45	AUS	50.00	AUS	2.1	1.013	.063	.62	13.98	376.	444.
51	2407.	3.39	3.63	AUS	50.00	AUS	2.7	1.017	.072	.67	13.81	1871.	714.
52	2399.	6.11	4.54	AUS	50.00	AUS	3.5	1.017	.078	.74	13.74	2534.	721.
53	2399.	7.39	5.75	AUS	50.00	AUS	4.3	1.015	.069	.65	13.95	2394.	652.
54	2398.	10.11	6.81	AUS	50.00	AUS	5.1	1.005	.062	.73	13.94	2628.	625.
55	2398.	11.39	7.52	AUS	50.00	AUS	5.6	1.004	.064	.79	13.96	2807.	623.
56	2602.	.11	2.48	AUS	50.00	AUS	1.9	1.005	.055	.64	14.01	119.	274.
57	2602.	2.10	3.10	AUS	50.00	AUS	2.2	1.011	.060	.62	13.88	521.	477.
58	2594.	4.11	3.33	AUS	50.00	AUS	2.9	1.015	.072	.70	13.67	1912.	715.
59	2602.	6.10	5.13	AUS	50.00	AUS	3.8	1.015	.070	.68	13.76	2589.	734.
60	2602.	8.10	6.25	AUS	50.00	AUS	4.7	1.013	.062	.61	13.99	2568.	667.
61	2602.	10.00	7.39	AUS	50.00	AUS	5.5	1.010	.063	.67	14.03	2837.	652.
62	2602.	11.56	8.14	AUS	50.00	AUS	6.2	1.007	.063	.73	14.16	3023.	627.
63	2798.	.11	2.51	AUS	50.00	AUS	1.9	1.008	.054	.60	14.09	137.	280.
64	2798.	2.00	3.18	AUS	50.00	AUS	2.4	1.014	.067	.66	13.83	796.	563.
65	2798.	4.13	4.37	AUS	50.00	AUS	3.3	1.015	.069	.67	13.79	1955.	729.
66	2798.	5.99	5.54	AUS	50.00	AUS	4.1	1.015	.069	.65	13.87	2776.	751.
67	2798.	7.99	6.73	AUS	50.00	AUS	5.0	1.015	.064	.60	14.06	2582.	680.
68	2806.	9.99	8.14	AUS	50.00	AUS	6.0	1.014	.064	.62	14.20	2859.	634.
69	2798.	11.99	9.16	AUS	50.00	AUS	6.8	1.012	.064	.65	14.35	3193.	625.
70	3002.	-.01	2.57	AUS	50.00	AUS	2.0	1.009	.054	.58	14.09	152.	277.
71	3002.	2.00	3.45	AUS	50.00	AUS	2.6	1.013	.067	.67	13.85	929.	567.
72	2994.	4.15	4.71	AUS	50.00	AUS	3.5	1.015	.072	.70	13.79	2054.	725.
73	3002.	5.30	5.33	AUS	50.00	AUS	4.4	1.015	.070	.67	13.89	2742.	758.
74	3002.	7.38	7.35	AUS	50.00	AUS	5.5	1.014	.067	.66	14.08	2597.	687.
75	3002.	9.36	8.58	AUS	50.00	AUS	6.5	1.014	.065	.63	14.33	2859.	619.
76	3003.	11.35	10.02	AUS	50.00	AUS	7.5	1.015	.065	.61	14.53	3351.	623.
77	3002.	12.19	11.43	AUS	50.00	AUS	8.5	.887	.095	4.24	12.39	1060.	774.

	DRZ 17HIN	BR-I KP	LTPLO L/H	DURCHLZT S	KRSTMAS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEC	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO OPH	C3H8 PPH
78	3198.	.30	2.92	AUS	50.00	AUS	2.1	30.9	1.006	.051	.50	14.13	176.	262.
79	3198.	2.33	3.71	AUS	50.00	AUS	2.8	39.6	1.012	.064	.66	13.89	967.	537.
80	3198.	4.32	5.37	AUS	50.00	AUS	3.0	39.3	1.013	.068	.69	13.83	2064.	716.
81	3199.	6.31	6.43	AUS	50.00	AUS	4.0	37.4	1.014	.069	.68	13.94	2816.	759.
82	3199.	7.39	7.44	AUS	50.00	AUS	5.9	29.5	1.013	.067	.67	14.15	2839.	710.
83	3199.	10.00	9.35	AUS	50.00	AUS	7.0	25.3	1.012	.065	.65	14.41	2878.	617.
84	3199.	12.22	10.58	AUS	50.00	AUS	7.9	25.6	1.012	.066	.67	14.54	3268.	606.
85	3198.	12.25	11.37	AUS	50.00	AUS	8.9	25.1	.912	.100	3.40	12.96	1474.	749.
86	3402.	.32	2.98	AUS	50.00	AUS	2.2	33.7	1.037	.051	.57	14.14	194.	247.
87	3403.	1.38	3.37	AUS	50.00	AUS	3.0	39.6	1.011	.063	.66	13.90	1032.	521.
88	3402.	3.36	5.39	AUS	50.00	AUS	4.0	39.0	1.010	.067	.72	13.87	2103.	609.
89	3402.	6.31	6.97	AUS	50.00	AUS	5.1	38.3	1.011	.068	.71	13.97	2916.	762.
90	3402.	7.37	8.41	AUS	50.00	AUS	6.3	29.2	1.011	.065	.68	14.23	2713.	685.
91	3402.	10.31	10.33	AUS	50.00	AUS	7.5	25.3	1.011	.063	.66	14.48	2842.	584.
92	3403.	11.38	11.38	AUS	50.00	AUS	8.5	25.5	1.012	.064	.64	14.61	3283.	580.
93	3403.	12.27	12.35	AUS	50.00	AUS	9.6	25.1	.919	.097	3.14	13.20	1615.	712.
94	3598.	.31	2.38	AUS	50.00	AUS	2.2	38.5	1.005	.051	.60	14.11	241.	261.
95	3598.	2.30	4.22	AUS	50.00	AUS	3.2	39.3	1.008	.060	.66	13.92	1146.	496.
96	3598.	4.00	5.77	AUS	50.00	AUS	4.3	39.4	1.008	.064	.73	13.86	2376.	682.
97	3599.	6.30	7.32	AUS	50.00	AUS	5.5	37.5	1.009	.067	.73	13.95	2951.	732.
98	3599.	9.30	8.36	AUS	50.00	AUS	6.7	28.7	1.008	.062	.69	14.25	2759.	664.
99	3607.	13.31	10.51	AUS	50.00	AUS	7.9	26.0	1.007	.062	.71	14.50	2913.	564.
100	3599.	11.39	12.19	AUS	50.00	AUS	9.0	26.1	1.010	.063	.68	14.56	3366.	556.
101	3599.	12.25	13.32	AUS	50.00	AUS	10.3	26.3	.899	.091	3.78	12.76	1370.	705.
102	3802.	.31	3.31	AUS	50.00	AUS	2.3	40.5	1.006	.054	.63	14.02	291.	279.
103	3802.	2.39	4.54	AUS	50.00	AUS	3.4	40.6	1.008	.062	.69	13.89	1414.	537.
104	3802.	3.33	6.17	AUS	50.00	AUS	4.5	40.5	1.006	.061	.72	13.93	2489.	675.
105	3802.	6.30	7.77	AUS	50.00	AUS	5.8	38.8	1.008	.063	.71	14.07	3086.	724.
106	3795.	9.31	9.51	AUS	50.00	AUS	7.1	30.7	1.007	.060	.67	14.40	2818.	626.
107	3802.	9.99	11.30	AUS	50.00	AUS	8.4	27.3	1.007	.059	.68	14.59	2949.	535.
108	3802.	12.12	12.89	AUS	50.00	AUS	9.6	27.1	1.008	.062	.70	14.60	3387.	547.
109	3802.	12.24	14.24	AUS	50.00	AUS	10.6	27.2	.918	.093	3.15	13.20	1570.	661.
110	3998.	.32	3.22	AUS	50.00	AUS	2.4	41.3	1.004	.054	.66	14.05	334.	294.
111	3998.	1.99	4.80	AUS	50.00	AUS	3.6	41.4	1.003	.063	.80	13.85	1445.	552.
112	3999.	3.35	6.43	AUS	50.00	AUS	4.8	40.8	1.004	.062	.75	13.95	2656.	666.
113	4007.	6.31	8.25	AUS	50.00	AUS	6.2	39.8	1.005	.062	.75	14.13	3223.	734.
114	3999.	8.30	10.36	AUS	50.00	AUS	7.5	38.9	1.005	.058	.70	14.47	2852.	598.
115	3999.	9.96	11.37	AUS	50.00	AUS	8.9	27.3	1.006	.057	.65	14.63	2974.	526.
116	3999.	11.98	13.58	AUS	50.00	AUS	10.1	27.5	1.006	.056	.64	14.69	3218.	531.
117	4202.	.30	3.35	AUS	50.00	AUS	2.5	42.1	1.001	.055	.71	14.03	364.	313.
118	4203.	2.30	5.11	AUS	50.00	AUS	3.7	42.5	1.005	.056	.67	14.04	1609.	553.
119	4203.	3.38	6.77	AUS	50.00	AUS	5.1	42.7	1.004	.059	.72	14.08	2857.	650.
120	4202.	5.99	8.50	AUS	50.00	AUS	6.4	40.7	1.036	.058	.68	14.27	3348.	687.
121	4195.	8.16	10.59	AUS	50.00	AUS	8.0	30.2	1.007	.054	.61	14.62	2879.	539.
122	4202.	10.30	12.59	AUS	50.00	AUS	9.4	28.0	1.008	.053	.58	14.70	3059.	511.

	DRZ 1/°MIN	BRLI KP	LTRPLU L/H	DURCHLZT S	KRSTMAS G	KRSTDS KG/H	KRSTPLU KG/H	ZUEW DEC	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	C3H8 PPH
123	4202.	12.11	16.00	AUS	50.00	AUS	12.0	28.8	.807	0.000	4.16	12.58	1252.	692.
124	4405.	.11	3.56	AUS	50.00	AUS	2.7	43.3	1.002	.055	.72	14.06	304.	309.
125	4398.	2.12	5.18	AUS	50.00	AUS	4.0	43.5	1.000	.058	.78	14.01	1732.	532.
126	4398.	4.13	7.30	AUS	50.00	AUS	5.5	42.8	1.001	.061	.79	14.08	2996.	637.
127	4398.	6.13	9.08	AUS	50.00	AUS	6.8	40.7	1.805	.059	.71	14.31	3549.	655.
128	4398.	8.11	11.21	AUS	50.00	AUS	8.4	30.2	1.004	.054	.65	14.60	2910.	523.
129	4398.	10.11	13.19	AUS	50.00	AUS	9.8	29.1	1.005	.054	.64	14.67	3172.	509.
130	4406.	11.13	16.50	AUS	50.00	AUS	12.4	28.9	.891	0.000	4.02	12.67	1342.	686.
131	4594.	.11	3.71	AUS	50.00	AUS	2.8	44.7	.997	.056	.80	14.05	404.	320.
132	4602.	1.16	5.50	AUS	50.00	AUS	4.2	43.6	.997	.060	.85	13.99	1865.	560.
133	4602.	3.16	7.52	AUS	50.00	AUS	5.7	42.8	.999	.062	.85	14.08	3081.	640.
134	4602.	5.19	9.58	AUS	50.00	AUS	7.2	41.0	1.004	.059	.71	14.40	3738.	624.
135	4594.	8.00	11.37	AUS	50.00	AUS	8.5	29.7	1.004	.053	.65	14.61	3030.	517.
136	4603.	10.00	13.35	AUS	50.00	AUS	10.0	29.0	1.005	.052	.62	14.69	3240.	508.
137	4602.	11.13	16.51	AUS	50.00	AUS	12.4	29.2	.909	.082	3.40	13.05	1552.	652.
138	4797.	.12	4.59	AUS	50.00	AUS	3.4	44.4	.993	.057	.89	14.00	466.	348.
139	4798.	2.14	6.17	AUS	50.00	AUS	4.6	44.2	.996	.060	.87	14.02	2141.	567.
140	4798.	4.13	7.33	AUS	50.00	AUS	5.9	43.8	.997	.065	.92	14.09	3245.	658.
141	4798.	6.11	9.44	AUS	50.00	AUS	7.3	41.7	1.000	.061	.82	14.36	3905.	610.
142	4806.	7.38	11.84	AUS	50.00	AUS	8.8	31.8	1.002	.054	.69	14.59	3362.	539.
143	4798.	10.00	14.17	AUS	50.00	AUS	10.5	29.6	1.003	.053	.66	14.67	3414.	517.
144	4798.	11.13	17.21	AUS	50.00	AUS	12.9	29.6	.916	.081	3.16	13.21	1887.	646.
145	5061.	.10	4.75	AUS	50.00	AUS	3.5	45.7	.984	.057	1.05	13.98	509.	399.
146	5061.	2.13	6.16	AUS	50.00	AUS	4.8	45.4	.989	.065	1.07	13.92	2231.	584.
147	5002.	3.17	8.42	AUS	50.00	AUS	6.3	44.6	.996	.065	.94	14.13	3434.	655.
148	4993.	6.13	10.36	AUS	50.00	AUS	7.7	42.0	.999	.062	.84	14.38	3930.	613.
149	5001.	7.38	12.47	AUS	50.00	AUS	9.3	32.9	1.001	.056	.74	14.56	3552.	555.
150	4994.	10.12	14.72	AUS	50.00	AUS	11.0	30.8	1.002	.054	.69	14.62	3598.	525.
151	5002.	11.12	17.53	AUS	50.00	AUS	13.1	31.2	.936	.084	2.54	13.58	2427.	638.
152	5197.	.11	4.38	AUS	50.00	AUS	3.7	45.8	.971	.060	1.36	13.87	529.	480.
153	5197.	2.12	6.34	AUS	50.00	AUS	5.2	45.6	.972	.068	1.43	13.82	2170.	662.
154	5197.	4.12	8.36	AUS	50.00	AUS	6.7	45.9	.976	.072	1.41	14.02	3192.	690.
155	5197.	6.12	11.14	AUS	50.00	AUS	8.3	43.2	.976	.071	1.38	14.14	3574.	676.
156	5197.	8.11	13.34	AUS	50.00	AUS	10.0	32.5	.980	.063	1.21	14.33	3198.	608.
157	5197.	10.12	15.39	AUS	50.00	AUS	11.9	31.1	.970	.068	1.46	14.21	3124.	611.
158	5197.	11.13	18.11	AUS	50.00	AUS	13.5	30.1	.943	.081	2.29	13.76	2524.	611.
159	5399.	.10	5.20	AUS	50.00	AUS	3.9	45.5	.962	.060	1.57	13.81	505.	496.
160	5400.	1.18	7.20	AUS	50.00	AUS	5.4	45.6	.959	.073	1.79	13.67	1942.	693.
161	5400.	4.15	9.42	AUS	50.00	AUS	7.0	45.4	.973	.071	1.46	14.00	3076.	689.
162	5400.	5.15	11.58	AUS	50.00	AUS	8.7	42.6	.976	.069	1.35	14.14	3479.	653.
163	5400.	7.19	14.16	AUS	50.00	AUS	10.5	34.3	.978	.065	1.27	14.27	3138.	593.
164	5393.	10.17	16.82	AUS	50.00	AUS	12.6	32.2	.969	.069	1.51	14.16	3111.	584.
165	5400.	11.18	19.17	AUS	50.00	AUS	14.2	31.7	.921	.083	3.00	13.28	2207.	623.
166	5603.	.00	5.47	AUS	50.00	AUS	4.1	44.0	.944	.057	2.11	13.50	480.	565.
167	5603.	1.15	7.54	AUS	50.00	AUS	5.6	44.5	.956	.073	1.86	13.67	1773.	661.

	DRZ 1/MIN	ORLI KP	LTRPLU L/H	DUROHILT S	KRSTMAS G	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEC	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO OPM	C3H8 PPM
168	5603.	3.99	9.15	AUS	50.00	AUS	7.4	44.4	.964	.076	1.70	13.89	2841.	691.
169	5596.	5.12	12.25	AUS	50.00	AUS	9.2	40.5	.974	.073	1.45	14.09	3361.	635.
170	5604.	8.30	14.31	AUS	50.00	AUS	11.1	31.8	.971	.068	1.45	14.19	2895.	586.
171	5604.	9.93	17.34	AUS	50.00	AUS	13.3	30.6	.950	.073	1.78	14.03	2844.	574.
172	5603.	10.46	19.73	AUS	50.00	AUS	14.7	31.3	.920	.081	3.04	13.28	2127.	610.
173	5798.	.00	5.93	AUS	50.00	AUS	4.4	45.9	.943	.050	2.14	13.51	533.	565.
174	5798.	2.32	7.36	AUS	50.00	AUS	5.9	45.9	.952	.074	1.99	13.68	1867.	672.
175	5799.	3.39	10.38	AUS	50.00	AUS	7.8	44.6	.962	.076	1.75	13.88	2869.	689.
176	5799.	5.96	12.77	AUS	50.00	AUS	9.5	41.3	.975	.070	1.40	14.16	3347.	617.
177	5799.	8.11	15.33	AUS	50.00	AUS	11.8	31.9	.976	.066	1.32	14.26	2967.	558.
178	5807.	9.37	19.13	AUS	50.00	AUS	14.2	30.8	.942	.082	2.32	13.71	2518.	590.
179	5799.	10.55	23.47	AUS	50.00	AUS	15.3	31.1	.910	.081	3.37	13.07	2020.	611.
180	5801.	.31	6.10	AUS	50.00	AUS	4.6	47.2	.930	0.000	2.56	13.27	484.	618.
181	6002.	1.35	8.29	AUS	50.00	AUS	6.2	47.9	.952	.072	1.97	13.72	1753.	662.
182	5994.	4.35	11.30	AUS	50.00	AUS	8.2	46.9	.954	.077	1.96	13.78	2773.	710.
183	5002.	5.37	13.59	AUS	50.00	AUS	10.2	40.4	.961	.077	1.79	13.92	2987.	622.
184	5002.	8.00	16.54	AUS	50.00	AUS	12.4	34.0	.950	.075	1.79	13.97	2786.	583.
185	5002.	9.39	20.15	AUS	50.00	AUS	15.0	32.2	.932	.086	2.66	13.49	2539.	597.
186	5994.	10.18	20.98	AUS	50.00	AUS	15.6	32.2	.908	.084	3.44	13.03	2077.	612.
187	1000.	.33	1.18	AUS	50.00	AUS	.9	-3.13	1.020	.075	.66	13.11	43.	1725.
188	1200.	-1.33	1.25	AUS	50.00	AUS	.9	-2.2	1.019	.084	.79	12.83	29.	1867.
189	1400.	-1.47	1.22	AUS	50.00	AUS	.9	.9	1.036	.100	.72	11.83	16.	4044.
190	1600.	-1.76	1.21	AUS	50.00	AUS	.9	3.7	1.055	.138	.90	9.65	8.	7704.
191	1800.	-1.32	1.20	AUS	50.00	AUS	.9	6.6	1.067	.146	.83	8.32	7.	10688.
192	2000.	-2.16	1.22	AUS	50.00	AUS	.9	8.9	1.055	.143	.94	8.03	7.	11418.
193	2200.	-2.27	1.21	AUS	50.00	AUS	.9	11.9	1.164	0.000	.97	7.45	7.	12733.
194	2400.	-2.35	1.24	AUS	50.00	AUS	.9	16.3	1.164	0.000	.95	7.07	7.	13876.
195	2600.	-2.56	1.23	AUS	50.00	AUS	.9	16.5	1.189	0.000	.85	6.73	7.	14437.
196	2600.	-2.33	1.70	AUS	50.00	AUS	1.3	16.0	.936	0.000	1.76	10.04	11.	9313.
197	2800.	-2.59	1.24	AUS	50.00	AUS	.9	16.8	1.214	0.000	.76	6.84	7.	13622.
198	2800.	-2.31	1.31	AUS	50.00	AUS	1.4	16.3	.923	0.000	1.65	10.97	16.	8107.
199	3000.	-2.31	1.20	AUS	50.00	AUS	.9	16.8	1.225	0.000	.67	7.09	7.	12868.
200	3000.	-2.31	2.12	AUS	50.00	AUS	1.5	16.7	.921	0.000	1.51	11.68	22.	7885.
201	3200.	-2.37	1.22	AUS	50.00	AUS	.9	17.8	1.066	.116	.54	8.20	9.	10830.
202	3200.	-2.35	2.20	AUS	50.00	AUS	1.6	17.3	.939	0.000	1.20	12.36	30.	5524.
203	3400.	-2.35	1.21	AUS	50.00	AUS	.9	17.5	1.080	.113	.40	9.22	12.	8524.
204	3400.	-1.37	2.42	AUS	50.00	AUS	1.8	17.5	.944	0.000	.94	13.25	44.	3997.
205	3600.	-3.14	1.19	AUS	50.00	AUS	.9	17.5	1.050	.105	.59	9.54	13.	8451.
206	3600.	-1.39	2.58	AUS	50.00	AUS	1.9	18.6	.948	0.000	.76	13.59	52.	3556.
207	3800.	-3.12	1.22	AUS	50.00	AUS	.9	18.1	1.049	.184	.60	9.83	14.	7788.
208	3800.	-2.39	2.33	AUS	50.00	AUS	2.0	20.8	.955	0.000	.75	13.63	54.	3103.
209	4000.	-3.19	1.19	AUS	50.00	AUS	.9	19.4	1.054	.105	.55	9.96	15.	7541.
210	4000.	-2.10	2.36	AUS	50.00	AUS	2.0	24.6	.960	0.000	.83	13.48	58.	2976.
211	4200.	-3.35	1.21	AUS	50.00	AUS	.9	19.8	1.040	.096	.61	10.38	17.	6947.
212	4200.	-1.36	2.72	AUS	50.00	AUS	2.0	26.2	.961	0.000	.81	13.74	60.	2588.

4070431901401V6927

	DRZ L/MIN	BPLI KP	LTRPLU L/H	DURCHLZT S	KRSTMAS G	KRSTOS KG/H	KRSTPLU KG/H	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	C02 PROZ	NO PPH	C3H8 PPH
213	4400.	-3.33	1.19	AUS	50.00	AUS	.9	21.0	1.058	.105	.59	10.36	18.	6638.
214	4400.	-1.88	2.76	AUS	50.00	AUS	2.1	28.6	.961	0.000	.69	13.93	63.	2528.
215	4600.	-3.39	1.15	AUS	50.00	AUS	.9	21.0	1.035	.100	.74	10.30	18.	6973.
216	4600.	-2.00	2.76	AUS	50.00	AUS	2.1	29.1	.961	0.000	.78	13.65	59.	2608.
217	4800.	-3.50	1.13	AUS	50.00	AUS	.8	21.3	1.028	.093	.75	10.32	18.	7137.
218	4800.	-1.38	2.37	AUS	50.00	AUS	2.1	33.5	.954	0.000	.92	13.62	64.	2789.
219	5000.	-3.52	1.22	AUS	50.00	AUS	.9	22.0	1.023	.084	.72	10.76	22.	6481.
220	5000.	-1.37	2.94	AUS	50.00	AUS	2.2	38.6	.957	0.000	.88	13.56	67.	2891.
221	5200.	-3.73	1.21	AUS	50.00	AUS	.9	23.4	1.016	.074	.70	10.95	23.	6108.
222	5200.	-2.11	3.33	AUS	50.00	AUS	2.3	42.3	.952	0.000	.92	13.54	73.	2554.
223	5400.	-3.98	1.16	AUS	50.00	AUS	.9	22.7	1.010	.061	.64	11.48	27.	5506.
224	5400.	-1.33	3.15	AUS	50.00	AUS	2.4	45.1	.959	0.000	1.06	13.50	92.	2485.
225	5600.	-4.00	1.22	AUS	50.00	AUS	.9	21.4	1.028	.074	.51	11.34	26.	5278.
226	5600.	-2.00	3.41	AUS	50.00	AUS	2.5	43.5	.955	0.000	1.03	13.75	98.	2142.
227	5800.	-4.10	1.24	AUS	50.00	AUS	.9	21.7	1.034	.070	.41	11.49	29.	4880.
228	5800.	-2.13	3.58	AUS	50.00	AUS	2.7	45.4	.965	0.000	.84	13.88	111.	1894.
229	5000.	-4.17	1.25	AUS	50.00	AUS	.9	21.6	1.007	.066	.77	11.47	28.	4958.
230	6000.	-1.33	3.96	AUS	50.00	AUS	2.9	47.3	.955	0.000	.71	14.02	134.	1776.

	DRZ 1/MIN	BR- KP	O2 PRZ	DKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
1	996.	-14	1.56	18.8	AUS	1.1	90.6	19.7	751.5	AUS	10006.	AUS	.600	.747
2	1004.	2.11	1.00	24.4	AUS	1.1	85.4	19.9	751.6	AUS	14674.	AUS	.600	.747
3	996.	3.39	1.03	26.7	AUS	1.2	84.0	20.0	751.6	AUS	16771.	AUS	.600	.747
4	996.	6.30	1.01	30.6	AUS	1.2	82.1	20.5	751.6	AUS	19295.	AUS	.600	.747
5	996.	7.39	1.03	37.7	AUS	1.2	80.7	20.1	751.5	AUS	22358.	AUS	.600	.747
6	1005.	9.39	.95	77.9	AUS	1.2	82.1	20.1	751.6	AUS	26394.	AUS	.600	.747
7	997.	9.38	.73	85.3	AUS	1.2	81.0	19.6	751.5	AUS	26149.	AUS	.600	.747
8	1200.	-13	1.35	22.4	AUS	1.5	81.6	19.9	751.6	AUS	14425.	AUS	.600	.747
9	1193.	2.15	.95	27.1	AUS	1.5	81.9	20.1	751.6	AUS	17627.	AUS	.600	.747
10	1201.	3.36	1.01	29.6	AUS	1.5	82.2	20.8	751.6	AUS	19872.	AUS	.600	.747
11	1200.	6.16	.93	32.8	AUS	1.5	82.4	20.7	751.6	AUS	23049.	AUS	.600	.747
12	1193.	9.19	.94	39.6	AUS	1.4	83.0	20.4	751.6	AUS	27744.	AUS	.600	.747
13	1201.	9.32	.94	73.1	AUS	1.4	83.8	20.0	751.6	AUS	31785.	AUS	.600	.747
14	1201.	10.19	.75	85.4	AUS	1.4	84.8	19.8	751.5	AUS	31734.	AUS	.600	.747
15	1405.	-13	1.23	25.2	AUS	1.7	85.4	19.9	751.6	AUS	15554.	AUS	.600	.747
16	1397.	2.12	.82	25.8	AUS	1.7	83.0	23.1	754.5	AUS	18961.	AUS	.600	.747
17	1397.	4.13	.83	28.2	AUS	1.7	84.2	23.5	754.6	AUS	21755.	AUS	.600	.747
18	1405.	6.14	.73	32.9	AUS	1.7	85.0	23.7	754.6	AUS	26153.	AUS	.600	.747
19	1405.	8.11	.77	40.4	AUS	1.6	85.6	23.6	754.6	AUS	31451.	AUS	.600	.747
20	1397.	9.74	.54	85.0	AUS	1.6	88.4	23.8	754.6	AUS	35061.	AUS	.600	.747
21	1600.	-15	1.03	24.8	AUS	1.9	87.4	23.9	754.5	AUS	16124.	AUS	.600	.747
22	1600.	2.11	.83	28.2	AUS	1.9	87.2	23.6	754.5	AUS	20538.	AUS	.600	.747
23	1600.	4.12	.87	30.1	AUS	1.9	87.4	23.8	754.6	AUS	23084.	AUS	.600	.747
24	1600.	5.39	.89	34.7	AUS	1.9	87.9	23.5	754.5	AUS	28725.	AUS	.600	.747
25	1593.	8.12	.85	40.3	AUS	1.8	88.4	23.8	754.5	AUS	34000.	AUS	.600	.747
26	1600.	9.32	.86	68.6	AUS	1.8	90.0	24.6	754.6	AUS	40212.	AUS	.600	.747
27	1600.	10.12	.83	85.1	AUS	1.8	91.0	24.1	754.6	AUS	40426.	AUS	.600	.747
28	1795.	-10	.93	26.0	AUS	2.1	91.0	24.4	754.6	AUS	17643.	AUS	.600	.747
29	1903.	1.38	.81	23.2	AUS	2.1	91.0	24.4	754.6	AUS	21241.	AUS	.600	.747
30	1796.	4.18	.97	31.1	AUS	2.1	90.2	24.3	754.0	AUS	24665.	AUS	.600	.747
31	1604.	5.97	.94	34.8	AUS	2.1	90.9	24.7	754.6	AUS	30551.	AUS	.600	.747
32	1796.	8.13	.95	41.9	AUS	2.0	92.2	24.9	754.6	AUS	37776.	AUS	.600	.747

	DRZ 1/MIN	BPL KP	O2 PROZ	DKL DEG	DKLPST DEG	OELOR KP/CH2	OELTEMP CEL	RAUNTEMP CEL	LFTDR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
33	1796.	9.38	.91	55.6	AUS	2.0	93.7	25.0	754.6	AUS	44325.	AUS	.600	.747
34	1795.	10.32	.62	85.1	AUS	1.9	94.4	25.1	754.6	AUS	46441.	AUS	.600	.747
35	1999.	-.30	.85	28.0	AUS	2.3	93.9	24.8	754.6	AUS	18820.	AUS	.600	.747
36	1999.	1.39	.82	30.4	AUS	2.3	93.8	24.7	754.6	AUS	23052.	AUS	.600	.747
37	1999.	4.11	1.00	32.0	AUS	2.3	93.0	24.8	754.6	AUS	25948.	AUS	.600	.747
38	2007.	5.39	1.03	36.1	AUS	2.3	92.9	25.1	754.6	AUS	33318.	AUS	.600	.747
39	1999.	8.11	.94	42.4	AUS	2.2	94.4	25.3	754.6	AUS	41713.	AUS	.600	.747
40	1999.	10.12	.91	53.4	AUS	2.2	96.2	25.5	754.6	AUS	49041.	AUS	.600	.747
41	1999.	10.93	.61	85.1	AUS	2.1	97.6	25.5	754.6	AUS	52771.	AUS	.600	.747
42	2195.	.13	.85	28.4	AUS	2.5	96.0	24.9	754.6	AUS	20173.	AUS	.600	.747
43	2195.	1.39	.85	30.3	AUS	2.5	94.5	25.2	754.6	AUS	23385.	AUS	.600	.747
44	2203.	3.37	1.02	32.8	AUS	2.5	94.1	25.0	754.6	AUS	28070.	AUS	.600	.747
45	2203.	5.38	1.02	37.0	AUS	2.5	94.4	24.5	754.6	AUS	35994.	AUS	.600	.747
46	2195.	8.12	.94	43.3	AUS	2.4	96.8	25.3	754.6	AUS	45070.	AUS	.600	.747
47	2195.	9.99	.92	53.6	AUS	2.4	98.8	25.9	754.6	AUS	53241.	AUS	.600	.747
48	2195.	11.18	.91	85.2	AUS	2.3	99.9	25.0	754.6	AUS	57860.	AUS	.600	.747
49	2398.	-.11	.72	29.4	AUS	2.7	98.2	25.2	754.6	AUS	21178.	AUS	.600	.747
50	2399.	2.11	.83	31.2	AUS	2.7	96.4	25.6	754.6	AUS	24322.	AUS	.600	.747
51	2407.	3.39	1.07	34.4	AUS	2.7	96.2	25.3	754.6	AUS	31061.	AUS	.600	.747
52	2399.	6.11	1.03	38.6	AUS	2.6	96.7	25.4	754.6	AUS	39777.	AUS	.600	.747
53	2399.	7.99	.95	44.4	AUS	2.6	98.9	25.4	754.6	AUS	49221.	AUS	.600	.747
54	2398.	10.11	.73	53.5	AUS	2.5	99.8	20.8	754.6	AUS	57696.	AUS	.600	.747
55	2398.	11.39	.77	85.1	AUS	2.5	101.6	21.0	754.6	AUS	63570.	AUS	.600	.747
56	2602.	.11	.65	29.2	AUS	3.0	99.5	21.2	754.6	AUS	21047.	AUS	.600	.747
57	2602.	2.10	.85	31.5	AUS	3.0	98.3	20.9	754.6	AUS	25519.	AUS	.600	.747
58	2594.	4.11	1.04	35.6	AUS	2.9	98.6	21.0	754.6	AUS	33630.	AUS	.600	.747
59	2602.	6.10	1.01	39.7	AUS	2.9	98.3	20.7	754.6	AUS	43011.	AUS	.600	.747
60	2602.	8.10	.89	45.3	AUS	2.8	99.2	20.5	754.6	AUS	53365.	AUS	.600	.747
61	2602.	10.10	.83	54.8	AUS	2.7	100.9	20.4	754.6	AUS	62895.	AUS	.600	.747
62	2602.	11.65	.73	85.2	AUS	2.6	103.6	20.4	754.6	AUS	70798.	AUS	.600	.747
63	2798.	.11	.63	30.2	AUS	3.2	101.9	20.5	754.6	AUS	22136.	AUS	.600	.747
64	2798.	2.10	.97	32.7	AUS	3.2	100.3	20.8	754.6	AUS	27166.	AUS	.600	.747
65	2798.	4.13	1.03	37.0	AUS	3.1	99.3	20.6	754.6	AUS	37391.	AUS	.600	.747
66	2798.	5.39	1.01	41.1	AUS	3.1	100.1	20.3	754.6	AUS	47415.	AUS	.600	.747
67	2798.	7.93	.92	46.5	AUS	2.9	100.9	20.1	754.6	AUS	57544.	AUS	.600	.747
68	2806.	9.99	.85	55.9	AUS	2.9	102.6	20.4	754.6	AUS	68683.	AUS	.600	.747
69	2798.	11.99	.84	82.8	AUS	2.8	104.7	20.0	754.6	AUS	78121.	AUS	.600	.747
70	3002.	-.11	.71	30.2	AUS	3.3	103.9	20.0	754.6	AUS	22710.	AUS	.600	.747
71	3002.	2.10	.95	33.6	AUS	3.3	102.4	20.2	754.6	AUS	29410.	AUS	.600	.747
72	2994.	4.15	1.04	37.9	AUS	3.3	101.5	20.0	754.6	AUS	40285.	AUS	.600	.747
73	3002.	5.33	1.01	42.0	AUS	3.2	102.1	20.2	754.6	AUS	50711.	AUS	.600	.747
74	3002.	7.98	.94	47.7	AUS	3.1	104.0	20.4	754.6	AUS	62878.	AUS	.600	.747
75	3002.	9.16	.81	57.1	AUS	3.0	105.0	20.0	754.6	AUS	74154.	AUS	.600	.747
76	3003.	11.35	.85	78.6	AUS	2.9	107.0	20.0	754.6	AUS	85637.	AUS	.600	.747
77	3002.	12.19	.49	85.3	AUS	2.8	109.5	20.3	754.6	AUS	85396.	AUS	.600	.747

	ORZ L/MIN	9R-1 KP	02 PRZ	DKL DEG	OKLPST DEG	OELDR KP/CH2	DELTEMP CEL	RAUHTEMP CEL	LF TORR	LF TDSL L/H	LF TPLU L/H	LFGR 1	LF TFEUCH KG/L	DICHTE KG/L
78	3198.	.99	.63	31.1	AUS	3.4	106.8	20.0	754.6	AUS	23880.	AUS	.600	.747
79	3198.	2.33	.90	34.7	AUS	3.4	104.9	20.1	754.6	AUS	31671.	AUS	.600	.747
80	3198.	4.32	.98	39.1	AUS	3.4	104.3	20.3	754.6	AUS	43266.	AUS	.600	.747
81	3199.	5.11	.93	43.4	AUS	3.3	104.3	20.1	754.6	AUS	54913.	AUS	.600	.747
82	3199.	7.39	.93	48.9	AUS	3.2	105.7	20.0	754.6	AUS	66876.	AUS	.600	.747
83	3199.	10.00	.85	58.5	AUS	3.1	107.7	20.4	754.6	AUS	79740.	AUS	.600	.747
84	3193.	12.12	.84	75.3	AUS	3.0	110.1	20.4	754.6	AUS	90220.	AUS	.600	.747
85	3198.	12.25	.51	85.3	AUS	3.0	112.2	20.7	754.6	AUS	91962.	AUS	.600	.747
86	3402.	-32	.63	31.2	AUS	3.6	108.5	20.3	754.6	AUS	24455.	AUS	.600	.747
87	3403.	1.38	.83	35.3	AUS	3.6	106.8	20.3	754.6	AUS	33815.	AUS	.600	.747
88	3402.	3.36	.93	39.8	AUS	3.5	105.6	20.4	754.6	AUS	45856.	AUS	.600	.747
89	3402.	6.31	.95	44.3	AUS	3.5	106.0	20.5	754.6	AUS	58520.	AUS	.600	.747
90	3402.	7.37	.83	50.1	AUS	3.4	107.0	20.4	754.6	AUS	71598.	AUS	.600	.747
91	3402.	10.31	.81	59.9	AUS	3.3	109.2	20.0	754.6	AUS	85400.	AUS	.600	.747
92	3403.	11.38	.81	74.3	AUS	3.1	111.2	20.3	754.6	AUS	97058.	AUS	.600	.747
93	3403.	12.27	.43	85.3	AUS	3.1	113.9	20.4	754.6	AUS	99547.	AUS	.600	.747
94	3598.	-31	.61	32.1	AUS	3.6	110.6	20.6	754.6	AUS	25232.	AUS	.600	.747
95	3598.	2.30	.83	36.4	AUS	3.7	108.9	20.6	754.6	AUS	35837.	AUS	.600	.747
96	3598.	4.00	.87	40.8	AUS	3.6	108.3	20.7	754.6	AUS	48986.	AUS	.600	.747
97	3599.	6.30	.93	45.6	AUS	3.6	108.1	20.2	754.6	AUS	62256.	AUS	.600	.747
98	3599.	8.30	.83	52.3	AUS	3.5	109.4	20.2	754.6	AUS	76122.	AUS	.600	.747
99	3607.	19.31	.75	61.9	AUS	3.4	111.0	20.4	754.6	AUS	90007.	AUS	.600	.747
100	3599.	11.33	.75	76.0	AUS	3.2	113.0	19.9	754.6	AUS	102903.	AUS	.600	.747
101	3599.	12.25	.44	85.3	AUS	3.1	115.7	20.7	754.6	AUS	104693.	AUS	.600	.747
102	3802.	-31	.65	32.5	AUS	3.7	112.3	20.0	754.6	AUS	25536.	AUS	.600	.747
103	3802.	2.39	.82	37.3	AUS	3.8	109.6	20.0	754.6	AUS	38573.	AUS	.600	.747
104	3802.	3.33	.81	41.6	AUS	3.7	109.0	20.0	754.6	AUS	51463.	AUS	.600	.747
105	3802.	6.30	.83	46.4	AUS	3.7	110.0	20.1	754.6	AUS	66006.	AUS	.600	.747
106	3795.	8.31	.77	52.8	AUS	3.6	110.9	20.0	754.6	AUS	80676.	AUS	.600	.747
107	3802.	9.39	.71	63.1	AUS	3.4	112.9	20.1	754.6	AUS	95824.	AUS	.600	.747
108	3802.	12.32	.72	76.7	AUS	3.3	115.2	20.4	754.6	AUS	109438.	AUS	.600	.747
109	3802.	12.24	.44	85.3	AUS	3.2	117.1	20.6	754.6	AUS	110160.	AUS	.600	.747
110	3998.	.32	.64	33.3	AUS	3.8	114.0	20.2	754.6	AUS	27242.	AUS	.600	.747
111	3998.	1.99	.73	37.8	AUS	3.9	111.6	20.0	754.6	AUS	40527.	AUS	.600	.747
112	3999.	3.35	.74	42.3	AUS	3.8	111.2	20.0	754.6	AUS	54433.	AUS	.600	.747
113	4007.	6.31	.83	47.3	AUS	3.7	112.6	20.1	754.6	AUS	69839.	AUS	.600	.747
114	3999.	9.30	.71	53.9	AUS	3.6	113.3	20.1	754.6	AUS	85192.	AUS	.600	.747
115	3999.	9.36	.67	65.3	AUS	3.5	115.8	20.4	754.6	AUS	100645.	AUS	.600	.747
116	3999.	11.98	.63	83.5	AUS	3.4	117.7	19.8	754.6	AUS	115139.	AUS	.600	.747
117	4202.	-30	.63	33.6	AUS	3.9	115.0	20.0	754.6	AUS	28276.	AUS	.600	.747
118	4203.	2.30	.74	38.3	AUS	4.0	113.5	20.0	754.6	AUS	42438.	AUS	.600	.747
119	4203.	3.98	.74	43.1	AUS	3.9	113.0	20.4	754.6	AUS	57256.	AUS	.600	.747
120	4202.	5.99	.74	48.0	AUS	3.8	113.8	19.5	754.6	AUS	72857.	AUS	.600	.747
121	4195.	8.36	.67	55.5	AUS	3.7	114.9	19.9	754.6	AUS	90642.	AUS	.600	.747
122	4202.	10.00	.63	66.8	AUS	3.6	117.1	20.2	754.6	AUS	106926.	AUS	.600	.747

	JRZ 1/HIN	BRLI KP	O2 PRJZ	DKL DEG	DKLPST DEG	OELDR KP/CH2	OELTEMP CEL	RAUMTEMP CEL	LFYDR TORR	LFIDSL L/H	LFITPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
123	4202.	12.11	.39	84.9	AUS	3.4	120.2	20.3	754.5	AUS	119595.	AUS	.600	.747
124	4405.	.31	.64	34.1	AUS	4.0	116.7	20.1	754.5	AUS	30070.	AUS	.600	.747
125	4398.	2.12	.63	39.2	AUS	4.0	114.6	19.9	754.5	AUS	45333.	AUS	.600	.747
126	4398.	4.33	.71	44.2	AUS	3.9	115.2	20.1	754.6	AUS	61580.	AUS	.600	.747
127	4398.	6.33	.71	49.3	AUS	3.8	115.9	20.1	754.6	AUS	76869.	AUS	.600	.747
128	4398.	8.31	.63	56.6	AUS	3.7	117.4	20.0	754.6	AUS	94871.	AUS	.600	.747
129	4398.	10.11	.62	67.8	AUS	3.6	119.2	20.0	754.6	AUS	111671.	AUS	.600	.747
130	4406.	11.93	.33	85.3	AUS	3.5	122.0	20.3	754.6	AUS	124642.	AUS	.600	.747
131	4594.	.31	.63	34.7	AUS	4.0	118.6	20.0	754.5	AUS	31212.	AUS	.600	.747
132	4602.	1.36	.63	40.1	AUS	4.0	116.5	20.1	754.6	AUS	47045.	AUS	.600	.747
133	4602.	3.96	.73	45.0	AUS	4.0	116.5	19.8	754.6	AUS	64148.	AUS	.600	.747
134	4602.	5.99	.63	50.3	AUS	3.9	118.2	20.1	754.6	AUS	81057.	AUS	.600	.747
135	4594.	8.00	.61	57.7	AUS	3.7	119.5	20.1	754.6	AUS	96128.	AUS	.600	.747
136	4603.	10.10	.63	68.2	AUS	3.6	121.4	20.2	754.6	AUS	113039.	AUS	.600	.747
137	4602.	11.73	.33	85.4	AUS	3.5	124.2	20.2	754.6	AUS	127223.	AUS	.600	.747
138	4797.	.32	.57	35.4	AUS	4.0	121.9	20.1	754.6	AUS	38372.	AUS	.600	.747
139	4798.	2.34	.65	40.7	AUS	4.0	118.9	20.1	754.6	AUS	51820.	AUS	.600	.747
140	4798.	4.33	.71	45.3	AUS	4.0	118.8	19.6	754.6	AUS	66582.	AUS	.600	.747
141	4798.	6.31	.63	51.0	AUS	3.9	120.0	19.9	754.6	AUS	82890.	AUS	.600	.747
142	4806.	7.98	.63	58.1	AUS	3.8	121.5	19.6	754.6	AUS	100001.	AUS	.600	.747
143	4798.	10.00	.53	68.6	AUS	3.6	123.5	20.0	754.6	AUS	118933.	AUS	.600	.747
144	4798.	11.57	.33	85.3	AUS	3.5	126.8	20.4	754.6	AUS	132815.	AUS	.600	.747
145	5001.	.30	.53	35.9	AUS	4.0	122.7	20.1	754.6	AUS	39395.	AUS	.600	.747
146	5001.	2.33	.63	41.6	AUS	4.0	120.7	19.8	754.5	AUS	53812.	AUS	.600	.747
147	5002.	3.37	.63	46.4	AUS	4.0	120.6	19.5	754.6	AUS	70655.	AUS	.600	.747
148	4993.	6.33	.64	52.1	AUS	3.9	122.4	20.0	754.5	AUS	87233.	AUS	.600	.747
149	5001.	7.38	.63	59.2	AUS	3.8	123.9	19.8	754.5	AUS	105159.	AUS	.600	.747
150	4994.	11.12	.53	68.8	AUS	3.6	126.0	20.2	754.6	AUS	124303.	AUS	.600	.747
151	5002.	11.52	.43	85.4	AUS	3.5	128.8	20.4	754.6	AUS	138180.	AUS	.600	.747
152	5197.	.31	.44	36.8	AUS	3.9	125.7	20.3	754.6	AUS	40753.	AUS	.600	.747
153	5197.	2.12	.54	42.6	AUS	4.0	123.0	20.4	754.5	AUS	56889.	AUS	.600	.747
154	5197.	4.12	.55	47.5	AUS	4.0	123.8	19.6	754.6	AUS	73645.	AUS	.600	.747
155	5197.	6.12	.53	53.4	AUS	3.8	124.9	20.0	754.6	AUS	91645.	AUS	.600	.747
156	5197.	8.11	.43	60.5	AUS	3.7	126.9	20.1	754.6	AUS	110167.	AUS	.600	.747
157	5197.	10.92	.44	69.1	AUS	3.6	129.4	20.1	754.5	AUS	129911.	AUS	.600	.747
158	5197.	11.37	.33	85.4	AUS	3.5	131.2	20.8	754.6	AUS	143958.	AUS	.600	.747
159	5399.	.30	.43	37.4	AUS	3.9	127.6	19.9	754.6	AUS	42136.	AUS	.600	.747
160	5400.	1.38	.43	42.6	AUS	4.0	125.1	19.9	754.6	AUS	58198.	AUS	.600	.747
161	5400.	4.35	.54	48.2	AUS	3.9	125.1	19.7	754.6	AUS	77224.	AUS	.600	.747
162	5400.	5.36	.51	54.0	AUS	3.8	126.6	19.7	754.5	AUS	96119.	AUS	.600	.747
163	5400.	7.99	.47	62.0	AUS	3.7	128.9	19.5	754.6	AUS	115825.	AUS	.600	.747
164	5393.	10.37	.43	70.7	AUS	3.6	131.8	20.1	754.6	AUS	137246.	AUS	.600	.747
165	5400.	11.38	.36	85.4	AUS	3.4	133.8	20.3	754.5	AUS	148075.	AUS	.600	.747
166	5603.	.00	.35	38.1	AUS	3.9	129.4	20.0	754.6	AUS	43482.	AUS	.600	.747
167	5603.	1.35	.47	43.8	AUS	4.0	126.7	20.0	754.5	AUS	60789.	AUS	.600	.747

	BRZ 1/MIN	BRZ KP	O2 PRZ	OKL DEG	OKLPST DEG	OELOD KP/CM2	OELEMP CEL	RAUMTEMP CEL	LFTOR TORR	LFTOSL L/H	LFTPLU L/H	LFGR 1	LFTFEUCH 1	DICHTE KG/L
168	5603.	3.99	.51	49.3	AUS	3.9	127.3	20.0	754.6	AUS	80030.	AUS	.600	.747
169	5596.	6.02	.52	55.5	AUS	3.8	128.3	19.9	754.6	AUS	100542.	AUS	.600	.747
170	5604.	8.00	.46	64.3	AUS	3.7	130.0	19.9	754.6	AUS	122006.	AUS	.600	.747
171	5604.	9.99	.43	72.1	AUS	3.6	132.5	20.0	754.6	AUS	144208.	AUS	.600	.747
172	5603.	10.95	.35	85.4	AUS	3.5	135.0	20.3	754.5	AUS	152912.	AUS	.600	.747
173	5798.	.00	.35	38.8	AUS	3.7	132.6	19.9	754.6	AUS	46319.	AUS	.600	.747
174	5798.	2.32	.46	44.6	AUS	3.8	130.7	19.5	754.5	AUS	63856.	AUS	.600	.747
175	5799.	3.99	.53	50.3	AUS	3.8	130.9	19.9	754.6	AUS	84162.	AUS	.600	.747
176	5799.	5.96	.43	56.8	AUS	3.7	131.4	19.8	754.6	AUS	104821.	AUS	.600	.747
177	5799.	8.11	.45	56.7	AUS	3.6	133.0	20.0	754.6	AUS	130185.	AUS	.600	.747
178	5807.	9.97	.33	73.9	AUS	3.5	135.6	20.5	754.6	AUS	151093.	AUS	.600	.747
179	5799.	10.55	.34	85.4	AUS	3.4	137.7	20.5	754.6	AUS	156913.	AUS	.600	.747
180	5001.	-1.1	.35	39.7	AUS	3.7	135.2	19.6	754.6	AUS	47783.	AUS	.600	.747
181	5002.	1.95	.44	45.4	AUS	3.7	133.0	19.6	754.6	AUS	66455.	AUS	.600	.747
182	5994.	4.35	.46	51.6	AUS	3.7	133.5	19.9	754.5	AUS	88383.	AUS	.600	.747
183	5002.	5.97	.45	58.2	AUS	3.7	134.1	19.5	754.5	AUS	110012.	AUS	.600	.747
184	5002.	8.00	.42	57.5	AUS	3.6	136.2	19.7	754.6	AUS	134601.	AUS	.600	.747
185	5002.	9.99	.37	76.6	AUS	3.4	138.3	20.1	754.6	AUS	158250.	AUS	.600	.747
186	5994.	10.18	.35	35.4	AUS	3.3	140.1	20.2	754.6	AUS	159857.	AUS	.600	.747
187	1000.	-1.33	1.72	2.0	AUS	1.1	86.9	19.7	757.6	AUS	10158.	AUS	.600	.747
188	1200.	-1.19	1.85	1.9	AUS	1.4	85.6	19.3	757.5	AUS	10700.	AUS	.600	.747
189	1400.	-1.47	3.24	2.0	AUS	1.8	85.8	19.7	757.6	AUS	10613.	AUS	.600	.747
190	1600.	-1.76	5.55	2.0	AUS	2.1	85.0	19.9	757.6	AUS	10725.	AUS	.600	.747
191	1800.	-1.32	7.23	1.6	AUS	2.5	84.6	19.4	757.6	AUS	10769.	AUS	.600	.747
192	2000.	-2.16	7.42	1.4	AUS	2.9	84.4	20.2	757.5	AUS	10834.	AUS	.600	.747
193	2200.	-2.27	7.97	1.6	AUS	3.2	85.6	19.9	757.6	AUS	11866.	AUS	.600	.747
194	2400.	-2.35	8.33	1.7	AUS	3.4	88.5	20.5	757.6	AUS	12118.	AUS	.600	.747
195	2600.	-2.56	8.77	1.8	AUS	3.7	88.8	20.1	757.5	AUS	12331.	AUS	.600	.747
196	2600.	-2.13	4.35	21.5	AUS	3.7	89.1	20.5	757.6	AUS	13424.	AUS	.600	.747
197	2800.	-2.59	8.67	1.9	AUS	4.0	90.0	20.2	757.6	AUS	12719.	AUS	.600	.747
198	2800.	-2.11	3.34	23.0	AUS	3.9	90.8	20.8	757.6	AUS	14838.	AUS	.600	.747
199	3000.	-2.61	8.38	1.3	AUS	4.1	92.1	20.2	757.6	AUS	12410.	AUS	.600	.747
200	3000.	-2.11	2.63	25.4	AUS	4.1	92.7	20.5	757.5	AUS	15680.	AUS	.600	.747
201	3200.	-2.87	7.05	1.4	AUS	4.4	93.1	19.9	757.6	AUS	10917.	AUS	.600	.747
202	3200.	-2.15	2.15	27.0	AUS	4.3	94.9	20.6	757.6	AUS	17430.	AUS	.600	.747
203	3400.	-2.35	6.11	1.3	AUS	4.5	96.0	20.0	757.6	AUS	11013.	AUS	.600	.747
204	3400.	-1.37	1.33	28.7	AUS	4.4	97.0	20.8	757.6	AUS	19235.	AUS	.600	.747
205	3600.	-3.14	5.62	2.1	AUS	4.5	98.1	20.2	757.6	AUS	10552.	AUS	.600	.747
206	3600.	-1.39	1.04	29.7	AUS	4.5	98.4	20.6	757.6	AUS	20598.	AUS	.600	.747
207	3800.	-3.12	5.23	2.4	AUS	4.6	99.2	19.7	757.6	AUS	10741.	AUS	.600	.747
208	3800.	-2.38	1.01	29.4	AUS	4.5	100.1	20.0	757.6	AUS	21147.	AUS	.600	.747
209	4000.	-3.18	5.22	1.6	AUS	4.6	101.2	19.7	757.6	AUS	10470.	AUS	.600	.747
210	4000.	-2.10	1.12	29.1	AUS	4.6	102.1	20.0	757.6	AUS	21505.	AUS	.600	.747
211	4200.	-3.25	4.63	1.9	AUS	4.7	103.1	19.8	757.6	AUS	10644.	AUS	.600	.747
212	4200.	-1.36	.92	29.5	AUS	4.6	104.8	20.3	757.6	AUS	22014.	AUS	.600	.747

DRZ	BR-1	O2	DKL	OKLPST	OE LDR	DELTEMP	RAUNTEMP	LFTOR	LFTOSL	LFTPLU	LFGR	LFTFEUCH	DICHTE
1/MIN	KP	PRZ	DEG	DE5	KP/CM2	CEL	CEL	TORR	L/H	L/H	1	1	KG/L
213	4400.	-3.33	4.82	1.1	AUS	4.7	104.9	19.6	757.6	AUS	AUS	.600	.747
214	4400.	-1.88	30.2	AUS	4.7	105.0	20.3	757.6	AUS	10512.	AUS	.600	.747
215	4600.	-3.39	4.68	1.0	AUS	4.7	107.2	19.5	757.6	10050.	AUS	.600	.747
216	4800.	-2.10	1.02	30.3	AUS	4.7	107.8	20.1	757.6	22351.	AUS	.600	.747
217	4800.	-3.50	4.64	1.5	AUS	4.7	108.4	19.5	757.6	9824.	AUS	.600	.747
218	4800.	-1.38	30.5	AUS	4.7	109.5	20.2	757.6	AUS	23038.	AUS	.600	.747
219	5000.	-3.52	4.19	1.6	AUS	4.7	110.1	19.8	757.6	10512.	AUS	.600	.747
220	5000.	-1.37	30.8	AUS	4.7	111.1	20.0	757.6	AUS	23739.	AUS	.600	.747
221	5200.	-3.73	3.85	1.4	AUS	4.7	112.2	20.0	757.6	10354.	AUS	.600	.747
222	5200.	-2.11	1.02	31.1	AUS	4.6	112.7	19.3	757.6	24554.	AUS	.600	.747
223	5400.	-3.38	3.39	1.0	AUS	4.6	114.0	19.3	757.6	9910.	AUS	.600	.747
224	5400.	-1.33	31.9	AUS	4.6	114.6	19.6	757.6	AUS	25481.	AUS	.600	.747
225	5600.	-4.00	3.55	2.0	AUS	4.5	116.1	19.7	757.6	10531.	AUS	.600	.747
226	5600.	-2.10	32.2	AUS	4.5	117.1	20.0	757.6	AUS	27446.	AUS	.600	.747
227	5800.	-4.10	3.41	1.6	AUS	4.4	118.6	19.7	757.6	10760.	AUS	.600	.747
228	5800.	-2.13	33.0	AUS	4.4	119.3	19.1	757.6	AUS	29124.	AUS	.600	.747
229	6000.	-4.17	3.11	1.4	AUS	4.3	120.7	20.0	757.6	10617.	AUS	.600	.747
230	5000.	-1.33	33.7	AUS	4.3	122.1	19.6	757.6	AUS	31022.	AUS	.600	.747

	DRZ 1/MIH	BRL' KP	SCJ G/KWH	SC02 G/KWH	SC348 G/KWH	SN0X G/KWH	S02 G/KWH	HCJ G/H	HPCO G/H	HC02 G/H	WPC02 G/H	HCH2 G/H	WPC02 G/H	HH0X G/H
1	996.	-0.14	AUS	AUS	AUS	AUS	AUS	AUS	103.3	AUS	2425.7	AUS	25.64	AUS
2	1004.	2.11	AUS	AUS	AUS	AUS	AUS	AUS	124.5	AUS	3686.1	AUS	13.44	AUS
3	996.	3.38	AUS	AUS	AUS	AUS	AUS	AUS	136.2	AUS	4215.5	AUS	17.61	AUS
4	996.	6.00	AUS	AUS	AUS	AUS	AUS	AUS	150.0	AUS	4850.8	AUS	23.50	AUS
5	996.	7.39	AUS	AUS	AUS	AUS	AUS	AUS	190.3	AUS	5623.6	AUS	29.13	AUS
6	1005.	9.89	AUS	AUS	AUS	AUS	AUS	AUS	200.1	AUS	6690.3	AUS	40.63	AUS
7	997.	9.38	AUS	AUS	AUS	AUS	AUS	AUS	531.2	AUS	6436.7	AUS	44.55	AUS
8	1200.	-0.30	AUS	AUS	AUS	AUS	AUS	AUS	160.3	AUS	3448.6	AUS	23.06	AUS
9	1193.	2.15	AUS	AUS	AUS	AUS	AUS	AUS	153.4	AUS	4352.8	AUS	12.92	AUS
10	1201.	3.36	AUS	AUS	AUS	AUS	AUS	AUS	166.1	AUS	4905.9	AUS	18.10	AUS
11	1200.	6.16	AUS	AUS	AUS	AUS	AUS	AUS	189.1	AUS	5706.5	AUS	24.06	AUS
12	1193.	8.19	AUS	AUS	AUS	AUS	AUS	AUS	216.4	AUS	6925.9	AUS	32.15	AUS
13	1201.	9.32	AUS	AUS	AUS	AUS	AUS	AUS	250.4	AUS	7953.8	AUS	41.82	AUS
14	1201.	10.19	AUS	AUS	AUS	AUS	AUS	AUS	538.6	AUS	7774.0	AUS	45.94	AUS
15	1405.	-0.13	AUS	AUS	AUS	AUS	AUS	AUS	177.8	AUS	3765.9	AUS	26.41	AUS
16	1397.	2.12	AUS	AUS	AUS	AUS	AUS	AUS	150.4	AUS	4750.9	AUS	14.61	AUS
17	1397.	4.13	AUS	AUS	AUS	AUS	AUS	AUS	150.0	AUS	5482.1	AUS	20.48	AUS
18	1405.	6.14	AUS	AUS	AUS	AUS	AUS	AUS	173.1	AUS	6607.0	AUS	25.81	AUS
19	1405.	8.11	AUS	AUS	AUS	AUS	AUS	AUS	197.7	AUS	7973.8	AUS	31.28	AUS
20	1397.	9.74	AUS	AUS	AUS	AUS	AUS	AUS	912.8	AUS	8409.8	AUS	44.74	AUS
21	1600.	-0.15	AUS	AUS	AUS	AUS	AUS	AUS	147.6	AUS	4046.8	AUS	21.98	AUS
22	1600.	2.11	AUS	AUS	AUS	AUS	AUS	AUS	146.2	AUS	5252.2	AUS	15.58	AUS
23	1600.	4.12	AUS	AUS	AUS	AUS	AUS	AUS	159.3	AUS	5903.9	AUS	22.50	AUS
24	1600.	5.39	AUS	AUS	AUS	AUS	AUS	AUS	199.7	AUS	7335.6	AUS	28.52	AUS
25	1593.	8.12	AUS	AUS	AUS	AUS	AUS	AUS	235.9	AUS	8678.5	AUS	33.46	AUS
26	1600.	9.32	AUS	AUS	AUS	AUS	AUS	AUS	311.9	AUS	10225.8	AUS	39.84	AUS
27	1600.	10.12	AUS	AUS	AUS	AUS	AUS	AUS	307.2	AUS	10319.1	AUS	39.48	AUS
28	1795.	-0.10	AUS	AUS	AUS	AUS	AUS	AUS	134.0	AUS	4515.2	AUS	15.15	AUS
29	1803.	1.38	AUS	AUS	AUS	AUS	AUS	AUS	141.5	AUS	5493.4	AUS	13.58	AUS
30	1796.	4.18	AUS	AUS	AUS	AUS	AUS	AUS	174.3	AUS	6322.6	AUS	26.88	AUS
31	1804.	5.17	AUS	AUS	AUS	AUS	AUS	AUS	213.6	AUS	7829.9	AUS	39.87	AUS
32	1796.	9.13	AUS	AUS	AUS	AUS	AUS	AUS	289.7	AUS	9650.2	AUS	40.42	AUS

DRZ L/MIN	RR Kp	SC3 G/KWH	SC02 G/KWH	SC348 G/KWH	SN0X G/KWH	SO2 G/KWH	HC3 G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
33	1796.	AUS	AUS	AUS	AUS	AUS	AUS	332.7	AJS	11369.1	AUS	47.20	AUS
34	1795.	AUS	AUS	AUS	AUS	AUS	AUS	1157.8	AJS	11376.9	AUS	59.62	AUS
35	1799.	AUS	AUS	AUS	AUS	AUS	AUS	154.1	AUS	4838.3	AUS	12.95	AUS
36	1799.	AUS	AUS	AUS	AUS	AUS	AUS	155.4	AUS	5987.2	AUS	13.85	AUS
37	1799.	AUS	AUS	AUS	AUS	AUS	AUS	192.8	AUS	6657.4	AUS	29.69	AUS
38	2007.	AUS	AUS	AUS	AUS	AUS	AUS	249.1	AJS	8547.1	AUS	40.22	AUS
39	1799.	AUS	AUS	AUS	AUS	AUS	AUS	347.0	AUS	10725.9	AUS	43.75	AUS
40	1799.	AUS	AUS	AUS	AUS	AUS	AUS	382.4	AUS	12675.0	AUS	53.55	AUS
41	1799.	AUS	AUS	AUS	AUS	AUS	AUS	1069.5	AUS	13174.7	AUS	58.02	AUS
42	2195.	AUS	AUS	AUS	AUS	AUS	AUS	173.2	AJS	5186.7	AUS	12.32	AUS
43	2195.	AUS	AUS	AUS	AUS	AUS	AUS	171.6	AUS	6052.0	AUS	17.27	AUS
44	2203.	AUS	AUS	AUS	AUS	AUS	AUS	201.1	AUS	7219.0	AUS	34.39	AUS
45	2203.	AUS	AUS	AUS	AUS	AUS	AUS	270.4	AJS	9253.8	AUS	46.02	AUS
46	2195.	AUS	AUS	AUS	AUS	AUS	AUS	359.1	AUS	11635.9	AUS	49.67	AUS
47	2195.	AUS	AUS	AUS	AUS	AUS	AUS	412.1	AJS	13814.1	AUS	59.53	AUS
48	2195.	AUS	AUS	AUS	AUS	AUS	AUS	516.6	AJS	14995.5	AUS	56.37	AUS
49	2398.	AUS	AUS	AUS	AUS	AUS	AUS	154.6	AUS	5514.5	AUS	10.34	AUS
50	2399.	AUS	AUS	AUS	AUS	AUS	AUS	178.3	AJS	6293.3	AUS	19.13	AUS
51	2407.	AUS	AUS	AUS	AUS	AUS	AUS	245.4	AJS	7957.0	AUS	39.32	AUS
52	2399.	AUS	AUS	AUS	AUS	AUS	AUS	348.4	AUS	10139.6	AUS	50.91	AUS
53	2399.	AUS	AUS	AUS	AUS	AUS	AUS	376.0	AUS	12726.4	AUS	56.87	AUS
54	2398.	AUS	AUS	AUS	AUS	AJS	AUS	499.6	AUS	14949.4	AUS	64.11	AUS
55	2398.	AUS	AUS	AUS	AUS	AJS	AUS	593.0	AUS	16504.7	AUS	70.43	AUS
56	2602.	AUS	AUS	AUS	AUS	AJS	AUS	159.9	AJS	5469.7	AUS	10.24	AUS
57	2602.	AUS	AUS	AUS	AUS	AUS	AUS	188.3	AJS	6575.8	AUS	21.62	AUS
58	2594.	AUS	AUS	AUS	AUS	AUS	AUS	280.3	AUS	8550.6	AUS	42.79	AUS
59	2602.	AUS	AUS	AUS	AUS	AUS	AUS	347.2	AJS	11008.7	AUS	56.17	AUS
60	2602.	AUS	AUS	AUS	AUS	AUS	AUS	382.5	AJS	13870.2	AUS	53.28	AUS
61	2602.	AUS	AUS	AUS	AUS	AUS	AUS	499.0	AUS	16407.9	AUS	72.88	AUS
62	2602.	AUS	AUS	AUS	AUS	AUS	AUS	610.1	AUS	18636.1	AUS	78.90	AUS
63	2798.	AUS	AUS	AUS	AUS	AUS	AUS	156.1	AJS	5784.1	AUS	10.98	AUS
64	2798.	AUS	AUS	AUS	AUS	AUS	AUS	213.0	AJS	6981.4	AUS	27.16	AUS
65	2798.	AUS	AUS	AUS	AUS	AUS	AUS	296.2	AUS	9587.8	AJS	48.46	AUS
66	2798.	AUS	AUS	AUS	AUS	AUS	AUS	366.8	AUS	12236.2	AUS	63.31	AUS
67	2798.	AUS	AUS	AUS	AUS	AUS	AUS	405.9	AUS	15042.8	AUS	59.59	AUS
68	2806.	AUS	AUS	AUS	AUS	AUS	AUS	507.6	AUS	18128.9	AUS	77.37	AUS
69	2798.	AUS	AUS	AUS	AUS	AUS	AUS	602.3	AUS	20844.9	AUS	86.85	AUS
70	3002.	AUS	AUS	AUS	AUS	AUS	AUS	155.3	AUS	5934.8	AUS	11.16	AUS
71	3002.	AUS	AUS	AUS	AUS	AUS	AUS	233.5	AJS	7574.5	AUS	29.64	AUS
72	2994.	AUS	AUS	AUS	AUS	AUS	AUS	333.7	AJS	10339.7	AUS	52.01	AUS
73	3002.	AUS	AUS	AUS	AUS	AUS	AUS	405.4	AUS	13104.9	AUS	68.35	AUS
74	3002.	AUS	AUS	AUS	AUS	AUS	AUS	491.6	AJS	15459.2	AUS	76.84	AUS
75	3002.	AUS	AUS	AUS	AUS	AUS	AUS	555.1	AJS	19761.8	AUS	81.57	AUS
76	3003.	AUS	AUS	AUS	AUS	AUS	AUS	622.4	AUS	23128.6	AUS	94.85	AUS
77	3002.	AUS	AUS	AUS	AUS	AUS	AUS	4406.0	AUS	20231.0	AUS	120.83	AUS

DRZ 1/MIN	BR-1 KP	SC1 G/KMH	SC02 G/KMH	SC3M0 G/KMH	SMOX G/KMH	SD2 G/KMH	HG3 G/H	HPG0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
78	3198.	AUS	AUS	AUS	AUS	AUS	AUS	162.7	AUS	6260.4	AUS	11.08	AUS
79	3198.	AUS	AUS	AUS	AUS	AUS	AUS	246.0	AUS	8176.3	AUS	30.21	AUS
80	3198.	AUS	AUS	AUS	AUS	AUS	AUS	354.4	AUS	11134.4	AUS	55.07	AUS
81	3199.	AUS	AUS	AUS	AUS	AUS	AUS	444.2	AUS	14244.8	AUS	74.17	AUS
82	3199.	AUS	AUS	AUS	AUS	AUS	AUS	529.7	AUS	17600.1	AUS	84.43	AUS
83	3199.	AUS	AUS	AUS	AUS	AUS	AUS	617.4	AUS	21362.2	AUS	97.45	AUS
84	3199.	AUS	AUS	AUS	AUS	AUS	AUS	721.0	AUS	24391.6	AUS	97.18	AUS
85	3199.	AUS	AUS	AUS	AUS	AUS	AUS	3776.3	AUS	22620.5	AUS	124.90	AUS
86	3402.	AUS	AUS	AUS	AUS	AUS	AUS	165.4	AUS	6414.8	AUS	10.71	AUS
87	3403.	AUS	AUS	AUS	AUS	AUS	AUS	263.2	AUS	8731.8	AUS	31.29	AUS
88	3402.	AUS	AUS	AUS	AUS	AUS	AUS	389.0	AUS	11032.7	AUS	56.16	AUS
89	3402.	AUS	AUS	AUS	AUS	AUS	AUS	495.8	AUS	15210.0	AUS	79.35	AUS
90	3402.	AUS	AUS	AUS	AUS	AUS	AUS	573.1	AUS	18938.2	AUS	87.25	AUS
91	3402.	AUS	AUS	AUS	AUS	AUS	AUS	665.1	AUS	22984.4	AUS	88.63	AUS
92	3403.	AUS	AUS	AUS	AUS	AUS	AUS	732.2	AUS	26357.4	AUS	100.08	AUS
93	3403.	AUS	AUS	AUS	AUS	AUS	AUS	3772.1	AUS	24875.2	AUS	128.39	AUS
94	3598.	AUS	AUS	AUS	AUS	AUS	AUS	178.1	AUS	6601.5	AUS	11.70	AUS
95	3598.	AUS	AUS	AUS	AUS	AUS	AUS	280.7	AUS	9267.4	AUS	31.54	AUS
96	3598.	AUS	AUS	AUS	AUS	AUS	AUS	421.3	AUS	12623.9	AUS	59.42	AUS
97	3599.	AUS	AUS	AUS	AUS	AUS	AUS	536.4	AUS	16161.6	AUS	81.03	AUS
98	3599.	AUS	AUS	AUS	AUS	AUS	AUS	622.4	AUS	20173.8	AUS	89.81	AUS
99	3607.	AUS	AUS	AUS	AUS	AUS	AUS	751.7	AUS	24252.2	AUS	90.23	AUS
100	3599.	AUS	AUS	AUS	AUS	AUS	AUS	830.7	AUS	27861.3	AUS	101.78	AUS
101	3599.	AUS	AUS	AUS	AUS	AUS	AUS	4794.4	AUS	25436.3	AUS	134.40	AUS
102	3802.	AUS	AUS	AUS	AUS	AUS	AUS	189.2	AUS	6646.4	AUS	12.65	AUS
103	3802.	AUS	AUS	AUS	AUS	AUS	AUS	315.5	AUS	9957.4	AUS	36.82	AUS
104	3802.	AUS	AUS	AUS	AUS	AUS	AUS	437.2	AUS	13333.6	AUS	61.75	AUS
105	3802.	AUS	AUS	AUS	AUS	AUS	AUS	553.0	AUS	17270.6	AUS	84.93	AUS
106	3795.	AUS	AUS	AUS	AUS	AUS	AUS	642.9	AUS	21590.6	AUS	89.70	AUS
107	3802.	AUS	AUS	AUS	AUS	AUS	AUS	775.1	AUS	25986.8	AUS	91.14	AUS
108	3802.	AUS	AUS	AUS	AUS	AUS	AUS	900.6	AUS	29696.5	AUS	106.35	AUS
109	3802.	AUS	AUS	AUS	AUS	AUS	AUS	188.0	AUS	27533.7	AUS	131.86	AUS
110	3998.	AUS	AUS	AUS	AUS	AUS	AUS	211.9	AUS	7102.4	AUS	14.21	AUS
111	3998.	AUS	AUS	AUS	AUS	AUS	AUS	385.3	AUS	10438.9	AUS	39.80	AUS
112	3999.	AUS	AUS	AUS	AUS	AUS	AUS	481.4	AUS	14123.2	AUS	64.48	AUS
113	4007.	AUS	AUS	AUS	AUS	AUS	AUS	617.5	AUS	18360.3	AUS	91.17	AUS
114	3999.	AUS	AUS	AUS	AUS	AUS	AUS	709.3	AUS	22913.3	AUS	89.29	AUS
115	3999.	AUS	AUS	AUS	AUS	AUS	AUS	779.1	AUS	27351.8	AUS	94.09	AUS
116	3999.	AUS	AUS	AUS	AUS	AUS	AUS	876.2	AUS	31431.9	AUS	108.65	AUS
117	4202.	AUS	AUS	AUS	AUS	AUS	AUS	238.6	AUS	7368.3	AUS	15.69	AUS
118	4203.	AUS	AUS	AUS	AUS	AUS	AUS	338.2	AUS	11070.6	AUS	41.71	AUS
119	4203.	AUS	AUS	AUS	AUS	AUS	AUS	488.0	AUS	14988.9	AUS	56.11	AUS
120	4202.	AUS	AUS	AUS	AUS	AUS	AUS	585.3	AUS	19328.8	AUS	89.05	AUS
121	4195.	AUS	AUS	AUS	AUS	AUS	AUS	654.7	AUS	24607.3	AUS	86.75	AUS
122	4202.	AUS	AUS	AUS	AUS	AUS	AUS	738.4	AUS	29185.2	AUS	96.92	AUS

	DRZ L/MIN	BRLI KP	SC3 G/KMH	SC02 G/KMH	SC348 G/KMH	SN0X G/KM4	S02 G/KMH	HC0 G/H	HPC0 G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	INOX G/H
123	4202.	12.31	AUS	AUS	AUS	AUS	AUS	AUS	6059.1	AUS	28741.0	AUS	151.22	AUS
124	4405.	.31	AUS	AUS	AUS	AUS	AUS	AUS	254.7	AUS	7850.6	AUS	16.50	AUS
125	4398.	2.32	AUS	AUS	AUS	AUS	AUS	AUS	417.0	AUS	11810.9	AUS	42.85	AUS
126	4398.	4.33	AUS	AUS	AUS	AUS	AUS	AUS	574.7	AUS	16124.7	AUS	59.74	AUS
127	4398.	6.33	AUS	AUS	AUS	AUS	AUS	AUS	643.9	AUS	20455.9	AUS	69.44	AUS
128	4398.	8.31	AUS	AUS	AUS	AUS	AUS	AUS	734.3	AUS	25735.5	AUS	80.10	AUS
129	4398.	10.31	AUS	AUS	AUS	AUS	AUS	AUS	841.1	AUS	30429.5	AUS	101.03	AUS
130	4406.	11.33	AUS	AUS	AUS	AUS	AUS	AUS	6092.5	AUS	30122.1	AUS	155.88	AUS
131	4594.	.31	AUS	AUS	AUS	AUS	AUS	AUS	294.2	AUS	8148.5	AUS	17.75	AUS
132	4602.	1.36	AUS	AUS	AUS	AUS	AUS	AUS	474.2	AUS	12243.1	AUS	46.85	AUS
133	4602.	3.36	AUS	AUS	AUS	AUS	AUS	AUS	642.9	AUS	16808.9	AUS	73.07	AUS
134	4602.	5.99	AUS	AUS	AUS	AUS	AUS	AUS	681.3	AUS	21695.0	AUS	89.96	AUS
135	4594.	8.00	AUS	AUS	AUS	AUS	AUS	AUS	744.7	AUS	26092.8	AUS	88.26	AUS
136	4603.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	833.3	AUS	30826.8	AUS	101.94	AUS
137	4602.	11.73	AUS	AUS	AUS	AUS	AUS	AUS	5234.6	AUS	31510.1	AUS	158.52	AUS
138	4797.	.32	AUS	AUS	AUS	AUS	AUS	AUS	402.6	AUS	9988.9	AUS	23.71	AUS
139	4798.	2.34	AUS	AUS	AUS	AUS	AUS	AUS	535.3	AUS	13514.9	AUS	52.24	AUS
140	4798.	4.33	AUS	AUS	AUS	AUS	AUS	AUS	725.4	AUS	17467.2	AUS	78.05	AUS
141	4798.	6.31	AUS	AUS	AUS	AUS	AUS	AUS	803.3	AUS	22141.7	AUS	89.95	AUS
142	4806.	7.38	AUS	AUS	AUS	AUS	AUS	AUS	813.4	AUS	27115.8	AUS	95.76	AUS
143	4798.	10.00	AUS	AUS	AUS	AUS	AUS	AUS	928.3	AUS	32400.2	AUS	109.11	AUS
144	4798.	11.57	AUS	AUS	AUS	AUS	AUS	AUS	5065.9	AUS	33203.0	AUS	155.34	AUS
145	5001.	.30	AUS	AUS	AUS	AUS	AUS	AUS	488.4	AUS	10245.0	AUS	27.94	AUS
146	5001.	2.33	AUS	AUS	AUS	AUS	AUS	AUS	681.0	AUS	13954.2	AUS	56.03	AUS
147	5002.	3.37	AUS	AUS	AUS	AUS	AUS	AUS	788.5	AUS	16602.0	AUS	82.41	AUS
148	4993.	6.33	AUS	AUS	AUS	AUS	AUS	AUS	872.2	AUS	23343.5	AUS	95.21	AUS
149	5001.	7.38	AUS	AUS	AUS	AUS	AUS	AUS	915.6	AUS	28456.1	AUS	103.73	AUS
150	4994.	10.32	AUS	AUS	AUS	AUS	AUS	AUS	1021.1	AUS	33768.7	AUS	115.85	AUS
151	5002.	11.52	AUS	AUS	AUS	AUS	AUS	AUS	4213.3	AUS	35340.5	AUS	158.78	AUS
152	5197.	.31	AUS	AUS	AUS	AUS	AUS	AUS	657.2	AUS	10542.1	AUS	34.86	AUS
153	5197.	2.12	AUS	AUS	AUS	AUS	AUS	AUS	966.3	AUS	14679.7	AUS	57.22	AUS
154	5197.	4.32	AUS	AUS	AUS	AUS	AUS	AUS	1234.5	AUS	19298.2	AUS	90.76	AUS
155	5197.	6.32	AUS	AUS	AUS	AUS	AUS	AUS	1504.6	AUS	24204.7	AUS	110.61	AUS
156	5197.	8.31	AUS	AUS	AUS	AUS	AUS	AUS	1581.9	AUS	29443.3	AUS	119.38	AUS
157	5197.	10.32	AUS	AUS	AUS	AUS	AUS	AUS	2255.8	AUS	34483.6	AUS	141.71	AUS
158	5197.	11.37	AUS	AUS	AUS	AUS	AUS	AUS	3938.9	AUS	37205.9	AUS	158.03	AUS
159	5399.	.00	AUS	AUS	AUS	AUS	AUS	AUS	788.1	AUS	10868.4	AUS	37.31	AUS
160	5400.	1.38	AUS	AUS	AUS	AUS	AUS	AUS	1241.4	AUS	14905.4	AUS	72.20	AUS
161	5400.	4.35	AUS	AUS	AUS	AUS	AUS	AUS	1341.0	AUS	20213.3	AUS	95.08	AUS
162	5400.	5.36	AUS	AUS	AUS	AUS	AUS	AUS	1544.1	AUS	25376.0	AUS	112.04	AUS
163	5400.	7.39	AUS	AUS	AUS	AUS	AUS	AUS	1752.4	AUS	30845.9	AUS	122.56	AUS
164	5393.	10.37	AUS	AUS	AUS	AUS	AUS	AUS	2473.6	AUS	36311.5	AUS	143.31	AUS
165	5400.	11.38	AUS	AUS	AUS	AUS	AUS	AUS	5341.4	AUS	37178.8	AUS	166.65	AUS
166	5603.	.00	AUS	AUS	AUS	AUS	AUS	AUS	1095.6	AUS	11013.3	AUS	44.05	AUS
167	5603.	1.35	AUS	AUS	AUS	AUS	AUS	AUS	1350.4	AUS	15574.4	AUS	71.94	AUS

	DRZ 1/MIN	IRLI Kp	SC3 G/KMH	SC02 G/KMH	SC348 G/KMH	SN0X G/KMH	S02 G/KMH	HCO G/H	HPCO G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCHE2 G/H	HMOX G/H
168	5603.	3.99	AUS	AUS	AUS	AUS	AUS	AUS	1617.4	AUS	20015.1	AUS	90.93	AUS
169	5596.	6.12	AUS	AUS	AUS	AUS	AUS	AUS	1732.4	AUS	32343.4	AUS	114.08	AUS
170	5604.	9.10	AUS	AUS	AUS	AUS	AUS	AUS	2100.6	AUS	37066.7	AUS	127.63	AUS
171	5604.	9.19	AUS	AUS	AUS	AUS	AUS	AUS	3055.4	AUS	38406.2	AUS	140.30	AUS
172	5603.	10.46	AUS	AUS	AUS	AUS	AUS	AUS	5597.1	AUS	11745.4	AUS	160.57	AUS
173	5798.	.00	AUS	AUS	AUS	AUS	AUS	AUS	1104.0	AUS	16386.2	AUS	46.93	AUS
174	5798.	2.12	AUS	AUS	AUS	AUS	AUS	AUS	1517.1	AUS	21075.0	AUS	76.97	AUS
175	5799.	3.39	AUS	AUS	AUS	AUS	AUS	AUS	1752.2	AUS	27714.7	AUS	103.77	AUS
176	5799.	5.36	AUS	AUS	AUS	AUS	AUS	AUS	1743.1	AUS	34626.6	AUS	115.42	AUS
177	5799.	8.11	AUS	AUS	AUS	AUS	AUS	AUS	2040.7	AUS	38931.5	AUS	127.78	AUS
178	5807.	9.37	AUS	AUS	AUS	AUS	AUS	AUS	4201.6	AUS	36090.1	AUS	160.24	AUS
179	5799.	10.55	AUS	AUS	AUS	AUS	AUS	AUS	5301.9	AUS	11945.8	AUS	173.70	AUS
180	5001.	-3.1	AUS	AUS	AUS	AUS	AUS	AUS	1468.9	AUS	17102.2	AUS	53.20	AUS
181	5002.	1.35	AUS	AUS	AUS	AUS	AUS	AUS	1565.4	AUS	22036.8	AUS	70.89	AUS
182	5994.	4.35	AUS	AUS	AUS	AUS	AUS	AUS	2067.5	AUS	28697.4	AUS	112.54	AUS
183	5002.	5.37	AUS	AUS	AUS	AUS	AUS	AUS	2355.9	AUS	35216.9	AUS	122.48	AUS
184	5002.	8.00	AUS	AUS	AUS	AUS	AUS	AUS	2875.1	AUS	40257.4	AUS	140.46	AUS
185	5002.	9.39	AUS	AUS	AUS	AUS	AUS	AUS	5048.1	AUS	39537.2	AUS	170.38	AUS
186	5994.	10.18	AUS	AUS	AUS	AUS	AUS	AUS	5636.6	AUS	2486.5	AUS	177.45	AUS
187	1000.	-3.3	AUS	AUS	AUS	AUS	AUS	AUS	79.5	AUS	2568.8	AUS	31.29	AUS
188	1200.	-1.19	AUS	AUS	AUS	AUS	AUS	AUS	101.1	AUS	2365.9	AUS	35.74	AUS
189	1400.	-1.47	AUS	AUS	AUS	AUS	AUS	AUS	91.4	AUS	1978.6	AUS	77.30	AUS
190	1600.	-1.76	AUS	AUS	AUS	AUS	AUS	AUS	117.0	AUS	1729.0	AUS	150.99	AUS
191	1800.	-1.32	AUS	AUS	AUS	AUS	AUS	AUS	110.1	AUS	1603.2	AUS	212.39	AUS
192	2000.	-2.16	AUS	AUS	AUS	AUS	AUS	AUS	125.7	AUS	1730.1	AUS	228.76	AUS
193	2200.	-2.27	AUS	AUS	AUS	AUS	AUS	AUS	143.0	AUS	1683.9	AUS	282.90	AUS
194	2400.	-2.15	AUS	AUS	AUS	AUS	AUS	AUS	144.2	AUS	1634.7	AUS	315.87	AUS
195	2600.	-2.56	AUS	AUS	AUS	AUS	AUS	AUS	130.9	AUS	2585.1	AUS	335.19	AUS
196	2600.	-2.13	AUS	AUS	AUS	AUS	AUS	AUS	288.7	AUS	1709.7	AUS	229.32	AUS
197	2800.	-2.59	AUS	AUS	AUS	AUS	AUS	AUS	121.5	AUS	3104.2	AUS	325.50	AUS
198	2800.	-2.11	AUS	AUS	AUS	AUS	AUS	AUS	297.6	AUS	1723.8	AUS	219.27	AUS
199	3000.	-2.31	AUS	AUS	AUS	AUS	AUS	AUS	103.1	AUS	3473.8	AUS	239.16	AUS
200	3000.	-2.11	AUS	AUS	AUS	AUS	AUS	AUS	285.8	AUS	1722.5	AUS	201.55	AUS
201	3200.	-2.97	AUS	AUS	AUS	AUS	AUS	AUS	72.3	AUS	4061.4	AUS	217.57	AUS
202	3200.	-2.15	AUS	AUS	AUS	AUS	AUS	AUS	252.2	AUS	1940.4	AUS	173.60	AUS
203	3400.	-2.15	AUS	AUS	AUS	AUS	AUS	AUS	53.8	AUS	4773.2	AUS	171.44	AUS
204	3400.	-1.37	AUS	AUS	AUS	AUS	AUS	AUS	216.6	AUS	1920.7	AUS	137.65	AUS
205	3600.	-3.14	AUS	AUS	AUS	AUS	AUS	AUS	75.2	AUS	5228.7	AUS	162.75	AUS
206	3600.	-1.39	AUS	AUS	AUS	AUS	AUS	AUS	106.4	AUS	2011.8	AUS	130.79	AUS
207	3800.	-3.12	AUS	AUS	AUS	AUS	AUS	AUS	78.2	AUS	5378.0	AUS	150.76	AUS
208	3800.	-2.19	AUS	AUS	AUS	AUS	AUS	AUS	189.4	AUS	1984.9	AUS	117.10	AUS
209	4000.	-3.14	AUS	AUS	AUS	AUS	AUS	AUS	69.5	AUS	5415.7	AUS	143.70	AUS
210	4000.	-2.10	AUS	AUS	AUS	AUS	AUS	AUS	213.4	AUS	2099.1	AUS	114.31	AUS
211	4200.	-3.25	AUS	AUS	AUS	AUS	AUS	AUS	78.6	AUS	5640.6	AUS	134.29	AUS
212	4200.	-1.16	AUS	AUS	AUS	AUS	AUS	AUS	210.7	AUS		AUS	101.60	AUS

DRZ l/MIN	BR-I KP	SC3 G/KWH	SC02 G/KWH	SC348 G/KWH	SNOX G/KWH	S02 G/KWH	HCO G/H	HPCO G/H	HC02 G/H	HPC02 G/H	HCH2 G/H	HPCH2 G/H	HNOX G/H
213	-3.33	AUS	AUS	AUS	AUS	AUS	AUS	74.6	AUS	2068.5	AUS	130.42	AUS
214	-1.88	AUS	AUS	AUS	AUS	AUS	AUS	182.1	AJS	5797.0	AUS	100.57	AUS
215	-3.39	AUS	AUS	AUS	AUS	AUS	AUS	89.7	AUS	1969.2	AUS	127.41	AUS
216	-2.30	AUS	AUS	AUS	AUS	AUS	AUS	208.0	AJS	5693.5	AUS	111.98	AUS
217	-3.50	AUS	AUS	AUS	AUS	AUS	AUS	89.2	AJS	1928.9	AUS	127.49	AUS
218	-1.98	AUS	AUS	AUS	AUS	AUS	AUS	252.4	AJS	5860.7	AUS	114.74	AUS
219	-3.52	AUS	AUS	AUS	AUS	AUS	AUS	91.7	AUS	2145.4	AUS	123.52	AUS
220	-1.97	AUS	AUS	AUS	AUS	AUS	AUS	247.9	AUS	6012.5	AUS	122.58	AUS
221	-3.73	AUS	AUS	AUS	AUS	AUS	AUS	87.2	AUS	2145.1	AUS	114.44	AUS
222	-2.11	AUS	AUS	AUS	AUS	AUS	AUS	269.4	AJS	6212.4	AUS	112.03	AUS
223	-3.98	AUS	AUS	AUS	AUS	AUS	AUS	76.2	AJS	2146.5	AUS	98.48	AUS
224	-1.93	AUS	AUS	AUS	AUS	AUS	AUS	320.7	AJS	6431.3	AJS	113.19	AUS
225	-4.90	AUS	AUS	AUS	AUS	AUS	AUS	64.5	AUS	2252.0	AUS	100.09	AUS
226	-2.30	AUS	AUS	AUS	AUS	AUS	AUS	336.1	AUS	7044.3	AUS	104.91	AUS
227	-4.10	AUS	AUS	AUS	AUS	AUS	AUS	52.6	AUS	2327.9	AUS	94.52	AUS
228	-2.13	AUS	AUS	AUS	AUS	AUS	AUS	291.3	AUS	7535.8	AUS	98.30	AUS
229	-4.17	AUS	AUS	AUS	AUS	AUS	AUS	97.7	AJS	2297.0	AUS	94.89	AUS
230	-1.33	AUS	AUS	AUS	AUS	AUS	AUS	260.0	AUS	8085.2	AUS	37.91	AUS

	DRZ 1/MIN	SR- KP	HPNDX G/H	H02 G/H	HP02 G/H
1	996.	-0.14	1.32	AUS	212.07
2	1004.	2.11	5.56	AUS	199.23
3	996.	3.38	14.05	AUS	234.67
4	996.	5.10	36.93	AUS	263.94
5	996.	7.33	76.18	AUS	302.36
6	1005.	9.39	137.22	AUS	341.16
7	997.	9.38	91.20	AUS	250.71
8	1200.	-0.33	2.60	AUS	264.47
9	1193.	2.15	7.46	AUS	229.21
10	1201.	3.36	17.41	AUS	270.78
11	1200.	6.35	44.35	AUS	307.70
12	1193.	8.39	95.86	AUS	354.45
13	1201.	9.32	157.18	AUS	405.27
14	1201.	10.39	120.40	AUS	326.20
15	1405.	-0.33	2.81	AUS	260.81
16	1397.	2.12	5.98	AUS	209.45
17	1397.	4.13	14.87	AUS	243.52
18	1405.	6.14	36.73	AUS	277.38
19	1405.	8.11	73.07	AUS	328.46
20	1397.	9.74	62.98	AUS	260.65
21	1600.	-0.35	2.44	AUS	235.52
22	1500.	2.11	7.18	AUS	228.83
23	1600.	4.12	20.47	AUS	270.18
24	1600.	5.39	48.17	AUS	340.54
25	1593.	8.12	88.31	AUS	391.18
26	1600.	9.32	133.30	AUS	466.53
27	1600.	10.32	134.13	AUS	454.50
28	1795.	-0.30	3.18	AUS	221.10
29	1803.	1.18	9.05	AUS	230.38
30	1796.	4.18	39.37	AUS	324.20
31	1804.	5.37	89.81	AUS	405.74
32	1796.	8.33	121.79	AUS	485.91

4010231901401VF522

	DRZ 1/MIN	BRL Kp	HPNIX G/H	HO2 G/H	HP02 G/H
33	1796.	9.38	179.53	AUS	541.97
34	1795.	10.32	126.10	AUS	392.57
35	1999.	7.80	3.59	AUS	218.34
36	1999.	1.39	11.29	AUS	255.57
37	1999.	4.11	56.04	AUS	351.56
38	2007.	5.99	128.64	AUS	464.62
39	1999.	8.11	153.51	AUS	527.96
40	1999.	10.32	223.93	AUS	594.35
41	1999.	10.99	184.56	AUS	490.40
42	2195.	.33	4.23	AUS	230.44
43	2195.	1.99	14.04	AUS	270.42
44	2203.	3.37	84.66	AUS	384.47
45	2203.	5.98	175.45	AUS	494.00
46	2195.	8.12	188.15	AUS	569.91
47	2195.	9.39	264.77	AUS	659.84
48	2195.	11.18	298.25	AUS	700.49
49	2398.	7.11	4.54	AUS	206.48
50	2399.	2.11	17.70	AUS	289.89
51	2407.	3.39	112.67	AUS	446.51
52	2399.	6.11	195.53	AUS	585.57
53	2399.	7.39	228.31	AUS	640.18
54	2398.	10.11	294.60	AUS	507.56
55	2398.	11.39	346.87	AUS	661.78
56	2602.	.11	4.86	AUS	188.87
57	2602.	2.10	25.80	AUS	294.57
58	2594.	4.11	125.01	AUS	472.20
59	2602.	6.00	224.90	AUS	580.71
60	2602.	8.10	266.20	AUS	641.88
61	2602.	10.10	346.78	AUS	709.24
62	2602.	11.56	415.97	AUS	756.31
63	2798.	.11	5.88	AUS	204.91
64	2798.	2.00	42.00	AUS	356.41
65	2798.	4.13	142.16	AUS	520.30
66	2798.	5.39	255.93	AUS	641.73
67	2798.	7.39	299.87	AUS	716.38
68	2806.	9.39	381.54	AUS	816.98
69	2798.	11.39	484.82	AUS	889.25
70	3002.	7.11	6.68	AUS	214.67
71	3002.	2.10	53.09	AUS	379.18
72	2994.	4.15	160.99	AUS	566.64
73	3002.	5.30	270.50	AUS	596.23
74	3002.	7.39	329.72	AUS	801.72
75	3002.	9.36	412.18	AUS	884.80
76	3003.	11.35	557.65	AUS	998.68
77	3002.	12.19	182.36	AUS	579.14

4010R319J1401VE722

	DRZ 1/MIN	DRZ KP	HPNDX G/H	HO2 G/H	HP22 G/H
78	3198.	.30	8.13	AUS	204.60
79	3198.	2.33	59.50	AUS	387.56
80	3198.	4.32	173.70	AUS	572.86
81	3199.	6.31	300.83	AUS	732.56
82	3199.	7.39	369.14	AUS	839.24
83	3199.	10.30	445.94	AUS	921.51
84	3199.	12.32	573.09	AUS	1023.10
85	3198.	12.25	268.92	AUS	646.53
86	3402.	-.12	9.18	AUS	208.20
87	3403.	1.38	67.80	AUS	401.65
88	3402.	3.96	187.54	AUS	575.29
89	3402.	6.31	331.92	AUS	749.40
90	3402.	7.37	377.55	AUS	956.63
91	3402.	10.31	471.73	AUS	141.35
92	3403.	11.38	519.11	AUS	1061.69
93	3403.	12.27	318.29	AUS	674.52
94	3598.	-.11	11.78	AUS	207.82
95	3598.	2.30	79.74	AUS	387.02
96	3598.	4.00	226.29	AUS	573.70
97	3599.	6.30	357.32	AUS	755.24
98	3599.	8.00	408.21	AUS	851.53
99	3607.	10.31	509.42	AUS	314.41
100	3599.	11.93	673.09	AUS	1064.80
101	3599.	12.25	285.45	AUS	637.31
102	3802.	-.11	14.43	AUS	225.19
103	3802.	2.39	106.02	AUS	425.28
104	3802.	3.33	249.86	AUS	565.97
105	3802.	5.30	396.34	AUS	743.30
106	3795.	8.31	441.84	AUS	938.38
107	3802.	9.39	548.90	AUS	316.53
108	3802.	12.32	720.11	AUS	1071.17
109	3802.	12.24	364.18	AUS	674.55
110	3998.	.12	17.63	AUS	233.95
111	3998.	1.39	113.91	AUS	430.02
112	3999.	3.35	281.08	AUS	577.34
113	4007.	6.31	437.80	AUS	758.86
114	3999.	8.00	472.17	AUS	820.14
115	3999.	9.36	581.18	AUS	915.31
116	3999.	11.38	719.70	AUS	1033.99
117	4202.	-.00	20.00	AUS	240.77
118	4203.	2.30	132.63	AUS	423.04
119	4203.	3.38	317.95	AUS	574.13
120	4202.	5.39	474.21	AUS	733.27
121	4195.	8.36	506.69	AUS	820.31
122	4202.	10.30	634.85	AUS	338.73

4010231901401VF022

	JRZ 1/MIN	BRLI KP	WPNX G/H	HO2 G/H	HP02 G/H
123	4202.	12.31	298.90	AUS	653.72
124	4405.	.01	22.39	AUS	258.63
125	4398.	2.32	152.64	AUS	424.60
126	4398.	4.33	358.73	AUS	594.19
127	4398.	6.33	530.18	AUS	741.10
128	4398.	8.31	536.00	AUS	805.94
129	4398.	10.31	687.76	AUS	940.44
130	4406.	11.83	333.60	AUS	673.49
131	4594.	.31	24.48	AUS	251.07
132	4602.	1.36	170.67	AUS	436.39
133	4602.	3.36	384.53	AUS	607.17
134	4602.	5.99	588.85	AUS	752.09
135	4594.	8.00	565.56	AUS	793.15
136	4603.	10.00	710.90	AUS	914.26
137	4602.	11.73	416.93	AUS	574.46
138	4797.	.32	34.77	AUS	297.37
139	4798.	2.34	215.76	AUS	462.05
140	4798.	4.33	420.69	AUS	628.73
141	4798.	6.31	613.39	AUS	730.42
142	4806.	7.98	653.12	AUS	806.29
143	4798.	10.00	788.39	AUS	936.97
144	4798.	11.57	495.90	AUS	686.77
145	5001.	-.00	39.02	AUS	266.26
146	5001.	2.33	233.91	AUS	458.50
147	5002.	3.97	472.49	AUS	648.27
148	4993.	6.33	666.81	AUS	754.76
149	5001.	7.38	725.83	AUS	855.09
150	4994.	10.32	868.51	AUS	967.46
151	5002.	11.52	660.36	AUS	760.12
152	5197.	.31	42.07	AUS	245.90
153	5197.	2.12	241.00	AUS	415.05
154	5197.	4.32	459.20	AUS	565.29
155	5197.	6.32	639.42	AUS	658.41
156	5197.	8.31	586.78	AUS	725.12
157	5197.	10.32	792.55	AUS	778.45
158	5197.	11.37	741.94	AUS	771.33
159	5399.	-.30	41.53	AUS	229.13
160	5400.	1.98	221.25	AUS	392.54
161	5400.	4.35	464.19	AUS	562.04
162	5400.	5.36	652.76	AUS	666.92
163	5400.	7.99	708.86	AUS	741.70
164	5393.	10.37	833.87	AUS	795.54
165	5400.	11.38	645.74	AUS	740.42
166	5603.	-.00	40.90	AUS	216.66
167	5603.	1.35	211.15	AUS	393.18

	DRZ 1/MIN	BR-I KP	HPNIX G/H	HO2 G/H	HPJ2 G/H
168	5603.	3.99	444.99	AUS	555.30
169	5596.	6.12	560.05	AUS	704.54
170	5604.	8.30	689.74	AUS	755.75
171	5604.	3.39	402.79	AUS	785.58
172	5603.	10.36	642.81	AUS	738.30
173	5798.	.30	40.47	AUS	229.13
174	5798.	2.12	233.90	AUS	399.70
175	5799.	3.39	472.71	AUS	571.59
176	5799.	5.96	684.94	AUS	695.36
177	5799.	8.11	753.47	AUS	803.77
178	5917.	9.37	777.31	AUS	785.34
179	5799.	10.55	528.16	AUS	737.70
180	5001.	-1.11	45.57	AUS	232.24
181	5002.	1.35	228.46	AUS	399.98
182	5994.	4.15	480.49	AUS	552.64
183	5002.	5.37	643.53	AUS	680.70
184	5052.	3.00	734.22	AUS	771.11
185	5052.	9.99	792.02	AUS	905.44
186	5994.	10.18	658.57	AUS	767.87
187	1050.	-1.33	.86	AUS	236.83
188	1256.	-1.19	.61	AUS	269.56
189	1406.	-1.47	.34	AUS	471.31
190	1603.	-1.76	.18	AUS	927.75
191	1955.	-1.12	.15	AUS	1089.37
192	2000.	-2.16	.15	AUS	1131.02
193	2200.	-2.27	.16	AUS	1347.74
194	2400.	-2.35	.17	AUS	1443.66
195	2600.	-2.56	.17	AUS	1549.64
196	2600.	-2.13	.30	AUS	815.88
197	2900.	-2.59	.18	AUS	1577.25
198	2800.	-2.11	.48	AUS	687.94
199	3000.	-2.31	.19	AUS	1483.32
200	3000.	-2.11	.69	AUS	583.16
201	3200.	-2.37	.20	AUS	1080.11
202	3200.	-2.15	1.02	AUS	515.25
203	3400.	-2.35	.26	AUS	933.43
204	3400.	-1.37	1.66	AUS	349.31
205	3600.	-3.14	.28	AUS	823.54
206	3600.	-1.39	2.09	AUS	303.51
207	3800.	-3.12	.31	AUS	779.11
208	3900.	-2.18	2.21	AUS	290.53
209	4000.	-3.18	.31	AUS	756.84
210	4200.	-2.10	2.12	AUS	326.75
211	4200.	-3.25	.36	AUS	690.42
212	4200.	-1.36	2.58	AUS	275.05

	DRZ 1/4 MIN	BRL KP	HPNIX G/H	HO2 G/H	HPD2 G/H
213	4400.	-3.13	.38	AUS	700.72
214	4400.	-1.88	2.76	AUS	247.86
215	4600.	-3.39	.36	AUS	650.44
216	4600.	-2.00	2.55	AUS	308.91
217	4800.	-3.50	.36	AUS	631.19
218	4800.	-1.38	2.86	AUS	295.44
219	5000.	-3.52	.45	AUS	606.44
220	5000.	-1.37	3.10	AUS	335.76
221	5200.	-3.73	.46	AUS	548.90
222	5200.	-2.11	3.51	AUS	339.45
223	5400.	-3.88	.53	AUS	460.36
224	5400.	-1.33	4.58	AUS	344.71
225	5600.	-4.10	.55	AUS	514.58
226	5600.	-2.10	5.22	AUS	261.81
227	5800.	-4.10	.62	AUS	501.69
228	5800.	-2.13	6.29	AUS	270.91
229	6000.	-4.17	.58	AUS	451.53
230	6000.	-1.33	8.10	AUS	129.00

APPENDIX G.13
MODIFICATION CODE 20

DKLPST -KENNFELD LINIEN MIT KONST. WERTEN IN DEG curves of throttle valve position

LINIEN GLEICHER LEISTUNG IN PS curves of constant power output


AUD1 5000 STEUERDRUCK 2.5 AT.NOD.CODE 20

MOTOR01901401BAT22

DATUM / 03/02/78 MOTOR-TYP/AUD15000
PST-NR. /22 CO/LL /
VORZUEHUNG/-3/960
KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
BEMERKUNG./
VERDICHTG/ 8.0
SPEZ.GEW./1.746

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
ÖEL /SHELL 30



SPZVB

-KENNFELD LINIEN MIT KONST. WERTEN IN GPPSH

fuel sonsumption (fc) $\frac{g}{Hph}$


AUDI 5000 STEUERDRUCK 2.5 AT.MOD.CODE 20

MOTOR-190149184722

DATUM / 03/02/78 MOTOR-TYP/AUD15000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/960
 KRAFTST. /BLEIFREI

MOTOR-NR /ME. 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./ .745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /6HELL 30



SPZVB

-KENNFELD LINIEN MIT KONST. WERTEN IN GPKWH

AUDI 5000 STEUERDRUCK 2.5 AT.MOD.CODE 20


 $fc \left(\frac{G}{kWh} \right)$

MOT6R31901401B4T22

DATUM / 03/02/78 MOTOR-TYP/AUDI5000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/960
 KRAFTST. /BLEIFREI

MOTOR-NR /ME 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./.745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /SHELL 30



LTRPLU -KENNFELD LINIEN MIT KONST. WERTEN IN LPH

AUD1 5000 STEUERDRUCK 2.5 RT, MOD. CODE 20


$$f_c \left(\frac{1}{h} \right)$$

MOTOR31901401BAT22

DATUM / 03/02/78 MOTOR-TYP/AUD15000
PST-NR. /22 CO/LL /
VORZUEHUNG/-3/950
KRAFTST. /BLEIFREI

MOTOR-NR. /ME 004 071
BEMERKUNG./
VERDICHTG/ 8.0
SPEZ. GEH. /7.745

EA-NR. /
HUBRAUM /2000
VERDASER /K.-JETR.
OEL /6HELL 30



AUDI 5000 STEUERDRUCK 2.5 AT,NGO.CODE 20


$$f_c \left(\frac{kg}{h} \right)$$

NOTOR31901401EAT22

DATUM / 03/02/78 MOTOR-TYP/AUD16000
PST-NR. /22 CO/LL /
VORZUEHENDG/-3/950
KRAFTST. /BLE1FRE1

MOTOR-NR. / ME 004 071
BEMERKUNG. /
VERDICHTG. / 8.0
SPEZ. GEW. / 1.745

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
OEL /6HELL 30



CO

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(75)


AUDI 5000 STEUERDRUCK 2.5 AT.MOD.CODE 20

MOTOR3190140184722

DATUM / 05/02/79 MOTOR-TYP/AUD16000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/950
 KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./1.745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /SHELL 30



HPCO

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$\left(\frac{g}{h}\right)$


AUDI 6000 STEUERDRUCK 2.6 AT.MSD.CODE 20

MOTOR31901401BAT22

DATUM / 03/02/78 MOTOR-TYP/AUD16000
PST-NR. /22 CO/LL /
VORZUENDG/-3/960
KRAFTST. /BLEIFREI

MOTOR-NR /WE 004 071
BEMERKNG./
VERDICHTG/ 8.0
SPEZ.GEW./.746

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
OEL /SHELL 30



C3H8

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM


AUDI 5000 STEUERDRUCK 2.5 AT.MOD.CODE 20

MOTOR319014018AT22

DATUM / 03/02/78 MOTOR-TYP/AUDI5000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/950
 KRAFTST. /BLEIFREI

MOTOR-NR /WE 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./1.745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /SHELL 20



HPCH2

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

$\left(\frac{G}{h}\right)$


AUD1 5000 STEUERDRUCK 2.5 AT.MOD.CODE 20

MOTOR31901401BAT22

DATUM / 03/02/73 MOTOR-TYP/AUD15000
PST-NR. /22 CO/LL /
VORZUEHNG/-3/960
KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
BEMERKNG./
VERDICHTG/ 8.0
SPEZ.GEW./ .745

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
ÖL /SHELL 30



NO

-KENNFELD LINIEN MIT KONST. WERTEN IN PPM


AUD1 5000 STEUERDRUCK 2,5 AT.N00.C00E 20

MOTOR319014018AT22

DATUM / 05/02/78 MOTOR-TYP/AUD15000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/950
 KRAFTST. /BLEIFREI

MOTOR-NR /WE 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./ .745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /6HELL 30



HPNOX -KENNFELD LINIEN MIT KONST. WERTEN IN GPH

AUD1 5000 STEUERDRUCK 2.5 AT.MOD.CODE 20


($\frac{G}{h}$)

MOTOR319014018AT22

DATUM / 03/02/78 MOTOR-TYP/AUD15000
PST-NR. /22 CO/LL /
VORZUEHNG/-3/950
KRAFTST. /BLEIFREI

MOTOR-NR /WE 004 071
BEMERKNG./
VERDICHTG/ 8.0
SPEZ.GEW./745

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
OEL /SHELL 30




AUDI 5000 STEUERDRUCK 2.5 AT.MOD.CODE 20

MOTOR31901401BAT22

DATUM / 03/02/78 MOTOR-TYP/AUDI5000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/960
 KRAFTST. /8LEIFREI

MOTOR-NR /ME 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./746

ER-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETE.
 OEL /SHELL 20



HP02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

AUDI 5000 STEUERDRUCK 2,5 AT.M60.CODE 20


$\left(\frac{g}{h}\right)$

MOTOR31801401BAT22

DATUM / 03/02/78 MOTOR-TYP/AUD15000
PST-NR. /22 CO/LL /
VORZUEHUNG/-3/950
KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
BEMERKNG./
VERDICHTG/ 8.0
SPEZ.GEW./.745

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
OEL /SHELL 30



C02

-KENNFELD LINIEN MIT KONST. WERTEN IN PROZ

(%)


AUDI 5000 STEUERDRUCK 2.5 AT.MOD.C00E 20

MOTOR31901401BAT22

DATUM / 03/02/78 MOTOR-TYP/AUDJ5000
 PST-NR. /22 CO/LL /
 VORZUEHENDG/-3/960
 KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
 BEMERKNG-/
 VERDICHTG/ 8.0
 SPEZ.GEW-/ .745

EA-NR. /
 HUERAUM /2000
 VERGASER /K.-JETR.
 OEL /6HELL 30



HPC02

-KENNFELD LINIEN MIT KONST. WERTEN IN GPH

 $\left(\frac{g}{h}\right)$


AUDI 5000 STEUERDRUCK 2,5 AT.MGD-CODE 20

MOTOR31901401BAT22

DATUM / 03/02/78 MOTOR-TYP/AUD15000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/950
 KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./ .745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /SHELL 30




-KENNFELD LINIEN MIT KONST. WERTEN IN DEGREE

AUDJ 5000 STEUERDRUCK 2.5 AT.M00.C0DE 20

NGTGP.319014018AT22

MOTOR-NR. /ME 004 071
BEMERKNG./
VERDICHTG/ 3.0
SPEZ.GEW./ .745

EA-NR. /
HUBRAUM /2000
VERGASER /K.-JETR.
OEL /SHELL 30



LAMA

-KENNFELD LINIEN MIT KONST. WERTEN IN 1

 λ - Map


AUD1 5000 STEUERDRUCK 2.5 AT.M00.CODE 20

MOTOR319014018AT22

DATUM / 03/02/78 MOTOR-TYP/AUD15000
 PST-NR. /22 CO/LL /
 VORZUEHNG/-3/960
 KRAFTST. /BLEIFREI

MOTOR-NR. /WE 004 071
 BEMERKNG./
 VERDICHTG/ 8.0
 SPEZ.GEW./ .745

EA-NR. /
 HUBRAUM /2000
 VERGASER /K.-JETR.
 OEL /SHELL 30



MESSPROTOKOLL > PROGRAMM MOTOR				PRUEFSTAND NR				SACHBEARBEITER			
DATEI NAME				VERSUCHS BEGINN				TR. SETTING			
MOTOR 319014018AT22				03/02/78				08.38.39			
VERSUCHS NR				VERSUCHSENDE				08.52.27			
VERSUCHSART								EA-NR			
KENNFELO ABGAS								31931			
BEMERKUNGEN ZUR VERSUCHSREIHE											
MOTOR-TYP				AUDI 5000				KRAFTSTOFFSORTE			
MOTOR-ART				OTTO				BLEIFREI			
MOTOR-VV				HE 004 071				OKTANZAHL (ROZ)			
ZYLINDERZ.				5.				SHELL 30			
BEIARRUNGSZEIT								EINSPRITZBEGINN			
BEMERKUNGEN ZUM VERSUCH				AUDI 5000 STEUERDRUCK 2,5 AT, MOD. CODE 20							
DRZ	BR.	BRL	REDMOR	EFFLST	REDLST	MOHT	MOHT	SPZVB	SPZVB	LTRPLU	CRSTMAS
1/MIN	KP	N	BAR	KW	PS	NM	KPM	G/KWH	G/PSH	L/H	%
1 P	1001.	20	2.0	1.1	2.2	1.5	1.15	500.1	8458.3	2.33	50.00
2 P	1000.	1.35	19.1	1.4	2.0	13.8	1.41	1429.8	1051.6	2.75	50.00
3 P	1001.	3.88	30.0	2.9	3.9	27.5	2.80	771.2	567.2	2.95	50.00
4 P	1000.	6.15	59.3	4.5	6.1	42.9	4.38	524.1	385.5	3.13	50.00
5 P	1000.	8.00	78.5	5.9	8.1	56.8	5.73	422.2	310.6	3.34	50.00
6 P	1000.	10.16	98.7	7.4	10.2	71.4	7.28	357.2	262.7	3.55	50.00
7 P	1001.	12.12	118.9	8.9	12.3	86.0	8.77	326.6	240.2	3.91	50.00
8 P	1001.	14.12	137.5	10.3	14.2	99.5	10.14	316.8	233.0	4.39	50.00
9 P	993.	16.19	157.8	11.8	16.1	114.2	11.64	288.0	211.9	4.54	50.00
10 P	1001.	17.34	175.9	13.2	18.2	127.3	12.98	289.5	212.9	5.13	50.00
11 P	1001.	19.12	186.5	14.3	19.2	134.9	13.76	305.0	224.3	5.73	50.00
12 P	1204.	-1.3	-1.3	-1.1	-2.2	-1.0	-1.10	262.3	696.4	2.76	50.00
13 P	1204.	1.31	18.7	1.7	2.3	13.5	1.38	1150.1	845.9	2.61	50.00
14 P	1198.	3.55	38.8	3.1	4.3	25.2	2.57	758.0	557.5	3.18	50.00
15 P	1197.	6.13	60.1	5.4	7.4	43.5	4.43	447.3	329.3	3.24	50.00
16 P	1205.	7.38	78.2	7.1	9.7	56.5	5.77	432.7	296.2	3.92	50.00
17 P	1197.	10.18	98.8	8.9	12.2	71.5	7.23	372.4	273.9	4.44	50.00
18 P	1197.	12.17	118.4	10.6	14.6	85.6	8.72	336.7	247.6	4.80	50.00
19 P	1205.	14.00	137.3	12.4	17.0	99.3	10.13	320.3	235.6	5.34	50.00
20 P	1198.	16.58	163.6	14.7	20.2	118.3	12.06	292.1	214.9	5.76	50.00
21 P	1198.	17.35	176.0	15.8	21.7	127.3	12.98	279.1	205.3	5.92	50.00
22 P	1205.	19.25	188.8	17.1	23.5	136.6	13.93	290.6	213.8	6.66	50.00
23 P	1401.	.13	1.3	.1	.2	.9	.09	428.0	882.7	2.96	50.00
24 P	1393.	2.45	24.0	2.5	3.4	17.3	1.77	1015.9	747.2	3.42	50.00
25 P	1408.	4.14	39.6	4.2	5.7	28.7	2.92	649.3	477.6	3.63	50.00
26 P	1401.	6.12	59.0	6.2	8.5	42.7	4.35	490.2	360.5	4.08	50.00
27 P	1401.	8.13	78.7	8.3	11.4	56.9	5.81	385.7	283.7	4.28	50.00
28 P	1401.	10.33	101.3	10.7	14.6	73.3	7.47	355.5	261.5	5.08	50.00
29 P	1401.	11.97	117.4	12.3	16.9	84.9	8.66	338.7	249.1	5.61	50.00
30 P	1401.	13.99	137.2	14.4	19.8	99.3	10.12	308.5	226.9	5.97	50.00
31 P	1401.	16.07	157.6	16.6	22.8	114.1	11.63	289.4	212.9	6.43	50.00
32 P	1393.	17.99	176.4	18.4	25.3	127.6	13.01	284.5	209.3	7.04	50.00

DRZ 1/MI	BRL KP	BRL N	REOMR BAR	EFFLST KM	REDLST KM	REDLST PS	MOHT NM	MOHT KPH	SZVB G/KMH	SPZVB G/PSH	LTRPLU L/H	KRSTHAS G	KRSTPLU KG/H
33 P	1401.	193.9	193.1	8.8	20.3	27.9	139.7	14.25	295.0	216.9	8.03	50.00	5.0
34 P	1596.	-0.35	-0.5	-0.0	-0.1	-0.1	-0.4	-0.04	*191.7	*031.8	3.29	50.00	2.5
35 P	1596.	1.84	18.0	.8	2.2	3.0	13.1	1.33	1138.5	837.4	3.30	50.00	2.5
36 P	1596.	3.31	38.3	1.7	4.6	6.3	27.8	2.83	626.8	461.0	3.86	50.00	2.9
37 P	1604.	6.16	59.4	2.7	7.2	9.8	43.0	4.38	446.6	328.5	4.28	50.00	3.2
38 P	1596.	7.33	76.8	3.5	9.2	12.6	55.6	5.66	375.2	276.0	4.63	50.00	3.4
39 P	1596.	9.59	94.0	4.3	11.3	15.5	68.1	6.94	374.4	275.4	5.66	50.00	4.2
40 P	1597.	12.12	118.9	5.4	14.2	19.6	86.0	8.77	326.2	239.9	6.23	50.00	4.6
41 P	1597.	13.99	137.2	6.2	16.4	22.6	99.3	10.12	314.2	231.1	6.93	50.00	5.2
42 P	1597.	16.17	158.6	7.2	19.3	26.1	114.7	11.70	289.6	213.0	7.38	50.00	5.5
43 P	1597.	18.12	176.7	8.0	21.2	29.1	127.8	13.04	282.2	207.5	8.01	50.00	6.0
44 P	1597.	19.70	193.2	8.8	23.2	31.8	139.8	14.26	290.6	213.7	9.02	50.00	6.7
45 P	1799.	.00	.0	.0	.0	.0	.0	.00	*437.8	*722.1	3.26	50.00	2.4
46 P	1800.	2.14	20.0	.9	2.7	3.7	14.5	1.47	981.9	722.2	3.56	50.00	2.6
47 P	1792.	4.11	39.3	1.8	5.3	7.3	28.4	2.90	586.3	432.7	4.17	50.00	3.1
48 P	1800.	6.16	60.4	2.7	8.2	11.2	43.7	4.45	417.1	306.8	4.56	50.00	3.4
49 P	1800.	7.31	77.6	3.5	10.5	14.4	56.1	5.72	359.6	271.9	5.20	50.00	3.9
50 P	1800.	9.37	97.7	4.4	13.2	18.1	70.7	7.21	344.5	253.4	6.10	50.00	4.5
51 P	1800.	11.32	116.9	5.3	15.8	21.7	84.5	8.62	329.1	242.1	6.97	50.00	5.2
52 P	1800.	14.18	138.1	6.3	18.7	25.6	99.8	10.19	306.0	225.1	7.65	50.00	5.7
53 P	1800.	16.19	157.8	7.2	21.3	29.3	114.1	11.64	284.5	209.2	8.13	50.00	6.1
54 P	1801.	17.34	175.9	8.0	23.8	32.6	127.3	12.98	278.1	204.6	8.87	50.00	6.6
55 P	1800.	19.23	188.6	8.6	25.5	35.0	136.4	13.91	285.9	213.3	9.77	50.00	7.3
56 P	2003.	-0.16	-0.6	-0.0	-0.1	-0.1	-0.4	-0.04	*312.6	*623.9	3.33	50.00	2.5
57 P	1995.	2.13	19.9	.9	3.3	4.1	14.4	1.47	949.3	698.2	3.79	50.00	2.8
58 P	2004.	4.17	39.9	1.8	6.3	8.2	28.9	2.94	537.5	395.4	4.32	50.00	3.2
59 P	2004.	5.99	57.7	2.6	8.7	11.9	41.8	4.26	438.6	322.6	5.11	50.00	3.8
60 P	1996.	8.11	79.6	3.6	11.9	16.4	57.6	5.87	353.1	267.0	5.80	50.00	4.3
61 P	1996.	10.11	98.2	4.5	14.7	20.2	71.0	7.24	333.7	245.4	6.58	50.00	4.9
62 P	2005.	12.17	118.4	5.4	17.8	24.5	85.7	8.74	323.2	237.7	7.72	50.00	5.8
63 P	2004.	14.14	137.7	6.3	20.7	28.4	99.6	10.16	306.0	225.0	8.50	50.00	6.3
64 P	2004.	16.13	158.2	7.2	23.8	32.7	114.4	11.67	282.3	207.6	9.01	50.00	6.7
65 P	2005.	17.31	175.6	8.0	26.4	36.3	127.1	12.96	282.9	208.1	10.03	50.00	7.5
66 P	2004.	19.73	193.5	8.8	29.1	40.0	140.0	14.28	285.1	209.7	11.13	50.00	8.3
67 P	2199.	-0.15	-0.4	-0.0	-0.1	-0.1	-0.3	-0.03	*832.2	*561.0	3.86	50.00	2.9
68 P	2200.	1.39	19.5	.9	3.2	4.4	14.1	1.44	1017.3	748.2	4.40	50.00	3.3
69 P	2200.	4.16	39.8	1.8	6.6	9.0	28.8	2.94	577.8	425.0	5.10	50.00	3.8
70 P	2200.	5.97	58.5	2.7	9.7	13.3	42.4	4.32	430.8	316.8	5.58	50.00	4.2
71 P	2200.	7.35	78.0	3.5	12.9	17.7	56.4	5.75	371.0	272.9	6.40	50.00	4.8
72 P	2199.	9.98	97.9	4.4	16.2	22.2	70.8	7.22	336.8	247.7	7.30	50.00	5.4
73 P	2200.	11.99	117.6	5.3	19.4	26.7	85.1	8.68	320.4	235.7	8.34	50.00	6.2
74 P	2201.	14.16	137.9	6.3	22.8	31.3	99.9	10.18	304.0	223.6	9.28	50.00	6.9
75 P	2200.	16.16	158.5	7.2	26.2	35.9	114.7	11.69	292.2	214.9	10.25	50.00	7.6
76 P	2200.	18.10	177.5	8.1	29.3	40.3	128.5	13.10	279.0	205.2	10.97	50.00	8.2
77 P	2200.	20.16	196.7	8.9	32.5	44.6	142.3	14.51	285.4	209.9	12.43	50.00	9.3

	DRZ 1/HIN	BR. KP	ORL N	REDMOR BAR	EFFLST KM	REDLST KM	REDLST PS	HOMT MM	HOMT KPM	SPZVB G/KMH	SPZVB G/PSH	LTRPLU "/H	KRSTMAS G	KRSIPLU KG/H
70 P	2201.	20.44	200.4	9.1	33.1	33.2	45.5	145.1	14.80	289.3	212.7	12.94	50.00	9.6 V
79 P	2395.	-0.1	-0.1	-0.0	-0.0	-0.0	-0.0	-0.1	-0.01	*409.8	*948.4	3.97	50.00	3.0
80 P	2395.	2.11	20.7	.9	3.7	3.8	5.1	15.0	1.53	922.4	678.4	4.61	50.00	3.4
81 P	2404.	4.12	40.4	1.8	7.3	7.4	13.0	29.2	2.98	531.3	390.8	5.20	50.00	3.9
82 P	2403.	5.30	57.9	2.6	10.4	10.5	14.3	41.9	4.27	419.8	308.8	5.88	50.00	4.4
83 P	2404.	7.78	76.3	3.5	13.8	13.9	18.9	55.3	5.64	368.2	270.8	6.90	50.00	5.1
84 P	2396.	10.33	98.3	4.5	17.7	17.9	24.3	71.2	7.26	340.8	250.6	8.98	50.00	6.0
85 P	2404.	11.30	116.7	5.3	21.1	21.3	28.9	84.5	8.61	321.9	236.7	9.09	50.00	6.8
86 P	2404.	14.12	138.5	6.3	25.3	25.2	34.3	100.3	10.22	300.2	220.8	10.06	50.00	7.5
87 P	2404.	16.36	157.5	7.2	28.4	28.7	39.1	114.1	11.63	289.2	212.7	11.02	50.00	8.2
88 P	2396.	17.31	175.7	8.0	31.5	31.9	43.4	127.2	12.97	289.7	213.1	12.27	50.00	9.1
89 P	2397.	20.17	196.9	9.0	35.4	35.8	48.7	142.5	14.53	282.5	207.7	13.41	50.00	10.0
90 P	2404.	20.54	202.4	9.2	36.5	36.9	50.2	146.5	14.94	293.3	215.7	14.36	50.00	10.7 V
91 P	2600.	-0.00	-0.0	-0.0	-0.0	-0.0	-0.0	-0.0	-0.00	*463.0	*963.9	4.02	50.00	3.0
92 P	2500.	2.33	19.9	.9	3.9	3.9	5.3	14.4	1.47	939.9	691.3	4.90	50.00	3.7
93 P	2600.	3.31	38.3	1.7	7.5	7.6	10.3	27.7	2.83	565.7	416.0	5.68	50.00	4.2
94 P	2600.	6.19	59.7	2.7	11.7	11.8	16.0	43.2	4.41	417.9	307.4	6.53	50.00	4.9
95 P	2600.	7.31	77.6	3.5	15.1	15.3	20.8	56.2	5.73	365.3	268.6	7.41	50.00	5.5
96 P	2598.	10.16	99.7	4.5	19.4	19.6	26.7	72.2	7.36	324.4	238.6	8.46	50.00	6.3
97 P	2598.	12.17	119.3	5.4	23.3	23.5	32.0	86.4	8.81	312.0	229.5	9.74	50.00	7.3
98 P	2598.	13.38	137.1	6.2	26.7	27.0	36.7	99.2	10.12	294.6	216.7	10.56	50.00	7.9
99 P	2599.	15.39	156.8	7.1	30.6	30.9	42.0	113.5	11.57	278.8	205.1	11.44	50.00	8.5
100 P	2606.	18.12	176.7	8.0	34.6	34.9	47.5	127.9	13.04	271.1	199.4	12.57	50.00	9.4
101 P	2607.	19.37	195.9	8.9	38.3	38.7	52.6	141.8	14.46	267.6	196.8	13.75	50.00	10.2
102 P	2599.	20.88	204.8	9.3	39.9	40.4	54.9	148.3	15.12	279.8	205.8	14.99	50.00	11.2 V
103 P	2801.	.33	.3	.0	.1	.1	.1	.2	.02	*905.6	*944.4	4.32	50.00	3.6
104 P	2802.	2.11	19.8	.9	4.2	4.2	5.7	14.3	1.46	973.7	716.2	5.43	50.00	4.0
105 P	2802.	4.28	41.9	1.9	8.8	8.9	12.1	30.4	3.10	531.4	390.8	6.28	50.00	4.7
106 P	2802.	6.12	60.1	2.7	12.5	12.8	17.3	43.5	4.43	426.4	313.6	7.22	50.00	5.4
107 P	2802.	8.16	79.0	3.6	16.6	16.8	22.8	57.2	5.83	362.8	266.8	8.08	50.00	6.0
108 P	2802.	9.32	97.3	4.4	20.5	20.7	28.1	70.4	7.18	324.6	238.7	8.91	50.00	6.6
109 P	2795.	12.80	117.7	5.4	24.7	24.9	33.9	85.2	8.63	305.9	225.0	10.13	50.00	7.5
110 P	2803.	14.38	141.0	6.4	29.7	30.0	40.7	102.0	10.40	282.8	208.0	11.25	50.00	8.4
111 P	2802.	16.11	157.0	7.1	33.0	33.4	45.4	113.7	11.59	277.7	204.3	12.30	50.00	9.2
112 P	2803.	17.37	176.2	8.0	37.1	37.4	50.9	127.5	13.00	280.5	206.3	13.94	50.00	10.4
113 P	2795.	20.13	196.4	8.9	41.2	41.6	56.6	142.2	14.50	273.6	201.2	15.12	50.00	11.3
114 P	2795.	20.76	203.6	9.3	42.7	43.1	58.7	147.3	15.02	284.3	209.1	16.28	50.00	12.1 V
115 P	2998.	.34	.4	.0	.1	.1	.1	.3	.03	*993.0	*621.2	4.96	50.00	3.7
116 P	2998.	2.17	20.3	.9	4.6	4.6	6.3	14.7	1.50	965.5	716.1	5.91	50.00	4.4
117 P	3006.	3.30	38.3	1.7	8.6	8.7	11.9	27.7	2.82	569.6	418.9	6.59	50.00	4.9
118 P	2998.	6.14	59.2	2.7	13.3	13.5	18.3	42.9	4.37	423.6	311.5	7.57	50.00	5.6
119 P	2999.	8.12	79.6	3.6	17.9	18.1	24.6	57.5	5.88	351.7	258.6	8.45	50.00	6.3
120 P	2599.	9.17	97.8	4.4	22.8	22.2	30.2	70.8	7.22	324.2	238.5	9.57	50.00	7.1
121 P	2999.	11.99	117.6	5.3	26.5	26.7	36.4	85.1	8.68	303.5	223.2	10.77	50.00	8.0
122 P	2599.	14.41	141.3	6.4	31.8	32.1	43.7	102.3	10.43	284.3	209.1	12.13	50.00	9.0

MOTO2319014018AT22

	DRZ 1/MIN	BR- KP	BR- N	REDMDR BAR	EFFLST KM	REDLST KM	REDLST PS	HOMT NN	HOMT KPH	SPZVB G/KHH	SPZVB G/PSH	LTRPLU L/H	KRSTMAS 3	KRSTPLU KG/H
123 P	2999.	16.17	157.6	7.2	35.5	35.9	48.8	114.2	11.56	282.1	207.5	13.42	50.00	10.0
124 P	3000.	10.14	177.9	0.1	40.1	40.5	55.1	120.9	13.14	273.9	201.5	14.71	50.00	11.0
125 P	2999.	20.14	196.5	8.9	44.2	44.7	60.8	142.3	14.52	272.2	200.2	16.14	50.00	12.6
126 P	2999.	21.10	206.9	9.4	46.5	47.1	64.0	149.9	15.28	283.9	208.8	17.74	50.00	13.2
127 P	3202.	.19	.9	.0	.2	.2	.3	.6	.07	*493.2	*601.7	5.26	50.00	3.9
128 P	3202.	2.13	19.9	.9	4.8	4.8	6.6	14.4	1.47	922.5	678.6	5.93	50.00	4.4
129 P	3194.	4.24	41.6	1.9	10.0	10.1	13.7	30.1	3.07	538.1	395.8	7.20	50.00	5.4
130 P	3202.	6.00	50.0	2.7	14.1	14.3	19.4	42.6	4.34	428.5	315.2	8.13	50.00	6.1
131 P	3202.	7.32	77.7	3.5	18.7	18.9	25.6	56.2	5.73	363.4	267.3	9.10	50.00	6.8
132 P	3195.	9.36	97.7	4.4	23.4	23.7	32.2	70.7	7.21	323.8	238.1	10.17	50.00	7.6
133 P	3203.	12.09	118.6	5.4	28.5	28.8	39.2	85.0	8.75	301.7	221.9	11.53	50.00	8.6
134 P	3203.	14.13	137.6	6.3	33.1	33.4	45.5	99.7	10.17	296.9	218.4	13.17	50.00	9.8
135 P	3195.	16.13	157.2	7.2	37.7	38.1	51.8	113.9	11.61	280.9	206.6	14.20	50.00	10.6
136 P	3203.	18.15	177.0	8.1	42.5	43.0	58.5	128.2	13.07	282.0	207.4	16.09	50.00	12.0
137 P	3203.	20.11	196.3	8.9	47.2	47.7	64.8	142.1	14.49	277.7	204.2	17.57	50.00	13.1
138 P	3203.	21.12	206.1	9.4	49.5	50.1	68.1	149.3	15.22	285.6	210.0	18.98	50.00	14.1
139 P	3405.	-0.00	-0	-0	-0	-0	-0	-0	-0.00	*582.3	*132.3	5.29	50.00	3.9
140 P	3390.	2.10	19.6	.9	5.1	5.1	6.9	14.2	1.45	987.0	725.9	6.63	50.00	4.9
141 P	3390.	4.10	40.2	1.8	10.2	10.4	14.1	29.1	2.97	528.5	388.7	7.26	50.00	5.4
142 P	3390.	5.96	50.5	2.7	14.9	15.1	20.5	42.4	4.32	424.0	311.8	8.48	50.00	6.3
143 P	3390.	7.90	77.5	3.5	19.8	20.0	27.1	56.1	5.72	362.0	266.3	9.59	50.00	7.1
144 P	3390.	10.16	98.7	4.5	25.2	25.5	34.6	71.5	7.29	327.0	240.5	11.04	50.00	8.2
145 P	3399.	12.14	110.1	5.4	30.1	30.5	41.4	85.5	8.72	307.6	226.3	12.43	50.00	9.3
146 P	3399.	14.23	139.5	6.4	35.5	36.0	48.9	101.1	10.31	289.4	212.8	13.81	50.00	10.3
147 P	3399.	16.15	157.4	7.2	40.1	40.5	55.2	114.0	11.63	292.7	207.9	15.22	50.00	11.3
148 P	3399.	17.12	174.8	8.0	44.6	45.1	61.3	126.7	12.92	293.1	215.6	17.53	50.00	13.1
149 P	3399.	20.12	196.3	8.9	50.1	50.5	68.8	142.1	14.43	279.8	205.8	18.78	50.00	14.0
150 P	3399.	21.21	208.0	9.5	53.1	53.6	72.9	150.6	15.35	290.3	213.5	20.65	50.00	15.4
151 P	3602.	.17	.7	.0	.2	.2	.2	.5	.05	*281.7	*123.6	5.51	50.00	4.1
152 P	3602.	1.34	19.0	.9	5.1	5.2	7.1	13.8	1.40	971.8	714.8	6.70	50.00	5.0
153 P	3602.	3.34	38.6	1.8	10.4	10.5	14.3	28.0	2.85	558.8	411.0	7.82	50.00	5.8
154 P	3602.	6.12	59.0	2.7	16.0	16.1	21.9	42.7	4.36	424.9	312.5	9.09	50.00	6.8
155 P	3602.	8.12	70.6	3.6	21.3	21.5	29.2	56.9	5.81	362.0	266.3	10.32	50.00	7.7
156 P	3602.	10.17	98.7	4.5	26.7	27.3	36.7	71.5	7.29	327.0	240.5	11.70	50.00	8.7
157 P	3602.	11.99	117.6	5.3	31.8	32.1	43.7	85.1	8.68	309.3	227.5	13.19	50.00	9.8
158 P	3603.	14.15	138.8	6.3	37.5	37.9	51.5	100.5	10.24	297.8	219.1	14.98	50.00	11.2
159 P	3603.	16.14	157.3	7.2	42.5	43.0	58.5	114.0	11.62	294.3	216.5	16.79	50.00	12.5
160 P	3595.	18.19	178.4	8.1	48.1	48.7	66.2	129.2	13.18	289.5	212.9	18.68	50.00	13.9
161 P	3603.	20.16	196.7	9.0	53.2	53.8	73.1	142.5	14.53	284.3	209.1	20.28	50.00	15.1
162 P	3603.	21.16	211.4	9.6	57.2	57.8	78.6	153.1	15.62	291.3	214.3	22.33	50.00	16.6
163 P	3797.	.30	.0	.0	.0	.0	.0	.0	.00	*638.6	*604.3	5.38	50.00	4.5
164 P	3806.	1.31	17.7	.8	5.1	5.1	7.0	12.0	1.31	1029.6	757.3	6.98	50.00	5.2
165 P	3806.	3.34	37.7	1.7	10.8	10.9	14.8	27.3	2.79	570.3	425.3	8.35	50.00	6.2
166 P	3798.	6.19	59.7	2.7	17.0	17.2	23.4	43.2	4.41	424.3	312.0	9.68	50.00	7.2
167 P	3798.	8.12	79.6	3.6	22.7	22.9	31.2	57.7	5.88	359.7	264.5	10.94	50.00	8.2

DRZ 1/4IN	BR- KP	BR- M	REDMOR BAR	EFFLST KM	REDLST KM	REDLST PS	MOHT MM	MOHT KPH	SPZVB G/KMH	SPZVB G/PSH	LTPPLU L/H	KRSTNAS G	KRSTPLU KG/H
168 P	3798.	9.98	97.9	4.5	27.9	28.2	38.3	70.9	7.23	334.0	245.6	50.00	9.3
169 P	3798.	12.12	117.9	5.4	33.6	34.0	46.2	85.4	8.70	314.3	231.1	50.00	10.6
170 P	3806.	13.38	137.1	6.2	39.2	39.5	53.8	99.3	10.12	304.4	223.9	50.00	11.9
171 P	3798.	16.12	157.1	7.2	44.8	45.3	61.6	113.9	11.61	300.8	221.3	50.00	13.5
172 P	3799.	18.16	178.1	8.1	50.8	51.3	69.8	129.0	13.16	294.2	216.4	50.00	14.9
173 P	3799.	20.31	196.3	8.9	56.0	56.5	76.9	142.2	14.50	287.2	211.2	50.00	16.1
174 P	3798.	21.41	209.9	9.6	59.8	60.5	82.2	152.3	15.50	293.4	215.8	50.00	17.5
175 P	4001.	.11	.1	0.0	.0	.1	.0	0.00	*908.9	*380.0	6.49	50.00	4.8
176 P	3994.	2.28	22.4	1.0	6.7	6.8	9.2	16.2	1.65	851.9	626.6	50.00	5.7
177 P	4002.	3.35	38.7	1.8	11.6	11.8	16.0	28.1	2.86	563.4	414.4	50.00	6.6
178 P	4002.	6.16	59.4	2.7	17.3	18.1	24.6	43.1	4.40	430.6	316.7	50.00	7.7
179 P	4001.	8.11	78.5	3.6	23.6	23.8	32.3	56.7	5.79	370.5	272.5	50.00	8.7
180 P	4001.	9.33	97.4	4.4	29.2	29.5	40.1	70.4	7.18	338.8	249.2	50.00	9.9
181 P	4001.	12.12	117.8	5.4	35.4	35.7	48.6	85.2	8.69	316.2	232.6	50.00	11.2
182 P	3994.	14.19	188.1	6.3	41.4	41.8	56.8	99.9	10.19	306.9	225.8	50.00	12.7
183 P	4002.	15.38	156.8	7.1	47.1	47.5	64.6	113.4	11.57	305.6	224.7	50.00	14.4
184 P	3994.	17.33	175.9	8.0	52.7	53.2	72.4	127.2	12.97	300.3	220.9	50.00	15.8
185 P	4002.	19.35	195.6	8.9	58.7	59.3	80.7	141.5	14.43	297.3	218.6	50.00	17.4
186 P	3994.	22.17	216.4	9.8	64.9	65.5	89.1	156.6	15.97	296.7	219.2	50.00	19.2
187 P	4202.	.11	.1	.0	.1	.1	.0	.01	*635.1	*624.1	6.85	50.00	5.1
188 P	4202.	1.35	19.2	.9	6.0	6.1	8.3	13.9	1.42	995.5	732.2	50.00	6.0
189 P	4206.	3.36	38.8	1.8	12.2	12.4	16.8	28.1	2.86	572.0	426.7	50.00	7.0
190 P	4204.	6.00	58.8	2.7	18.5	18.8	25.5	42.5	4.35	436.9	321.4	50.00	9.1
191 P	4202.	7.31	77.6	3.5	24.5	24.7	33.6	56.2	5.73	376.8	277.2	50.00	9.2
192 P	4201.	10.00	98.1	4.5	30.3	31.3	42.5	71.0	7.24	347.1	255.3	50.00	10.7
193 P	4201.	12.11	118.8	5.4	37.5	37.9	51.5	86.1	8.78	325.2	239.2	50.00	12.2
194 P	4202.	13.34	136.7	6.2	43.1	43.6	59.3	99.1	10.11	313.7	230.7	50.00	13.5
195 P	4196.	16.22	159.0	7.2	50.1	50.7	68.9	115.2	11.75	308.8	227.2	50.00	15.5
196 P	4202.	17.86	175.1	8.0	55.2	55.9	75.9	126.9	12.94	304.4	223.9	50.00	16.8
197 P	4205.	20.11	196.2	8.9	61.9	62.7	85.2	142.3	14.51	297.0	218.4	50.00	18.4
198 P	4196.	22.16	216.3	9.9	68.1	68.9	93.7	156.8	15.99	293.3	215.7	50.00	20.0
199 P	4399.	.12	.2	.0	.1	.1	.1	.01	*287.1	*362.3	7.04	50.00	5.2
200 P	4399.	2.15	21.1	1.0	7.0	7.1	9.6	15.3	1.56	892.3	656.3	50.00	6.2
201 P	4400.	3.36	38.9	1.8	12.8	13.0	17.7	28.2	2.88	570.5	419.6	50.00	7.3
202 P	4400.	5.99	58.8	2.7	19.4	19.5	26.7	42.6	4.35	442.6	325.6	50.00	8.6
203 P	4400.	8.00	78.4	3.6	25.9	26.2	35.7	56.9	5.80	377.4	277.6	50.00	9.8
204 P	4406.	10.10	99.0	4.5	32.7	33.1	45.0	71.8	7.32	345.7	254.3	50.00	11.3
205 P	4403.	12.11	117.8	5.4	38.9	39.4	53.6	85.4	8.71	330.1	242.8	50.00	12.8
206 P	4399.	14.00	137.3	6.3	45.3	45.9	62.4	99.6	10.15	328.9	241.9	50.00	14.9
207 P	4400.	16.33	165.1	7.5	54.5	55.2	75.1	119.8	12.21	314.3	231.1	50.00	17.1
208 P	4408.	18.11	177.6	8.1	58.8	59.5	80.9	128.9	13.14	310.7	228.5	50.00	18.2
209 P	4400.	19.39	196.0	8.9	64.7	65.5	99.1	142.2	14.50	305.7	224.8	50.00	19.8
210 P	4400.	21.31	214.9	9.8	70.9	71.8	97.7	155.9	15.90	301.7	221.9	50.00	21.4
211 P	4602.	.14	.4	.0	.1	.1	.2	.03	*000.7	*362.4	7.80	50.00	5.8
212 P	4595.	2.27	22.2	1.0	7.7	7.8	10.6	16.2	1.65	872.5	641.7	50.00	6.7

	DKZ 1/HIN	BRL KP	BRL N	REDMDR BAR	EFFLST KW	REDLST KW	REDLST PS	WMT NM	WMT KPH	SPZVB G/KWH	SPZVB G/PSH	LTRPLU L/H	KRSTMAS G	KRSTPLU KG/H
8	213 P	4603.	3.86	37.9	1.7	13.1	13.3	16.0	27.5	2.80	588.1	432.5	10.31	50.00
9	214 P	4595.	5.90	58.7	2.7	20.2	20.5	27.9	42.6	4.35	444.1	326.6	12.05	50.00
10	215 P	4595.	6.16	79.1	3.6	27.3	27.6	37.6	57.4	5.86	384.5	282.8	14.06	50.00
12	216 P	4595.	10.12	99.2	4.5	34.2	34.7	47.2	72.1	7.35	349.0	256.7	16.01	50.00
13	217 P	4603.	11.99	117.6	5.4	40.6	41.2	56.0	85.4	8.71	332.0	244.2	18.09	50.00
14	218 P	4603.	14.11	137.4	6.3	47.5	48.1	65.5	99.8	10.18	333.3	245.1	21.22	50.00
15	219 P	4599.	16.00	156.9	7.2	54.2	54.9	74.7	114.8	11.62	324.0	238.3	23.53	50.00
16	220 P	4603.	17.34	176.0	8.0	60.8	61.7	83.8	127.9	13.04	317.2	233.3	25.86	50.00
17	221 P	4595.	19.38	195.9	8.9	67.6	68.5	93.1	142.3	14.51	309.9	227.9	28.07	50.00
18	222 P	4596.	21.37	212.5	9.7	73.3	74.3	101.0	154.4	15.74	306.2	225.2	30.09	50.00
19	223 P	4805.	.15	1.5	.1	.5	.5	.7	1.1	.11	*618.3	8545.3	8.29	50.00
20	224 P	4806.	2.15	20.1	.9	7.3	7.4	10.0	14.6	1.49	969.3	712.9	9.43	50.00
21	225 P	4797.	3.99	39.1	1.8	14.1	14.3	19.4	28.4	2.90	589.6	433.7	11.14	50.00
22	226 P	4797.	6.17	59.5	2.7	21.4	21.7	29.5	43.2	4.41	449.8	330.8	12.92	50.00
23	227 P	4804.	7.33	77.8	3.6	28.1	28.4	38.7	56.5	5.76	394.8	290.3	14.95	50.00
24	228 P	4805.	9.36	97.7	4.5	35.2	35.7	48.6	71.0	7.24	359.4	264.3	16.38	50.00
25	229 P	4797.	12.12	117.9	5.4	42.4	43.3	58.5	85.7	8.73	338.4	248.9	19.26	50.00
26	230 P	4805.	13.30	136.3	6.2	49.2	49.8	67.3	99.0	10.10	338.6	249.1	22.33	50.00
27	231 P	4797.	15.98	156.7	7.2	56.4	57.3	77.8	113.9	11.62	331.4	243.7	25.08	50.00
28	232 P	4797.	18.11	177.6	8.1	63.9	64.9	88.2	129.1	13.16	320.1	235.4	27.44	50.00
29	233 P	4797.	20.11	196.2	9.0	70.6	71.6	97.4	142.5	14.53	311.2	228.9	29.48	50.00
30	234 P	4806.	21.39	209.8	9.6	75.7	76.7	104.3	152.4	15.54	309.1	227.4	31.36	50.00
31	235 P	4999.	.11	.1	.0	.0	.0	.1	.0	.00	*056.2	*488.7	8.69	50.00
32	236 P	4999.	2.13	20.9	1.0	7.8	7.9	10.8	15.1	1.54	954.3	709.2	10.12	50.00
33	237 P	5000.	4.17	39.9	1.8	15.0	15.2	20.7	29.0	2.95	587.5	432.1	11.91	50.00
34	238 P	5000.	6.12	59.1	2.7	22.2	22.5	30.5	42.9	4.37	460.0	338.4	13.67	50.00
35	239 P	5000.	7.38	78.2	3.6	29.4	29.8	40.5	56.8	5.79	397.8	292.6	15.66	50.00
36	240 P	5000.	10.12	98.3	4.5	36.9	37.4	50.9	71.4	7.28	366.2	269.3	18.11	50.00
37	241 P	4998.	12.11	117.8	5.4	44.2	44.8	60.9	85.5	8.72	373.4	274.6	22.12	50.00
38	242 P	4999.	14.43	141.5	6.5	53.1	53.8	73.2	102.8	10.49	339.0	249.4	24.13	50.00
39	243 P	5000.	15.98	156.7	7.2	58.8	59.6	81.1	113.9	11.61	333.8	245.5	26.32	50.00
40	244 P	5000.	17.38	176.3	8.1	66.2	67.2	91.3	128.2	13.08	320.9	236.0	28.47	50.00
41	245 P	5000.	20.11	196.2	9.0	73.6	74.7	101.6	142.6	14.55	313.7	230.8	30.98	50.00
42	246 P	4993.	21.13	206.3	9.4	77.3	78.4	106.6	149.9	15.29	310.7	228.5	32.21	50.00
43	247 P	5203.	.12	.2	.0	.1	.1	.1	.1	.01	*155.2	*870.3	9.13	50.00
44	248 P	5203.	1.38	19.4	.9	7.6	7.7	10.4	14.1	1.44	1055.0	776.0	10.71	50.00
45	249 P	5100.	3.33	38.6	1.8	15.0	15.2	20.7	28.0	2.86	610.5	449.0	12.29	50.00
46	250 P	5209.	6.12	59.1	2.7	23.1	23.4	31.9	42.9	4.39	468.3	344.5	14.50	50.00
47	251 P	5199.	8.00	78.5	3.6	30.6	31.1	42.3	57.1	5.82	406.4	298.9	16.69	50.00
48	252 P	5213.	10.14	98.5	4.5	38.5	39.1	53.2	71.5	7.30	372.8	274.2	19.27	50.00
49	253 P	5203.	12.00	117.7	5.4	46.0	46.7	63.4	85.5	8.73	367.1	270.0	22.63	50.00
50	254 P	5226.	13.88	136.1	6.2	53.4	54.2	73.7	99.0	10.09	351.1	258.3	25.14	50.00
51	255 P	5193.	20.34	199.5	9.1	77.7	78.9	117.3	145.0	14.79	314.2	231.1	32.75	50.00
52	256 P	5410.	-.12	-.2	-.0	-.1	-.1	-.1	-.2	-.02	*895.9	*614.7	9.39	50.00
53	257 P	5398.	2.10	20.6	.9	8.4	8.5	11.5	15.0	1.53	1018.0	748.8	11.40	50.00

DRZ L/MIN	BR. KP	BRL N	REDHOR BAR	EFFLST KM	REDLST CM	REDLST PS	MOHT NM	MOHT KPM	SPZVB G/KWH	SPZVB G/PSH	LTRPLU L/H	KPSTMAS S	KRSTPLU KG/H
256 P	4.16	39.6	1.8	16.1	16.4	22.3	29.0	2.95	614.9	452.3	13.31	50.00	9.9
259 P	6.00	50.9	2.7	23.8	24.2	32.9	42.8	4.37	486.3	357.7	15.55	50.00	11.6
260 P	8.13	78.8	3.6	31.9	32.4	44.1	57.3	5.84	418.0	307.5	17.89	50.00	13.3
261 P	10.00	98.0	4.5	39.7	40.4	54.9	71.3	7.27	380.8	280.1	20.30	50.00	15.1
262 P	12.43	121.9	5.6	49.3	50.1	68.1	88.7	9.04	364.3	267.9	24.09	50.00	17.9
263 P	13.81	135.4	6.2	55.0	55.8	75.9	98.5	10.04	359.9	264.7	26.54	50.00	19.8
264 P	15.31	156.1	7.1	63.2	64.2	87.2	113.5	11.57	344.0	253.0	29.16	50.00	21.7
265 P	17.99	176.5	8.1	71.5	72.7	98.8	128.4	13.09	329.0	242.0	31.57	50.00	23.5
266 P	19.53	192.5	8.8	78.3	79.2	107.7	140.1	14.28	320.5	235.8	33.54	50.00	25.0 V
267 P	21.1	211	0.0	87.0	88.0	118.0	158.0	15.80	310.1	225.9	35.54	50.00	26.7
268 P	22.12	220.8	0.9	94.7	95.7	125.7	167.7	16.77	300.7	216.5	37.54	50.00	28.4
269 P	23.13	230.6	1.8	102.6	103.6	133.6	177.6	17.76	291.3	207.1	39.54	50.00	30.1
270 P	24.12	240.5	2.7	110.5	111.5	141.5	187.5	18.75	281.9	197.7	41.54	50.00	31.8
271 P	25.13	250.4	3.6	118.4	119.4	149.4	197.4	19.74	272.5	188.3	43.54	50.00	33.5
272 P	26.14	260.3	4.5	126.3	127.3	157.3	207.3	20.73	263.1	178.9	45.54	50.00	35.2
273 P	27.12	270.2	5.4	134.2	135.2	165.2	217.2	21.72	253.7	169.5	47.54	50.00	36.9
274 P	28.13	280.1	6.3	142.1	143.1	173.1	227.1	22.71	244.3	160.1	49.54	50.00	38.6
275 P	29.14	290.0	7.1	150.0	151.0	181.0	237.0	23.70	234.9	150.7	51.54	50.00	40.3
276 P	30.12	300.0	8.0	157.9	158.9	188.9	246.9	24.69	225.5	141.3	53.54	50.00	42.0
277 P	31.13	310.0	8.8	165.8	166.8	196.8	256.8	25.68	216.1	131.9	55.54	50.00	43.7
278 P	32.14	320.0	9.7	173.7	174.7	204.7	266.7	26.67	206.7	122.5	57.54	50.00	45.4
279 P	33.12	330.0	10.6	181.6	182.6	212.6	276.6	27.66	197.3	113.1	59.54	50.00	47.1
280 P	34.13	340.0	11.5	189.5	190.5	220.5	286.5	28.65	187.9	103.7	61.54	50.00	48.8
281 P	35.14	350.0	12.4	197.4	198.4	228.4	296.4	29.64	178.5	94.3	63.54	50.00	50.5
282 P	36.12	360.0	13.3	205.3	206.3	236.3	306.3	30.63	169.1	84.9	65.54	50.00	52.2
283 P	37.13	370.0	14.2	213.2	214.2	244.2	316.2	31.62	159.7	75.5	67.54	50.00	53.9
284 P	38.14	380.0	15.1	221.1	222.1	252.1	326.1	32.61	150.3	66.1	69.54	50.00	55.6
285 P	39.12	390.0	16.0	229.0	230.0	260.0	336.0	33.60	140.9	56.7	71.54	50.00	57.3
286 P	40.13	400.0	16.9	236.9	237.9	267.9	345.9	34.59	131.5	47.3	73.54	50.00	59.0
287 P	41.14	410.0	17.8	244.8	245.8	275.8	355.8	35.58	122.1	37.9	75.54	50.00	60.7
288 P	42.12	420.0	18.7	252.7	253.7	283.7	365.7	36.57	112.7	28.5	77.54	50.00	62.4
289 P	43.13	430.0	19.6	260.6	261.6	291.6	375.6	37.56	103.3	19.1	79.54	50.00	64.1
290 P	44.14	440.0	20.5	268.5	269.5	299.5	385.5	38.55	93.9	9.7	81.54	50.00	65.8
291 P	45.12	450.0	21.4	276.4	277.4	307.4	395.4	39.54	84.5	0.3	83.54	50.00	67.5
292 P	46.13	460.0	22.3	284.3	285.3	315.3	405.3	40.53	75.1	0.9	85.54	50.00	69.2
293 P	47.14	470.0	23.2	292.2	293.2	323.2	415.2	41.52	65.7	1.5	87.54	50.00	70.9
294 P	48.12	480.0	24.1	300.1	301.1	331.1	425.1	42.51	56.3	2.1	89.54	50.00	72.6
295 P	49.13	490.0	25.0	308.0	309.0	339.0	435.0	43.50	46.9	2.7	91.54	50.00	74.3
296 P	50.14	500.0	25.9	315.9	316.9	346.9	444.9	44.49	37.5	3.3	93.54	50.00	76.0
297 P	51.12	510.0	26.8	323.8	324.8	354.8	454.8	45.48	28.1	3.9	95.54	50.00	77.7
298 P	52.13	520.0	27.7	331.7	332.7	362.7	464.7	46.47	18.7	4.5	97.54	50.00	79.4
299 P	53.14	530.0	28.6	339.6	340.6	370.6	474.6	47.46	9.3	5.1	99.54	50.00	81.1
300 P	54.12	540.0	29.5	347.5	348.5	378.5	484.5	48.45	0.0	5.7	101.54	50.00	82.8
301 P	55.13	550.0	30.4	355.4	356.4	386.4	494.4	49.44	0.0	6.3	103.54	50.00	84.5
302 P	56.14	560.0	31.3	363.3	364.3	394.3	504.3	50.43	0.0	6.9	105.54	50.00	86.2
303 P	57.12	570.0	32.2	371.2	372.2	402.2	514.2	51.42	0.0	7.5	107.54	50.00	87.9
304 P	58.13	580.0	33.1	379.1	380.1	410.1	524.1	52.41	0.0	8.1	109.54	50.00	89.6
305 P	59.14	590.0	34.0	387.0	388.0	418.0	534.0	53.40	0.0	8.7	111.54	50.00	91.3
306 P	60.12	600.0	34.9	394.9	395.9	426.9	544.9	54.49	0.0	9.3	113.54	50.00	93.0
307 P	61.13	610.0	35.8	402.8	403.8	434.8	554.8	55.48	0.0	9.9	115.54	50.00	94.7
308 P	62.14	620.0	36.7	410.7	411.7	442.7	564.7	56.47	0.0	10.5	117.54	50.00	96.4
309 P	63.12	630.0	37.6	418.6	419.6	450.6	574.6	57.46	0.0	11.1	119.54	50.00	98.1
310 P	64.13	640.0	38.5	426.5	427.5	458.5	584.5	58.45	0.0	11.7	121.54	50.00	99.8
311 P	65.14	650.0	39.4	434.4	435.4	466.4	594.4	59.44	0.0	12.3	123.54	50.00	101.5
312 P	66.12	660.0	40.3	442.3	443.3	474.3	604.3	60.43	0.0	12.9	125.54	50.00	103.2
313 P	67.13	670.0	41.2	450.2	451.2	482.2	614.2	61.42	0.0	13.5	127.54	50.00	104.9
314 P	68.14	680.0	42.1	458.1	459.1	490.1	624.1	62.41	0.0	14.1	129.54	50.00	106.6
315 P	69.12	690.0	43.0	466.0	467.0	498.0	634.0	63.40	0.0	14.7	131.54	50.00	108.3
316 P	70.13	700.0	43.9	473.9	474.9	506.9	644.9	64.49	0.0	15.3	133.54	50.00	110.0
317 P	71.14	710.0	44.8	481.8	482.8	514.8	654.8	65.48	0.0	15.9	135.54	50.00	111.7
318 P	72.12	720.0	45.7	489.7	490.7	522.7	664.7	66.47	0.0	16.5	137.54	50.00	113.4
319 P	73.13	730.0	46.6	497.6	498.6	530.6	674.6	67.46	0.0	17.1	139.54	50.00	115.1
320 P	74.14	740.0	47.5	505.5	506.5	538.5	684.5	68.45	0.0	17.7	141.54	50.00	116.8
321 P	75.12	750.0	48.4	513.4	514.4	546.4	694.4	69.44	0.0	18.3	143.54	50.00	118.5
322 P	76.13	760.0	49.3	521.3	522.3	554.3	704.3	70.43	0.0	18.9	145.54	50.00	120.2
323 P	77.14	770.0	50.2	529.2	530.2	562.2	714.2	71.42	0.0	19.5	147.54	50.00	121.9
324 P	78.12	780.0	51.1	537.1	538.1	570.1	724.1	72.41	0.0	20.1	149.54	50.00	123.6
325 P	79.13	790.0	52.0	545.0	546.0	578.0	734.0	73.40	0.0	20.7	151.54	50.00	125.3
326 P	80.14	800.0	52.9	552.9	553.9	586.9	744.9	74.49	0.0	21.3	153.54	50.00	127.0
327 P	81.12	810.0	53.8	560.8	561.8	594.8	754.8	75.48	0.0	21.9	155.54	50.00	128.7
328 P	82.13	820.0	54.7	568.7	569.7	602.7	764.7	76.47	0.0	22.5	157.54	50.00	130.4
329 P	83.14	830.0	55.6	576.6	577.6	610.6	774.6	77.46	0.0	23.1	159.54	50.00	132.1
330 P	84.12	840.0	56.5	584.5	585.5	618.5	784.5	78.45	0.0	23.7	161.54	50.00	133.8
331 P	85.13	850.0	57.4	592.4	593.4	626.4	794.4	79.44	0.0	24.3	163.54	50.00	135.5
332 P	86.14	860.0	58.3	600.3	601.3	634.3	804.3	80.43	0.0	24.9	165.54	50.00	137.2
333 P	87.12	870.0	59.2	608.2	609.2	642.2	814.2	81.42	0.0	25.5	167.54	50.00	138.9
334 P	88.13	880.0	60.1	616.1	617.1	650.1	824.1	82.41	0.0	26.1	169.54	50.00	140.6
335 P	89.14	890.0	61.0	624.0	625.0	658.0	834.0	83.40	0.0	26.7	171.54	50.00	142.3
336 P	90.12	900.0	61.9	631.9	632.9	666.9	844.9	84.49	0.0	27.3	173.54	50.00	144.0
337 P	91.13	910.0	62.8	639.8	640.8	674.8	854.8	85.48	0.0	27.9	175.54	50.00	145.7
338 P	92.14	920.0	63.7	647.7	648.7	682.7	864.7	86.47	0.0	28.5	177.54	50.00	147.4
339 P	93.12	930.0	64.6	655.6	656.6	690.6	874.6	87.46	0.0	29.1	179.54	50.00	149.1
340 P	94.13	940.0	65.5	663.5	664.5	698.5	884.5	88.45	0.0	29.7	181.54	50.00	150.8
341 P	95.14	950.0	66.4	671.4	672.4	706.4	894.4	89.44	0.0	30.3	183.54	50.00	152.5
342 P	96.12	960.0	67.3	679.3	680.3	714.3	904.3	90.43	0.0	30.9	185.54	50.00	154.2
343 P	97.13	970.0	68.2	687.2	688.2	722.2	914.2	91.42	0.0	31.5	187.54	50.00	155.9
344 P	98.14	980.0	69.1	695.1	696.1	730.1	924.1	92.41	0.0	32.1	189.54	50.00	157.6
345 P													

	DRZ 1/MIN	BRL KP	BRL N	REDNR BAR	EFFLST KM	REDLST KM	REDLST PS	MONT NH	MONT KPH	SPZVB G/KWH	SPZVB G/PSH	LTRPLU L/H	KRSIMAS G	KRSIPLU KG/H
303 H	2414.	-2.77	-27.2	-1.2	-4.9	-5.0	-6.7	-19.6	-2.00	-524.9	-386.0	3.47	50.00	2.6
304 H	2414.	-2.11	-20.7	-0.9	-3.8	-3.8	-5.1	-14.9	-1.52	-731.9	-538.3	3.68	50.00	2.7
305 H	2602.	-2.32	-28.6	-1.3	-5.6	-5.6	-7.7	-20.7	-2.11	-457.4	-336.4	3.43	50.00	2.6
306 H	2603.	-2.11	-19.7	-0.9	-3.3	-3.3	-5.3	-14.2	-1.45	-736.6	-541.8	3.80	50.00	2.8
307 H	2610.	-3.13	-30.7	-1.4	-6.5	-6.5	-8.9	-22.1	-2.26	-408.8	-300.7	3.55	50.00	2.6
308 H	2810.	-2.14	-20.0	-0.9	-4.2	-4.2	-5.8	-14.4	-1.47	-729.9	-536.9	4.13	50.00	3.1
309 H	3007.	-3.36	-33.0	-1.5	-7.4	-7.3	-10.2	-23.8	-2.43	-352.4	-259.2	3.52	50.00	2.6
310 H	3007.	-2.00	-19.6	-0.9	-4.4	-4.4	-6.0	-14.1	-1.44	-702.8	-516.9	4.16	50.00	3.1
311 H	3213.	-3.50	-35.3	-1.6	-8.5	-8.6	-11.6	-25.4	-2.59	-287.2	-211.2	3.28	50.00	2.4
312 H	3214.	-2.16	-20.2	-0.9	-4.9	-4.9	-6.7	-14.6	-1.48	-668.8	-491.9	4.37	50.00	3.3
313 H	3416.	-3.31	-38.4	-1.7	-9.8	-9.9	-13.5	-27.7	-2.82	-279.3	-205.5	3.68	50.00	2.7
314 H	3413.	-1.91	-18.8	-0.9	-4.8	-4.8	-6.6	-13.5	-1.38	-676.9	-497.9	4.36	50.00	3.2
315 H	3607.	-4.12	-40.4	-1.8	-10.9	-11.0	-15.0	-29.2	-2.97	-239.1	-175.9	3.51	50.00	2.6
316 H	3607.	-1.99	-18.5	-0.8	-5.0	-5.0	-6.8	-13.3	-1.36	-659.8	-485.3	4.43	50.00	3.3
317 H	3805.	-4.36	-42.8	-1.9	-12.2	-12.3	-16.7	-30.9	-3.15	-231.4	-170.2	3.79	50.00	2.8
318 H	3805.	-1.88	-18.4	-0.8	-5.3	-5.3	-7.2	-13.3	-1.36	-652.2	-479.7	4.60	50.00	3.4
319 H	4009.	-4.52	-45.3	-2.1	-13.6	-13.7	-18.6	-32.7	-3.33	-199.7	-146.9	3.65	50.00	2.7
320 H	4011.	-1.95	-19.1	-0.9	-5.7	-5.8	-7.9	-13.8	-1.40	-640.6	-471.1	4.94	50.00	3.7
321 H	4216.	-4.82	-47.3	-2.1	-15.0	-15.1	-20.5	-34.1	-3.48	-184.0	-135.3	3.69	50.00	2.8
322 H	4210.	-3.93	-38.6	-1.7	-12.2	-12.3	-16.7	-27.8	-2.84	-271.3	-199.5	4.43	50.00	3.3
323 H	4210.	-2.16	-20.2	-0.9	-6.4	-6.4	-8.7	-14.6	-1.49	-616.0	-453.1	5.28	50.00	3.9
324 H	4402.	-5.15	-49.5	-2.2	-16.4	-16.5	-22.4	-35.7	-3.64	-169.2	-124.4	3.71	50.00	2.8
325 H	4402.	-3.88	-38.0	-1.7	-12.6	-12.6	-17.2	-27.4	-2.79	-275.1	-202.3	4.63	50.00	3.5
326 H	4400.	-2.12	-19.8	-0.9	-6.5	-6.5	-8.9	-14.2	-1.45	-620.5	-456.4	5.43	50.00	4.0
327 H	4609.	-5.31	-52.1	-2.4	-18.0	-18.1	-24.7	-37.6	-3.83	-150.4	-110.7	3.63	50.00	2.7
328 H	4609.	-3.88	-38.1	-1.7	-13.2	-13.3	-18.0	-27.4	-2.80	-260.9	-191.9	4.61	50.00	3.4
329 H	4610.	-2.13	-19.9	-0.9	-6.9	-6.9	-9.4	-14.3	-1.46	-646.2	-475.3	5.96	50.00	4.4
330 H	4813.	-5.54	-55.4	-2.5	-20.0	-20.1	-27.3	-39.9	-4.07	-144.7	-106.4	3.88	50.00	2.9
331 H	4812.	-3.99	-39.1	-1.8	-14.1	-14.2	-19.3	-28.2	-2.88	-268.9	-197.8	5.10	50.00	3.8
332 H	4805.	-2.11	-19.7	-0.9	-7.1	-7.2	-9.7	-14.2	-1.45	-700.5	-515.2	6.69	50.00	5.0
333 H	5005.	-5.32	-58.1	-2.6	-21.8	-22.0	-29.8	-41.9	-4.27	-133.9	-98.5	3.92	50.00	2.9
334 H	5005.	-3.90	-38.3	-1.7	-14.4	-14.5	-19.7	-27.6	-2.82	-282.1	-207.5	5.44	50.00	4.1
335 H	5005.	-1.99	-19.5	-0.9	-7.3	-7.4	-10.0	-14.0	-1.43	-723.4	-532.1	7.10	50.00	5.3
336 H	5225.	-6.27	-61.5	-2.8	-24.1	-24.3	-33.0	-44.4	-4.53	-122.4	-90.0	3.96	50.00	3.0
337 H	5205.	-3.95	-38.7	-1.8	-15.1	-15.2	-20.7	-27.9	-2.85	-292.4	-215.0	5.33	50.00	4.4
338 H	5208.	-2.00	-19.6	-0.9	-7.7	-7.7	-10.5	-14.2	-1.44	-749.0	-550.9	7.73	50.00	5.7
339 H	5414.	-6.55	-64.3	-2.9	-26.1	-26.3	-35.7	-46.4	-4.73	-110.3	-81.1	3.86	50.00	2.9
340 H	5416.	-4.00	-39.2	-1.8	-15.9	-16.0	-21.8	-28.3	-2.88	-285.4	-209.9	6.10	50.00	4.5
341 H	5416.	-1.92	-18.9	-0.9	-7.7	-7.7	-10.5	-13.5	-1.39	-773.2	-568.7	7.95	50.00	5.9
342 H	5606.	-6.95	-67.2	-3.0	-28.3	-28.5	-38.7	-48.5	-4.94	-100.1	-73.6	3.79	50.00	2.8
343 H	5599.	-3.33	-38.5	-1.7	-16.2	-16.3	-22.2	-27.8	-2.83	-315.9	-232.4	6.86	50.00	5.1
344 H	5591.	-1.96	-18.3	-0.8	-7.7	-7.7	-10.5	-13.2	-1.34	-849.7	-625.0	8.73	50.00	6.5
345 H	5816.	-7.19	-70.5	-3.2	-30.8	-31.0	-42.2	-50.9	-5.19	-87.9	-64.6	3.63	50.00	2.7
346 H	5842.	-5.98	-58.6	-2.7	-25.7	-25.9	-35.2	-42.3	-4.31	-164.0	-120.6	5.65	50.00	4.2
347 H	5837.	-3.30	-38.3	-1.7	-16.8	-16.9	-23.0	-27.6	-2.82	-328.8	-241.8	7.39	50.00	5.5

DRZ 1/HIM	BRL KP	BRL N	REDMDR BAR	EFFLST KM	REDLST KM	REDLST DS	MOHT MM	MOHT KPH	SPZV8 G/KWH	SPZV3 G/PSH	LTRPLU L/H	KRSTHAS G	KRSTPLU KG/H
348 H	-1.78	-17.5	-8	-7.7	-7.7	-10.5	-12.6	-1.29	-902.6	-663.9	9.27	50.00	6.9
349 H	-7.46	-73.2	-3.3	-32.9	-33.2	-45.1	-52.8	-5.38	-81.4	-59.8	3.59	50.00	2.7
350 H	-6.11	-59.0	-2.7	-26.5	-26.7	-36.3	-42.6	-4.34	-164.2	-120.7	5.94	50.00	4.4
351 H	-3.37	-30.0	-1.7	-17.1	-17.2	-23.4	-27.4	-2.79	-343.4	-252.6	7.88	50.00	5.9
352 H	-1.88	-18.4	-8	-8.3	-8.4	-11.4	-13.3	-1.35	-874.3	-643.1	9.72	50.00	7.2

070431901401BATEZ

SFYTE 1/9

	DRZ 1/MIN	BR KP	ZUE4 DEG	LAMA I	SIGMA 1	C3 PROZ	CO2 PROZ	NO PPM	C3H8 PPM	J2 PROZ	DKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL
1	1001.	20	-1.7	1.019	.081	.76	13.84	71.	693.	1.24	16.6	4.7	4.3	67.7
2	1000.	1.35	-1.7	1.014	.067	.66	14.19	95.	225.	.84	24.6	12.1	4.3	65.9
3	1001.	3.00	.0	1.012	.063	.64	14.24	136.	225.	.73	26.4	14.1	4.3	65.4
4	1000.	6.15	4.2	1.013	.063	.63	14.22	197.	310.	.93	29.2	17.3	4.4	65.4
5	1000.	8.00	7.1	1.013	.062	.60	14.22	314.	373.	.35	31.4	20.1	4.4	65.9
6	1000.	18.16	7.5	1.010	.060	.63	14.22	477.	405.	.82	35.2	25.1	4.3	65.6
7	1001.	12.12	8.2	1.011	.059	.60	14.23	710.	428.	.82	40.5	32.6	4.3	65.4
8	1001.	14.12	8.2	1.012	.058	.58	14.23	1176.	461.	.30	46.2	41.0	4.3	65.4
9	993.	16.19	8.4	1.011	.058	.59	14.19	1921.	505.	.73	55.6	54.9	4.3	65.0
10	1001.	17.34	8.7	1.013	.060	.57	14.18	2761.	565.	.90	69.5	72.8	4.3	65.9
11	1001.	19.12	8.6	.926	.060	2.41	13.47	1500.	1011.	.28	85.1	84.8	4.4	62.8
12	1204.	-13	.2	1.020	.073	.64	14.04	84.	471.	1.18	22.8	10.2	4.6	63.0
13	1204.	1.31	2.5	1.012	.061	.61	14.29	104.	185.	.76	26.8	14.4	4.6	63.0
14	1198.	3.55	7.1	1.015	.062	.58	14.27	126.	252.	.81	28.1	16.1	4.6	63.6
15	1197.	6.13	13.7	1.013	.058	.56	14.27	199.	369.	.92	30.4	18.9	4.5	63.5
16	1205.	7.38	14.4	1.012	.054	.53	14.32	292.	388.	.78	33.9	23.4	4.5	64.3
17	1197.	10.18	10.5	1.009	.051	.53	14.36	457.	375.	.70	38.9	30.4	4.5	64.5
18	1197.	12.87	10.3	1.008	.050	.53	14.36	740.	403.	.69	43.4	37.0	4.5	65.1
19	1205.	14.00	10.3	1.009	.051	.53	14.34	1094.	435.	.70	49.6	46.0	4.5	65.3
20	1198.	16.58	10.3	1.009	.054	.57	14.28	2048.	474.	.70	58.5	58.9	4.5	65.5
21	1198.	17.35	10.7	1.009	.056	.59	14.24	2586.	517.	.72	70.3	73.7	4.5	66.6
22	1205.	19.25	11.1	.916	.060	2.86	13.27	1352.	695.	.21	85.1	84.8	4.5	67.0
23	1401.	.13	4.3	1.013	.060	.59	14.26	84.	314.	.91	27.7	15.6	4.6	66.4
24	1393.	2.45	12.5	1.011	.060	.62	14.25	102.	225.	.75	29.0	17.1	4.6	66.6
25	1400.	4.14	17.8	1.013	.063	.62	14.19	132.	309.	.83	29.2	17.5	4.6	66.9
26	1401.	6.12	20.2	1.011	.062	.64	14.18	203.	352.	.83	32.0	20.8	4.6	66.3
27	1401.	8.13	20.2	1.011	.060	.62	14.18	347.	387.	.81	35.4	25.4	4.6	67.3
28	1401.	10.33	13.1	1.009	.055	.58	14.27	476.	353.	.73	42.1	35.0	4.6	67.2
29	1401.	11.37	13.1	1.008	.055	.61	14.27	666.	383.	.72	45.8	40.4	4.5	67.6
30	1401.	13.99	13.1	1.011	.062	.64	14.19	1605.	394.	.78	48.4	44.4	4.5	70.7
31	1401.	16.37	13.5	1.011	.062	.64	14.16	2096.	441.	.78	54.9	53.9	4.5	70.7
32	1393.	17.99	13.4	1.009	.057	.61	14.19	2614.	521.	.73	66.3	69.2	4.5	70.0

	DRZ 1/HIN	BR- KP	ZUE4 DEG	LAMA 1	SIGMA 1	C3 PROZ	CO2 PROZ	NO PPH	C3H8 PPH	O2 PROZ	OKL DEG	OKLPS1 DEG	OELO KP/CH2	DELTEMP CEL
33	1401.	19.59	13.4	.921	0.000	2.66	13.32	1511.	799.	.24	85.1	84.8	4.5	70.1
34	1596.	-0.35	10.4	1.012	.063	.63	14.10	82.	445.	.09	25.9	13.5	4.6	70.5
35	1596.	1.84	18.3	1.017	.067	.61	14.12	99.	294.	.90	28.3	16.3	4.6	76.0
36	1596.	3.31	23.5	1.016	.067	.62	14.12	153.	347.	.91	30.0	18.4	4.6	71.5
37	1604.	6.06	23.5	1.015	.063	.59	14.19	243.	352.	.87	34.1	23.6	4.6	70.8
38	1596.	7.93	23.5	1.016	.061	.56	14.19	372.	371.	.87	36.6	27.1	4.6	70.7
39	1596.	9.39	19.8	1.016	.060	.54	14.23	453.	356.	.85	40.9	33.2	4.6	71.2
40	1597.	12.12	16.1	1.013	.056	.53	14.27	647.	374.	.79	49.0	45.2	4.6	71.2
41	1597.	13.99	16.3	1.012	.055	.53	14.27	1036.	411.	.76	54.1	52.7	4.6	71.1
42	1597.	16.17	16.4	1.013	.060	.59	14.20	2293.	418.	.75	56.7	56.4	4.5	71.9
43	1597.	18.12	16.3	1.011	.059	.61	14.21	2647.	470.	.73	68.8	72.1	4.5	72.1
44	1597.	19.70	16.5	.918	0.000	2.87	13.24	1499.	645.	.23	85.1	84.8	4.5	73.3
45	1799.	.00	13.4	1.013	.065	.64	14.15	81.	356.	.88	26.0	13.6	4.7	73.0
46	1808.	2.34	23.1	1.012	.063	.63	14.17	117.	330.	.84	27.7	15.5	4.7	72.1
47	1792.	4.81	25.2	1.012	.060	.60	14.21	187.	367.	.92	31.0	19.6	4.7	71.3
48	1800.	6.16	25.3	1.009	.054	.56	14.29	321.	398.	.75	34.6	24.4	4.7	72.1
49	1800.	7.31	25.3	1.008	.049	.52	14.34	468.	410.	.70	37.7	28.7	4.7	72.0
50	1800.	9.37	21.8	1.107	.048	.52	14.36	548.	393.	.66	42.4	35.4	4.7	71.9
51	1808.	11.32	17.5	1.306	.044	.49	14.42	654.	393.	.62	49.6	45.0	4.6	72.3
52	1800.	14.38	17.4	1.006	.047	.53	14.38	1007.	430.	.63	57.1	56.9	4.6	73.1
53	1808.	16.39	17.8	1.009	.054	.57	14.31	2286.	413.	.65	58.3	58.7	4.6	73.8
54	1801.	17.34	17.7	.981	.050	1.02	14.21	2201.	479.	.36	70.0	73.4	4.6	74.4
55	1800.	19.23	17.3	.919	0.000	2.85	13.26	1468.	549.	.20	85.1	84.8	4.6	75.6
56	2003.	-0.16	15.9	1.009	.053	.55	14.35	88.	245.	.67	26.1	13.7	4.8	75.0
57	1995.	2.13	27.4	1.011	.058	.59	14.27	138.	287.	.76	27.9	15.8	4.7	74.5
58	2004.	4.37	28.2	1.013	.058	.55	14.25	215.	338.	.80	33.5	22.8	4.7	75.2
59	2084.	5.59	27.7	1.011	.053	.53	14.23	332.	387.	.76	35.8	26.1	4.7	74.8
60	1996.	8.11	28.3	1.008	.049	.52	14.32	549.	439.	.71	39.4	31.0	4.7	75.5
61	1996.	10.11	26.3	1.006	.045	.50	14.37	746.	454.	.65	43.4	36.8	4.7	75.1
62	2005.	12.87	20.8	1.005	.047	.54	14.36	719.	417.	.64	51.1	48.3	4.7	76.0
63	2004.	14.34	20.5	1.003	.049	.61	14.31	1029.	425.	.62	58.1	58.4	4.7	76.0
64	2004.	16.13	20.5	1.010	.058	.61	14.24	2509.	420.	.69	58.6	59.0	4.7	76.7
65	2005.	17.31	21.0	.983	.054	1.03	14.17	2441.	455.	.33	67.1	70.0	4.6	77.5
66	2004.	19.73	21.3	.926	0.000	2.67	13.34	1700.	516.	.23	85.1	84.8	4.6	78.0
67	2199.	-0.15	20.8	1.008	.055	.60	14.29	99.	298.	.71	27.3	15.0	4.8	77.3
68	2200.	1.99	30.7	1.011	.058	.59	14.25	160.	302.	.77	30.0	18.4	4.8	77.5
69	2200.	4.16	30.5	1.013	.056	.53	14.30	250.	319.	.77	34.1	23.6	4.8	76.9
70	2200.	5.37	30.4	1.010	.052	.52	14.33	359.	392.	.73	37.7	28.6	4.8	77.4
71	2200.	7.35	30.3	1.008	.049	.52	14.34	533.	437.	.70	40.9	33.3	4.7	77.3
72	2199.	9.98	30.2	1.007	.049	.53	14.34	732.	453.	.69	44.9	39.1	4.7	77.6
73	2200.	11.99	23.3	1.004	.047	.58	14.34	694.	407.	.62	52.5	51.4	4.7	77.7
74	2201.	14.16	23.1	1.006	.051	.59	14.33	1039.	412.	.66	58.6	59.1	4.7	78.1
75	2200.	16.16	23.1	1.010	.061	.65	14.18	2614.	391.	.70	59.1	59.7	4.7	78.8
76	2200.	18.10	23.2	1.008	.060	.67	14.21	2834.	382.	.66	68.6	71.8	4.7	79.2
77	2200.	20.16	23.4	.938	.061	2.32	13.53	1999.	491.	.25	78.3	81.0	4.6	80.1

CRZ 1/HR	BR K	ZUE4 DEG	LAMA 1	SIGMA 1	C3 PROZ	C02 PROZ	NO PPH	33H9 PPH	O2 PROZ	DKL DEG	DKLPST DEG	OEOR KP/CM2	DELTEMP CEL
78	28.44	23.5	.919	0.000	2.93	13.20	1729.	515.	.21	85.1	84.8	4.6	80.7
79	2395.	26.7	1.007	.055	.62	14.29	113.	265.	.69	26.7	14.4	4.8	79.8
80	2395.	2.11	1.009	.055	.57	14.31	197.	254.	.69	31.1	19.7	4.8	79.8
81	2404.	4.12	1.010	.055	.57	14.28	268.	327.	.74	36.3	26.6	4.8	79.3
82	2403.	5.30	1.008	.053	.58	14.26	406.	397.	.72	38.8	30.3	4.8	80.1
83	2484.	7.78	1.007	.051	.57	14.26	563.	437.	.71	41.7	34.3	4.8	80.0
84	2396.	10.33	1.005	.049	.57	14.27	783.	450.	.67	46.1	43.9	4.7	80.1
85	2404.	11.30	1.004	.051	.61	14.25	767.	405.	.55	52.7	50.7	4.7	80.3
86	2484.	14.12	1.003	.053	.66	14.20	1213.	393.	.54	58.4	53.9	4.7	81.0
87	2404.	16.16	1.008	.063	.71	14.03	2749.	355.	.68	59.9	63.9	4.7	81.8
88	2396.	17.31	.981	.062	1.10	13.98	2570.	393.	.41	66.8	69.8	4.6	83.0
89	2397.	20.17	.946	.069	2.13	13.54	2165.	455.	.28	76.8	79.8	4.6	83.1
90	2404.	20.54	.906	0.000	3.35	12.91	1645.	502.	.13	85.1	84.8	4.6	83.2
91	2600.	22.1	1.006	.053	.61	14.31	124.	220.	.53	27.5	15.3	4.8	82.2
92	2600.	2.13	1.008	.054	.59	14.28	216.	223.	.66	32.1	21.0	4.8	82.0
93	2600.	3.31	1.008	.053	.58	14.25	268.	293.	.58	37.5	29.3	4.8	82.0
94	2608.	6.19	1.007	.054	.60	14.24	416.	365.	.71	41.0	33.3	4.8	81.9
95	2600.	7.31	1.006	.055	.63	14.20	557.	410.	.72	43.7	37.3	4.8	82.2
96	2598.	10.16	1.009	.064	.71	14.04	2193.	361.	.72	46.0	40.8	4.7	86.8
97	2598.	12.17	1.010	.067	.72	14.00	2905.	371.	.73	49.8	46.4	4.7	86.3
98	2598.	13.98	1.011	.066	.70	14.04	2901.	360.	.72	54.0	52.6	4.7	86.1
99	2599.	15.99	1.009	.063	.70	14.07	2854.	342.	.58	59.9	63.9	4.6	86.7
100	2606.	18.12	1.009	.061	.66	14.12	3160.	350.	.55	68.3	71.5	4.6	86.3
101	2607.	19.37	.970	.065	1.43	13.86	2785.	431.	.34	75.8	79.0	4.6	86.2
102	2599.	20.88	.912	0.000	3.17	12.99	1946.	504.	.20	85.2	84.8	4.6	86.4
103	2801.	.13	1.005	.052	.62	14.27	147.	245.	.63	28.3	16.3	4.8	85.3
104	2802.	2.11	1.007	.052	.57	14.28	236.	228.	.63	32.8	22.0	4.8	84.8
105	2802.	4.28	1.007	.050	.56	14.24	323.	325.	.66	39.5	31.3	4.8	84.1
106	2802.	6.12	1.004	.051	.61	14.21	442.	374.	.66	42.4	35.5	4.8	85.2
107	2802.	8.16	1.003	.051	.64	14.19	617.	423.	.66	45.4	39.9	4.8	85.7
108	2802.	9.32	1.001	.052	.68	14.17	805.	441.	.64	49.5	45.9	4.8	85.6
109	2795.	12.80	1.000	.051	.68	14.20	1053.	391.	.59	55.4	54.5	4.7	85.9
110	2803.	14.30	1.004	.054	.66	14.19	1953.	381.	.61	60.0	61.0	4.7	86.8
111	2802.	16.11	1.000	.059	.66	14.16	3128.	343.	.61	62.8	64.8	4.7	87.5
112	2803.	17.37	.964	.064	1.56	13.82	2675.	424.	.30	69.9	73.2	4.7	87.4
113	2795.	20.13	.949	.065	2.01	13.61	2580.	444.	.24	78.0	80.8	4.6	88.1
114	2795.	20.76	.911	0.000	3.20	12.98	2012.	484.	.18	85.1	84.8	4.6	88.5
115	2998.	.14	1.004	.051	.62	14.27	157.	218.	.58	28.9	17.1	4.8	87.7
116	2998.	2.07	1.006	.050	.57	14.26	203.	281.	.63	36.7	27.1	4.8	86.8
117	3006.	3.90	1.004	.049	.60	14.23	312.	320.	.62	39.7	31.5	4.8	86.6
118	2998.	6.14	1.002	.049	.63	14.21	444.	384.	.62	43.0	35.4	4.8	86.3
119	2999.	8.12	1.001	.050	.67	14.16	650.	424.	.62	47.1	42.5	4.8	86.7
120	2999.	9.97	1.001	.053	.69	14.15	1037.	431.	.64	51.8	48.2	4.8	87.6
121	2999.	11.99	1.001	.051	.66	14.21	1190.	387.	.59	56.4	56.0	4.7	88.2
122	2999.	14.41	1.003	.055	.68	14.18	2212.	365.	.58	60.8	62.1	4.7	88.3

NOTES 19014018AT22

	DRZ 1/MIN	BR. KP	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	CHMS PPH	O2 PROZ	UKL DEG	OKLPST DEG	OELDR KP/CM2	OELTEMP CEL
8 123	2999.	16.07	30.9	1.006	.060	.70	14.13	3195.	320.	.59	64.4	66.0	4.7	89.2
9 124	3000.	16.14	30.3	.993	.057	.90	14.13	3223.	374.	.45	70.8	74.3	4.7	89.6
10 125	2999.	20.34	30.3	.965	.066	1.56	13.85	2901.	421.	.30	76.9	80.0	4.6	90.0
12 126	2999.	21.10	30.4	.917	0.000	3.00	13.11	2210.	468.	.10	85.2	84.0	4.6	90.8
13 127	3202.	.09	39.0	1.002	.046	.57	14.36	170.	200.	.52	31.3	20.0	4.8	89.9
14 128	3202.	2.33	39.3	1.005	.048	.56	14.29	244.	265.	.60	37.5	28.4	4.9	80.3
16 129	3194.	4.24	39.7	1.002	.048	.61	14.25	364.	352.	.59	41.7	34.4	4.8	88.7
18 130	3202.	6.00	39.2	1.001	.049	.63	14.22	515.	392.	.61	44.4	38.4	4.8	88.9
20 131	3202.	7.92	39.4	1.000	.049	.66	14.20	793.	430.	.60	47.8	43.4	4.8	89.2
22 132	3195.	9.36	39.4	1.001	.051	.66	14.19	1324.	409.	.59	52.2	49.9	4.8	89.8
24 133	3203.	12.19	34.5	1.002	.054	.69	14.17	1936.	373.	.58	56.2	55.7	4.7	90.2
26 134	3203.	14.03	32.4	1.005	.057	.68	14.17	3216.	336.	.57	59.7	60.7	4.7	91.0
28 135	3195.	16.13	32.1	1.005	.058	.69	14.17	3372.	325.	.56	65.5	68.2	4.7	91.0
30 136	3203.	18.35	32.3	.967	.064	1.49	13.86	3002.	404.	.29	71.1	74.6	4.7	91.4
32 137	3203.	20.31	32.2	.964	.069	1.63	13.78	3157.	412.	.30	77.5	80.4	4.6	92.1
34 138	3203.	21.32	32.3	.919	0.000	2.99	13.07	2437.	455.	.20	85.1	84.8	4.6	92.9
36 139	3405.	.00	40.3	1.003	.046	.57	14.36	175.	161.	.50	31.5	20.3	4.8	91.8
38 140	3398.	2.00	40.3	1.002	.048	.62	14.25	226.	305.	.58	39.1	30.6	4.8	91.0
40 141	3398.	4.10	40.2	.999	.050	.68	14.20	358.	355.	.59	42.3	35.3	4.8	92.6
42 142	3398.	5.36	40.2	.998	.050	.70	14.19	526.	391.	.58	45.5	40.0	4.8	91.8
44 143	3398.	7.30	40.1	.997	.051	.73	14.16	868.	415.	.58	49.2	45.5	4.8	92.0
46 144	3398.	10.36	40.3	.999	.052	.71	14.16	1488.	402.	.58	53.6	52.0	4.7	91.9
48 145	3399.	12.14	34.3	1.000	.052	.71	14.18	1715.	381.	.56	58.6	59.1	4.7	92.9
50 146	3399.	14.23	32.7	1.005	.057	.68	14.17	3072.	337.	.56	62.1	63.8	4.7	92.9
52 147	3399.	16.35	32.8	1.004	.057	.69	14.18	3496.	327.	.53	67.3	70.3	4.7	92.9
54 148	3399.	17.82	32.3	.973	.062	1.34	13.92	3191.	393.	.30	71.4	74.9	4.6	93.7
56 149	3399.	20.32	32.5	.968	.068	1.53	13.83	3298.	393.	.30	77.0	80.0	4.6	94.0
58 150	3399.	21.21	32.3	.911	0.000	3.23	12.96	2304.	436.	.17	85.1	84.8	4.6	95.3
60 151	3602.	.17	40.3	1.002	.041	.53	14.44	190.	145.	.45	32.8	21.8	4.8	94.2
62 152	3602.	1.94	40.8	1.000	.047	.63	14.26	237.	298.	.55	40.0	32.1	4.8	92.3
64 153	3602.	3.34	40.5	.998	.049	.70	14.20	364.	353.	.56	43.5	37.0	4.8	92.8
66 154	3602.	6.32	40.2	.995	.049	.75	14.17	581.	398.	.54	46.8	41.7	4.8	92.9
68 155	3602.	8.32	40.4	.995	.051	.77	14.16	1028.	397.	.54	50.6	47.7	4.7	93.4
70 156	3602.	10.17	40.3	.998	.053	.74	14.16	1686.	389.	.55	54.7	53.7	4.7	94.1
72 157	3602.	11.99	36.1	.996	.053	.78	14.16	1941.	383.	.52	59.4	60.1	4.7	94.2
74 158	3603.	14.15	34.1	1.004	.057	.70	14.16	3384.	324.	.53	62.4	64.1	4.7	94.0
76 159	3603.	16.34	32.8	.977	.061	1.24	13.97	3090.	375.	.32	67.0	69.9	4.7	94.4
78 160	3595.	18.19	32.8	.970	.065	1.42	13.83	3126.	383.	.30	71.9	75.4	4.6	96.0
80 161	3603.	20.06	32.6	.969	.066	1.47	13.86	3273.	375.	.29	76.1	79.3	4.6	96.0
82 162	3603.	21.56	32.4	.922	0.000	2.88	13.14	2524.	401.	.17	85.1	84.8	4.6	97.3
84 163	3797.	.00	40.5	1.000	.039	.53	14.46	181.	124.	.40	34.5	24.2	4.8	96.2
86 164	3806.	1.81	40.2	.999	.047	.65	14.26	240.	287.	.54	40.9	33.3	4.8	95.4
88 165	3806.	3.84	40.7	.994	.051	.79	14.14	366.	360.	.54	44.4	38.4	4.8	95.2
90 166	3798.	6.19	40.3	.994	.052	.81	14.10	761.	391.	.55	48.0	43.8	4.8	95.7
92 167	3798.	8.12	40.6	.997	.053	.77	14.12	1266.	383.	.56	52.0	49.6	4.7	95.6

	DRZ 1/MIN	BRL KP	ZUEM DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	C3H8 PPM	O2 PROZ	OKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL
168	3798.	9.38	40.5	.998	.353	.74	14.14	1877.	380.	.54	55.7	55.0	4.7	96.1
169	3798.	12.32	38.1	.999	.054	.74	14.15	2304.	372.	.53	60.0	61.0	4.7	95.8
170	3806.	13.38	35.7	1.008	.059	.66	14.15	3673.	290.	.56	63.2	65.3	4.7	96.6
171	3798.	16.32	32.7	.972	.062	1.36	13.92	3054.	363.	.23	68.5	71.8	4.7	96.7
172	3799.	18.16	31.0	.974	.063	1.32	13.94	3274.	363.	.30	72.6	76.1	4.6	97.4
173	3799.	20.31	32.1	.975	.063	1.36	13.94	3522.	345.	.30	76.9	80.0	4.6	98.6
174	3798.	21.41	31.4	.939	.071	2.35	13.43	2958.	373.	.13	85.2	84.8	4.6	98.7
175	4001.	.31	39.8	.398	.040	.58	14.36	165.	223.	.43	38.9	30.4	4.8	97.9
176	3994.	2.28	40.5	.996	.047	.71	14.21	274.	290.	.50	42.8	36.0	4.8	96.0
177	4002.	3.35	40.5	.995	.050	.76	14.14	418.	342.	.53	45.3	39.7	4.8	96.4
178	4002.	6.16	40.1	.995	.052	.78	14.12	801.	353.	.54	49.0	45.1	4.8	97.2
179	4001.	8.31	40.5	1.007	.059	.68	14.18	2245.	286.	.62	52.0	49.6	4.7	96.4
180	4001.	9.93	39.9	1.010	.063	.69	14.14	2935.	292.	.65	55.4	54.6	4.7	96.5
181	4001.	12.32	39.8	1.010	.065	.69	14.14	3241.	292.	.65	59.6	60.5	4.7	96.6
182	3994.	14.39	39.0	1.011	.064	.67	14.16	3527.	288.	.65	64.2	66.5	4.7	97.2
183	4002.	15.38	33.5	.976	.069	1.35	13.93	2869.	361.	.40	68.9	72.1	4.6	97.7
184	3994.	17.33	32.3	.966	.073	1.62	13.80	2815.	363.	.34	71.9	75.4	4.6	98.2
185	4002.	19.35	31.2	.955	.078	1.94	13.64	2834.	380.	.30	75.2	78.5	4.6	98.7
186	3994.	22.37	31.5	.926	.085	2.84	13.17	2503.	373.	.24	84.7	84.6	4.5	99.9
187	4202.	.31	40.5	1.002	.045	.56	14.37	165.	321.	.57	39.6	31.3	4.8	97.6
188	4202.	1.35	40.5	1.000	.052	.70	14.27	244.	267.	.57	42.8	36.0	4.8	97.1
189	4206.	3.36	39.8	.999	.053	.73	14.21	403.	303.	.59	46.5	41.5	4.9	97.7
190	4204.	6.30	40.3	1.001	.054	.71	14.23	807.	320.	.60	49.8	46.4	4.7	97.8
191	4202.	7.31	39.8	1.004	.056	.69	14.20	1360.	322.	.62	53.5	51.9	4.7	98.4
192	4201.	10.00	39.6	1.004	.059	.71	14.19	1947.	329.	.62	57.8	58.0	4.7	98.1
193	4201.	12.11	39.3	1.012	.064	.66	14.18	3299.	281.	.66	61.4	62.9	4.7	98.4
194	4202.	13.34	38.4	1.012	.063	.63	14.22	3504.	264.	.64	65.2	67.8	4.6	99.4
195	4196.	16.22	33.7	.970	.069	1.49	13.93	2719.	364.	.35	70.1	73.5	4.6	99.8
196	4202.	17.36	31.0	.964	.071	1.64	13.84	2678.	363.	.32	72.4	75.9	4.6	100.8
197	4205.	20.31	32.1	.958	.074	1.83	13.75	2409.	367.	.29	75.6	78.9	4.5	101.0
198	4196.	22.36	31.9	.945	.083	2.26	13.52	2781.	342.	.26	82.8	83.8	4.5	102.0
199	4399.	.32	40.3	1.300	.045	.60	14.36	171.	414.	.60	40.4	32.4	4.8	98.9
200	4399.	2.15	41.1	.397	.049	.72	14.30	258.	311.	.54	44.2	39.1	4.7	99.1
201	4400.	3.36	41.0	.998	.052	.73	14.27	443.	312.	.56	47.2	42.5	4.7	99.4
202	4400.	5.99	40.7	1.000	.055	.74	14.24	899.	315.	.59	50.8	47.9	4.7	100.0
203	4400.	8.00	41.3	1.001	.057	.75	14.20	1437.	325.	.60	54.5	53.3	4.7	100.0
204	4400.	10.10	40.1	1.002	.060	.78	14.17	2816.	329.	.61	58.7	59.2	4.7	100.1
205	4403.	12.31	40.3	1.011	.061	.62	14.26	3356.	277.	.62	62.0	63.7	4.6	100.1
206	4399.	14.00	39.9	.954	.078	1.97	13.68	2680.	379.	.31	66.1	68.9	4.6	101.3
207	4400.	16.83	32.3	.949	.076	2.09	13.64	2371.	373.	.28	71.7	75.2	4.6	101.9
208	4408.	18.11	32.8	.947	.079	2.17	13.58	2420.	372.	.28	73.4	76.9	4.5	102.1
209	4400.	19.99	32.3	.934	.081	2.58	13.38	2443.	370.	.25	76.5	79.6	4.5	102.
210	4400.	21.31	31.7	.921	.084	3.00	13.14	2393.	355.	.22	85.0	84.7	4.5	103.
211	4502.	.34	39.8	.993	.046	.74	14.19	162.	716.	.68	42.1	35.1	4.7	101.2
212	4595.	2.27	39.6	.996	.050	.74	14.31	260.	290.	.53	45.5	40.1	4.7	101.1

HYTOR313014018AT22

	DR2 1/MIN	BRL KP	ZUEH DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	CO3H8 PPM	O2 PROZ	DKL DEG	DKLPST DEG	OELOK KP/GM2	OELTEMP CEL
213	4603.	3.86	39.3	.997	.051	.74	14.30	474.	276.	.53	49.1	43.9	4.7	102.1
214	4595.	5.98	39.3	1.002	.053	.67	14.29	945.	282.	.57	51.7	49.2	4.7	101.8
215	4595.	8.06	40.3	1.004	.054	.66	14.27	1407.	283.	.59	55.7	55.0	4.7	101.7
216	4595.	10.12	39.5	1.009	.058	.62	14.27	2701.	252.	.59	59.2	60.0	4.6	101.2
217	4603.	11.99	39.8	1.012	.059	.59	14.29	3217.	237.	.60	63.2	65.3	4.6	102.1
218	4603.	14.11	38.2	.954	.075	1.92	13.68	2599.	371.	.29	67.9	71.1	4.6	103.1
219	4599.	16.00	31.8	.945	.072	2.10	13.59	2258.	374.	.25	70.8	74.2	4.5	103.5
220	4603.	17.94	32.9	.938	.075	2.41	13.46	2340.	378.	.24	72.8	75.3	4.5	104.5
221	4595.	19.98	32.1	.932	.078	2.61	13.34	2408.	367.	.23	78.0	80.8	4.5	105.4
222	4596.	21.57	32.2	.911	.077	3.33	12.93	2216.	357.	.20	85.0	84.8	4.4	106.3
223	4805.	.15	38.8	.995	.051	.77	14.09	167.	753.	.77	43.4	37.0	4.7	103.0
224	4806.	2.15	39.2	.995	.048	.73	14.30	275.	302.	.51	46.0	40.7	4.7	102.9
225	4797.	3.99	38.8	.999	.048	.66	14.34	568.	251.	.50	49.2	45.3	4.7	103.4
226	4797.	6.17	39.3	1.002	.050	.63	14.32	1069.	255.	.54	53.1	51.2	4.7	102.4
227	4804.	7.33	38.8	1.004	.053	.65	14.28	1711.	265.	.55	56.6	56.3	4.6	103.2
228	4805.	9.36	38.3	1.011	.056	.57	14.31	3072.	225.	.56	60.2	61.3	4.6	103.9
229	4797.	12.12	38.8	1.010	.057	.58	14.30	3266.	230.	.56	64.7	67.2	4.6	104.5
230	4805.	13.90	37.1	.952	.074	1.98	13.65	2515.	365.	.27	69.5	72.8	4.5	105.3
231	4797.	15.98	31.2	.940	.072	2.32	13.49	2154.	374.	.24	70.5	73.9	4.5	105.5
232	4797.	18.11	30.7	.934	.074	2.53	13.38	2269.	377.	.22	73.9	77.4	4.5	106.5
233	4797.	20.11	31.3	.929	.077	2.71	13.28	2404.	352.	.21	78.9	81.5	4.4	106.5
234	4806.	21.19	28.3	.905	0.000	3.50	12.85	2103.	351.	.17	85.0	84.8	4.4	108.6
235	4999.	.11	37.8	.988	.046	.82	13.97	173.	1081.	.91	44.0	37.8	4.7	104.7
236	4999.	2.13	38.1	.993	.046	.75	14.27	348.	362.	.43	46.8	41.9	4.6	105.8
237	5000.	4.17	38.2	1.000	.047	.64	14.34	740.	277.	.51	50.2	47.1	4.7	105.0
238	5000.	6.12	37.3	1.001	.050	.65	14.32	1307.	259.	.52	53.9	52.4	4.6	104.9
239	5000.	7.38	37.3	1.006	.053	.61	14.32	2340.	240.	.53	57.6	57.7	4.6	104.8
240	5000.	10.12	37.5	1.010	.056	.58	14.30	3121.	233.	.56	61.7	63.3	4.6	105.7
241	4998.	12.11	37.5	.920	.073	2.98	13.05	2059.	414.	.23	65.5	69.2	4.5	105.7
242	4999.	14.43	33.7	.953	.072	1.95	13.67	2454.	345.	.26	71.0	74.4	4.5	107.1
243	5000.	15.38	30.1	.947	.072	2.10	13.58	2274.	362.	.25	73.1	76.5	4.5	107.7
244	5000.	17.38	29.3	.939	.074	2.37	13.47	2363.	355.	.23	75.9	79.1	4.4	108.5
245	5000.	20.11	29.1	.923	.075	2.91	13.17	2315.	348.	.19	80.4	82.4	4.4	108.8
246	4993.	21.13	29.5	.908	0.000	3.42	12.87	2125.	343.	.18	85.1	84.8	4.3	109.9
247	5203.	.12	39.6	.991	.046	.78	14.04	188.	947.	.75	45.8	40.5	4.6	106.1
248	5203.	1.38	39.1	.996	.046	.70	14.32	376.	342.	.51	48.4	44.3	4.6	106.5
249	5186.	3.33	38.7	.998	.049	.69	14.34	786.	233.	.48	51.7	49.2	4.6	106.7
250	5209.	6.12	38.2	1.001	.051	.66	14.33	1463.	243.	.51	55.9	55.2	4.6	107.2
251	5199.	8.00	38.7	1.007	.052	.58	14.37	2668.	216.	.51	59.5	60.4	4.6	107.8
252	5213.	10.14	39.1	1.007	.054	.60	14.33	2925.	228.	.52	63.8	66.1	4.5	108.3
253	5203.	12.00	38.2	.942	.075	2.27	13.50	2347.	363.	.24	68.1	71.2	4.5	108.6
254	5226.	13.88	34.7	.942	.073	2.26	13.53	2234.	353.	.23	78.0	80.8	4.4	109.3
255	5193.	20.14	29.3	.915	.073	3.17	13.02	2160.	334.	.18	85.1	84.8	4.3	110.9
256	5410.	.12	37.7	.991	.043	.74	14.29	215.	457.	.50	47.2	42.6	4.5	108.4
257	5398.	2.10	38.5	.997	.044	.65	14.40	486.	219.	.43	50.7	47.7	4.5	108.5

DRZ 1/HIN	BR KP	ZUEW DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPM	23H8 PPM	22 PROZ	OKL DEG	OKLPST DEG	OELDR KP/CM2	OELTEMP CEL
258	4.16	39.2	1.000	.046	.63	14.40	936.	198.	.45	54.1	52.6	4.5	107.9
259	6.00	38.3	1.003	.049	.60	14.38	1628.	200.	.48	57.8	57.9	4.5	108.9
260	8.13	38.9	1.004	.050	.60	14.39	2287.	202.	.47	61.7	63.3	4.5	108.9
261	10.10	38.5	1.005	.052	.62	14.36	2531.	195.	.48	66.0	69.8	4.5	109.4
262	12.43	38.2	.949	.073	2.06	13.61	2243.	346.	.25	71.1	74.5	4.4	110.6
263	13.31	31.5	.937	.069	2.38	13.46	1858.	354.	.22	73.0	76.5	4.4	111.1
264	15.31	30.1	.935	.068	2.44	13.43	1972.	352.	.21	74.8	79.2	4.3	111.0
265	17.99	28.3	.920	.068	2.96	13.14	1970.	355.	.13	79.5	81.8	4.3	111.8
266	19.53	27.8	.901	0.000	3.63	12.77	1847.	349.	.16	85.2	84.8	4.3	112.5
267	.11	38.1	.998	.033	.49	14.66	281.	151.	.33	49.2	45.4	4.5	109.7
268	2.12	37.8	.998	.038	.54	14.59	678.	132.	.35	52.4	51.2	4.5	110.4
269	4.13	38.5	1.000	.041	.55	14.55	1169.	131.	.37	55.8	55.1	4.5	110.1
270	6.12	38.9	1.002	.044	.56	14.50	1640.	145.	.40	59.4	60.2	4.4	110.7
271	7.35	38.7	1.001	.047	.62	14.45	1855.	155.	.41	63.5	65.7	4.4	110.8
272	10.34	38.5	.954	.069	1.89	13.71	1874.	349.	.27	67.6	70.7	4.4	111.5
273	12.12	36.3	.942	.073	2.27	13.51	1952.	345.	.24	70.4	73.8	4.4	112.2
274	13.38	30.5	.940	.066	2.29	13.53	1733.	336.	.21	72.3	75.7	4.3	112.4
275	15.35	30.1	.924	.064	2.81	13.22	1786.	358.	.13	77.1	80.1	4.3	113.0
276	17.38	30.5	.902	0.000	3.55	12.79	1720.	362.	.17	81.4	83.0	4.2	114.0
277	.11	38.8	.996	.033	.52	14.62	249.	197.	.33	50.7	47.7	4.4	112.0
278	1.31	38.4	.998	.036	.51	14.62	599.	105.	.32	52.0	49.1	4.4	113.1
279	4.19	38.5	1.000	.038	.51	14.58	1116.	108.	.34	57.1	57.0	4.4	112.8
280	6.13	38.4	1.001	.040	.53	14.55	1448.	117.	.35	60.5	61.7	4.4	113.3
281	8.00	38.1	1.000	.045	.61	14.45	1778.	135.	.37	64.8	67.3	4.3	113.3
282	10.00	37.3	.934	.066	2.47	13.39	1620.	368.	.23	69.5	72.8	4.3	113.4
283	13.36	30.2	.936	.062	2.60	13.37	1596.	354.	.20	73.1	76.6	4.3	114.1
284	14.58	29.1	.925	0.000	2.76	13.29	1617.	344.	.18	74.3	77.7	4.2	115.0
285	16.11	29.3	.911	0.000	3.26	12.97	1586.	355.	.18	76.9	80.0	4.2	115.4
286	18.37	28.9	.866	0.000	4.83	12.04	1280.	381.	.14	84.6	84.6	4.2	115.8
287	.14	40.3	1.000	.022	.29	14.91	329.	40.	.20	50.0	46.7	4.3	115.4
288	1.32	40.5	1.000	.026	.35	14.82	574.	47.	.22	53.0	51.1	4.3	114.9
289	3.37	39.1	.999	.033	.46	14.71	950.	73.	.27	56.4	56.0	4.3	114.9
290	6.18	39.6	.999	.038	.52	14.61	1317.	91.	.30	60.1	61.2	4.3	114.6
291	8.00	39.3	.903	0.000	3.49	12.83	1162.	422.	.20	63.4	65.5	4.2	115.2
292	9.11	39.4	.937	.060	2.34	13.48	1532.	367.	.21	66.8	69.7	4.2	115.5
293	11.92	32.1	.914	0.000	3.13	13.07	1338.	363.	.18	71.2	74.7	4.2	116.2
294	14.34	29.7	.911	0.000	3.22	12.98	1487.	361.	.17	75.2	78.5	4.2	116.8
295	16.14	30.9	.883	0.000	4.20	12.39	1322.	379.	.14	79.4	81.8	4.1	118.1
296	17.22	30.0	.854	0.000	5.24	11.74	1117.	392.	.13	85.2	84.8	4.1	118.8
297	-2.58	.3	.996	.092	1.30	12.14	42.	3645.	2.57	0.0	.4	4.2	74.2
298	-1.65	2.5	.996	.097	1.35	11.73	32.	4404.	2.99	0.0	.5	4.4	74.1
299	-2.26	6.2	1.004	.105	1.33	11.90	30.	4016.	2.95	0.0	.5	4.5	73.8
300	-2.31	7.4	1.001	.100	1.31	11.96	38.	3879.	2.88	0.0	.5	4.6	73.8
301	-2.39	10.2	.996	.092	1.30	11.77	30.	4448.	2.37	0.0	.5	4.7	74.1
302	-2.66	12.7	.994	.088	1.27	11.98	33.	4260.	2.82	0.0	.5	4.8	75.3

MOTOR31901401BAT22

	ORZ 1/HIN	BRL KP	ZUEM DEG	LAMA 1	SIGMA 1	CO PROZ	CO2 PROZ	NO PPH	23H8 PPH	O2 PROZ	DKL DEG	DKLPST DEG	OELDR KP/CH2	OELTEMP CEL
303	2414.	-2.77	15.9	.993	.097	1.41	11.66	34.	4672.	3.10	0.0	.5	4.8	76.3
304	2414.	-2.41	15.9	1.006	.000	.93	13.02	46.	2452.	1.99	17.9	5.7	4.8	79.2
305	2602.	-2.32	16.5	.997	.091	1.25	12.04	35.	4079.	2.73	0.0	.5	4.8	79.8
306	2603.	-2.31	16.5	1.013	.077	.80	13.37	51.	1897.	1.74	19.8	7.3	4.8	80.5
307	2810.	-3.13	20.3	.992	.103	1.50	11.52	34.	4677.	3.15	0.0	.4	4.9	81.9
308	2810.	-2.34	20.1	1.008	.072	.82	13.51	53.	1760.	1.58	20.5	9.0	4.8	81.8
309	3007.	-3.36	21.7	.991	.113	1.65	11.17	31.	5161.	3.45	0.0	.4	4.9	83.1
310	3007.	-2.00	23.9	1.010	.075	.83	13.41	55.	1795.	1.65	20.0	7.5	4.9	83.3
311	3213.	-3.50	23.2	.982	.115	1.03	10.71	29.	5969.	3.78	0.0	.4	4.9	84.4
312	3214.	-2.36	27.1	1.007	.074	.86	13.47	57.	1696.	1.56	21.4	8.8	4.9	85.5
313	3416.	-3.91	22.1	.977	.125	2.03	10.46	28.	5217.	3.94	0.0	.4	4.9	86.5
314	3413.	-1.91	31.5	1.013	.072	.74	13.78	64.	1183.	1.34	22.4	9.8	4.9	87.4
315	3607.	-4.12	23.0	.979	.132	2.09	10.19	28.	6507.	4.17	0.0	.4	4.9	89.1
316	3607.	-1.39	34.2	1.008	.061	.68	14.35	71.	786.	1.31	22.7	11.1	4.9	89.6
317	3805.	-4.16	22.9	.980	.134	2.10	9.93	27.	7058.	4.47	0.0	.4	4.9	90.3
318	3805.	-1.88	37.9	1.008	.062	.70	13.93	77.	890.	1.36	23.6	11.0	4.8	91.4
319	4009.	-4.52	23.3	.972	.134	2.24	9.56	27.	7728.	4.72	0.0	.4	4.9	92.1
320	4011.	-1.35	40.4	1.005	.056	.67	14.15	83.	761.	.32	24.5	12.0	4.8	93.2
321	4216.	-4.92	22.7	.957	.132	2.51	9.15	26.	8541.	4.37	0.0	.4	4.8	94.1
322	4210.	-3.33	24.5	1.012	.081	.86	13.50	48.	1470.	1.56	20.2	7.7	4.8	94.4
323	4210.	-2.36	39.7	1.007	.056	.63	14.23	89.	632.	.88	25.7	13.3	4.8	95.3
324	4402.	-5.15	23.5	.960	.141	2.55	8.92	27.	8714.	5.16	0.0	.5	4.8	96.1
325	4402.	-3.88	27.3	1.004	.074	.91	13.46	51.	1634.	1.50	21.2	8.6	4.8	96.1
326	4400.	-2.32	40.5	1.001	.053	.70	14.34	97.	1055.	.39	27.3	15.1	4.8	96.4
327	4609.	-5.31	23.1	.948	.137	2.74	8.33	26.	9987.	5.64	3.0	.5	4.8	97.5
328	4609.	-3.88	32.5	1.003	.072	.92	13.44	55.	1649.	1.48	22.5	9.9	4.8	98.0
329	4610.	-2.03	40.2	.991	.055	.90	13.47	104.	2051.	1.40	29.2	17.3	4.8	98.5
330	4813.	-5.64	23.0	.933	.126	2.95	7.73	26.	11209.	5.15	0.0	.4	4.8	99.9
331	4812.	-3.99	39.5	.980	.081	1.43	12.53	56.	4184.	2.58	23.6	11.0	4.8	100.3
332	4805.	-2.11	39.5	.992	.073	1.11	13.35	102.	2489.	1.79	34.7	24.5	4.7	100.8
333	5005.	-5.32	23.1	.926	.117	3.04	7.41	27.	11961.	6.32	0.0	.4	4.7	101.7
334	5005.	-3.30	39.3	.985	.086	1.40	12.23	64.	3882.	2.53	25.8	13.3	4.7	102.2
335	5005.	-1.99	39.5	.994	.060	.91	13.42	109.	2201.	1.55	36.0	26.3	4.7	103.0
336	5225.	-6.27	21.4	1.000	0.000	3.39	6.65	26.	13116.	5.30	0.0	.4	4.6	103.4
337	5205.	-3.35	38.2	.983	.073	1.27	12.43	69.	3619.	2.27	27.5	15.4	4.6	104.7
338	5208.	-2.10	38.7	.998	.064	.88	13.55	112.	1819.	1.44	37.4	28.2	4.6	105.7
339	5414.	-6.55	20.3	.906	.099	3.50	6.89	29.	12495.	5.43	0.0	.4	4.5	107.1
340	5416.	-4.00	38.8	.996	.063	.91	13.35	80.	2309.	1.55	29.6	17.8	4.5	107.6
341	5416.	-1.32	38.5	1.000	.062	.83	13.85	123.	1273.	1.18	38.8	33.2	4.5	109.3
342	5606.	-6.35	21.4	.923	.164	3.63	9.30	37.	6668.	4.32	.1	.4	4.4	110.2
343	5599.	-3.33	38.7	.995	.056	.84	13.64	84.	1900.	1.39	35.3	25.3	4.4	110.8
344	5591.	-1.96	38.7	.996	.048	.72	14.15	137.	1032.	.39	40.4	32.5	4.3	112.2
345	5816.	-7.19	23.2	.904	.108	3.69	10.80	47.	4232.	2.34	.0	.4	4.3	114.1
346	5842.	-5.38	38.8	.989	.093	1.41	12.29	52.	3483.	2.43	26.5	14.2	4.2	115.3
347	5837.	-3.30	39.8	.996	.044	.67	14.09	93.	1227.	.95	37.4	28.2	4.2	116.7

	ORZ 1/MIN	BR- KP	ZUE4 DEG	LAMA 1	SIGMA 1	C3 PROZ	C02 PROZ	NO PPH	C3H8 PPM	02 PROZ	DKL DEG	DKLPST DEG	OELDR KP/CM2	OELTEMP CEL
348	5837.	-1.78	38.7	.997	.047	.68	14.32	155.	673.	.71	42.4	35.4	4.1	117.8
349	5998.	-7.46	23.1	.910	.122	3.59	11.44	54.	2805.	1.71	0.0	.4	4.1	119.7
350	5995.	-6.31	41.1	.993	.073	1.09	13.10	60.	2371.	1.74	28.3	16.3	4.0	120.1
351	5002.	-3.37	40.1	.998	.039	.57	14.37	100.	867.	.74	38.2	29.4	4.0	121.9
352	6002.	-1.88	40.3	.999	.040	.55	14.52	164.	394.	.53	43.1	36.5	4.0	123.8

DRZ 1/MIN	BR- KP	RAUMTEMP CEL	LFIDR TORR	LFIDPLU L/H	LFIDFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HPO2 G/H
1	1001.	19.7	752.6	10952.	.550	.745	180.3	5142.0	24.63	2.75	336.53
2	1000.	19.5	752.6	22203.	.550	.745	183.3	6180.2	9.39	4.31	266.10
3	1001.	20.0	752.6	23784.	.550	.745	189.1	6643.0	10.04	6.61	254.61
4	1000.	19.7	752.6	25252.	.550	.745	198.4	7041.3	14.68	10.20	299.49
5	1000.	20.0	752.6	26919.	.550	.745	202.7	7538.0	18.81	17.32	325.69
6	1000.	20.1	752.6	28550.	.550	.745	224.9	7963.3	21.76	27.91	332.29
7	1001.	20.0	752.6	31501.	.550	.745	236.9	8793.4	25.31	45.85	367.21
8	1001.	20.1	752.6	35356.	.550	.745	256.3	9455.1	30.55	95.21	404.44
9	993.	20.1	752.6	36566.	.550	.745	270.3	10179.4	34.69	144.00	435.69
10	1001.	20.1	752.6	41413.	.550	.745	296.3	11512.6	43.84	234.43	474.84
11	1001.	19.9	752.6	42821.	.550	.745	1286.8	11312.7	80.38	131.66	168.57
12	1204.	20.0	752.6	22461.	.550	.745	179.2	6183.2	19.85	3.86	346.68
13	1204.	19.9	752.6	21005.	.550	.745	160.3	5884.9	7.32	4.48	226.39
14	1198.	19.6	752.6	25673.	.550	.745	185.5	7183.2	12.12	6.65	236.42
15	1197.	19.7	752.6	26121.	.550	.745	182.1	7307.7	18.09	10.65	335.18
16	1205.	20.0	752.6	30759.	.550	.745	204.9	8636.7	22.41	18.39	341.32
17	1197.	19.8	752.6	35596.	.550	.745	236.2	10026.3	25.01	33.34	355.31
18	1197.	19.3	752.6	38544.	.550	.745	257.5	10853.0	29.14	58.46	378.95
19	1205.	19.0	752.6	42844.	.550	.745	284.1	12048.0	34.96	96.10	429.87
20	1198.	19.6	752.6	46292.	.550	.745	328.3	12961.2	41.15	194.35	462.59
21	1198.	19.8	752.6	47617.	.550	.745	353.1	13297.3	46.16	252.46	488.48
22	1205.	20.0	752.6	49367.	.550	.745	1763.3	12945.5	64.31	136.84	149.52
23	1401.	19.5	752.6	23898.	.550	.745	175.3	6683.7	14.05	4.12	275.83
24	1393.	2.45	752.6	27495.	.550	.745	213.3	7685.1	11.62	5.76	293.48
25	1400.	4.34	752.6	29254.	.550	.745	226.8	8144.0	16.96	7.93	348.53
26	1401.	6.32	752.6	32872.	.550	.745	253.4	9140.3	21.72	13.70	347.64
27	1401.	8.33	752.6	34458.	.550	.745	268.9	9584.9	25.01	24.49	399.65
28	1401.	10.33	752.6	40800.	.550	.745	295.2	11419.5	26.98	39.84	425.45
29	1401.	11.37	752.6	45002.	.550	.745	342.2	12591.3	32.34	61.46	463.41
30	1401.	13.99	752.6	48059.	.550	.745	381.8	13376.3	35.55	158.14	532.87
31	1481.	16.37	752.6	51822.	.550	.745	416.4	14390.0	42.83	222.71	573.67
32	1393.	17.99	752.6	56597.	.550	.745	428.1	15751.1	55.24	303.24	587.86

	DRZ L/MIN	BR. KP	RAUMTEMP CEL	LFTDR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HP02 G/H
33	1401.	19.39	19.9	752.6	59031.	.550	.745	1988.9	15624.9	89.62	105.30	208.85
34	1596.	-1.35	19.6	752.6	26531.	.550	.745	209.1	7335.8	22.12	4.45	337.66
35	1596.	1.34	20.0	752.6	26735.	.550	.745	204.2	7402.0	14.72	5.45	342.31
36	1596.	3.31	20.6	752.6	31241.	.550	.745	243.0	8549.3	20.35	9.82	406.63
37	1604.	6.36	20.4	752.6	34604.	.550	.745	253.1	9629.5	22.83	17.23	428.98
38	1596.	7.83	20.1	752.6	37424.	.550	.745	250.1	10413.5	26.03	28.56	462.95
39	1596.	9.39	20.1	752.6	45739.	.550	.745	310.0	12762.5	30.56	42.48	551.94
40	1597.	12.12	20.3	752.6	50227.	.550	.745	332.5	14050.9	35.23	66.67	563.90
41	1597.	13.99	20.0	752.6	55813.	.550	.745	372.1	15615.5	42.98	118.51	609.28
42	1597.	16.17	19.8	752.6	59541.	.550	.745	442.1	16578.3	46.72	279.93	641.05
43	1597.	18.32	20.0	752.6	64519.	.550	.745	490.7	17975.4	56.91	350.05	676.01
44	1597.	19.70	20.1	752.6	57029.	.550	.745	2401.2	17399.5	81.13	205.98	215.69
45	1799.	.00	20.0	752.6	26311.	.550	.745	210.3	7301.1	17.57	4.39	330.12
46	1800.	2.14	19.4	752.6	28686.	.550	.745	227.1	7968.9	17.77	6.87	342.42
47	1792.	4.31	19.6	752.6	33625.	.550	.745	252.0	9368.5	23.16	12.92	392.85
48	1800.	6.16	19.6	752.6	36652.	.550	.745	255.2	10272.7	27.37	24.14	392.43
49	1800.	7.31	19.9	752.6	41692.	.550	.745	271.5	11718.7	32.03	39.97	417.25
50	1800.	9.37	19.7	752.6	48859.	.550	.745	316.9	13752.4	36.44	54.90	451.48
51	1800.	11.32	19.8	752.6	55773.	.550	.745	342.2	15778.2	41.68	74.84	492.20
52	1800.	14.38	19.5	752.6	61285.	.550	.745	406.3	17286.7	45.91	126.47	551.73
53	1800.	16.19	19.8	752.6	55291.	.550	.745	466.8	18323.3	50.60	305.97	606.65
54	1801.	17.34	20.0	752.6	59391.	.550	.745	883.3	19335.5	62.22	313.13	360.19
55	1800.	19.23	19.8	752.6	72672.	.550	.745	2593.7	18931.4	74.77	218.74	210.65
56	2003.	-1.16	19.9	752.6	26751.	.550	.745	185.3	7532.5	12.34	4.85	256.81
57	1995.	2.13	20.0	752.6	31499.	.550	.745	223.8	8533.2	16.40	8.64	331.33
58	2004.	4.17	20.2	752.6	34848.	.550	.745	239.2	9739.5	22.06	15.40	397.02
59	2004.	5.39	20.1	752.6	41073.	.550	.745	271.5	11593.1	29.81	27.95	442.53
60	1996.	8.11	20.1	752.6	46527.	.550	.745	302.5	13169.1	38.28	52.41	468.82
61	1996.	10.11	19.9	752.6	52636.	.550	.745	329.7	14854.1	44.86	90.57	491.41
62	2005.	12.37	20.3	752.6	51709.	.550	.745	419.4	17375.4	48.23	91.00	561.59
63	2004.	14.34	20.0	752.6	57819.	.550	.745	519.9	19023.0	54.07	143.11	601.22
64	2004.	16.13	20.0	752.6	72419.	.550	.745	552.9	20216.4	57.04	372.46	715.25
65	2005.	17.31	20.1	752.6	78608.	.550	.745	1016.2	21837.6	67.12	393.34	440.42
66	2004.	19.73	20.0	752.6	83297.	.550	.745	2781.2	21786.2	80.55	290.31	269.97
67	2193.	-1.35	20.2	752.6	30991.	.550	.745	232.2	8685.7	17.34	6.31	314.43
68	2200.	1.39	20.3	752.6	35389.	.550	.745	251.5	9889.7	20.07	11.58	386.89
69	2200.	4.36	20.1	752.6	41069.	.550	.745	273.7	11513.8	24.53	21.25	448.53
70	2200.	5.37	20.4	752.6	44845.	.550	.745	291.8	12634.6	32.96	32.98	469.80
71	2200.	7.35	20.0	752.6	51335.	.550	.745	336.5	14432.2	42.06	56.13	510.68
72	2194.	9.38	20.2	752.6	58452.	.550	.745	388.9	16431.5	49.60	87.68	575.64
73	2200.	11.39	20.1	752.6	56603.	.550	.745	479.5	18732.2	50.89	94.70	590.80
74	2201.	14.36	20.6	752.6	74275.	.550	.745	544.3	20829.1	57.38	158.24	695.95
75	2206.	16.16	20.2	752.6	82458.	.550	.745	568.2	22935.2	60.41	441.95	820.59
76	2200.	18.10	20.1	752.6	88052.	.550	.745	732.4	24533.3	63.04	511.54	823.64
77	2200.	20.36	20.0	752.6	33959.	.550	.745	2722.2	24928.7	86.45	385.06	340.55

MOT0231901401BAT22

	DRZ 1/MIN	BR- KP	RAUMTEMP CEL	LFTDR TORR	LFTOLU L/H	LFTFEUCH I	DICHTE KG/L	4PCO G/H	HPD32 G/H	HPCH2 G/H	HPNOX G/H	4PO2 G/H
76	2201.	20.44	20.4	752.6	95491.	.550	.745	3497.7	24709.6	92.17	338.39	291.78
79	2395.	-0.11	20.3	752.6	31731.	.550	.745	244.5	8918.4	15.82	7.36	312.53
80	2395.	2.11	20.2	752.6	36991.	.550	.745	264.7	10379.6	17.61	14.91	366.41
81	2404.	4.12	20.0	752.6	41757.	.550	.745	296.6	11695.9	25.58	22.91	441.20
82	2403.	5.30	20.2	752.6	47139.	.550	.745	339.1	13181.4	35.11	39.21	445.33
83	2404.	7.78	20.7	752.6	54462.	.550	.745	387.0	15233.8	43.90	62.90	548.97
84	2396.	10.13	20.3	752.6	54603.	.550	.745	453.6	18382.6	54.47	113.66	614.90
85	2404.	11.30	20.1	752.6	72630.	.550	.745	555.5	20295.7	55.19	114.20	671.73
86	2404.	14.12	20.3	752.6	90373.	.550	.745	658.2	22378.9	60.12	199.82	732.46
87	2404.	16.16	20.6	752.6	98518.	.550	.745	784.8	24436.3	58.84	499.77	857.04
88	2396.	17.31	20.4	752.6	96156.	.550	.745	1419.6	26366.1	71.92	506.55	566.87
89	2397.	20.17	20.4	752.6	102015.	.550	.745	2718.1	27082.5	87.12	452.69	404.70
90	2404.	20.54	20.5	752.6	115747.	.550	.745	4420.6	26764.6	99.54	356.52	295.77
91	2600.	-0.30	20.3	752.6	32140.	.550	.745	243.1	9021.6	13.24	8.16	297.11
92	2600.	2.13	20.1	752.6	39294.	.550	.745	288.5	11007.3	16.43	17.39	367.77
93	2600.	3.31	20.0	752.6	45518.	.550	.745	330.4	12722.7	25.02	25.00	442.99
94	2600.	6.19	20.3	752.6	52357.	.550	.745	389.3	14613.6	35.86	44.61	527.19
95	2600.	7.31	20.4	752.6	59359.	.550	.745	470.6	16534.4	45.60	57.75	607.64
96	2598.	10.16	20.4	752.6	57953.	.550	.745	599.7	18709.1	46.03	305.55	697.45
97	2598.	12.17	20.2	752.6	78402.	.550	.745	700.4	21527.1	54.55	466.98	814.34
98	2598.	13.38	20.3	752.6	85029.	.550	.745	741.1	23454.3	57.42	515.71	870.73
99	2599.	15.99	20.1	752.6	91945.	.550	.745	799.6	25364.3	59.00	537.87	886.45
100	2606.	18.02	20.2	752.6	101015.	.550	.745	928.5	27968.1	66.37	654.32	934.80
101	2607.	19.37	20.3	752.6	116725.	.550	.745	1910.0	29014.3	86.28	619.29	520.09
102	2599.	20.88	20.5	752.6	110926.	.550	.745	4393.5	28255.6	104.89	442.60	323.71
103	2801.	.13	20.6	752.6	38521.	.550	.745	298.4	10778.7	17.69	11.60	344.45
104	2802.	2.11	20.3	752.6	43463.	.550	.745	359.4	12173.2	18.60	21.01	392.06
105	2802.	4.28	20.2	752.6	50329.	.550	.745	354.3	14051.6	30.81	33.31	473.64
106	2802.	6.12	20.2	752.6	57725.	.550	.745	441.2	16094.7	40.44	52.33	541.19
107	2802.	8.16	20.4	752.6	64524.	.550	.745	514.9	17948.6	51.13	81.65	603.21
108	2802.	9.32	20.0	752.6	70984.	.550	.745	512.7	19725.7	58.76	128.78	644.49
109	2795.	12.10	20.1	752.6	80648.	.550	.745	681.6	22458.2	59.13	174.09	677.55
110	2803.	14.18	20.0	752.6	89937.	.550	.745	744.3	25019.9	64.32	360.05	777.10
111	2802.	16.11	20.6	752.6	98657.	.550	.745	809.1	27307.4	63.43	632.55	857.90
112	2803.	17.37	20.2	752.6	117711.	.550	.745	2096.7	29199.2	85.73	590.66	455.92
113	2795.	20.13	20.4	752.6	115229.	.550	.745	2898.2	30750.5	96.03	619.39	400.60
114	2795.	20.76	20.1	752.6	120381.	.550	.745	4888.0	30647.1	109.19	496.59	305.35
115	2998.	.14	20.3	752.6	39603.	.550	.745	305.6	11084.8	15.62	12.72	326.44
116	2998.	2.17	20.4	752.6	47286.	.550	.745	318.0	13218.4	24.93	19.70	428.48
117	3086.	3.30	20.3	752.6	52638.	.550	.745	393.6	14692.1	32.37	33.65	464.11
118	2998.	6.14	20.4	752.6	60353.	.550	.745	472.6	16820.4	43.47	55.00	531.06
119	2799.	8.12	20.2	752.6	67295.	.550	.745	559.8	18691.5	53.52	89.62	599.71
120	2999.	9.97	20.5	752.6	76281.	.550	.745	660.7	21168.8	61.63	162.16	694.47
121	2999.	11.99	20.2	752.6	85071.	.550	.745	706.3	23931.9	62.25	209.48	726.96
122	2999.	14.41	20.3	752.6	96894.	.550	.745	821.9	26952.4	66.49	439.45	806.10

	DRZ L/MIN	BRL KP	RAUMTEMP CEL	LFTOR TORR	LFTPLU L/H	LFTFEUCHT 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HP02 G/H
123	2999.	16.17	20.6	752.6	107502.	.550	.745	941.7	29796.8	66.09	704.08	902.41
124	3008.	16.14	20.7	752.6	116425.	.550	.745	1302.2	32259.4	81.58	769.30	746.58
125	2999.	20.34	20.6	752.6	124798.	.550	.745	2428.7	33803.1	98.42	762.62	534.04
126	2999.	21.10	20.5	752.6	131779.	.550	.745	4941.0	33830.3	115.69	593.32	343.65
127	3202.	.39	20.5	752.6	41915.	.550	.745	300.5	11807.0	15.70	14.65	309.83
128	3202.	2.33	20.0	752.6	47370.	.550	.745	332.7	13279.3	23.55	23.66	402.37
129	3194.	4.24	20.6	752.6	57363.	.550	.745	439.1	16032.9	37.88	42.76	483.11
130	3202.	6.00	20.3	752.6	64747.	.550	.745	513.2	18053.5	47.58	68.37	560.83
131	3202.	7.92	20.4	752.6	72386.	.550	.745	596.4	20159.0	58.41	117.71	617.95
132	3195.	9.36	20.4	752.6	81032.	.550	.745	670.1	22538.3	62.14	219.92	634.84
133	3203.	12.19	20.2	752.6	91988.	.550	.745	794.8	25558.1	64.38	365.06	757.90
134	3203.	14.03	20.8	752.6	105390.	.550	.745	835.5	29290.3	66.69	694.76	849.90
135	3195.	16.13	20.7	752.6	113674.	.550	.745	975.2	31577.0	69.58	735.78	937.98
136	3203.	18.15	20.8	752.6	124503.	.550	.745	2314.4	33826.4	94.37	756.31	512.77
137	3203.	20.11	20.3	752.6	135706.	.550	.745	2756.3	36666.2	104.73	878.16	584.34
138	3203.	21.12	20.5	752.6	141233.	.550	.745	5280.5	36186.5	120.54	705.54	435.35
139	3405.	-0.00	20.5	752.6	4217.	.550	.745	299.5	11872.7	12.71	15.17	300.28
140	3398.	2.00	20.4	752.6	52846.	.550	.745	439.5	14757.4	30.22	24.44	437.67
141	3398.	4.10	20.4	752.6	57748.	.550	.745	489.8	16084.1	38.51	42.38	483.83
142	3398.	5.36	20.5	752.6	57387.	.550	.745	590.2	18751.3	49.37	72.72	562.33
143	3398.	7.30	20.4	752.6	76173.	.550	.745	698.3	21146.9	59.21	135.58	634.23
144	3398.	10.16	20.7	752.6	87818.	.550	.745	781.5	24388.6	66.13	267.92	721.13
145	3399.	12.14	20.5	752.6	98917.	.550	.745	872.7	27510.6	70.59	347.79	783.58
146	3399.	14.23	20.6	752.6	110504.	.550	.745	936.1	30696.0	69.87	696.02	883.05
147	3399.	16.15	20.8	752.6	121695.	.550	.745	1045.7	33832.0	74.59	872.03	925.09
148	3399.	17.82	20.9	752.6	136300.	.550	.745	2281.2	37211.3	100.49	891.51	592.98
149	3399.	20.12	20.5	752.6	145530.	.550	.745	2775.3	39463.2	107.11	984.02	628.98
150	3399.	21.21	20.6	752.6	152703.	.550	.745	6155.7	38818.9	124.83	721.36	370.44
151	3602.	.17	20.6	752.6	43798.	.550	.745	287.4	12398.3	11.94	17.08	279.45
152	3602.	1.34	20.5	752.6	53292.	.550	.745	416.4	14903.6	29.83	25.86	421.33
153	3602.	3.94	20.4	752.6	62114.	.550	.745	544.3	17291.3	41.07	46.40	499.25
154	3602.	6.32	20.8	752.6	71978.	.550	.745	672.1	19933.9	53.66	85.77	557.73
155	3602.	8.12	20.5	752.6	81823.	.550	.745	786.6	22713.7	60.95	172.39	636.33
156	3602.	10.17	20.7	752.6	93315.	.550	.745	850.3	25823.5	67.82	321.49	733.01
157	3602.	11.99	20.4	752.6	104659.	.550	.745	1623.3	29053.6	75.18	416.53	780.91
158	3603.	14.15	20.4	752.6	119784.	.550	.745	1045.2	33253.0	72.77	831.02	911.49
159	3603.	16.14	20.7	752.6	131005.	.550	.745	2034.9	35892.5	92.43	829.99	634.53
160	3595.	18.19	20.7	752.6	145028.	.550	.745	2579.7	39463.0	104.22	929.53	629.40
161	3603.	20.16	20.7	752.6	157233.	.550	.745	2889.3	42745.3	110.55	1055.08	645.93
162	3603.	21.56	20.8	752.6	166558.	.550	.745	601.2	42933.3	125.12	861.93	411.18
163	3797.	.00	20.4	752.6	47454.	.550	.745	314.1	13454.5	11.01	17.00	258.52
164	3806.	1.91	20.8	752.6	55508.	.550	.745	450.6	15519.2	29.85	27.34	425.85
165	3806.	3.94	20.3	752.6	66057.	.550	.745	551.1	18317.6	44.61	49.64	511.34
166	3798.	6.19	20.8	752.6	76605.	.550	.745	772.5	21188.3	56.15	110.16	597.14
167	3798.	8.12	20.7	752.6	86872.	.550	.745	837.5	24047.0	62.41	225.55	689.87

4

6

8

10

12

14

16

18

20

22

24

26

28

30

32

34

36

38

40

42

44

46

48

50

52

54

56

58

60

62

64

66

68

70

72

74

76

78

80

82

84

86

88

90

92

94

96

98

100

102

104

106

108

110

112

114

116

118

120

122

124

126

128

130

132

134

136

138

140

142

144

146

148

150

152

154

156

158

160

162

164

166

168

170

172

174

176

178

180

182

184

186

188

190

192

194

196

198

200

202

204

206

208

210

212

214

216

218

220

222

224

226

228

230

232

234

236

238

240

242

244

246

248

250

252

254

256

258

260

262

264

266

268

270

272

274

276

278

280

282

284

286

288

290

292

294

296

298

300

302

304

306

308

310

312

314

316

318

320

322

324

326

328

330

332

334

336

338

340

342

344

346

348

350

352

354

356

358

360

362

364

366

368

370

372

374

376

378

380

382

384

386

388

390

392

394

396

398

400

402

404

406

408

410

412

414

416

418

420

422

424

426

428

430

432

434

436

438

440

442

444

446

448

450

452

454

456

458

460

462

464

466

468

470

472

474

476

478

480

482

484

486

488

490

492

494

496

498

500

502

504

506

508

510

512

514

516

518

520

522

524

526

528

530

532

534

536

538

540

542

544

546

548

550

552

554

556

558

560

562

564

566

568

570

572

574

576

578

580

582

584

586

588

590

592

594

596

598

600

602

604

606

608

610

612

614

616

618

620

622

624

626

628

630

632

634

636

638

640

642

644

646

648

650

652

654

656

658

660

662

664

666

668

670

672

674

676

678

680

682

684

686

688

690

692

694

696

698

700

702

704

706

708

710

712

714

716

718

720

722

724

726

728

730

732

734

736

738

740

742

744

746

748

750

752

754

756

758

760

762

764

766

768

770

772

774

776

778

780

782

784

786

788

790

792

794

796

798

800

802

804

	ORZ 1/MIN	BR- KP	RAUMTEMP CEL	LF TORR	LF TPLU L/H	LF TFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HP02 G/H
213	4603.	3.36	22.3	752.6	81781.	.550	.745	755.2	22928.7	42.34	79.53	622.02
214	4595.	5.38	22.4	752.6	95979.	.550	.745	803.5	26896.9	50.71	106.01	787.35
215	4595.	8.36	22.2	752.6	112245.	.550	.745	929.1	31402.4	60.88	342.13	940.62
216	4595.	10.12	22.2	752.6	128494.	.550	.745	987.4	35937.4	60.71	711.54	1087.13
217	4603.	11.99	22.1	752.6	145519.	.550	.745	1067.1	40771.3	64.69	959.56	1241.78
218	4603.	14.31	22.4	752.6	162432.	.550	.745	3905.4	43583.3	112.93	865.30	664.37
219	4599.	16.00	22.4	752.6	178662.	.550	.745	4860.4	47618.6	125.19	827.01	627.18
220	4603.	17.34	22.6	752.6	195231.	.550	.745	5878.8	51534.2	138.54	936.73	665.49
221	4595.	19.38	22.4	752.6	211008.	.550	.745	6881.3	55208.1	145.19	1041.62	678.25
222	4596.	21.57	22.4	752.6	222324.	.550	.745	9252.4	56356.4	148.97	1009.92	620.24
223	4805.	.15	22.3	752.6	65737.	.550	.745	633.2	18157.2	93.53	22.56	721.02
224	4806.	2.35	22.2	752.6	74507.	.550	.745	684.6	20910.3	42.23	42.11	539.63
225	4797.	3.99	22.2	752.6	88398.	.550	.745	730.1	24849.8	41.62	102.93	632.93
226	4797.	6.17	22.3	752.6	102918.	.550	.745	814.8	28891.1	49.22	225.57	749.21
227	4804.	7.33	22.3	752.6	118481.	.550	.745	953.6	33168.0	58.85	415.55	936.24
228	4805.	9.36	22.3	752.6	136393.	.550	.745	968.2	38260.3	57.63	858.96	1048.18
229	4797.	12.12	22.6	752.6	154589.	.550	.745	1129.0	43354.4	66.76	1035.10	1225.15
230	4805.	13.90	22.3	752.6	170614.	.550	.745	4211.1	45660.4	117.01	879.64	664.36
231	4797.	15.38	22.7	752.6	189671.	.550	.745	5494.3	50176.7	133.12	837.43	646.88
232	4797.	18.11	22.7	752.6	206497.	.550	.745	6523.1	54201.1	145.89	960.67	651.54
233	4797.	20.11	22.3	752.6	221011.	.550	.745	7477.6	57570.0	145.73	1089.41	659.93
234	4806.	21.19	22.5	752.6	230581.	.550	.745	10079.1	58089.1	151.56	934.13	566.35
235	4999.	.11	22.4	752.6	68442.	.550	.745	599.4	18751.0	138.77	24.29	748.78
236	4999.	2.13	22.3	752.6	79881.	.550	.745	744.5	22359.6	54.29	57.01	561.12
237	5000.	4.17	22.8	752.6	93754.	.550	.745	752.9	26370.3	48.61	142.30	684.99
238	5000.	6.12	22.2	752.6	108815.	.550	.745	880.5	30565.1	52.76	291.50	803.95
239	5000.	7.38	22.1	752.6	125207.	.550	.745	953.5	35156.3	56.45	600.74	939.35
240	5000.	10.12	22.6	752.6	145299.	.550	.745	1056.3	40751.6	63.57	929.51	1151.78
241	4998.	12.11	22.3	752.6	154672.	.550	.745	6134.8	42139.7	127.73	694.94	535.18
242	4999.	14.43	22.6	752.6	184422.	.550	.745	4489.1	49433.7	119.25	927.87	677.99
243	5000.	15.38	22.7	752.6	200485.	.550	.745	5239.7	53329.7	136.00	933.16	719.88
244	5000.	17.38	23.0	752.6	215114.	.550	.745	6365.6	56826.3	143.11	1042.15	692.21
245	5000.	20.11	22.8	752.6	230983.	.550	.745	8381.9	59657.7	150.85	1096.01	635.33
246	4993.	21.13	22.7	752.6	237380.	.550	.745	10124.5	59909.3	152.50	1033.56	611.49
247	5203.	.12	22.8	752.6	71811.	.550	.745	701.4	19768.0	127.45	27.64	783.28
248	5203.	1.38	23.0	752.6	84736.	.550	.745	737.3	23791.8	54.38	65.25	621.82
249	5188.	3.33	22.8	752.6	97452.	.550	.745	835.4	27399.5	42.63	157.05	674.11
250	5209.	6.12	23.1	752.6	115363.	.550	.745	949.1	32404.9	52.55	345.89	839.62
251	5199.	8.00	23.0	752.6	133476.	.550	.745	968.6	37611.6	54.11	730.17	966.87
252	5213.	10.14	22.8	752.6	154283.	.550	.745	1153.2	43336.7	65.92	924.76	1143.70
253	5203.	12.00	23.0	752.6	171479.	.550	.745	4851.7	45381.5	116.64	825.09	592.48
254	5226.	13.98	22.9	752.6	190337.	.550	.745	5371.7	56523.2	126.14	872.01	634.07
255	5193.	20.34	22.9	752.6	242628.	.550	.745	9606.4	61966.1	151.90	1074.48	613.26
256	5410.	.12	23.0	752.6	74017.	.550	.745	580.2	20735.3	63.39	32.62	530.62
257	5398.	2.10	23.4	752.6	90234.	.550	.745	727.1	25480.8	37.00	89.94	558.49

	ORZ 1/MIN	BR. KP	RAUMTEMP CEL	LFTDR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HPO2 G/H
258	5401.	4.36	23.0	752.6	105673.	.550	.745	826.6	29848.1	39.31	202.85	631.41
259	5396.	6.30	23.1	752.6	123883.	.550	.745	935.5	34942.5	46.50	413.38	855.40
260	5398.	8.33	23.3	752.6	142620.	.550	.745	1062.6	40223.7	53.89	668.65	959.08
261	5401.	10.30	23.4	752.6	161887.	.550	.745	1252.9	45533.2	59.39	839.96	1038.45
262	5389.	12.43	23.1	752.6	183413.	.550	.745	4711.8	48936.3	119.11	843.53	664.15
263	5411.	13.91	23.2	752.6	200123.	.550	.745	5958.1	52335.0	132.89	762.48	633.07
264	5397.	15.31	23.0	752.6	219566.	.550	.745	6690.4	57841.4	145.06	887.73	648.96
265	5402.	17.39	23.3	752.6	234767.	.550	.745	8630.8	60476.0	156.26	948.05	636.94
266	5399.	19.53	23.3	752.6	245479.	.550	.745	11116.6	61455.0	160.83	929.47	564.42
267	5605.	.11	23.2	752.6	77348.	.550	.745	477.3	22413.3	22.14	44.90	356.23
268	5590.	2.12	23.5	752.6	32825.	.550	.745	626.5	26560.3	22.95	128.99	461.63
269	5605.	4.13	23.3	752.6	109547.	.550	.745	752.4	31255.1	26.94	262.44	573.12
270	5602.	6.12	23.4	752.6	130029.	.550	.745	912.9	36975.1	35.47	437.19	741.04
271	5604.	7.35	23.3	752.6	151018.	.550	.745	1164.7	42791.3	43.88	574.20	886.25
272	5602.	10.04	23.7	752.6	170796.	.550	.745	4027.3	45923.4	111.73	656.23	658.35
273	5594.	12.12	23.2	752.6	188734.	.550	.745	5354.3	49938.2	122.54	755.19	653.75
274	5600.	13.38	23.3	752.6	212793.	.550	.745	6083.8	56462.0	134.03	756.22	643.33
275	5595.	15.35	23.5	763.6	228801.	.550	.745	8035.9	59303.3	153.70	837.77	625.24
276	5597.	17.38	23.5	763.6	243391.	.550	.745	10789.1	61052.6	165.32	858.07	579.15
277	5803.	.11	23.2	763.6	85128.	.550	.745	550.1	24405.3	31.45	43.52	398.43
278	5804.	1.31	23.1	763.6	38412.	.550	.745	629.5	28321.7	19.40	121.41	446.10
279	5803.	4.19	23.3	763.6	120264.	.550	.745	757.9	34394.4	24.42	275.23	577.92
280	5803.	6.13	23.4	763.6	139569.	.550	.745	921.1	39819.1	30.72	414.26	689.86
281	5796.	8.00	23.6	763.6	159532.	.550	.745	1212.3	45219.0	40.43	591.44	852.55
282	5804.	10.30	23.7	763.6	179327.	.550	.745	5522.2	47091.9	123.62	595.64	576.41
283	5771.	13.36	22.9	763.6	218968.	.550	.745	7169.7	57394.4	145.22	716.64	626.50
284	5776.	14.58	23.3	763.6	227202.	.550	.745	7829.4	59175.3	146.56	753.08	598.59
285	5793.	16.31	23.2	763.6	239219.	.550	.745	9747.1	50829.0	159.35	777.71	613.60
286	5804.	18.07	23.1	763.6	249473.	.550	.745	15056.9	58822.4	178.43	654.62	501.07
287	5996.	.14	23.2	763.6	93633.	.550	.745	334.5	27358.4	7.00	63.13	265.83
288	5998.	1.32	23.1	763.6	107591.	.550	.745	476.0	31261.6	9.49	126.66	341.42
289	5995.	3.37	23.5	763.6	128322.	.550	.745	730.8	36995.8	17.49	249.84	497.62
290	6002.	6.18	23.3	763.6	150902.	.550	.745	988.1	43244.9	25.57	407.53	650.32
291	5999.	8.30	23.0	763.6	169237.	.550	.745	7382.9	42573.5	133.99	403.25	474.94
292	5907.	9.11	23.1	763.6	181265.	.550	.745	5289.3	47912.3	124.75	569.14	552.25
293	5980.	11.32	23.5	763.6	210473.	.550	.745	8220.9	53930.5	145.59	577.47	547.03
294	5992.	14.34	23.3	763.6	235148.	.550	.745	9445.0	59856.5	159.19	716.75	568.35
295	5001.	16.34	23.5	763.6	248518.	.550	.745	13034.4	60360.1	176.45	673.57	495.63
296	6001.	17.22	23.3	763.6	252570.	.550	.745	16525.3	58151.5	185.83	578.15	464.49
297	1201.	-1.58	19.2	754.6	21678.	.550	.745	351.5	5160.9	148.20	1.88	795.20
298	1413.	-1.55	19.6	754.6	22098.	.550	.745	373.4	5110.4	182.47	1.44	941.65
299	1607.	-2.26	19.7	754.6	23219.	.550	.745	385.2	5418.9	174.83	1.41	976.62
300	1804.	-2.31	19.1	754.6	23003.	.550	.745	375.9	5394.8	167.31	1.40	920.74
301	2405.	-2.39	19.1	754.6	23846.	.550	.745	385.9	5502.7	198.89	1.47	1010.54
302	2202.	-2.66	19.4	754.6	25311.	.550	.745	402.4	5948.4	202.19	1.70	1020.34

MOTOR319814618AT22

	DRZ L/MIN	BR- KP	RAUMTEMP CEL	LFTOR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HPO2 G/H
303	2414.	-2.77	19.2	754.6	27991.	.550	.745	491.4	6393.3	245.18	1.93	1237.33
304	2414.	-2.11	19.7	754.6	29832.	.550	.745	345.9	7614.9	137.17	2.80	847.15
305	2602.	-2.32	19.9	754.6	27685.	.550	.745	433.2	6538.8	211.74	2.00	1100.50
306	2603.	-2.11	19.9	754.6	30893.	.550	.745	310.4	8099.3	109.88	3.23	769.27
307	2810.	-3.13	19.6	754.6	28621.	.550	.745	535.1	6520.3	251.01	1.98	1284.85
308	2810.	-2.14	19.5	754.6	33359.	.550	.745	340.1	8836.3	110.11	3.63	753.31
309	3007.	-3.36	19.8	754.6	28403.	.550	.745	584.3	6224.2	274.84	1.82	1398.19
310	3007.	-2.00	19.8	754.6	33715.	.550	.745	350.1	8865.1	113.47	3.82	794.43
311	3213.	-3.50	19.7	754.6	26315.	.550	.745	500.2	5523.2	294.51	1.58	1418.02
312	3214.	-2.16	19.9	754.6	35232.	.550	.745	379.4	9307.6	112.07	4.10	782.89
313	3416.	-3.31	19.9	754.6	29524.	.550	.745	750.3	6054.8	344.16	1.72	1659.71
314	3413.	-1.91	19.8	754.6	35322.	.550	.745	325.0	9545.2	78.15	4.64	676.05
315	3607.	-4.12	19.9	754.6	28243.	.550	.745	736.7	5642.3	344.58	1.60	1681.77
316	3607.	-1.39	19.5	754.6	35633.	.550	.745	303.9	9818.3	52.50	5.16	513.89
317	3805.	-4.36	19.6	754.6	36604.	.550	.745	811.8	5958.6	405.00	1.68	1952.30
318	3805.	-1.88	19.9	754.6	37034.	.550	.745	322.0	10148.3	61.77	5.82	560.73
319	4009.	-4.52	19.6	754.6	29301.	.550	.745	818.6	5492.4	424.59	1.60	1974.75
320	4011.	-1.35	19.3	754.6	39584.	.550	.745	329.3	10981.3	56.50	6.73	519.49
321	4216.	-4.32	19.8	754.6	29311.	.550	.745	917.9	5256.4	469.39	1.55	2077.78
322	4210.	-3.33	19.5	754.6	35962.	.550	.745	385.3	9522.4	99.12	3.57	799.92
323	4210.	-2.16	19.7	754.6	42381.	.550	.745	335.3	11823.3	50.26	7.69	529.55
324	4402.	-5.15	19.6	754.6	29576.	.550	.745	943.7	5174.6	483.26	1.64	2176.19
325	4402.	-3.88	19.5	754.6	37294.	.550	.745	423.8	9847.4	114.30	3.93	796.95
326	4400.	-2.12	19.4	754.6	43307.	.550	.745	381.6	11942.6	85.84	8.60	614.68
327	4609.	-5.11	20.0	754.6	28740.	.550	.745	982.6	4694.3	538.21	1.55	2314.89
328	4609.	-3.88	19.7	754.6	37011.	.550	.745	424.9	9756.2	114.42	4.21	779.34
329	4610.	-2.13	19.8	754.6	47304.	.550	.745	529.8	12491.9	181.96	10.12	946.72
330	4813.	-5.54	19.3	754.6	30374.	.550	.745	1119.3	4632.5	639.37	1.61	2624.07
331	4812.	-3.99	19.6	754.6	40489.	.550	.745	723.2	9592.7	317.62	4.68	1492.66
332	4805.	-2.11	19.5	754.6	53392.	.550	.745	739.1	13674.4	249.20	11.21	1361.90
333	5005.	-5.92	19.2	754.6	30523.	.550	.745	1159.0	4430.7	684.56	1.66	2753.13
334	5005.	-3.30	19.6	754.6	43421.	.550	.745	751.3	10414.3	316.05	5.68	1567.05
335	5005.	-1.99	19.8	754.6	56577.	.550	.745	642.2	14891.3	233.46	12.62	1254.42
336	5225.	-6.27	19.8	754.6	33823.	.550	.745	1430.2	4420.0	831.77	1.83	3328.03
337	5205.	-3.35	19.8	754.6	47144.	.550	.745	746.7	11541.2	319.90	6.70	1524.82
338	5208.	-2.00	19.6	754.6	61634.	.550	.745	678.9	16371.3	210.18	14.15	1267.89
339	5414.	-6.55	19.6	754.6	29535.	.550	.745	1295.5	3996.1	693.41	1.74	2717.36
340	5416.	-4.00	20.0	754.6	48717.	.550	.745	553.7	12759.2	216.94	7.96	1148.59
341	5416.	-1.32	19.8	754.6	63575.	.550	.745	656.3	17254.5	151.75	15.97	1067.69
342	5606.	-6.35	19.9	754.6	29131.	.550	.745	1320.0	5315.6	364.20	2.23	1664.11
343	5599.	-3.33	19.8	754.6	54645.	.550	.745	571.5	14613.1	194.65	9.40	1574.91
344	5591.	-1.36	19.9	754.6	59372.	.550	.745	622.5	19261.1	134.24	19.51	882.59
345	5816.	-7.19	20.0	754.6	27058.	.550	.745	1247.5	5730.3	214.72	2.60	901.83
346	5842.	-5.38	19.9	754.6	45243.	.550	.745	796.9	10918.1	295.46	4.82	1568.43
347	5837.	-3.30	20.0	754.6	58721.	.550	.745	493.2	16221.3	135.15	11.19	793.95

MOTOR31901401BAT22

	ORZ L/MIN	BR- KP	RAUMTEMP CEL	LFTDR TORR	LFTPLU L/H	LFTFEUCH 1	DICHTE KG/L	HPCO G/H	HPCO2 G/H	HPCH2 G/H	HPNOX G/H	HP02 G/H
348	5837.	-1.78	19.8	754.6	73659.	.550	.745	524.6	20695.4	92.98	23.41	741.63
349	5999.	-7.46	20.1	754.6	26858.	.550	.745	1203.4	6025.3	141.28	2.96	655.51
350	5995.	-6.11	19.9	754.6	46639.	.550	.745	635.4	11984.2	207.34	5.69	1159.24
351	5002.	-3.37	19.9	754.6	62579.	.550	.745	442.8	17637.7	101.76	12.88	661.93
352	5002.	-1.98	20.1	754.6	77255.	.550	.745	539.3	22144.6	57.11	25.97	549.42

MOTOR319014013AT22

SEITE 3/9



APPENDIX H
REPORT OF NEW TECHNOLOGY

The work performed under this contract, while leading to no new inventions has provided a detailed characterization of the engines studied with emphasis on fuel economy, emissions and driveability.

HE 18.5 .A34

NHISA- /9-1

Uetling, H..

passenger ca
data base

Form DOT F 17
FORMERLY FORM E

**U.S. DEPARTMENT OF TRANSPORTATION
RESEARCH AND SPECIAL PROGRAMS ADMINISTRATION**

**TRANSPORTATION SYSTEMS CENTER
KENDALL SQUARE, CAMBRIDGE, MA. 02142**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF TRANSPORTATION
613**



00347501